Orbital Perturbations: Variation of Parameters

Michael L. Carroll

August 31, 2021

©2020 by Michael L. Carroll

Catalog of Orbital Equations

Catalog of Orbital Equations

- Basic Two-Body Equation: $\ddot{r} = -\dfrac{\mu r}{\|r\|^3}$,

  where $\mu = GM$,
  G is the gravitational constant,
  M is the standard gravitational parameter

Catalog of Orbital Equations

- Basic Two-Body Equation: $\ddot{r} = -\dfrac{\mu r}{\|r\|^3}$,

  where $\mu = GM$,
  G is the gravitational constant,
  M is the standard gravitational parameter
- μ of Earth is $\mu_E := 3.986004418 \times 10^{14}$ $\mathrm{m}^3/\mathrm{sec}^2$

Catalog of Orbital Equations

- Basic Two-Body Equation: $\ddot{r} = -\dfrac{\mu r}{\|r\|^3}$,

  where $\mu = GM$,
  G is the gravitational constant,
  M is the standard gravitational parameter
- μ of Earth is $\mu_E := 3.986004418 \times 10^{14}\ \mathrm{m}^3/\mathrm{sec}^2$
- Angular Momentum: $h := r \times \dot{r}$

Catalog of Orbital Equations

- Basic Two-Body Equation: $\ddot{r} = -\dfrac{\mu r}{\|r\|^3}$,

  where $\mu = GM$,
  G is the gravitational constant,
  M is the standard gravitational parameter
- μ of Earth is $\mu_E := 3.986004418 \times 10^{14}$ $\mathrm{m}^3/\mathrm{sec}^2$
- Angular Momentum: $h := r \times \dot{r}$
- Classical Orbital Elements: $a, e, i, \Omega, \omega, T$ where
  a is the semi-major axis,
  e is the eccentricity,
  i is the inclination angle of the orbital plane,
  Ω is the longitude of the ascending node,
  ω is the angle between the ascending node and the periapsis point,
  T is the time of periapsis passage.

Catalog of Orbital Equations

- Basic Two-Body Equation: $\ddot{r} = -\dfrac{\mu r}{\|r\|^3}$,

  where $\mu = GM$,
  G is the gravitational constant,
  M is the standard gravitational parameter
- μ of Earth is $\mu_E := 3.986004418 \times 10^{14}$ $\mathrm{m}^3/\mathrm{sec}^2$
- Angular Momentum: $h := r \times \dot{r}$
- Classical Orbital Elements: $a, e, i, \Omega, \omega, T$ where
  a is the semi-major axis,
  e is the eccentricity,
  i is the inclination angle of the orbital plane,
  Ω is the longitude of the ascending node,
  ω is the angle between the ascending node and the periapsis point,
  T is the time of periapsis passage.

Catalog of Orbital Equations

- Basic Two-Body Equation: $\ddot{r} = -\dfrac{\mu r}{\|r\|^3}$,

  where $\mu = GM$,
  G is the gravitational constant,
  M is the standard gravitational parameter
- μ of Earth is $\mu_E := 3.986004418 \times 10^{14}$ $\mathrm{m}^3/\mathrm{sec}^2$
- Angular Momentum: $h := r \times \dot{r}$
- Classical Orbital Elements: $a, e, i, \Omega, \omega, T$ where
  a is the semi-major axis,
  e is the eccentricity,
  i is the inclination angle of the orbital plane,
  Ω is the longitude of the ascending node,
  ω is the angle between the ascending node and the periapsis point,
  T is the time of periapsis passage.
-
-

Catalog of Orbital Equations

- Basic Two-Body Equation: $\ddot{r} = -\dfrac{\mu r}{\|r\|^3}$,

  where $\mu = GM$,
  G is the gravitational constant,
  M is the standard gravitational parameter
- μ of Earth is $\mu_E := 3.986004418 \times 10^{14}$ $\mathrm{m}^3/\mathrm{sec}^2$
- Angular Momentum: $h := r \times \dot{r}$
- Classical Orbital Elements: $a, e, i, \Omega, \omega, T$ where
  a is the semi-major axis,
  e is the eccentricity,
  i is the inclination angle of the orbital plane,
  Ω is the longitude of the ascending node,
  ω is the angle between the ascending node and the periapsis point,
  T is the time of periapsis passage.
-
-
-

Catalog of Orbital Equations

- Basic Two-Body Equation: $\ddot{r} = -\dfrac{\mu r}{\|r\|^3}$,

  where $\mu = GM$,
  G is the gravitational constant,
  M is the standard gravitational parameter
- μ of Earth is $\mu_E := 3.986004418 \times 10^{14}$ $\mathrm{m}^3/\mathrm{sec}^2$
- Angular Momentum: $h := r \times \dot{r}$
- Classical Orbital Elements: $a, e, i, \Omega, \omega, T$ where
  a is the semi-major axis,
  e is the eccentricity,
  i is the inclination angle of the orbital plane,
  Ω is the longitude of the ascending node,
  ω is the angle between the ascending node and the periapsis point,
  T is the time of periapsis passage.
-
-
-
-

Catalog of Orbital Equations

- Basic Two-Body Equation: $\ddot{r} = -\dfrac{\mu r}{\|r\|^3}$,

  where $\mu = GM$,
  G is the gravitational constant,
  M is the standard gravitational parameter
- μ of Earth is $\mu_E := 3.986004418 \times 10^{14}$ $\mathrm{m}^3/\mathrm{sec}^2$
- Angular Momentum: $h := r \times \dot{r}$
- Classical Orbital Elements: $a, e, i, \Omega, \omega, T$ where
  a is the semi-major axis,
  e is the eccentricity,
  i is the inclination angle of the orbital plane,
  Ω is the longitude of the ascending node,
  ω is the angle between the ascending node and the periapsis point,
  T is the time of periapsis passage.
-
-
-
-