




ROOFTOP AMENITIES AND SUSTAINABILITY

THE UPPER FLOORS OF THE HIGH-RISE BUILDING FEATURE A SUSTAINABLE WATER COLLECTION SYSTEM THAT CAPTURES RAINWATER FOR USE IN THE ROOFTOP SWIMMING POOL.

TO ENHANCE THE OVERALL EXPERIENCE, A ROOFTOP RESTAURANT HAS BEEN INCORPORATED, OFFERING BREATHTAKING VIEWS AND CONVENIENT ACCESS TO DINING AMENITIES. THIS COMBINATION OF SUSTAINABLE PRACTICES AND LUXURIOUS AMENITIES CREATES A TRULY EXCEPTIONAL LIVING ENVIRONMENT.



ARCHITECTURE ISN'T JUST A STRUCTURE. IT'S A SYMBIOTIC RELATIONSHIP WITH THE EARTH. A TESTAMENT TO HUMAN INGENUITY THAT HARMONIZES WITH NATURE'S RHYTHM.



ATRIAL SOLAR COLLECTOR

A STRIKING ARCHITECTURAL FEATURE, THE BUILDING INCORPORATES A MASSIVE, SOLAR-ENCLOSED ATRIUM.

WITHIN THE SOLAR-POWERED SANCTUARY, AN ARRAY OF PHOTOVOLTAIC PANELS EFFICIENTLY CAPTURES SUNLIGHT, TRANSFORMING IT INTO CLEAN, RENEWABLE ENERGY.

THIS DESIGN GENERATES SUFFICIENT SOLAR POWER TO NOT ONLY MEET THE BUILDING'S ENERGY NEEDS BUT ALSO CONTRIBUTE TO THE ENERGY SUPPLY OF THE SURROUNDING AREA.

SOLAR PANEL



MID-LEVEL REFUGE AND ECOSYSTEM INTEGRATION

LOCATED ON THE SEVENTH FLOOR OF THE FOURTEEN-STORY BUILDING, THE REFUGE SERVES AS A STRATEGIC ESCAPE ROUTE IN ACCORDANCE WITH NATIONAL BUILDING CODE (NBC) REGULATIONS.

THIS MID-LEVEL SANCTUARY NOT ONLY PROVIDES A SAFE HAVEN DURING EMERGENCIES BUT ALSO FUNCTIONS AS A THRIVING ECOSYSTEM. BY CAREFULLY SELECTING NATIVE VEGETATION, THE ROOFTOP GARDEN FOSTERS A HARMONIOUS BLEND WITH THE SURROUNDING ENVIRONMENT. THE LUSH GREENERY ATTRACTS A DIVERSE ARRAY OF WILDLIFE, CONTRIBUTING TO THE OVERALL BIODIVERSITY OF THE AREA. THIS INNOVATIVE DESIGN DEMONSTRATES A COMMITMENT TO BOTH HUMAN SAFETY AND ENVIRONMENTAL SUSTAINABILITY, SETTING A NEW STANDARD FOR URBAN DEVELOPMENT.

THE ONCE-FADING SILHOUETTE OF NATURE NOW REINTEGRATES WITH SOCIETY, A TESTAMENT TO OUR EVOLVING UNDERSTANDING OF ENVIRONMENTAL STEWARDSHIP

SUSTAINABILITY ISN'T A FEATURE. IT'S A FOUNDATION. OUR DESIGN PRIORITIZES NATURE, RECOGNIZING OUR INHERENT CONNECTION AND INTERDEPENDENCE.

ELEVATED HIGHWAY BYPASS

THE HIGHWAY WAS STRATEGICALLY ROUTED AROUND THE BUILDING TO AVOID DISTURBING THE NATURAL ENVIRONMENT BENEATH. THIS DESIGN CHOICE MINIMIZED THE NEED FOR GROUND-LEVEL CONSTRUCTION AND PRESERVED THE DELICATE ECOSYSTEM BELOW.

SUSTAINABILITY SUPPORTING NATURE



NATURE




ETHOS ————— DESIGNADVANCE





MUSKAAN HUSSAIN
Architect

ARCHITECTURE OF ASSEMBLY

THE CELESTIAL TRIO
ETHOS



VIZUALISATION
TWINMOTION



CHALLENGES AND CONSIDERATIONS:

TRAFFIC CONGESTION:
WORLI CAN EXPERIENCE TRAFFIC CONGESTION DURING PEAK HOURS, ESPECIALLY DUE TO THE PROXIMITY TO THE BANDRA-WORLI SEA LINK.

NATURAL HAZARDS:
COASTAL AREAS ARE VULNERABLE TO NATURAL
HAZARDS LIKE CYCLONES AND RISING SEA LEVELS.

INFRASTRUCTURE UPGRADATION: THE EXISTING INFRASTRUCTURE MAY NEED TO BE UPGRADED TO ACCOMMODATE A HIGH-RISE TOWER, ESPECIALLY IN TERMS OF ROADS, UTILITIES, AND PARKING FACILITIES.

FSI:


THE FSI IN WORLI CAN RANGE FROM 2.5 TO 3.5, DEPENDING ON THE ZONE AND SPECIFIC REGULATIONS. A HIGHER FSI ALLOWS FOR A LARGER BUILDING ON A GIVEN PLOT.

BUILDING HEIGHT:
THE MAXIMUM BUILDING HEIGHT CAN VARY FROM 5 TO 90 METERS (APPROXIMATELY 164 TO 295 FEET) DEPENDING ON THE ZONING REGULATIONS AND ENVIRONMENTAL FACTORS.




TOP VIEW OF THE TOWER

HYDRO TOWER ALSO ACTS LIKE A LOAD-BEARING CHANNEL WITH PREFABRICATED INDUSTRIAL-ALLOY CONSTRUCTION OF STEEL ELEMENTS



INSTRUCTION DETAILS OF THE HYDRO TOWER IN THE MOOSE OF THE 3 RESIDENTS



AN INCREASINGLY WARMER PLANET REQUIRES BUILDINGS THAT ADAPT TO CHANGING CONDITIONS, WHILE ALSO REDUCING GREENHOUSE GAS (GHG) EMISSIONS TO SLOW DOWN AND REDUCE THE RATE OF RELATED CHANGES

RENDERED BY ARCHITECTURE AND DESIGN FOR THE FUTURE OF THE BUILDING. THE BUILDING IS A MODEL FOR THE FUTURE OF THE BUILDING. THE BUILDING IS A MODEL FOR THE FUTURE OF THE BUILDING.

AMENITIES

GYMNASIUM: A FITNESS CENTER OR GYM IS LOCATED IN A CENTRAL AREA OR ON THE ROOFTOP. STEAM AND SAUNA ARE ALSO INCLUDED.

SWIMMING POOL: A ROOFTOP POOL WITH STUNNING VIEWS.

COMMUNITY GARDENS: THE VERTICAL GARDENS INCORPORATE COMMUNITY GARDENING SPACES FOR RESIDENTS TO CULTIVATE PLANTS.

RESTAURANTS AND CAFES: DINING OPTIONS, SUCH AS RESTAURANTS AND CAFES, LOCATED ON THE GROUND FLOOR OR IN CENTRAL AREAS.

TRANSPORTATION

VERTICAL TRANSPORTATION: THE BUILDING'S EFFICIENT VERTICAL TRANSPORTATION SYSTEMS, SUCH AS ELEVATORS OR ESCALATORS, TO CONNECT THE VARIOUS LEVELS.

SECURITY AND ACCESSIBILITY: SECURITY FEATURES LIKE ACCESS CONTROL AND SURVEILLANCE SYSTEMS, DRONES AS WELL AS ACCESSIBILITY FEATURES FOR PEOPLE WITH DISABILITIES ARE INCLUDED.

RESIDENTIAL AREAS

APARTMENTS: THE NUMEROUS SPIRALING MODULES CONTAIN INDIVIDUAL APARTMENTS.

PENTHOUSES: THE TOP FLOORS OF THE MODULES FEATURE LUXURIOUS PENTHOUSES WITH PANORAMIC VIEWS.

REFUGE AND ECOSYSTEM INTEGRATION

LOCATED ON THE SEVENTH FLOOR OF THE FOURTEEN-STORY BUILDING, THE REFUGE SERVES AS A STRATEGIC ESCAPE ROUTE IN ACCORDANCE WITH NATIONAL BUILDING CODE (NBC) REGULATIONS.

ADAPTABILITY AND FUTURE-PROOFING:

FLEXIBLE SPACES: THE MODULES ARE ADAPTABLE THAT CAN ACCOMMODATE CHANGING LIFESTYLES AND NEEDS OVER TIME.

TECHNOLOGICAL INTEGRATION: INCORPORATING SMART HOME TECHNOLOGY FOR FEATURES LIKE ENERGY MANAGEMENT, SECURITY, AND COMMUNICATION SYSTEMS.

PUBLIC SPACES

LOBBY: A GRAND LOBBY AREA SERVES AS A WELCOMING ENTRANCE AND GATHERING SPACE.

CO-WORKING SPACES: SHARED WORKSPACES OR BUSINESS CENTERS PROVIDED FOR RESIDENTS OR THE GENERAL PUBLIC.

COURTYARDS: OPEN COURTYARDS OR LANDSCAPED AREAS PROVIDE OUTDOOR SPACES FOR RELAXATION AND SOCIALIZING.

COMMERCIAL SPACES

RETAIL SHOPS: THE GROUND FLOOR OR LOWER LEVELS ACCOMMODATE RETAIL SHOPS, PROVIDING CONVENIENCE FOR RESIDENTS AND VISITORS.

OFFICES: SOME MODULES OR FLOORS, DESIGNATED FOR OFFICE SPACES, CATERING TO BUSINESSES AND PROFESSIONALS.

HOTELS: THE BUILDING INCLUDES HOTEL ROOMS OR SUITES ON LOWER LEVELS.

ROADS

ELEVATED ROADS: A NETWORK OF ELEVATED ROADS MINIMIZES GROUND IMPACT, PROMOTING SUSTAINABLE TRANSPORT.


PODS: INTEGRATED PODS ALONG THE ROAD SURFACE PROVIDE CONVENIENT ACCESS TO GROUND-LEVEL DESTINATIONS, COEXISTING WITH NATURAL LANDSCAPES.

AREAS


AREAS



DUPLEX FIRST FLOOR




DUPLEX FIRST FLOOR



SECTION AA

SECTION BB

NOTE: NORTH IN UNIT DEPENDS ON EACH UNIT'S PLACEMENT AND ROTATIONS IN THEIR RESPECTIVE TOWERS



OVER EXTENDED ROOF (IC)
Protects from the weather and cuts down energy costs adding architectural depth to the building.


PREFABRICATED WALLS
Exterior walls: Insulated Concrete Forms (ICFs). These forms are filled with concrete to create strong and energy efficient walls in prefabricated construction.
Interior walls: Aerated Concrete Blocks. Lightweight concrete blocks with air pockets that provide insulation and reduce weight.

OPENINGS
Outdoor terrace with overhanging roof to keep the space cooler with pergolas and vegetation.

Minimal use of interior walls to ensure less usage of materials and keeping the space airy.

PREFABRICATED GLASS WALL
Light Gauge steel framing - steel framing lighter than traditional steel framing.

U-SHAPED CORRIDOR
Long corridor with walls at the entrance from bottom of the duplex to the roof of the top floor ensuring privacy and cooler interiors.



EAST ELEVATION

PLANS
SCALE 1:100
REV. 1

AIM

REIMAGINING THE URBAN LANDSCAPE: A SUSTAINABLE AND EFFICIENT HIGH-RISE

THE BURGEONING URBAN LANDSCAPE DEMANDS INNOVATIVE SOLUTIONS TO ADDRESS THE GROWING HOUSING NEEDS WHILE MINIMIZING ENVIRONMENTAL IMPACT. THIS DESIGN PROPOSAL SEEKS TO REVOLUTIONIZE HIGH-RISE CONSTRUCTION BY INTEGRATING INDUSTRIALIZED CONSTRUCTION (IC) PRINCIPLES, PARTICULARLY THROUGH THE USE OF PREFABRICATED COMPONENTS.

BY ADOPTING THIS APPROACH, WE AIM TO OVERCOME THE CHALLENGES INHERENT IN TRADITIONAL CONSTRUCTION METHODS, SUCH AS UNORGANIZED LABOR, WORKMANSHIP ISSUES, SITE MANAGEMENT COMPLEXITIES, AND THE DETRIMENTAL EFFECTS OF CONSTRUCTION-RELATED POLLUTION.

THROUGH METICULOUS DESIGN AND EXECUTION, WE ASPIRE TO SET A NEW BENCHMARK FOR HIGH-RISE DEVELOPMENT, DEMONSTRATING THAT IT IS POSSIBLE TO ACHIEVE BOTH ARCHITECTURAL EXCELLENCE AND ENVIRONMENTAL RESPONSIBILITY.

CONCEPT

NOT ONLY ARE THESE 'TWISTERS' OFTEN AERODYNAMIC AND ENERGY-EFFICIENT AS A RESULT OF THEIR DESIGN, THEY ARE ABLE TO INCORPORATE A WIDE VARIETY OF TEXTURES, VIEW ANGLES AND RIPLE EFFECTS.

TWISTED BUILDING STRUCTURES OFFER A PROMISING AVENUE FOR ARCHITECTURAL INNOVATION, COMBINING AESTHETIC APPEAL WITH FUNCTIONAL BENEFITS. BY CAREFULLY CONSIDERING THE DESIGN PRINCIPLES AND CONSIDERATIONS OUTLINED IN THIS CONCEPT, ARCHITECTS CAN CREATE UNIQUE AND SUSTAINABLE BUILDINGS THAT PUSH THE BOUNDARIES OF CONVENTIONAL DESIGN.

ANALYSIS - FUTURISTIC PREFABRICATED HIGH-RISE

UNIQUE DESIGN: THE CENTRAL CORE WITH SPIRALING RESIDENTIAL MODULES CREATES A VISUALLY STRIKING AND DISTINCTIVE STRUCTURE.

PREFABRICATION: THIS APPROACH OFFERS POTENTIAL FOR FASTER CONSTRUCTION, REDUCED ON-SITE LABOR, AND IMPROVED QUALITY CONTROL.

VERTICAL GARDENS: THE GREEN SPACES INTEGRATED INTO THE DESIGN CONTRIBUTE TO A SUSTAINABLE AND VISUALLY APPEALING AESTHETIC.

SPECIFIC CONSIDERATIONS FOR A HIGH-RISE TOWER:

ZONING REGULATIONS: THE DEVELOPMENT CONTROL REGULATIONS (DCR) OF THE BRIHANMUMBAI MUNICIPAL CORPORATION (BMC) SPECIFY THE MAXIMUM FSI (FLOOR SPACE INDEX) ALLOWED FOR DIFFERENT ZONES IN WORK. IF THE FSI PERMITS, A 14-STORY BUILDING IS FEASIBLE.

THE CELESTIAL TRIO

PREFABRICATED COMPONENTS IN RESIDENTIAL TOWER DESIGN

PREFAB COMPONENTS

MODULAR UNITS

THE TOWER IS COMPOSED OF MODULAR UNITS, SUCH AS PREFABRICATED WALLS, ROOFS, AND STAIRWELLS. THESE UNITS CAN BE MANUFACTURED OFF-SITE IN A CONTROLLED ENVIRONMENT, ENSURING CONSISTENT QUALITY AND REDUCING ON-SITE CONSTRUCTION TIME.

PREFABRICATED CONCRETE WALLS:

ADVANTAGES: FASTER CONSTRUCTION TIME, IMPROVED QUALITY CONTROL, REDUCED ON-SITE LABOR, POTENTIAL FOR ENERGY EFFICIENCY IF DESIGNED WITH INSULATION.

PRECAST CONCRETE PANELS: THESE ARE MANUFACTURED OFF-SITE AND ASSEMBLED ON-SITE. THEY CAN BE CUSTOMIZED WITH VARIOUS FINISHES AND INSULATION.

INSULATED CONCRETE FORMS (ICF): THESE REUSABLE PLASTIC FORMS ARE FILLED WITH CONCRETE TO CREATE INSULATED WALLS. THEY OFFER GOOD INSULATION PROPERTIES AND CAN BE USED FOR BOTH EXTERIOR AND INTERIOR WALLS.

STEEL FRAME CONSTRUCTION FOR THE LIFT:

ADVANTAGES: VERSATILE DESIGN POSSIBILITIES, LIGHTWEIGHT AND STRONG, CAN BE PREFABRICATED OFF-SITE.

CROSS-LAMINATED TIMBER (CLT) PANELS: CLT PANELS ARE UTILIZED FOR STRUCTURAL ELEMENTS, OFFERING EXCELLENT STRENGTH-TO-WEIGHT RATIO, FIRE RESISTANCE, AND LOW EMBEDDED CARBON. THIS CHOICE ALIGNS WITH THE PROJECT'S SUSTAINABILITY GOALS.

PREFABRICATED SANITARY UNITS: PRE-ASSEMBLED BATHROOM PODS AND KITCHEN UNITS STREAMLINE INSTALLATION AND REDUCE THE POTENTIAL FOR ON-SITE ERRORS.

FACADE PANELS: PREFABRICATED FACADE PANELS WITH INTEGRATED INSULATION AND FINISHES PROVIDE A DURABLE, ENERGY-EFFICIENT EXTERIOR WHILE MINIMIZING ON-SITE ASSEMBLY.

IMPACT OF CHOOSING IC:

COST SAVINGS:

REDUCED LABOR COST: PREFABRICATION MINIMIZES ON-SITE LABOR, LEADING TO COST SAVINGS.
EFFICIENT LOGISTICS: OFF-SITE MANUFACTURING ALLOWS FOR OPTIMIZED TRANSPORTATION AND LOGISTICS, REDUCING COSTS ASSOCIATED WITH MATERIAL HANDLING AND STORAGE.
REDUCED WASTE: PRECISE MANUFACTURING REDUCES MATERIAL WASTE AND UNWANTED BYPRODUCTS, RESULTING IN COST SAVINGS.

TIMING OF THE PROJECT:

ACCELERATED CONSTRUCTION: PREFABRICATION SIGNIFICANTLY REDUCES ON-SITE CONSTRUCTION TIME, LEADING TO FASTER PROJECT COMPLETION.
PARALLEL WORK: OFF-SITE MANUFACTURING CAN PROCEED SIMULTANEOUSLY WITH SITE PREPARATION, OPTIMIZING THE OVERALL TIMELINE.

IMPROVED SAFETY: PREFABRICATION REDUCES THE RISK OF ACCIDENTS AND INJURIES ON-SITE.
ENHANCED WORKING CONDITIONS: FACTORY-CONTROLLED ENVIRONMENTS OFFER SAFER AND MORE COMFORTABLE WORKING CONDITIONS FOR CONSTRUCTION WORKERS.

REDUCED CARBON FOOTPRINT:

PREFABRICATION OFTEN RESULTS IN LOWER CARBON EMISSIONS DUE TO REDUCED TRANSPORTATION AND WASTE.

MATERIAL EFFICIENCY:

PRECISE MANUFACTURING AND REDUCED WASTE CONTRIBUTE TO IMPROVED MATERIAL EFFICIENCY AND SUSTAINABILITY.

THE STRATEGIC INTEGRATION OF PREFABRICATED COMPONENTS IN THIS RESIDENTIAL TOWER DESIGN OFFERS NUMEROUS BENEFITS, INCLUDING COST SAVINGS, ACCELERATED CONSTRUCTION, IMPROVED WORKER WELL-BEING, AND ENHANCED SUSTAINABILITY. BY LEVERAGING INDUSTRIALIZED CONSTRUCTION PRINCIPLES, THIS PROJECT DEMONSTRATES A COMMITMENT TO EFFICIENT, SUSTAINABLE, AND HIGH-QUALITY BUILDING PRACTICES.

MATERIAL AND ENERGY

TOWER NAMES:

SIRIUS: THE BRIGHTEST STAR IN THE NIGHT SKY, SYMBOLIZING BRILLIANCE AND LEADERSHIP.
VEGA: A LUMINOUS BLUE-WHITE STAR, REPRESENTING YOUTH, BEAUTY, AND ELEGANCE.
BETELGEUSE: A RED SUPERGIANT STAR, SIGNIFYING POWER, MYSTERY, AND TRANSFORMATION.

LAND AREA: 5 ACRES





BUILDING FOOTPRINT: 2 ACRES

CONVERSION TO SQUARE FEET:

1 ACRE = 43,560 SQUARE FEET

LAND AREA = 5 ACRES * 43,560 SQUARE FEET/ACRE = 217,800 SQFT

BUILDING FOOTPRINT = 2 ACRES * 43,560 SQUARE FEET/ACRE = 87,120 SQFT



Material Type	Quantity (m³)	Weight (kg)
Concrete	100,000	1,000,000
Steel	5,000	50,000
Glass	1,000	10,000
Other	500	5,000

Space Type	Space Area (m²)	Required Area (m²)	Unutilized Area (m²)	Typical Hours of Operation (h/week)
Residential Space	100,000	100,000	0.00	24.00
Commercial Space	10,000	10,000	0.00	24.00
Public Space	1,000	1,000	0.00	24.00
Green Space	1,000	1,000	0.00	24.00
Other	1,000	1,000	0.00	24.00

CENTRALIZED AC: THIS IS THE MOST ENERGY CONSUMER, ESPECIALLY IN TROPICAL HOT AND HUMID CLIMATE. ITS ENERGY CONSUMPTION DEPENDS ON ITS TONNAGE, EFFICIENCY RATING (EER), AND USAGE HOURS.

LIGHTING:

CHANCELLER: 3 BULBS * 4 WATT/BULB = 12 WATTS
RECESSED LIGHTS: 24 LIGHTS * 7 WATT/LIGHT = 168 WATTS
BEDSIDE LAMPS: 4 LAMPS * 3 WATT/LAMP = 12 WATTS

APPLIANCES:
REF: 300 WATTS (ASSUMING AVERAGE USAGE)
WASHING MACHINE WITH DRYER: 1000 WATTS (ASSUMING COMBINED USAGE)

OCCUPANCY PATTERNS:
4 OCCUPANTS WILL INFLUENCE LIGHTING, AC, AND APPLIANCE USAGE, CLIMATE CONDITIONS IN ROOMS.

MUMBAI'S TROPICAL MONSOON CLIMATE WITH HIGH HUMIDITY AND TEMPERATURE FLUCTUATIONS SIGNIFICANTLY IMPACTS AC USAGE.

ESTIMATING ENERGY CONSUMPTION:
WASSA ASSUMPTIONS:
AC USAGE: 10 HOURS/DAY * 30 DAYS/MONTH (CONSERVATIVE ESTIMATE)
LIGHTING USAGE: 8 HOURS/DAY
REF AND WASHING MACHINE USAGE: 10 HOURS/WEEK

CALCULATIONS:
AC: THE ENERGY CONSUMPTION WILL VARY SIGNIFICANTLY BASED ON THE ACTS TONNAGE AND EER. A HIGHER TONNAGE AND LOWER EER WILL LEAD TO HIGHER CONSUMPTION. CONSULT YOUR ACTS MANUAL OR A TECHNICIAN FOR A MORE ACCURATE ESTIMATE.

LIGHTING:
CHANCELLER: 12 WATTS * 8 HOURS/DAY * 30 DAYS/MONTH = 2.88 KWH/MONTH
RECESSED LIGHTS: 168 WATTS * 8 HOURS/DAY * 30 DAYS/MONTH = 43.68 KWH/MONTH
BEDSIDE LAMPS: 12 WATTS * 8 HOURS/DAY * 30 DAYS/MONTH = 2.88 KWH/MONTH
TOTAL LIGHTING CONSUMPTION: 49.44 KWH/MONTH

APPLIANCES:
REF: 300 WATTS * 10 HOURS/WEEK * 4 WEEKS/MONTH / 1000 = 20 KWH/MONTH
WASHING MACHINE WITH DRYER: 1000 WATTS * 10 HOURS/WEEK * 4 WEEKS/MONTH / 1000 = 40 KWH/MONTH
TOTAL APPLIANCE CONSUMPTION: 60 KWH/MONTH
TOTAL ESTIMATED MONTHLY CONSUMPTION:

AC CONSUMPTION (VARIABLE) + 49.44 KWH + 60 KWH

ENERGY CALCULATED IN REVIT SOFTWARE AND MANUALLY

ARCHITECTURE
PORTFOLIO

MUSKAAN HUSSAIN

BIM REVIT

INTERNSHIP

360 INTERNATIONAL STUDIO

TOWER 1

CONCEPT



AN APARTMENT THAT ACCOMMODATES SOMETHING EXTREMELY SURPRISING: A SKY VILLA. It is an apartment, but only seemingly. In character, it represents everything endearing about a villa and all the well-regarded convenience of an apartment. Privacy is a prized need, so no two apartments face each other and a distance of 60 feet between any two opposite apartments separates them. Each flat boasts up to 3 balconies and a private elevator for 3000+ sq. ft. flats. The first 5 floors from the basement comprise parking. The 25 floors upwards of them spell a feel of being in the sky.




TOWER 1

INTRODUCTION

Uber aesthetics, breezy setting, Exceptional air quality, Enchanting views all around, Serenity at its peak, The property is of 3.5 acres of land & 288 flats with 40% as open sylvan and vegetated area. Here you reap a unique feel of life with a home of well-regulated vegetation that is along the facade.

Between the outer wall and the living wall is a waterproof barrier making seepage absolutely impossible. The various plants aren't just an immensely pleasing aesthetic feature but also contribute enormously to healthy living by being a fresh air source and a barrier against dust.



TOWER 1

BUILDING INFORMATION MODELLING



THE CONCEPT


A GREEN BUILDING WITH EACH UNIQUE FLAT.
NO TWO BALCONIES IN THIS TOWER IS SAME.




SUNKEN SLABS AND BEAMS



NO DRAWING THAT PROJECT FOR BIPOLAR



FLAT 301





TO EVERY FLAT, WE HAVE A UNIQUE DESIGN AND CONCEPT FOR EACH FLAT. IT IS NOT A REPEAT OF THE SAME DESIGN.
WE HAVE A UNIQUE DESIGN FOR EACH FLAT. IT IS NOT A REPEAT OF THE SAME DESIGN.
A UNIQUE DESIGN FOR EACH FLAT.

US ARCHITECTURAL
PORTFOLIO

MUSKAAN HUSSAIN

2020-2023



WINDOW MEASUREMENTS				
ITEM	UNIT	FORM	W	H
1	W	W	10 1/2	10 1/2
2	W	W	10 1/2	10 1/2
3	W	W	10 1/2	10 1/2
4	W	W	10 1/2	10 1/2
5	W	W	10 1/2	10 1/2
6	W	W	10 1/2	10 1/2
7	W	W	10 1/2	10 1/2
8	W	W	10 1/2	10 1/2
9	W	W	10 1/2	10 1/2
10	W	W	10 1/2	10 1/2
11	W	W	10 1/2	10 1/2
12	W	W	10 1/2	10 1/2
13	W	W	10 1/2	10 1/2
14	W	W	10 1/2	10 1/2
15	W	W	10 1/2	10 1/2
16	W	W	10 1/2	10 1/2
17	W	W	10 1/2	10 1/2
18	W	W	10 1/2	10 1/2
19	W	W	10 1/2	10 1/2
20	W	W	10 1/2	10 1/2
21	W	W	10 1/2	10 1/2
22	W	W	10 1/2	10 1/2
23	W	W	10 1/2	10 1/2
24	W	W	10 1/2	10 1/2
25	W	W	10 1/2	10 1/2
26	W	W	10 1/2	10 1/2
27	W	W	10 1/2	10 1/2
28	W	W	10 1/2	10 1/2
29	W	W	10 1/2	10 1/2
30	W	W	10 1/2	10 1/2
31	W	W	10 1/2	10 1/2
32	W	W	10 1/2	10 1/2
33	W	W	10 1/2	10 1/2
34	W	W	10 1/2	10 1/2
35	W	W	10 1/2	10 1/2
36	W	W	10 1/2	10 1/2
37	W	W	10 1/2	10 1/2
38	W	W	10 1/2	10 1/2
39	W	W	10 1/2	10 1/2
40	W	W	10 1/2	10 1/2
41	W	W	10 1/2	10 1/2
42	W	W	10 1/2	10 1/2
43	W	W	10 1/2	10 1/2
44	W	W	10 1/2	10 1/2
45	W	W	10 1/2	10 1/2
46	W	W	10 1/2	10 1/2
47	W	W	10 1/2	10 1/2
48	W	W	10 1/2	10 1/2
49	W	W	10 1/2	10 1/2
50	W	W	10 1/2	10 1/2
51	W	W	10 1/2	10 1/2
52	W	W	10 1/2	10 1/2
53	W	W	10 1/2	10 1/2
54	W	W	10 1/2	10 1/2
55	W	W	10 1/2	10 1/2
56	W	W	10 1/2	10 1/2
57	W	W	10 1/2	10 1/2
58	W	W	10 1/2	10 1/2
59	W	W	10 1/2	10 1/2
60	W	W	10 1/2	10 1/2
61	W	W	10 1/2	10 1/2
62	W	W	10 1/2	10 1/2
63	W	W	10 1/2	10 1/2
64	W	W	10 1/2	10 1/2
65	W	W	10 1/2	10 1/2
66	W	W	10 1/2	10 1/2
67	W	W	10 1/2	10 1/2
68	W	W	10 1/2	10 1/2
69	W	W	10 1/2	10 1/2
70	W	W	10 1/2	10 1/2
71	W	W	10 1/2	10 1/2
72	W	W	10 1/2	10 1/2
73	W	W	10 1/2	10 1/2
74	W	W	10 1/2	10 1/2
75	W	W	10 1/2	10 1/2
76	W	W	10 1/2	10 1/2

[illegible]




① FRONT ELEVATION
SIDE OF 110'




① LEFT ELEVATION
SIDE OF 110'



① REAR ELEVATION
SIDE OF 110'



① RIGHT ELEVATION
SIDE OF 110'







03

KUMAR RESIDENCE


818 REED ROAD
DARTMOUTH, MA 02747



FIRST FLOOR PLAN




SECOND FLOOR PLAN








FRONT ELEVATION



RIGHT ELEVATION






REAR ELEVATION



DOOR SCHEDULE					QTY	NOTES
NO.	TYPE	SIZE	MATERIAL	NOTES		
FLOOR PLAN						
67	6'-0" X 4'-0"	LA	ALUMINUM	1 PANEL, 1/2" GLASS, 1/2" GLASS, 1/2" GLASS	Q1	
68	6'-0" X 4'-0"	3.0000	ALUMINUM	1 PANEL, 1/2" GLASS, 1/2" GLASS, 1/2" GLASS	Q2	
69	6'-0" X 4'-0"	LA	ALUMINUM	1 PANEL, 1/2" GLASS, 1/2" GLASS, 1/2" GLASS	Q3	
70	6'-0" X 4'-0"	LA	ALUMINUM	1 PANEL, 1/2" GLASS, 1/2" GLASS, 1/2" GLASS	Q4	
71	6'-0" X 4'-0"	LA	ALUMINUM	1 PANEL, 1/2" GLASS, 1/2" GLASS, 1/2" GLASS	Q5	
72	6'-0" X 4'-0"	LA	ALUMINUM	1 PANEL, 1/2" GLASS, 1/2" GLASS, 1/2" GLASS	Q6	
73	6'-0" X 4'-0"	LA	ALUMINUM	1 PANEL, 1/2" GLASS, 1/2" GLASS, 1/2" GLASS	Q7	
74	6'-0" X 4'-0"	LA	ALUMINUM	1 PANEL, 1/2" GLASS, 1/2" GLASS, 1/2" GLASS	Q8	
75	6'-0" X 4'-0"	LA	ALUMINUM	1 PANEL, 1/2" GLASS, 1/2" GLASS, 1/2" GLASS	Q9	
76	6'-0" X 4'-0"	LA	ALUMINUM	1 PANEL, 1/2" GLASS, 1/2" GLASS, 1/2" GLASS	Q10	
77	6'-0" X 4'-0"	LA	ALUMINUM	1 PANEL, 1/2" GLASS, 1/2" GLASS, 1/2" GLASS	Q11	
78	6'-0" X 4'-0"	LA	ALUMINUM	1 PANEL, 1/2" GLASS, 1/2" GLASS, 1/2" GLASS	Q12	
79	6'-0" X 4'-0"	LA	ALUMINUM	1 PANEL, 1/2" GLASS, 1/2" GLASS, 1/2" GLASS	Q13	
80	6'-0" X 4'-0"	LA	ALUMINUM	1 PANEL, 1/2" GLASS, 1/2" GLASS, 1/2" GLASS	Q14	
81	6'-0" X 4'-0"	LA	ALUMINUM	1 PANEL, 1/2" GLASS, 1/2" GLASS, 1/2" GLASS	Q15	
82	6'-0" X 4'-0"	LA	ALUMINUM	1 PANEL, 1/2" GLASS, 1/2" GLASS, 1/2" GLASS	Q16	
83	6'-0" X 4'-0"	LA	ALUMINUM	1 PANEL, 1/2" GLASS, 1/2" GLASS, 1/2" GLASS	Q17	
84	6'-0" X 4'-0"	LA	ALUMINUM	1 PANEL, 1/2" GLASS, 1/2" GLASS, 1/2" GLASS	Q18	
85	6'-0" X 4'-0"	LA	ALUMINUM	1 PANEL, 1/2" GLASS, 1/2" GLASS, 1/2" GLASS	Q19	
86	6'-0" X 4'-0"	LA	ALUMINUM	1 PANEL, 1/2" GLASS, 1/2" GLASS, 1/2" GLASS	Q20	
87	6'-0" X 4'-0"	LA	ALUMINUM	1 PANEL, 1/2" GLASS, 1/2" GLASS, 1/2" GLASS	Q21	
88	6'-0" X 4'-0"	LA	ALUMINUM	1 PANEL, 1/2" GLASS, 1/2" GLASS, 1/2" GLASS	Q22	
89	6'-0" X 4'-0"	LA	ALUMINUM	1 PANEL, 1/2" GLASS, 1/2" GLASS, 1/2" GLASS	Q23	
90	6'-0" X 4'-0"	LA	ALUMINUM	1 PANEL, 1/2" GLASS, 1/2" GLASS, 1/2" GLASS	Q24	
91	6'-0" X 4'-0"	LA	ALUMINUM	1 PANEL, 1/2" GLASS, 1/2" GLASS, 1/2" GLASS	Q25	
92	6'-0" X 4'-0"	LA	ALUMINUM	1 PANEL, 1/2" GLASS, 1/2" GLASS, 1/2" GLASS	Q26	
93	6'-0" X 4'-0"	LA	ALUMINUM	1 PANEL, 1/2" GLASS, 1/2" GLASS, 1/2" GLASS	Q27	
94	6'-0" X 4'-0"	LA	ALUMINUM	1 PANEL, 1/2" GLASS, 1/2" GLASS, 1/2" GLASS	Q28	
95	6'-0" X 4'-0"	LA	ALUMINUM	1 PANEL, 1/2" GLASS, 1/2" GLASS, 1/2" GLASS	Q29	
96	6'-0" X 4'-0"	LA	ALUMINUM	1 PANEL, 1/2" GLASS, 1/2" GLASS, 1/2" GLASS	Q30	
97	6'-0" X 4'-0"	LA	ALUMINUM	1 PANEL, 1/2" GLASS, 1/2" GLASS, 1/2" GLASS	Q31	
98	6'-0" X 4'-0"	LA	ALUMINUM	1 PANEL, 1/2" GLASS, 1/2" GLASS, 1/2" GLASS	Q32	
99	6'-0" X 4'-0"	LA	ALUMINUM	1 PANEL, 1/2" GLASS, 1/2" GLASS, 1/2" GLASS	Q33	
100	6'-0" X 4'-0"	LA	ALUMINUM	1 PANEL, 1/2" GLASS, 1/2" GLASS, 1/2" GLASS	Q34	
ELEVATION PLAN						
101	6'-0" X 4'-0"	LA	ALUMINUM	1 PANEL, 1/2" GLASS, 1/2" GLASS, 1/2" GLASS	Q35	
102	6'-0" X 4'-0"	LA	ALUMINUM	1 PANEL, 1/2" GLASS, 1/2" GLASS, 1/2" GLASS	Q36	
103	6'-0" X 4'-0"	LA	ALUMINUM	1 PANEL, 1/2" GLASS, 1/2" GLASS, 1/2" GLASS	Q37	
104	6'-0" X 4'-0"	LA	ALUMINUM	1 PANEL, 1/2" GLASS, 1/2" GLASS, 1/2" GLASS	Q38	
105	6'-0" X 4'-0"	LA	ALUMINUM	1 PANEL, 1/2" GLASS, 1/2" GLASS, 1/2" GLASS	Q39	
106	6'-0" X 4'-0"	LA	ALUMINUM	1 PANEL, 1/2" GLASS, 1/2" GLASS, 1/2" GLASS	Q40	
107	6'-0" X 4'-0"	LA	ALUMINUM	1 PANEL, 1/2" GLASS, 1/2" GLASS, 1/2" GLASS	Q41	
108	6'-0" X 4'-0"	LA	ALUMINUM	1 PANEL, 1/2" GLASS, 1/2" GLASS, 1/2" GLASS	Q42	
109	6'-0" X 4'-0"	LA	ALUMINUM	1 PANEL, 1/2" GLASS, 1/2" GLASS, 1/2" GLASS	Q43	
110	6'-0" X 4'-0"	LA	ALUMINUM	1 PANEL, 1/2" GLASS, 1/2" GLASS, 1/2" GLASS	Q44	
111	6'-0" X 4'-0"	LA	ALUMINUM	1 PANEL, 1/2" GLASS, 1/2" GLASS, 1/2" GLASS	Q45	
112	6'-0" X 4'-0"	LA	ALUMINUM	1 PANEL, 1/2" GLASS, 1/2" GLASS, 1/2" GLASS	Q46	
113	6'-0" X 4'-0"	LA	ALUMINUM	1 PANEL, 1/2" GLASS, 1/2" GLASS, 1/2" GLASS	Q47	
114	6'-0" X 4'-0"	LA	ALUMINUM	1 PANEL, 1/2" GLASS, 1/2" GLASS, 1/2" GLASS	Q48	
115	6'-0" X 4'-0"	LA	ALUMINUM	1 PANEL, 1/2" GLASS, 1/2" GLASS, 1/2" GLASS	Q49	
116	6'-0" X 4'-0"	LA	ALUMINUM	1 PANEL, 1/2" GLASS, 1/2" GLASS, 1/2" GLASS	Q50	
117	6'-0" X 4'-0"	LA	ALUMINUM	1 PANEL, 1/2" GLASS, 1/2" GLASS, 1/2" GLASS	Q51	
118	6'-0" X 4'-0"	LA	ALUMINUM	1 PANEL, 1/2" GLASS, 1/2" GLASS, 1/2" GLASS	Q52	
119	6'-0" X 4'-0"	LA	ALUMINUM	1 PANEL, 1/2" GLASS, 1/2" GLASS, 1/2" GLASS	Q53	
120	6'-0" X 4'-0"	LA	ALUMINUM	1 PANEL, 1/2" GLASS, 1/2" GLASS, 1/2" GLASS	Q54	
121	6'-0" X 4'-0"	LA	ALUMINUM	1 PANEL, 1/2" GLASS, 1/2" GLASS, 1/2" GLASS	Q55	
122	6'-0" X 4'-0"	LA	ALUMINUM	1 PANEL, 1/2" GLASS, 1/2" GLASS, 1/2" GLASS	Q56	
123	6'-0" X 4'-0"	LA	ALUMINUM	1 PANEL, 1/2" GLASS, 1/2" GLASS, 1/2" GLASS	Q57	
124	6'-0" X 4'-0"	LA	ALUMINUM	1 PANEL, 1/2" GLASS, 1/2" GLASS, 1/2" GLASS	Q58	
125	6'-0" X 4'-0"	LA	ALUMINUM	1 PANEL, 1/2" GLASS, 1/2" GLASS, 1/2" GLASS	Q59	
126	6'-0" X 4'-0"	LA	ALUMINUM	1 PANEL, 1/2" GLASS, 1/2" GLASS, 1/2" GLASS	Q60	
127	6'-0" X 4'-0"	LA	ALUMINUM	1 PANEL, 1/2" GLASS, 1/2" GLASS, 1/2" GLASS	Q61	
128	6'-0" X 4'-0"	LA	ALUMINUM	1 PANEL, 1/2" GLASS, 1/2" GLASS, 1/2" GLASS	Q62	
129	6'-0" X 4'-0"	LA	ALUMINUM	1 PANEL, 1/2" GLASS, 1/2" GLASS, 1/2" GLASS	Q63	
130	6'-0" X 4'-0"	LA	ALUMINUM	1 PANEL, 1/2" GLASS, 1/2" GLASS, 1/2" GLASS	Q64	
131	6'-0" X 4'-0"	LA	ALUMINUM	1 PANEL, 1/2" GLASS, 1/2" GLASS, 1/2" GLASS	Q65	
132	6'-0" X 4'-0"	LA	ALUMINUM	1 PANEL, 1/2" GLASS, 1/2" GLASS, 1/2" GLASS	Q66	
133	6'-0" X 4'-0"	LA	ALUMINUM	1 PANEL, 1/2" GLASS, 1/2" GLASS, 1/2" GLASS	Q67	
134	6'-0" X 4'-0"	LA	ALUMINUM	1 PANEL, 1/2" GLASS, 1/2" GLASS, 1/2" GLASS	Q68	
135	6'-0" X 4'-0"	LA	ALUMINUM	1 PANEL, 1/2" GLASS, 1/2" GLASS, 1/2" GLASS	Q69	
136	6'-0" X 4'-0"	LA	ALUMINUM	1 PANEL, 1/2" GLASS, 1/2" GLASS, 1/2" GLASS	Q70	
137	6'-0" X 4'-0"	LA	ALUMINUM	1 PANEL, 1/2" GLASS, 1/2" GLASS, 1/2" GLASS	Q71	
138	6'-0" X 4'-0"	LA	ALUMINUM	1 PANEL, 1/2" GLASS, 1/2" GLASS, 1/2" GLASS	Q72	
139	6'-0" X 4'-0"	LA	ALUMINUM	1 PANEL, 1/2" GLASS, 1/2" GLASS, 1/2" GLASS	Q73	
140	6'-0" X 4'-0"	LA	ALUMINUM	1 PANEL, 1/2" GLASS, 1/2" GLASS, 1/2" GLASS	Q74	
141	6'-0" X 4'-0"	LA	ALUMINUM	1 PANEL, 1/2" GLASS, 1/2" GLASS, 1/2" GLASS	Q75	
142	6'-0" X 4'-0"	LA	ALUMINUM	1 PANEL, 1/2" GLASS, 1/2" GLASS, 1/2" GLASS	Q76	
143	6'-0" X 4'-0"	LA	ALUMINUM	1 PANEL, 1/2" GLASS, 1/2" GLASS, 1/2" GLASS	Q77	
144	6'-0" X 4'-0"	LA	ALUMINUM	1 PANEL, 1/2" GLASS, 1/2" GLASS, 1/2" GLASS	Q78	
145	6'-0" X 4'-0"	LA	ALUMINUM	1 PANEL, 1/2" GLASS, 1/2" GLASS, 1/2" GLASS	Q79	
146	6'-0" X 4'-0"	LA	ALUMINUM	1 PANEL, 1/2" GLASS, 1/2" GLASS, 1/2" GLASS	Q80	
147	6'-0" X 4'-0"	LA	ALUMINUM	1 PANEL, 1/2" GLASS, 1/2" GLASS, 1/2" GLASS	Q81	
148	6'-0" X 4'-0"	LA	ALUMINUM	1 PANEL, 1/2" GLASS, 1/2" GLASS, 1/2" GLASS	Q82	
149	6'-0" X 4'-0"	LA	ALUMINUM	1 PANEL, 1/2" GLASS, 1/2" GLASS, 1/2" GLASS	Q83	
150	6'-0" X 4'-0"	LA	ALUMINUM	1 PANEL, 1/2" GLASS, 1/2" GLASS, 1/2" GLASS	Q84	
151	6'-0" X 4'-0"	LA	ALUMINUM	1 PANEL, 1/2" GLASS, 1/2" GLASS, 1/2" GLASS	Q85	
152	6'-0" X 4'-0"	LA	ALUMINUM	1 PANEL, 1/2" GLASS, 1/2" GLASS, 1/2" GLASS	Q86	
153	6'-0" X 4'-0"	LA	ALUMINUM	1 PANEL, 1/2" GLASS, 1/2" GLASS, 1/2" GLASS	Q87	
154	6'-0" X 4'-0"	LA	ALUMINUM	1 PANEL, 1/2" GLASS, 1/2" GLASS, 1/2" GLASS	Q88	
155	6'-0" X 4'-0"	LA	ALUMINUM	1 PANEL, 1/2" GLASS, 1/2" GLASS, 1/2" GLASS	Q89	
156	6'-0" X 4'-0"	LA	ALUMINUM	1 PANEL, 1/2" GLASS, 1/2" GLASS, 1/2" GLASS	Q90	
157	6'-0" X 4'-0"	LA	ALUMINUM	1 PANEL, 1/2" GLASS, 1/2" GLASS, 1/2" GLASS	Q91	
158	6'-0" X 4'-0"	LA	ALUMINUM	1 PANEL, 1/2" GLASS, 1/2" GLASS, 1/2" GLASS	Q92	
159	6'-0" X 4'-0"	LA	ALUMINUM	1 PANEL, 1/2" GLASS, 1/2" GLASS, 1/2" GLASS	Q93	
160	6'-0" X 4'-0"	LA	ALUMINUM	1 PANEL, 1/2" GLASS, 1/2" GLASS, 1/2" GLASS	Q94	
161	6'-0" X 4'-0"	LA	ALUMINUM	1 PANEL, 1/2" GLASS, 1/2" GLASS, 1/2" GLASS	Q95	
162	6'-0" X 4'-0"	LA	ALUMINUM	1 PANEL, 1/2" GLASS, 1/2" GLASS, 1/2" GLASS	Q96	
163	6'-0" X 4'-0"	LA	ALUMINUM	1 PANEL, 1/2" GLASS, 1/2" GLASS, 1/2" GLASS	Q97	
164	6'-0" X 4'-0"	LA	ALUMINUM	1 PANEL, 1/2" GLASS, 1/2" GLASS, 1/2" GLASS	Q98	
165	6'-0" X 4'-0"	LA	ALUMINUM	1 PANEL, 1/2" GLASS, 1/2" GLASS, 1/2" GLASS	Q99	
166	6'-0" X 4'-0"	LA	ALUMINUM	1 PANEL, 1/2" GLASS, 1/2" GLASS, 1/2" GLASS	Q100	
167	6'-0" X 4'-0"	LA	ALUMINUM	1 PANEL, 1/2" GLASS, 1/2" GLASS, 1/2" GLASS	Q101	
168	6'-0" X 4'-0"	LA	ALUMINUM	1 PANEL, 1/2" GLASS, 1/2" GLASS, 1/2" GLASS	Q102	
169	6'-0" X 4'-0"	LA	ALUMINUM	1 PANEL, 1/2" GLASS, 1/2" GLASS, 1/2" GLASS	Q103	
170	6'-0" X 4'-0"	LA	ALUMINUM	1 PANEL, 1/2" GLASS, 1/2" GLASS, 1/2" GLASS	Q104	
171	6'-0" X 4'-0"	LA	ALUMINUM	1 PANEL, 1/2" GLASS, 1/2" GLASS, 1/2" GLASS	Q105	
172	6'-0" X 4'-0"	LA	ALUMINUM	1 PANEL, 1/2" GLASS, 1/2" GLASS, 1/2" GLASS	Q106	
173	6'-0" X 4'-0"	LA	ALUMINUM	1 PANEL, 1/2" GLASS, 1/2" GLASS, 1/2" GLASS	Q107	
174	6'-0" X 4'-0"	LA	ALUMINUM	1 PANEL, 1/2" GLASS, 1/2" GLASS, 1/2" GLASS	Q108	
175	6'-0" X 4'-0"	LA	ALUMINUM	1 PANEL, 1/2" GLASS, 1/2" GLASS, 1/2" GLASS	Q109	
176	6'-0" X 4'-0"	LA	ALUMINUM	1 PANEL, 1/2" GLASS, 1/2" GLASS, 1/2" GLASS	Q110	
177	6'-0" X 4'-0"	LA	ALUMINUM	1 PANEL, 1/2" GLASS, 1/2" GLASS, 1/2" GLASS	Q111	
178	6'-0" X 4'-0"	LA	ALUMINUM	1 PANEL, 1/2" GLASS, 1/2" GLASS, 1/2" GLASS	Q112	
179	6'-0" X 4'-0"	LA	ALUMINUM	1 PANEL, 1/2" GLASS, 1/2" GLASS, 1/2" GLASS	Q113	
180	6'-0" X 4'-0"	LA	ALUMINUM	1 PANEL, 1/2" GLASS, 1/2" GLASS, 1/2" GLASS	Q114	
181	6'-0" X 4'-0"	LA	ALUMINUM	1 PANEL, 1/2" GLASS, 1/2" GLASS, 1/2" GLASS	Q115	
182	6'-0" X 4'-0"	LA	ALUMINUM	1 PANEL, 1/2" GLASS, 1/2" GLASS, 1/2" GLASS	Q116	
183	6'-0" X 4'-0"	LA	ALUMINUM	1 PANEL, 1/2" GLASS, 1/2" GLASS, 1/2" GLASS	Q117	
184	6'-0" X 4'-0"	LA	ALUMINUM	1 PANEL, 1/2" GLASS, 1/2" GLASS, 1/2" GLASS	Q118	
185	6'-0" X 4'-0"	LA	ALUMINUM	1 PANEL, 1/2" GLASS, 1/2" GLASS, 1/2" GLASS	Q119	
186	6'-0" X 4'-0"	LA	ALUMINUM	1 PANEL, 1/2" GLASS, 1/2" GLASS, 1/2" GLASS	Q120	
187	6'-0" X 4'-0"	LA	ALUMINUM	1 PANEL, 1/2" GLASS, 1/2" GLASS, 1/2" GLASS	Q121	
188	6'-0" X 4'-0"	LA	ALUMINUM	1 PANEL, 1/2" GLASS, 1/2" GLASS, 1/2" GLASS	Q122	
189	6'-0" X 4'-0"	LA	ALUMINUM	1 PANEL, 1/2" GLASS, 1/2" GLASS, 1/2" GLASS	Q123	
190	6'-0" X 4'-0"	LA	ALUMINUM	1 PANEL, 1/2" GLASS, 1/2" GLASS, 1/2" GLASS	Q124	
191	6'-0" X 4'-0"	LA	ALUMINUM	1 PANEL, 1/2" GLASS, 1/2" GLASS, 1/2" GLASS	Q125	
192	6'-0" X 4'-0"	LA	ALUMINUM	1 PANEL, 1/2" GLASS, 1/2" GLASS, 1/2" GLASS	Q126	
193	6'-0" X 4'-0"	LA	ALUMINUM	1 PANEL, 1/2" GLASS, 1/2" GLASS, 1/2" GLASS	Q127	
194	6'-0" X 4'-0"	LA	ALUMINUM	1 PANEL, 1/2" GLASS, 1/2" GLASS, 1/2" GLASS	Q128	
195	6'-0" X 4'-0"	LA	ALUMINUM	1 PANEL, 1/2" GLASS, 1/2" GLASS, 1/2" GLASS	Q129	
196	6'-0" X 4'-0"	LA	ALUMINUM	1 PANEL, 1/2" GLASS, 1/2" GLASS, 1/2" GLASS	Q130	
197	6'-0" X 4'-0"	LA	ALUMINUM	1 PANEL, 1/2" GLASS, 1/2" GLASS, 1/2" GLASS	Q131	
198	6'-0" X 4'-0"	LA	ALUMINUM	1 PANEL, 1/2" GLASS, 1/2" GLASS, 1/2" GLASS	Q132	
199	6'-0" X 4'-0"	LA	ALUMINUM	1 PANEL, 1/2" GLASS, 1/2" GLASS, 1/2" GLASS	Q133	
200	6'-0" X 4'-0"	LA	ALUMINUM	1 PANEL, 1/2" GLASS, 1/2" GLASS, 1/2" GLASS	Q134	
201	6'-0" X 4'-0"	LA	ALUMINUM	1 PANEL, 1/2" GLASS, 1/2" GLASS, 1/2" GLASS	Q135	
202	6'-0" X 4'-0"	LA	ALUMINUM	1 PANEL, 1/2" GLASS, 1/2" GLASS, 1/2" GLASS	Q136	
203	6'-0" X 4'-0"	LA	ALUMINUM	1 PANEL, 1/2" GLASS, 1/2" GLASS, 1/2" GLASS	Q137	
204	6'-0" X 4'-0"	LA	ALUMINUM	1 PANEL, 1/2" GLASS, 1/2" GLASS, 1/2" GLASS	Q138	
205	6'-0" X 4'-0"	LA	ALUMINUM	1 PANEL, 1/2" GLASS, 1/2" GLASS, 1/2" GLASS	Q139	
206	6'-0" X 4'-0"	LA	ALUMINUM	1 PANEL, 1/2" GLASS, 1/2" GLASS, 1/2" GLASS	Q140	
207	6'-0" X 4'-0"	LA	ALUMINUM	1 PANEL, 1/2" GLASS, 1/2" GLASS, 1/2" GLASS	Q141	
208	6'-0" X 4'-0"	LA	ALUMINUM	1 PANEL, 1/2" GLASS, 1/2" GLASS, 1/2" GLASS	Q142	
209	6'-0" X 4'-0"	LA	ALUMINUM	1 PANEL, 1/2" GLASS, 1/2" GLASS, 1/2" GLASS	Q143	
210	6'-0" X 4'-0"	LA	ALUMINUM	1 PANEL, 1/2" GLASS, 1/2" GLASS, 1/2" GLASS	Q144	
211	6'-0" X 4'-0"	LA	ALUMINUM	1 PANEL, 1/2" GLASS, 1/2" GLASS, 1/2" GLASS	Q145	
212	6'-0" X 4'-0"	LA	ALUMINUM	1 PANEL, 1/2" GLASS, 1/2" GLASS, 1/2" GLASS	Q146	
213	6'-0" X 4'-0"	LA	ALUMINUM	1 PANEL, 1/2" GLASS, 1/2" GLASS, 1/2" GLASS	Q147	
214	6'-0" X 4'-0"	LA	ALUMINUM	1 PANEL, 1/2" GLASS, 1/2" GLASS, 1/2" GLASS	Q148	
215	6'-0" X 4'-0"	LA	ALUMINUM	1 PANEL, 1/2" GLASS, 1/2" GLASS, 1/2" GLASS	Q149	
216	6'-0" X 4'-0"	LA	ALUMINUM	1 PANEL, 1/2" GLASS, 1/2" GLASS, 1/2" GLASS	Q150	
217	6'-0" X 4'-0"	LA	ALUMINUM	1 PANEL, 1/2" GLASS, 1/2" GLASS, 1/2" GLASS	Q151	
218	6'-0" X 4'-0"	LA	ALUMINUM	1 PANEL, 1/2" GLASS, 1/2" GLASS, 1/2" GLASS	Q152	
219	6'-0" X 4'-0"	LA	ALUMINUM	1 PANEL, 1/2" GLASS, 1/2" GLASS, 1/2" GLASS	Q153	
220	6'-0" X 4'-0"					

WINDOW SCHEDULE						
NO.	TYPE	FINISH	MODEL	SIZE	QTY	RTY
1	PICTURE	WOODFIN	PIW274	CLAD	2'-0" x 4'-0"	180
2	PICTURE	WOODFIN	PIW254	CLAD	2'-0" x 4'-0"	180
3	PICTURE	WOODFIN	PIW274	CLAD	2'-0" x 4'-0"	180
4	PICTURE	WOODFIN	PIW254	CLAD	2'-0" x 4'-0"	180
5	PICTURE	WOODFIN	PIW274	CLAD	2'-0" x 4'-0"	180
6	PICTURE	WOODFIN	PIW254	CLAD	2'-0" x 4'-0"	180
7	PICTURE	WOODFIN	PIW274	CLAD	2'-0" x 4'-0"	180
8	PICTURE	WOODFIN	PIW254	CLAD	2'-0" x 4'-0"	180
9	PICTURE	WOODFIN	PIW274	CLAD	2'-0" x 4'-0"	180
10	PICTURE	WOODFIN	PIW254	CLAD	2'-0" x 4'-0"	180
11	PICTURE	WOODFIN	PIW274	CLAD	2'-0" x 4'-0"	180
12	PICTURE	WOODFIN	PIW254	CLAD	2'-0" x 4'-0"	180
13	PICTURE	WOODFIN	PIW274	CLAD	2'-0" x 4'-0"	180
14	PICTURE	WOODFIN	PIW254	CLAD	2'-0" x 4'-0"	180
15	PICTURE	WOODFIN	PIW274	CLAD	2'-0" x 4'-0"	180
16	PICTURE	WOODFIN	PIW254	CLAD	2'-0" x 4'-0"	180
17	PICTURE	WOODFIN	PIW274	CLAD	2'-0" x 4'-0"	180
18	PICTURE	WOODFIN	PIW254	CLAD	2'-0" x 4'-0"	180
19	PICTURE	WOODFIN	PIW274	CLAD	2'-0" x 4'-0"	180
20	PICTURE	WOODFIN	PIW254	CLAD	2'-0" x 4'-0"	180
21	PICTURE	WOODFIN	PIW274	CLAD	2'-0" x 4'-0"	180
22	PICTURE	WOODFIN	PIW254	CLAD	2'-0" x 4'-0"	180
23	PICTURE	WOODFIN	PIW274	CLAD	2'-0" x 4'-0"	180
24	PICTURE	WOODFIN	PIW254	CLAD	2'-0" x 4'-0"	180
25	PICTURE	WOODFIN	PIW274	CLAD	2'-0" x 4'-0"	180
26	PICTURE	WOODFIN	PIW254	CLAD	2'-0" x 4'-0"	180
27	PICTURE	WOODFIN	PIW274	CLAD	2'-0" x 4'-0"	180
28	PICTURE	WOODFIN	PIW254	CLAD	2'-0" x 4'-0"	180
29	PICTURE	WOODFIN	PIW274	CLAD	2'-0" x 4'-0"	180
30	PICTURE	WOODFIN	PIW254	CLAD	2'-0" x 4'-0"	180
31	PICTURE	WOODFIN	PIW274	CLAD	2'-0" x 4'-0"	180
32	PICTURE	WOODFIN	PIW254	CLAD	2'-0" x 4'-0"	180
33	PICTURE	WOODFIN	PIW274	CLAD	2'-0" x 4'-0"	180
34	PICTURE	WOODFIN	PIW254	CLAD	2'-0" x 4'-0"	180
35	PICTURE	WOODFIN	PIW274	CLAD	2'-0" x 4'-0"	180
36	PICTURE	WOODFIN	PIW254	CLAD	2'-0" x 4'-0"	180
37	PICTURE	WOODFIN	PIW274	CLAD	2'-0" x 4'-0"	180
38	PICTURE	WOODFIN	PIW254	CLAD	2'-0" x 4'-0"	180
39	PICTURE	WOODFIN	PIW274	CLAD	2'-0" x 4'-0"	180
40	PICTURE	WOODFIN	PIW254	CLAD	2'-0" x 4'-0"	180
41	PICTURE	WOODFIN	PIW274	CLAD	2'-0" x 4'-0"	180
42	PICTURE	WOODFIN	PIW254	CLAD	2'-0" x 4'-0"	180
43	PICTURE	WOODFIN	PIW274	CLAD	2'-0" x 4'-0"	180
44	PICTURE	WOODFIN	PIW254	CLAD	2'-0" x 4'-0"	180
45	PICTURE	WOODFIN	PIW274	CLAD	2'-0" x 4'-0"	180
46	PICTURE	WOODFIN	PIW254	CLAD	2'-0" x 4'-0"	180
47	PICTURE	WOODFIN	PIW274	CLAD	2'-0" x 4'-0"	180
48	PICTURE	WOODFIN	PIW254	CLAD	2'-0" x 4'-0"	180
49	PICTURE	WOODFIN	PIW274	CLAD	2'-0" x 4'-0"	180
50	PICTURE	WOODFIN	PIW254	CLAD	2'-0" x 4'-0"	180
51	PICTURE	WOODFIN	PIW274	CLAD	2'-0" x 4'-0"	180
52	PICTURE	WOODFIN	PIW254	CLAD	2'-0" x 4'-0"	180
53	PICTURE	WOODFIN	PIW274	CLAD	2'-0" x 4'-0"	180
54	PICTURE	WOODFIN	PIW254	CLAD	2'-0" x 4'-0"	180
55	PICTURE	WOODFIN	PIW274	CLAD	2'-0" x 4'-0"	180
56	PICTURE	WOODFIN	PIW254	CLAD	2'-0" x 4'-0"	180
57	PICTURE	WOODFIN	PIW274	CLAD	2'-0" x 4'-0"	180
58	PICTURE	WOODFIN	PIW254	CLAD	2'-0" x 4'-0"	180
59	PICTURE	WOODFIN	PIW274	CLAD	2'-0" x 4'-0"	180
60	PICTURE	WOODFIN	PIW254	CLAD	2'-0" x 4'-0"	180
61	PICTURE	WOODFIN	PIW274	CLAD	2'-0" x 4'-0"	180
62	PICTURE	WOODFIN	PIW254	CLAD	2'-0" x 4'-0"	180
63	PICTURE	WOODFIN	PIW274	CLAD	2'-0" x 4'-0"	180
64	PICTURE	WOODFIN	PIW254	CLAD	2'-0" x 4'-0"	180
65	PICTURE	WOODFIN	PIW274	CLAD	2'-0" x 4'-0"	180
66	PICTURE	WOODFIN	PIW254	CLAD	2'-0" x 4'-0"	180
67	PICTURE	WOODFIN	PIW274	CLAD	2'-0" x 4'-0"	180
68	PICTURE	WOODFIN	PIW254	CLAD	2'-0" x 4'-0"	180
69	PICTURE	WOODFIN	PIW274	CLAD	2'-0" x 4'-0"	180
70	PICTURE	WOODFIN	PIW254	CLAD	2'-0" x 4'-0"	180
71	PICTURE	WOODFIN	PIW274	CLAD	2'-0" x 4'-0"	180
72	PICTURE	WOODFIN	PIW254	CLAD	2'-0" x 4'-0"	180
73	PICTURE	WOODFIN	PIW274	CLAD	2'-0" x 4'-0"	180
74	PICTURE	WOODFIN	PIW254	CLAD	2'-0" x 4'-0"	180
75	PICTURE	WOODFIN	PIW274	CLAD	2'-0" x 4'-0"	180
76	PICTURE	WOODFIN	PIW254	CLAD	2'-0" x 4'-0"	180
77	PICTURE	WOODFIN	PIW274	CLAD	2'-0" x 4'-0"	180
78	PICTURE	WOODFIN	PIW254	CLAD	2'-0" x 4'-0"	180
79	PICTURE	WOODFIN	PIW274	CLAD	2'-0" x 4'-0"	180
80	PICTURE	WOODFIN	PIW254	CLAD	2'-0" x 4'-0"	180
81	PICTURE	WOODFIN	PIW274	CLAD	2'-0" x 4'-0"	180
82	PICTURE	WOODFIN	PIW254	CLAD	2'-0" x 4'-0"	180
83	PICTURE	WOODFIN	PIW274	CLAD	2'-0" x 4'-0"	180
84	PICTURE	WOODFIN	PIW254	CLAD	2'-0" x 4'-0"	180
85	PICTURE	WOODFIN	PIW274	CLAD	2'-0" x 4'-0"	180
86	PICTURE	WOODFIN	PIW254	CLAD	2'-0" x 4'-0"	180
87	PICTURE	WOODFIN	PIW274	CLAD	2'-0" x 4'-0"	180
88	PICTURE	WOODFIN	PIW254	CLAD	2'-0" x 4'-0"	180
89	PICTURE	WOODFIN	PIW274	CLAD	2'-0" x 4'-0"	180
90	PICTURE	WOODFIN	PIW254	CLAD	2'-0" x 4'-0"	180
91	PICTURE	WOODFIN	PIW274	CLAD	2'-0" x 4'-0"	180
92	PICTURE	WOODFIN	PIW254	CLAD	2'-0" x 4'-0"	180
93	PICTURE	WOODFIN	PIW274	CLAD	2'-0" x 4'-0"	180
94	PICTURE	WOODFIN	PIW254	CLAD	2'-0" x 4'-0"	180
95	PICTURE	WOODFIN	PIW274	CLAD	2'-0" x 4'-0"	180
96	PICTURE	WOODFIN	PIW254	CLAD	2'-0" x 4'-0"	180
97	PICTURE	WOODFIN	PIW274	CLAD	2'-0" x 4'-0"	180
98	PICTURE	WOODFIN	PIW254	CLAD	2'-0" x 4'-0"	180
99	PICTURE	WOODFIN	PIW274	CLAD	2'-0" x 4'-0"	180
100	PICTURE	WOODFIN	PIW254	CLAD	2'-0" x 4'-0"	180

04 ROSE ACUSHNET



SCREEN ROOM W/ STAIRS
PROPOSED FIRST FLOOR PLAN OPTION
SCALE 1/4\"/>



05 GARAGE



The cover features a large, abstract photograph of light filtering through palm fronds, creating a pattern of light and shadow. A vertical strip of wood grain is visible on the left side. The text is centered and right-aligned in a clean, sans-serif font.

INTERIOR DESIGN PORTFOLIO
SELECTED WORKS

MUSKAAN HUSSAIN
2023-2025



RECEPTION

Golden light spills like liquid metal, reflecting off polished stone, a silent echo of grandeur.

Geometric lights sketch constellations in the void, while soft curves of seating invite quiet contemplation.



URBANZEN | CLUBHOUSE



COLOR PALETTE



NATURAL CALM ORGANIC ROUGH AESTHETIC

Inspired by nature grounded in green and beige tones, the palette is soothing to the eyes and soul, taking the viewer into a natural space.



ARCHPAINTED | BEDROOM



A serene sanctuary of tranquility. This minimalist Japanese-style bedroom invites relaxation with its soft lines, natural materials, and calming ambience.

COLOR



PALETTE



CLUBHOUSE ECHOES

Sunset, Celebration, and the Roll of the Ball

Sunset painted the rooftop terrace, a rust-kissed haven, as Isabelle surveyed her masterpiece.

Inside, the ballroom shimmered, poised for celebration, while the bowling alley hummed with sleek, playful energy.

Each space, a chapter in her design story, whispered of curated elegance and effortless flow.



THE QUIET CLICK OF IVORY

Hushed tones of stone and wood enveloped the room, a sanctuary for the roll of the cue ball. Twin tables, black as night, mirrored each other, their surfaces gleaming under the soft glow of pendant lights. A distant doorway hinted at secrets, while the potted greenery stood silent, guardians of the game.



URBANZEN | MODEL HOUSE



MODERN MINIMALIST HOME

CLEAN LINES & NEUTRAL WARMTH

These images showcase modern minimalist interiors. The design emphasizes clean lines, a neutral color palette, and warm, textured details, creating a sophisticated and inviting atmosphere. [View More Modern Minimalist Home](#)



SERENE SANCTUARY

A MINIMALIST BEDROOM DESIGN


A HARMONIOUS BLEND OF
CURVES AND TEXTURES
CREATES A SPACE OF
TRANQUILITY



BALUSTRED BATHROOM

MODERN DESIGN MEETS ANCIENT ELEGANCE IN THIS TRANQUIL RETREAT.

FOR THOSE WHO SEEK SOLACE IN
UNDERSTATED LUXURY AND
APPRECIATE THE QUIET BEAUTY OF
METICULOUS DETAIL.






PINK CAFE

CLIENT : FREITE
DONE BY MUSKAN HUSSAIN
ARCHITECTED

As the sun dips below the horizon, the Pink Cafe by Puppies awakens, casting a rosy glow across the bustling streets. Nestled in the heart of the city, this charming cafe is a haven for dreamers.






DAYTIME DELIGHT
In the daytime, the Pink Cafe transforms. Sunlight filters through sheer pink curtains, creating a warm glow that catches the eye. The walls, adorned with warm and puppy portraits, seem to say their tale in approval. The floor-to-ceiling windows reveal a lush garden outside, where real puppies play in a pink-fenced paradise. Patrons can watch their furry friends of joy while sipping their cappuccinos.

THE NEON SYMPHONY
Dusk falls, and you'll be greeted by a mesmerizing dance of neon lights. The ceiling beams of pink hue, mimicking the night sky.



With the Acoustic (upgrades)






PORTFOLIO

MUSKAAN HUSSAIN


2021-2022



ЗВНК




IRK



ANALYSIS


MONTHLY HOUSEHOLD INCOME




SITE		
LINE	UNITS	PRICE
4000 (270)	AREA: PRIVATE SPACE: SHARED SPACE: UTILITY SPACE: WALK, PEOPLE CAPACITY: PER PERSON CAPACITY: INCOME:	170.00/sq 45.00/sq 49.00/sq 17.00/sq 5.0 35-42 10000/M
100 (200)	AREA: PRIVATE SPACE AND SHARED: UTILITY SPACE: WALK, PEOPLE CAPACITY: PER PERSON CAPACITY: INCOME:	15.00/sq 5-9 5-9 10-2 3000/M

DEVELOPER: International Development

ACCESS TO SOCIAL INFRASTRUCTURE




AREA STATEMENT



ACHIEVEMENTS

- Q1. Appointing a listing coordinator**
Every agency has been advised to appoint a listing coordinator, but what exactly is the role of this position, and what training does it require?
- Q2. Buffer space and the agency**
Site strategies have been driven to change the role of the site manager, and the role of the listing coordinator. How can the listing coordinator be best positioned to manage the agency?
- Q3. Lead generation**
The new practices of training and coaching have been developed by the listing coordinator, but it is not always possible to get the listing coordinator to do the job. How can the listing coordinator be best positioned to manage the agency?
- Q4. Needs**
A listing coordinator has been training in the new practices, but it is not always possible to get the listing coordinator to do the job. How can the listing coordinator be best positioned to manage the agency?
- Q5. Needs**
The process of training and coaching has been developed by the listing coordinator, but it is not always possible to get the listing coordinator to do the job. How can the listing coordinator be best positioned to manage the agency?



EXISTING COLOR PALETTE RETAINED



MATERIAL- PRECAST- LOW COST

PRODUCT CONCEPTS FOR TRANSFORMING MATERIAL THAT CAN BE USED AS THE PRIMARY STRUCTURAL SYSTEM OF A BUILDING TRANSFORMING ROOM, ROOM AND SPACIAL. THESE PRODUCTS INCLUDE DESIGNS TO INTEGRATE STRUCTURAL AND MECHANICAL/MECHANICAL SYSTEMS INCLUDING THE TOTAL WALLS, INTERIOR, EXTERIOR, CONSTRUCTION COMPLEXITY AND MORE.



Job No.	Person's Comments	Targeted State
1	Not Patient	100% 2.37.30
2	Happy	60% 3.00
3	Not Sick	1.50.00; 300% 3.00
4	Happy	0.10% 3.00 3.00
5	Happy	
6	Happy	0.00% 0.00 3.00 3.00

11 A BUSKINER HAS DECIDED AT A FIRST OF ITS KIND
TO SUBMIT IT TO THE LOST AND FOUND OF THE
MUSEUMS. IT

TYPES OF PANEL SLABS MAY VARY AS PER THE
AUTHORITY'S HAZ. HAZ. CONSTRUCTION AS QUANTIFIED



CONCEPT

PROGNOSTICATING AND MEASURING FROM SUCH THAT A BUSINESS IS MORE A COLLECTION OF UNITS THAT ALLOWS THE DESIGN TO MANAGE FLEXIBILITY AND PORTABILITY OF YOUR BUSINESS OPERATIONS. ELEMENTS OF THE BUSINESS FLEXIBILITY ARE THE BUSINESS OPERATIONS (ITS DIFFERENT) TO BE ALIVE IN DIFFERENT PLAYS. THIS ALSO ALLOWS THE BUSINESS CONTEXT TO BE BETTER VIEWED AND UNDERSTOOD INTERACTIVE LINES.

- FOCUS ACTIVITIES WERE THAT THE GROUP WOULD REEVALUATE AND REDUCE THE POPULATION WITH FURTHER GROWTH IN THE POPULATION
- EVALUATE RESIDENTIAL TO IMPROVE LIVING CONDITIONS
- IMPROVE INTER-URBAN CONNECTION
- CREATE A NEW PLATFORM FOR SHARED LIFE: IMPROVE INFRASTRUCTURE, SECURITY AND WELL-BEING IN URBAN AREAS
- IMPROVE INFRASTRUCTURE: BUILD UP TRANSPORT SYSTEMS
- IMPROVE WELL-BEING: BUILD UP A NEW FORM OF SOCIALITY: "WELFARE" IN SAME OR NEARBY URBAN AREAS
- IMPROVE INFRASTRUCTURE: IMPROVE SOCIAL LIFE: IMPROVE SOCIAL LIFE AND WELL-BEING

IN CONCLUSION

[illegible]



ROAD NETWORK

EXISTING ROAD PATTERN IS STUDIED AND ROADS ARE DESIGNED WITH THE CONVENIENCE OF TRAVEL AND TO DIRECT PUBLIC TOWARDS AMENITIES TO GENERATE INCOME. PASSTHROUGH FOR THE PUBLIC IS AVOIDED.



WATER AND GREENSPACE

LANDSCAPING IS DONE WITH THE NATIVE TREES AND THE EFFECT OF TREES WITH HIGH CANOPIES AND BUSHES ARE PLACED AS ILLUSTRATED IN FIG. 1.1
WATER STAGNATION SPOT IS CONVERTED TO PROVIDE WATER FOR LIVESTOCK. BOAT HARBOUR IS ALSO PROPOSED TO BRING BACK PRACTICES OF THE PEOPLE OF MOOSANAGAR



RESIDENTIAL BUILDINGS

THE WORKING CLASS UNIT IS PLACED NEAR TO THE ROAD FACILITY. THE WORKING CLASS WITH AMENITIES ARE PLACE ON THE INSIDE TO BENEFIT THE COMMUNITY PEOPLE.
LIVE/WORK UNIT IS PLACE ON THE PERIPHERY AS IT HELPS ATTRACT PUBLIC CUSTOMERS AND MAINTAIN THEIR LIVELIHOOD.



UTILITY AND AMENITIES

THE SAFE ZONE IS CONSIDERED AND THE PARKS, SCHOOLS, OPEN AIR THEATER ARE PLACED IN SUCH A MANNER WHERE IT IS SAFE AND NOISE FREE. THIS ENVIRONMENT BENEFITS THE PUBLIC.
BOAT HARBOUR ALSO ACTS AS AN AMENITY- THIS OPENS JOB OPPORTUNITY FOR THE COMMUNITY PEOPLE.

THE UNIVERSITY OF CHICAGO PRESS, 5401 S. MICHIGAN AVE., CHICAGO, IL 60637-7099
 AND 100 N. ZEEB RD., SUITE 300, ANN ARBOR, MI 48106-1500
 (800) 843-8043 FAX (312) 707-0870



WEST ELEVATION



SECTION 8A



SYSTEM 1B

[illegible]

GROUND FLOOR

THIRD FLOOR

FOURTH FLOOR


OFFERING BY CLASS OF SECURITIES REGISTERED
SHARPER MODEL CLASS
BAY FUND CLASS
FUND WITH OTHER WORKING CLASS

RIGHT RESPONSE TO THE RESPONSE

REAR FACING ELEVATION / COMMERCIAL



SECTION 11.1




SECTION 8



DATE: 05-17-2008
 NUMBER OF LOTS: 20
 NUMBER OF PLATS:
 100% 5 UNIT (100%)
 INCLUDING A WATER UNIT /
 COMMERCIAL SPACE
 UNIT MIX: 100%
 TOTAL: 10 PLATS PER UNIT



GROUND FLOOR



FIRST, SECOND AND THIRD FLOOR

AFFORDABILITY: 100% ECONOMICALLY VULNERABLE
 AND LOW INCOME GROUP
 POPULATION CLAYED: LIVING AND WORKING IN KOSOV

[illegible]

AREA OF ENVELOPE/INCH UNIT = 140.00
NUMBER OF UNITS = 20

A LIFE/WORK UNIT IS DEFINED AS A SINGLE UNIT (E.G., STUDIOS LEFT) BY ONE PERSON WHO CONDUCTS BOTH A COMMERCIAL/STUDIO AND A RESIDENTIAL COMPONENT THAT IS OCCUPIED BY THE SAME RESIDENT. THE LIFE/WORK UNIT SHALL BE THE PRIMARY DWELLING OF THE OCCUPANT.



© 2004 Blackwell Publishing Ltd

[illegible]

SITE PLAN

1:000

TOTAL SITE AREA: 12.6 ACRES
SELECTED SITE AREA: 8.9 ACRES
FUTURE EXPANSION AREA: 3.7 ACRES
UNIT DENSITY: 60 UNITS PER ACRE
POPULATION DENSITY: 2826 PEOPLE
TOTAL NUMBER OF UNITS PROPOSED:

- DESIGN REQUIREMENTS FOR PRESIDENTIAL CLASSROOMS
ON BASIS OF THE EXISTING DESIGN FRAME OF
MONTAGANARY
1. MONTAGANARY BUILDING CLASSROOM WAS
AN EXISTING BUILDING AND MAJOR WORK
SHALL BE RETAINED
2. THE THICK CONCRETE IS RETAINED
3. THE CLIMATE ANALYSIS IS DONE TO
EXTERIOR THE PLACE FOR SEVENTH
WATER TREATMENT
4. A BEST MATERIAL WAS USED PROPOSED TO
FINDING SUCH THE BEST PRINCIPLES OF
MONTAGANARY
5. THE LIFESTYLE OF THE PEOPLE HAS BEEN
CAREFULLY STUDIED AND SHOWN ARE
EVIDENT IN SECONDARY
6. WORKING CLASS UNIT HAS BEEN PLACED
VERY NEAR TO THE STATION FOR THE CASE
OF TRAVELLING

AREA OF EACH WORKING CLASS
WITH AMENITIES UNIT - 300 WF
NUMBER OF UNITS - 10

AREA OF EACH WORKING CLASS UNIT - 372 M²
NUMBER OF UNITS - 7

AREA OF EACH LIFE/WORK UNIT - HOW MANY
NUMBER OF UNITS - 253

TOTAL FLOOR AREA: 11,034 SF/2.4 ACRES
COMMUNITY SPACE: 2.3 ACRES
HEAT HARVESTER AND GARDENS: 0.45 ACRES
STYLISH AND AMBITIOUS: 0.25 ACRES



DEATH 1942



GIVER SIGN



TERRA CROSSING



OPEN AIR THEATER

