

## PROJECT-1

NAME: MUSKAN SHAH PRN: 23070122279

```
muskan123@muskan ~
> cd Documents/
muskan123@muskan ~/Documents
> cd DevOps-Lab-L1
bash: cd: DevOps-Lab-L1: No such file or directory
muskan123@muskan ~/Documents
> cd devops/
muskan123@muskan ~/Documents/devops
> ls
devops-aug-18-L2.pdf  DevOps-Lab-L1  DevOps-Lab-L1_2023-27  fixed-submission  my-flask-app
muskan123@muskan ~/Documents/devops
> cd DevOps-Lab-L1
muskan123@muskan ~/Documents/devops/DevOps-Lab-L1 {muskan-branch-tw1}
> ^C
muskan123@muskan ~/Documents/devops/DevOps-Lab-L1 {muskan-branch-tw1}
> mkdir -p Project-1-Dockerizing-Jenkins-Pipeline/screenshots
mkdir -p Project-2-React-Docker/screenshots
mkdir -p Project-4-Distributed-Jenkins/screenshots
mkdir: created directory 'Project-1-Dockerizing-Jenkins-Pipeline'
mkdir: created directory 'Project-1-Dockerizing-Jenkins-Pipeline/screenshots'
mkdir: created directory 'Project-2-React-Docker'
mkdir: created directory 'Project-2-React-Docker/screenshots'
mkdir: created directory 'Project-4-Distributed-Jenkins'
mkdir: created directory 'Project-4-Distributed-Jenkins/screenshots'
muskan123@muskan ~/Documents/devops/DevOps-Lab-L1 {muskan-branch-tw1}
> ls
'23070122279-Assignment TW1.1.pdf'  23070122279-Assingment1.2.pdf  Project-2-React-Docker
'23070122279-Assignment TW1.3.pdf'  Project-1-Dockerizing-Jenkins-Pipeline  Project-4-Distributed-Jenkins
muskan123@muskan ~/Documents/devops/DevOps-Lab-L1 {muskan-branch-tw1}
> cd ~/Documents/DevOps-Lab-L1/23070122279_MuskanShah
bash: cd: /home/muskan123/Documents/DevOps-Lab-L1/23070122279_MuskanShah: No such file or directory
muskan123@muskan ~/Documents/devops/DevOps-Lab-L1 {muskan-branch-tw1}
>
```

```

mkdir -p Project-2-React-Docker/screenshots
mkdir -p Project-4-Distributed-Jenkins/screenshots
mkdir: created directory 'Project-1-Dockerizing-Jenkins-Pipeline'
mkdir: created directory 'Project-1-Dockerizing-Jenkins-Pipeline/screenshots'
mkdir: created directory 'Project-2-React-Docker'
mkdir: created directory 'Project-2-React-Docker/screenshots'
mkdir: created directory 'Project-4-Distributed-Jenkins'
mkdir: created directory 'Project-4-Distributed-Jenkins/screenshots'
muskan123@muskan ~/Documents/devops/DevOps-Lab-L1 {muskan-branch-tw1}
> ls
'23070122279-Assignment TW1.1.pdf'    23070122279-Assingment1.2.pdf          Project-2-React-Docker
'23070122279-Assignment TW1.3.pdf'    Project-1-Dockerizing-Jenkins-Pipeline  Project-4-Distributed-Jenkins
muskan123@muskan ~/Documents/devops/DevOps-Lab-L1 {muskan-branch-tw1}
> cd ~/Documents/DevOps-Lab-L1/23070122279_MuskanShah
bash: cd: /home/muskan123/Documents/DevOps-Lab-L1/23070122279_MuskanShah: No such file or directory
muskan123@muskan ~/Documents/devops/DevOps-Lab-L1 {muskan-branch-tw1}
> find Project-1-Dockerizing-Jenkins-Pipeline -maxdepth 3 -type f -print
muskan123@muskan ~/Documents/devops/DevOps-Lab-L1 {muskan-branch-tw1}
> find Project-2-React-Docker -maxdepth 3 -type f -print
muskan123@muskan ~/Documents/devops/DevOps-Lab-L1 {muskan-branch-tw1}
> find Project-4-Distributed-Jenkins -maxdepth 3 -type f -print
muskan123@muskan ~/Documents/devops/DevOps-Lab-L1 {muskan-branch-tw1}
> git status
On branch muskan-branch-tw1
Your branch is up to date with 'origin/muskan-branch-tw1'.

nothing to commit, working tree clean
muskan123@muskan ~/Documents/devops/DevOps-Lab-L1 {muskan-branch-tw1}
> git remote -v
origin https://github.com/saahmuskan/Devops-Lab-L1_2023-27.git (fetch)
origin https://github.com/saahmuskan/Devops-Lab-L1_2023-27.git (push)
muskan123@muskan ~/Documents/devops/DevOps-Lab-L1 {muskan-branch-tw1}
>

```

```

        f.write(f"{datetime.now()} : {message}\n")

    with open(LOG_FILE, "r") as f:
        content = f.read()

    return message + "<br><pre>" + content + "</pre>"

if __name__ == "__main__":
    app.run(host="0.0.0.0", port=5000, debug=True)muskan123@muskan ~/Documents/devops/my-flask-app
> cat Dockerfile
FROM python:3.9-slim

WORKDIR /app

COPY requirements.txt .

RUN pip install --no-cache-dir -r requirements.txt

COPY . .

EXPOSE 5001

CMD ["python", "app.py"]
muskan123@muskan ~/Documents/devops/my-flask-app
> cat requirements.txt
Flask==2.1.2
Werkzeug==2.1.2
muskan123@muskan ~/Documents/devops/my-flask-app
> <cd ~/Documents/devops/DevOps-Lab-L1
cd -- /home/muskan123/Documents/devops/DevOps-Lab-L1
bash: cd: No such file or directory
muskan123@muskan ~/Documents/devops/my-flask-app
> pwd
/home/muskan123/Documents/devops/my-flask-app
muskan123@muskan ~/Documents/devops/my-flask-app
>

```

```

CMD [ python , app.py ]
muskan123@muskan ~/Documents/devops/DevOps-Lab-L1/23070122279_MuskanShah {muskan-branch-tw1}
> cat Dockerfile
FROM python:3.9-slim

WORKDIR /app

COPY requirements.txt .

RUN pip install --no-cache-dir -r requirements.txt

COPY . .

EXPOSE 5000

CMD ["python", "app.py"]
muskan123@muskan ~/Documents/devops/DevOps-Lab-L1/23070122279_MuskanShah {muskan-branch-tw1}
> █

```

```

=> => exporting attestation manifest sha256:9feb422e62ea80de8190daf4b1ab90b149967d4c7ec4cccd37e60c6dab0101e 0.0s
=> => exporting manifest list sha256:7a21f2ad249831d64853b527f95e04425c4c263ccbaee11288d85b4ad28956f 0.0s
=> => naming to docker.io/library/muskan-flask-project1:latest 0.0s
=> => unpacking to docker.io/library/muskan-flask-project1:latest 0.0s
muskan123@muskan ~/Documents/devops/DevOps-Lab-L1/23070122279_MuskanShah {muskan-branch-tw1}
> docker rm -f muskan-project1 2>/dev/null || true
muskan123@muskan ~/Documents/devops/DevOps-Lab-L1/23070122279_MuskanShah {muskan-branch-tw1}
> docker run -d --name muskan-project1 -p 5000:5000 muskan-flask-project1:latest
d3899cab6199a0f5316ae46c28dcf350f8458458650633ebe17d592283e5c20b
muskan123@muskan ~/Documents/devops/DevOps-Lab-L1/23070122279_MuskanShah {muskan-branch-tw1}
> docker ps
CONTAINER ID        IMAGE                                     COMMAND                  CREATED             STATUS              PORTS
d3899cab6199        muskan-flask-project1:latest            "python app.py"         19 seconds ago      Up 19 seconds      0.0.0.0:5000->5000/tcp, [::]:5000->5000/tcp
7fc3e17ba64f        portainer/portainer-ce:latest           "/portainer"           7 weeks ago         Up 53 minutes      0.0.0.0:8000->8000/tcp, [::]:8000->8000/tcp, 0.0.0.0:9
443->9443/tcp, [::]:9443->9443/tcp, 9000/tcp
muskan123@muskan ~/Documents/devops/DevOps-Lab-L1/23070122279_MuskanShah {muskan-branch-tw1}
> muskan-project1
bash: muskan-project1: command not found...
muskan123@muskan ~/Documents/devops/DevOps-Lab-L1/23070122279_MuskanShah {muskan-branch-tw1}
> 0.0.0.0:5000->5000/tcp
bash: 5000/tcp: No such file or directory
muskan123@muskan ~/Documents/devops/DevOps-Lab-L1/23070122279_MuskanShah {muskan-branch-tw1}
> cd ~/Documents/devops/DevOps-Lab-L1/23070122279_MuskanShah/Project-1-Dockerizing-Jenkins-Pipeline
muskan123@muskan ~/Documents/devops/DevOps-Lab-L1/23070122279_MuskanShah/Project-1-Dockerizing-Jenkins-Pipeline {muskan-branch-tw1}
> pwd
/home/muskan123/Documents/devops/DevOps-Lab-L1/23070122279_MuskanShah/Project-1-Dockerizing-Jenkins-Pipeline
|muskan123@muskan ~/Documents/devops/DevOps-Lab-L1/23070122279_MuskanShah/Project-1-Dockerizing-Jenkins-Pipeline {muskan-branch-tw1}
> |ls -la
bash: syntax error near unexpected token `|'
muskan123@muskan ~/Documents/devops/DevOps-Lab-L1/23070122279_MuskanShah/Project-1-Dockerizing-Jenkins-Pipeline {muskan-branch-tw1}
> ls
screenshots
muskan123@muskan ~/Documents/devops/DevOps-Lab-L1/23070122279_MuskanShah/Project-1-Dockerizing-Jenkins-Pipeline {muskan-branch-tw1}
>

```

```
muskan123@muskan: ~/Documents/devops/DevOps-Lab-L1/23070122279_MuskanShah/Project-1-Dockerizing-Jenkins-Pipeline (muskan-branch-tel)
> cat Jenkinsfile
pipeline {
  agent any

  stages {
    stage('Checkout') {
      steps {
        checkout scm
      }
    }

    stage('Build Docker Image') {
      steps {
        sh 'docker build -t muskan-flask-project1:latest .'
      }
    }

    stage('Stop Old Container') {
      steps {
        sh 'docker rm -f muskan-project1 || true'
      }
    }

    stage('Run Docker Container') {
      steps {
        sh 'docker run -d --name muskan-project1 -p 5000:5000 muskan-flask-project1:latest'
      }
    }

    stage('Test Application') {
      steps {
        sh 'sleep 5'
        sh 'curl -f http://localhost:5000'
      }
    }
  }

  post {
    success {
      echo 'Project 1 Docker Jenkins Pipeline completed successfully!'
    }
    failure {
      echo 'Project 1 Pipeline failed.'
    }
  }
}
```

```
muskan123@muskan: ~/Documents/devops/DevOps-Lab-L1/23070122279_MuskanShah/Project-1-Dockerizing-Jenkins-Pipeline (muskan-branch-tel)
>
```

← → ↻ 🏠 🌐 localhost:5000 🔍 ☆ 📄 🖼️ ⋮

Hello, Docker!

2026-09-04 15:52:47.414871 : Hello, Docker!

```

=> => exporting layers                                0.1s
=> => exporting manifest sha256:92d041e608f689dca07e8b6cbb57302d4d473f8f1a0dc3008a5e81b566713382 0.0s
=> => exporting config sha256:88c36d2eb38ca8a5063d3026543c7d6bc07d0699c654a556e26318d6f6ebcd73 0.0s
=> => exporting attestation manifest sha256:a500c9d3ea2fc3b43bea0750f78bba953eeaab2bdc30678bcca13d634ac05fff 0.0s
=> => exporting manifest list sha256:8f5ee1a3044a54952c1006b318d49f2de872248adc8e3661a104e571a9661ece 0.0s
=> => naming to docker.io/library/muskan-flask-project1:latest 0.0s
=> => unpacking to docker.io/library/muskan-flask-project1:latest 0.0s
muskan123@muskan ~/Documents/devops/DevOps-Lab-L1/23070122279_MuskanShah/Project-1-Dockerizing-Jenkins-Pipeline {muskan-branch-tw1}
> docker rm -f muskan-project1 2>/dev/null || true
muskan-project1
muskan123@muskan ~/Documents/devops/DevOps-Lab-L1/23070122279_MuskanShah/Project-1-Dockerizing-Jenkins-Pipeline {muskan-branch-tw1}
> docker run -d --name muskan-project1 -p 5000:5000 muskan-flask-project1:latest
914d095890fa95ae47294f033a9ac604a154a973db17f687e818e733e2d91c26e
muskan123@muskan ~/Documents/devops/DevOps-Lab-L1/23070122279_MuskanShah/Project-1-Dockerizing-Jenkins-Pipeline {muskan-branch-tw1}
> docker ps
CONTAINER ID   IMAGE                                NAMES                                COMMAND                                CREATED        STATUS        PORTS
914d095890fa9 muskan-flask-project1:latest         muskan-project1                      "python app.py"                   3 seconds ago Up 3 seconds  0.0.0.0:5000->5000/tcp, [::]:5000->5000/tcp
7fc3e17ba64f   portainer/portainer-ce:latest       "/portainer"                         7 weeks ago   Up About an hour  0.0.0.0:8000->8000/tcp, [::]:8000->8000/tcp, 0.0.0.0:9443->9443/tcp,
muskan123@muskan ~/Documents/devops/DevOps-Lab-L1/23070122279_MuskanShah/Project-1-Dockerizing-Jenkins-Pipeline {muskan-branch-tw1}
> sudo -u jenkins docker ps
> ^C
muskan123@muskan ~/Documents/devops/DevOps-Lab-L1/23070122279_MuskanShah/Project-1-Dockerizing-Jenkins-Pipeline {muskan-branch-tw1}
> sudo -u jenkins docker ps
sudo: unknown user jenkins
sudo: error initializing audit plugin sudoers_audit
muskan123@muskan ~/Documents/devops/DevOps-Lab-L1/23070122279_MuskanShah/Project-1-Dockerizing-Jenkins-Pipeline {muskan-branch-tw1}
> sudo -u jenkins docker ps
sudo: unknown user jenkins
sudo: error initializing audit plugin sudoers_audit
muskan123@muskan ~/Documents/devops/DevOps-Lab-L1/23070122279_MuskanShah/Project-1-Dockerizing-Jenkins-Pipeline {muskan-branch-tw1}
> sudo usermod -aG docker jenkins
[sudo] password for muskan123:
usermod: user 'jenkins' does not exist
muskan123@muskan ~/Documents/devops/DevOps-Lab-L1/23070122279_MuskanShah/Project-1-Dockerizing-Jenkins-Pipeline {muskan-branch-tw1}
>



```

```

[1/3] Verify package files                                100% | 3.0 B/s | 1.0 B | 00m00s
[2/3] Prepare transaction                                100% | 4.0 B/s | 1.0 B | 00m00s
[3/3] Installing jenkins-0:2.568.3-1.noarch              100% | 80.2 MiB/s | 96.5 MiB | 00m01s
Complete!
muskan123@muskan ~/Documents/devops/DevOps-Lab-L1/23070122279_MuskanShah/Project-1-Dockerizing-Jenkins-Pipeline {muskan-branch-tw1}
> sudo systemctl daemon-reload
muskan123@muskan ~/Documents/devops/DevOps-Lab-L1/23070122279_MuskanShah/Project-1-Dockerizing-Jenkins-Pipeline {muskan-branch-tw1}
> sudo systemctl enable jenkins
Created symlink '/etc/systemd/system/multi-user.target.wants/jenkins.service' -> '/usr/lib/systemd/system/jenkins.service'.
muskan123@muskan ~/Documents/devops/DevOps-Lab-L1/23070122279_MuskanShah/Project-1-Dockerizing-Jenkins-Pipeline {muskan-branch-tw1}
> sudo systemctl start jenkins
muskan123@muskan ~/Documents/devops/DevOps-Lab-L1/23070122279_MuskanShah/Project-1-Dockerizing-Jenkins-Pipeline {muskan-branch-tw1}
> sudo systemctl status jenkins --no-pager
● jenkins.service - Jenkins Continuous Integration Server
   Loaded: loaded (/usr/lib/systemd/system/jenkins.service; enabled; preset: disabled)
   Drop-In: /usr/lib/systemd/system/service.d
            └─10-timeout-abort.conf
   Active: active (running) since Fri 2026-09-04 21:26:19 IST; 2s ago
   Invocation: a843f851a3354d98aeed80bee23459e
   Main PID: 35778 (java)
     Tasks: 61 (limit: 18727)
    Memory: 668.5M (peak: 676.1M)
       CPU: 10.937s
    CGroup: /system.slice/jenkins.service
            └─35778 /usr/bin/java -Djava.awt.headless=true -jar /usr/share/java/jenkins.war --webroot=/var/cache/jenkins/war --httpPort=8080

Sep 04 21:26:14 muskan jenkins[35778]: [LF]> eff002aa23ff40c5840cf0e185003d50
Sep 04 21:26:14 muskan jenkins[35778]: [LF]>
Sep 04 21:26:14 muskan jenkins[35778]: [LF]> This may also be found at: /var/lib/jenkins/secrets/initialAdminPassword
Sep 04 21:26:14 muskan jenkins[35778]: [LF]>
Sep 04 21:26:14 muskan jenkins[35778]: [LF]> *****
Sep 04 21:26:14 muskan jenkins[35778]: [LF]> *****
Sep 04 21:26:14 muskan jenkins[35778]: [LF]> *****
Sep 04 21:26:19 muskan jenkins[35778]: 2026-09-04 15:56:19.566+0000 [id=85] INFO jenkins.InitReactorRunner$1#onAttained: Completed initialization
Sep 04 21:26:19 muskan jenkins[35778]: 2026-09-04 15:56:19.576+0000 [id=57] INFO hudson.lifecycle.Lifecycle#onReady: Jenkins is fully up and running
Sep 04 21:26:19 muskan systemd[1]: Started jenkins.service - Jenkins Continuous Integration Server.
muskan123@muskan ~/Documents/devops/DevOps-Lab-L1/23070122279_MuskanShah/Project-1-Dockerizing-Jenkins-Pipeline {muskan-branch-tw1}
>

```



← → ↻ http://localhost:8080/job/Project-1-Dockerizing-Jenkins-Pipeline/14/console 80% ☆ ⬇️ 🔔 ⚙️ ☰

Jenkins Project-1-Dockerizing-Jenkins... #14 🔍 ⚙️ 👤

Status Console Download Copy View as plain text

</> Changes Console Output Delete build '#14' Git Build Data Pipeline Overview Edit build information Restart from Stage Replay Pipeline Steps Workspaces Previous Build

```
Started by user muskan shah
Obtained Project-1-Dockerizing-Jenkins-Pipeline/Jenkinsfile from git https://github.com/muskan0253/DevOps-Lab-L1.git
[Pipeline] Start of Pipeline
[Pipeline] node
Running on Jenkins in /var/lib/jenkins/workspace/Project-1-Dockerizing-Jenkins-Pipeline
[Pipeline] {
[Pipeline] stage
[Pipeline] { (Declarative: Checkout SCM)
[Pipeline] checkout
The recommended git tool is: git
No credentials specified
> git rev-parse --resolve-git-dir /var/lib/jenkins/workspace/Project-1-Dockerizing-Jenkins-Pipeline/.git # timeout=10
Fetching changes from the remote Git repository
> git config remote.origin.url https://github.com/muskan0253/DevOps-Lab-L1.git # timeout=10
Fetching upstream changes from https://github.com/muskan0253/DevOps-Lab-L1.git
> git --version # timeout=10
> git --version # 'git version 2.55.0'
> git fetch --tags --force --progress -- https://github.com/muskan0253/DevOps-Lab-L1.git +refs/heads/*:refs/remotes/origin/* # timeout=10
> git rev-parse refs/remotes/origin/main^(commit) # timeout=10
Checking out Revision 1be6537967d17daae35bb511e969c508e7177999 (refs/remotes/origin/main)
> git config core.sparsecheckout # timeout=10
> git checkout -f 1be6537967d17daae35bb511e969c508e7177999 # timeout=10
Commit message: "Remove unnecessary screenshots"
> git rev-list --no-walk 182db140e7f7d146c5444389c7f389e5aa3e9b55 # timeout=10
[Pipeline] }
[Pipeline] // stage
[Pipeline] withEnv
[Pipeline] {
[Pipeline] stage
[Pipeline] { (Checkout)
[Pipeline] checkout
The recommended git tool is: git
No credentials specified
> git rev-parse --resolve-git-dir /var/lib/jenkins/workspace/Project-1-Dockerizing-Jenkins-Pipeline/.git # timeout=10
```

← → ↻ http://localhost:8080/job/Project-1-Dockerizing-Jenkins-Pipeline/14/console 80% ☆ ⬇️ 🔔 ⚙️ ☰

Jenkins Project-1-Dockerizing-Jenkins... #14 🔍 ⚙️ 👤

```
#4 sha256:e2de96513ba9eb53b431787ec8a65cdde380ac4772a3e4c4b714dcfde2a102b5 3.85MB / 3.85MB 7.0s done
#4 DONE 7.1s

#5 exporting to image
#5 unpacking to docker.io/library/my-app:latest 7.2s done
#5 DONE 7.3s
[Pipeline] }
[Pipeline] // stage
[Pipeline] stage
[Pipeline] { (Docker Run)
[Pipeline] sh
+ docker run --rm my-app
Docker build and Jenkins pipeline successful!
[Pipeline] }
[Pipeline] // stage
[Pipeline] stage
[Pipeline] { (Declarative: Post Actions)
[Pipeline] echo
Pipeline completed successfully!
[Pipeline] }
[Pipeline] // stage
[Pipeline] }
[Pipeline] // withEnv
[Pipeline] }
[Pipeline] // node
[Pipeline] End of Pipeline
Finished: SUCCESS
```

Jenkins 2.568.3

```

Total size of inbound packages is 556 MiB. Need to download 556 MiB.
After this operation, 11 MiB will be freed (install 2 GiB, remove 2 GiB).
Is this ok [y/N]: y
[1/7] docker-ce-3:29.8.0-1.fc44.x86_64 100% | 1.2 MiB/s | 25.2 MiB | 00m21s
[2/7] containerd.io-0:2.3.4-2.fc44.x86_64 100% | 1.6 MiB/s | 33.5 MiB | 00m21s
[3/7] docker-ce-cli-1:29.8.0-1.fc44.x86_64 100% | 2.2 MiB/s | 8.8 MiB | 00m04s
[4/7] code-0:1.136.1-1788413918.el8.x86_64 100% | 13.5 MiB/s | 336.9 MiB | 00m25s
[5/7] docker-ce-rootless-extras-0:29.8.0-1.fc44.x86_64 100% | 976.2 KiB/s | 5.5 MiB | 00m06s
[6/7] docker-compose-plugin-0:5.5.1-1.fc44.x86_64 100% | 2.1 MiB/s | 8.3 MiB | 00m04s
[7/7] google-chrome-stable-0:152.0.7977.82-1.x86_64 100% | 11.5 MiB/s | 138.1 MiB | 00m12s
-----
[7/7] Total 100% | 15.1 MiB/s | 556.4 MiB | 00m37s
Running transaction
[ 1/16] Verify package files 100% | 3.0 B/s | 7.0 B | 00m02s
[ 2/16] Prepare transaction 100% | 73.0 B/s | 14.0 B | 00m00s
[ 3/16] Upgrading docker-ce-cli-1:29.8.0-1.fc44.x86_64 100% | 274.7 MiB/s | 36.5 MiB | 00m00s
[ 4/16] Upgrading containerd.io-0:2.3.4-2.fc44.x86_64 100% | 308.9 MiB/s | 112.8 MiB | 00m00s
[ 5/16] Upgrading docker-ce-3:29.8.0-1.fc44.x86_64 100% | 12.1 MiB/s | 110.3 MiB | 00m09s
[ 6/16] Upgrading docker-ce-rootless-extras-0:29.8.0-1.fc44.x86_64 100% | 245.7 MiB/s | 20.1 MiB | 00m00s
[ 7/16] Upgrading google-chrome-stable-0:152.0.7977.82-1.x86_64 100% | 75.2 MiB/s | 435.8 MiB | 00m06s
>>> Running %post scriptlet: google-chrome-stable-0:152.0.7977.82-1.x86_64
>>> Finished %post scriptlet: google-chrome-stable-0:152.0.7977.82-1.x86_64
>>> Scriptlet output:
>>> error: can't create transaction lock on /usr/lib/sysimage/rpm/.rpm.lock (Resource temporarily unavailable)
>>> error: can't create transaction lock on /usr/lib/sysimage/rpm/.rpm.lock (Resource temporarily unavailable)
>>> error: can't create transaction lock on /usr/lib/sysimage/rpm/.rpm.lock (Resource temporarily unavailable)
>>>
[ 8/16] Upgrading docker-compose-plugin-0:5.5.1-1.fc44.x86_64 100% | 296.7 MiB/s | 30.9 MiB | 00m00s
[ 9/16] Upgrading code-0:1.136.1-1788413918.el8.x86_64 100% | 202.6 MiB/s | 1.0 GiB | 00m05s
[10/16] Removing google-chrome-stable-0:152.0.7977.75-1.x86_64 100% | 6.8 KiB/s | 271.0 B | 00m00s
[11/16] Removing docker-compose-plugin-0:5.5.0-1.fc44.x86_64 100% | 250.0 B/s | 8.0 B | 00m00s
[12/16] Removing code-0:1.136.0-1788342501.el8.x86_64 100% | 1.7 KiB/s | 3.0 KiB | 00m02s
[13/16] Removing docker-ce-rootless-extras-0:29.7.2-1.fc44.x86_64 100% | 90.0 B/s | 3.0 B | 00m00s
[14/16] Removing docker-ce-3:29.7.2-1.fc44.x86_64 100% | 210.0 B/s | 8.0 B | 00m00s
[15/16] Removing containerd.io-0:2.3.4-1.fc44.x86_64 100% | 457.0 B/s | 16.0 B | 00m00s
[16/16] Removing docker-ce-cli-1:29.7.2-1.fc44.x86_64 100% | 60.0 B/s | 190.0 B | 00m03s
Complete!
muskan123@muskan ~
> sudo dnf remove docker \
docker-client \
docker-client-latest \
docker-common \
docker-latest \
docker-latest-logrotate \
docker-logrotate \
docker-selinux \
docker-engine-selinux \
docker-engine
No packages to remove for argument: docker
No packages to remove for argument: docker-client
No packages to remove for argument: docker-client-latest
No packages to remove for argument: docker-common
No packages to remove for argument: docker-latest
No packages to remove for argument: docker-latest-logrotate
No packages to remove for argument: docker-logrotate
No packages to remove for argument: docker-selinux
No packages to remove for argument: docker-engine-selinux
No packages to remove for argument: docker-engine

Nothing to do.
muskan123@muskan ~
> sudo dnf config-manager addrepo --from-repofile https://download.docker.com/linux/fedora/docker-ce.repo
File "/etc/yum.repos.d/docker-ce.repo" already exists and configures repositories with IDs "docker-ce-stable docker-ce-stable-source docker-ce-test docker-ce-test-source"
muskan123@muskan ~
> sudo dnf install docker-ce docker-ce-cli containerd.io docker-buildx-plugin docker-compose-plugin
Updating and loading repositories:
google-chrome 100% | 3.5 KiB/s | 1.3 KiB | 00m00s
Repositories loaded.
Package "docker-ce-3:29.8.0-1.fc44.x86_64" is already installed.
Package "docker-ce-cli-1:29.8.0-1.fc44.x86_64" is already installed.
Package "containerd.io-2.3.4-2.fc44.x86_64" is already installed.
Package "docker-buildx-plugin-0.37.0-1.fc44.x86_64" is already installed.
Package "docker-compose-plugin-5.5.1-1.fc44.x86_64" is already installed.
< >
Nothing to do.
muskan123@muskan ~
> ==

```