RG

REPOGUARDIAN | PULL REQUEST INTELLIGENCE

Pull Request Review Report

Update PR review agent and main workflow

#1 · muski630346/repo_guardian · @codewithVamshi5 · OPEN

1163	119	58	986
TOTAL	PR REVIEWS	SECURITY	INLINE

1 Pull Request Details

Title	Update PR review agent and main workflow
Repository	muski630346/repo_guardian
PR Number	#1
Author	@codewithVamshi5
Branch	test-pr -> main
State	OPEN
Opened	2026-03-14 05:56 UTC
Updated	2026-03-14 20:31 UTC
Generated	14 Mar 2026 21:02 UTC

2 Review Activity Summary

1163	119	58	986	44
TOTAL	PR REVIEWS	SECURITY SCANS	INLINE CODE	AVG SCORE

Health Score Distribution

Band	Range	Count	Pct
EXCELLENT	85-100	23	12%
GOOD	70-84	9	5%
FAIR	50-69	49	27%
POOR	0-49	96	54%

3 Review Timeline (177 scored reviews)

Time	Author	Type	Score	Band	Summary
2026-03-14 05:57	muski630346	PR Review	100	EXCELLENT	Health Score: 100/100 (
2026-03-14 05:59	muski630346	PR Review	100	EXCELLENT	Health Score: 100/100 (
2026-03-14 06:00	muski630346	PR Review	100	EXCELLENT	Health Score: 100/100 (
2026-03-14 06:01	muski630346	PR Review	100	EXCELLENT	Health Score: 100/100 (

Time	Author	Type	Score	Band	Summary
2026-03-14 06:14	muski630346	Full Review	75	GOOD	Health Score: 75/100 (REJECTED
2026-03-14 06:54	muski630346	Full Review	65	FAIR	Health Score: 65/100 (REJECTED
2026-03-14 07:02	muski630346	Security	69	FAIR	Security Score: 69/100
2026-03-14 07:13	muski630346	Security	50	FAIR	Security Score: 50/100
2026-03-14 07:14	muski630346	Full Review	55	FAIR	Health Score: 55/100 (REJECTED
2026-03-14 07:14	muski630346	Full Review	0	POOR	Health Score: 0/100 (REJECTED
2026-03-14 07:32	muski630346	Security	50	FAIR	Security Score: 50/100
2026-03-14 07:33	muski630346	Full Review	35	POOR	Health Score: 35/100 (REJECTED
2026-03-14 07:33	muski630346	Full Review	0	POOR	Health Score: 0/100 (REJECTED
2026-03-14 07:35	muski630346	Security	50	FAIR	Security Score: 50/100
2026-03-14 07:36	muski630346	Full Review	0	POOR	Health Score: 0/100 (REJECTED
2026-03-14 07:37	muski630346	Full Review	0	POOR	Health Score: 0/100 (REJECTED
2026-03-14 07:37	muski630346	Security	50	FAIR	Security Score: 50/100
2026-03-14 07:38	muski630346	Full Review	25	POOR	Health Score: 25/100 (REJECTED
2026-03-14 07:38	muski630346	Full Review	0	POOR	Health Score: 0/100 (REJECTED
2026-03-14 07:40	muski630346	Security	50	FAIR	Security Score: 50/100
2026-03-14 07:43	muski630346	Full Review	25	POOR	Health Score: 25/100 (REJECTED
2026-03-14 07:43	muski630346	Full Review	0	POOR	Health Score: 0/100 (REJECTED
2026-03-14 07:47	muski630346	Security	50	FAIR	Security Score: 50/100
2026-03-14 07:50	muski630346	Full Review	25	POOR	Health Score: 25/100 (REJECTED
2026-03-14 07:50	muski630346	Security	50	FAIR	Security Score: 50/100
2026-03-14 07:54	muski630346	Full Review	0	POOR	Health Score: 0/100 (REJECTED
2026-03-14 08:41	muski630346	Security	50	FAIR	Security Score: 50/100

Time	Author	Type	Score	Band	Summary
2026-03-14 08:45	muski630346	Full Review	0	POOR	Health Score: 0/100 (REJECTED
2026-03-14 08:45	muski630346	Full Review	0	POOR	Health Score: 0/100 (REJECTED
2026-03-14 08:52	muski630346	Security	50	FAIR	Security Score: 50/100
2026-03-14 08:52	muski630346	Full Review	0	POOR	Health Score: 0/100 (REJECTED
2026-03-14 08:53	muski630346	Security	50	FAIR	Security Score: 50/100
2026-03-14 08:56	muski630346	Full Review	30	POOR	Health Score: 30/100 (REJECTED
2026-03-14 08:56	muski630346	Full Review	0	POOR	Health Score: 0/100 (REJECTED
2026-03-14 08:56	muski630346	Security	50	FAIR	Security Score: 50/100
2026-03-14 08:57	muski630346	Full Review	95	EXCELLENT	Health Score: 95/100 (REJECTED
2026-03-14 08:57	muski630346	Full Review	0	POOR	Health Score: 0/100 (REJECTED
2026-03-14 09:01	muski630346	Security	50	FAIR	Security Score: 50/100
2026-03-14 09:01	muski630346	Security	50	FAIR	Security Score: 50/100
2026-03-14 09:02	muski630346	Full Review	100	EXCELLENT	Health Score: 100/100 (REJECTED
2026-03-14 09:02	muski630346	Full Review	0	POOR	Health Score: 0/100 (REJECTED
2026-03-14 09:04	muski630346	Full Review	25	POOR	Health Score: 25/100 (REJECTED
2026-03-14 09:04	muski630346	Full Review	0	POOR	Health Score: 0/100 (REJECTED
2026-03-14 09:04	muski630346	Security	50	FAIR	Security Score: 50/100
2026-03-14 09:05	muski630346	Security	50	FAIR	Security Score: 50/100
2026-03-14 09:07	muski630346	Full Review	5	POOR	Health Score: 5/100 (REJECTED
2026-03-14 09:07	muski630346	Full Review	0	POOR	Health Score: 0/100 (REJECTED
2026-03-14 09:07	muski630346	Full Review	25	POOR	Health Score: 25/100 (REJECTED
2026-03-14 09:09	muski630346	Security	50	FAIR	Security Score: 50/100
2026-03-14 09:10	muski630346	Security	50	FAIR	Security Score: 50/100

Time	Author	Type	Score	Band	Summary
2026-03-14 09:12	muski630346	Security	50	FAIR	Security Score: 50/100
2026-03-14 09:12	muski630346	Full Review	30	POOR	Health Score: 30/100 (REJECTED
2026-03-14 09:12	muski630346	Full Review	0	POOR	Health Score: 0/100 (REJECTED
2026-03-14 09:13	muski630346	Full Review	40	POOR	Health Score: 40/100 (REJECTED
2026-03-14 09:13	muski630346	Full Review	0	POOR	Health Score: 0/100 (REJECTED
2026-03-14 09:15	muski630346	Security	50	FAIR	Security Score: 50/100
2026-03-14 09:16	muski630346	Full Review	5	POOR	Health Score: 5/100 (REJECTED
2026-03-14 09:16	muski630346	Full Review	0	POOR	Health Score: 0/100 (REJECTED
2026-03-14 09:22	muski630346	Security	50	FAIR	Security Score: 50/100
2026-03-14 09:23	muski630346	Full Review	85	EXCELLENT	Health Score: 85/100 (REJECTED
2026-03-14 09:23	muski630346	Full Review	30	POOR	Health Score: 30/100 (REJECTED
2026-03-14 09:24	muski630346	Security	50	FAIR	Security Score: 50/100
2026-03-14 09:25	muski630346	Full Review	40	POOR	Health Score: 40/100 (REJECTED
2026-03-14 09:25	muski630346	Full Review	0	POOR	Health Score: 0/100 (REJECTED
2026-03-14 09:27	muski630346	Security	50	FAIR	Security Score: 50/100
2026-03-14 09:28	muski630346	Full Review	35	POOR	Health Score: 35/100 (REJECTED
2026-03-14 09:28	muski630346	Full Review	0	POOR	Health Score: 0/100 (REJECTED
2026-03-14 09:30	muski630346	Security	50	FAIR	Security Score: 50/100
2026-03-14 09:32	muski630346	Full Review	95	EXCELLENT	Health Score: 95/100 (REJECTED
2026-03-14 09:32	muski630346	Full Review	30	POOR	Health Score: 30/100 (REJECTED
2026-03-14 09:42	muski630346	Security	50	FAIR	Security Score: 50/100
2026-03-14 09:43	muski630346	Full Review	75	GOOD	Health Score: 75/100 (REJECTED
2026-03-14 09:43	muski630346	Full Review	30	POOR	Health Score: 30/100 (REJECTED

Time	Author	Type	Score	Band	Summary
2026-03-14 10:05	muski630346	Security	50	FAIR	Security Score: 50/100
2026-03-14 10:05	muski630346	PR Review	0	POOR	Health Score: 0/100 (NEEDS WORK
2026-03-14 10:06	muski630346	Full Review	75	GOOD	Health Score: 75/100 (REJECTED
2026-03-14 10:06	muski630346	Full Review	30	POOR	Health Score: 30/100 (REJECTED
2026-03-14 10:15	muski630346	PR Review	0	POOR	Health Score: 0/100 (NEEDS WORK
2026-03-14 10:15	muski630346	Security	50	FAIR	Security Score: 50/100
2026-03-14 10:15	muski630346	Full Review	90	EXCELLENT	Health Score: 90/100 (REJECTED
2026-03-14 10:18	muski630346	PR Review	0	POOR	Health Score: 0/100 (NEEDS WORK
2026-03-14 10:18	muski630346	Full Review	30	POOR	Health Score: 30/100 (REJECTED
2026-03-14 10:23	muski630346	PR Review	0	POOR	Health Score: 0/100 (NEEDS WORK
2026-03-14 10:23	muski630346	Security	50	FAIR	Security Score: 50/100
2026-03-14 10:29	muski630346	PR Review	0	POOR	Health Score: 0/100 (NEEDS WORK
2026-03-14 10:35	muski630346	Security	50	FAIR	Security Score: 50/100
2026-03-14 11:05	muski630346	Full Review	75	GOOD	Health Score: 75/100 (REJECTED
2026-03-14 11:06	muski630346	Security	50	FAIR	Security Score: 50/100
2026-03-14 11:07	muski630346	PR Review	0	POOR	Health Score: 0/100 (NEEDS WORK
2026-03-14 11:07	muski630346	Full Review	30	POOR	Health Score: 30/100 (REJECTED
2026-03-14 11:28	muski630346	Full Review	85	EXCELLENT	Health Score: 85/100 (REJECTED
2026-03-14 11:29	muski630346	Security	50	FAIR	Security Score: 50/100
2026-03-14 11:29	muski630346	PR Review	0	POOR	Health Score: 0/100 (NEEDS WORK
2026-03-14 11:30	muski630346	Full Review	30	POOR	Health Score: 30/100 (REJECTED
2026-03-14 12:31	muski630346	Security	50	FAIR	Security Score: 50/100
2026-03-14 12:33	muski630346	Full Review	90	EXCELLENT	Health Score: 90/100 (REJECTED

Time	Author	Type	Score	Band	Summary
2026-03-14 12:33	muski630346	Full Review	0	POOR	Health Score: 0/100 (REJECTED
2026-03-14 12:35	muski630346	Full Review	75	GOOD	Health Score: 75/100 (REJECTED
2026-03-14 12:36	muski630346	Security	50	FAIR	Security Score: 50/100
2026-03-14 12:36	muski630346	PR Review	0	POOR	Health Score: 0/100 (NEEDS WORK
2026-03-14 12:37	muski630346	Full Review	30	POOR	Health Score: 30/100 (REJECTED
2026-03-14 12:42	muski630346	Full Review	75	GOOD	Health Score: 75/100 (REJECTED
2026-03-14 12:43	muski630346	Security	50	FAIR	Security Score: 50/100
2026-03-14 12:44	muski630346	PR Review	0	POOR	Health Score: 0/100 (NEEDS WORK
2026-03-14 12:44	muski630346	Security	30	POOR	Security Score: 30/100
2026-03-14 12:44	muski630346	Full Review	30	POOR	Health Score: 30/100 (REJECTED
2026-03-14 12:47	muski630346	Full Review	100	EXCELLENT	Health Score: 100/100 (REJECTED
2026-03-14 12:49	muski630346	Security	50	FAIR	Security Score: 50/100
2026-03-14 12:51	muski630346	PR Review	0	POOR	Health Score: 0/100 (NEEDS WORK
2026-03-14 12:52	muski630346	Full Review	30	POOR	Health Score: 30/100 (REJECTED
2026-03-14 13:13	muski630346	Full Review	95	EXCELLENT	Health Score: 95/100 (REJECTED
2026-03-14 13:15	muski630346	Security	50	FAIR	Security Score: 50/100
2026-03-14 13:17	muski630346	PR Review	0	POOR	Health Score: 0/100 (NEEDS WORK
2026-03-14 13:18	muski630346	Full Review	30	POOR	Health Score: 30/100 (REJECTED
2026-03-14 13:20	muski630346	Full Review	85	EXCELLENT	Health Score: 85/100 (REJECTED
2026-03-14 13:21	muski630346	Security	50	FAIR	Security Score: 50/100
2026-03-14 13:21	muski630346	PR Review	0	POOR	Health Score: 0/100 (NEEDS WORK
2026-03-14 13:22	muski630346	Security	30	POOR	Security Score: 30/100
2026-03-14 13:22	muski630346	Full Review	30	POOR	Health Score: 30/100 (REJECTED

Time	Author	Type	Score	Band	Summary
2026-03-14 13:27	muski630346	Full Review	85	EXCELLENT	Health Score: 85/100 (REJECTED
2026-03-14 13:28	muski630346	Security	50	FAIR	Security Score: 50/100
2026-03-14 13:29	muski630346	PR Review	0	POOR	Health Score: 0/100 (NEEDS WORK
2026-03-14 13:30	muski630346	Security	30	POOR	Security Score: 30/100
2026-03-14 13:30	muski630346	PR Review	0	POOR	Health Score: 0/100 (NEEDS WORK
2026-03-14 13:30	muski630346	Full Review	30	POOR	Health Score: 30/100 (REJECTED
2026-03-14 13:45	muski630346	Full Review	95	EXCELLENT	Health Score: 95/100 (REJECTED
2026-03-14 13:48	muski630346	Security	50	FAIR	Security Score: 50/100
2026-03-14 13:50	muski630346	PR Review	0	POOR	Health Score: 0/100 (NEEDS WORK
2026-03-14 13:50	muski630346	Full Review	30	POOR	Health Score: 30/100 (REJECTED
2026-03-14 14:18	muski630346	Full Review	85	EXCELLENT	Health Score: 85/100 (REJECTED
2026-03-14 14:20	muski630346	Security	50	FAIR	Security Score: 50/100
2026-03-14 14:23	muski630346	PR Review	0	POOR	Health Score: 0/100 (NEEDS WORK
2026-03-14 14:23	muski630346	Security	30	POOR	Security Score: 30/100
2026-03-14 14:23	muski630346	PR Review	0	POOR	Health Score: 0/100 (NEEDS WORK
2026-03-14 14:23	muski630346	Full Review	30	POOR	Health Score: 30/100 (REJECTED
2026-03-14 15:48	muski630346	Full Review	75	GOOD	Health Score: 75/100 (REJECTED
2026-03-14 16:03	muski630346	Full Review	85	EXCELLENT	Health Score: 85/100 (REJECTED
2026-03-14 16:04	muski630346	Security	50	FAIR	Security Score: 50/100
2026-03-14 16:05	muski630346	PR Review	0	POOR	Health Score: 0/100 (NEEDS WORK
2026-03-14 16:05	muski630346	Security	30	POOR	Security Score: 30/100
2026-03-14 16:05	muski630346	PR Review	0	POOR	Health Score: 0/100 (NEEDS WORK
2026-03-14 16:05	muski630346	Full Review	30	POOR	Health Score: 30/100 (REJECTED

Time	Author	Type	Score	Band	Summary
2026-03-14 16:06	muski630346	Full Review	85	EXCELLENT	Health Score: 85/100 (REJECTED
2026-03-14 16:07	muski630346	Security	50	FAIR	Security Score: 50/100
2026-03-14 16:08	muski630346	PR Review	0	POOR	Health Score: 0/100 (NEEDS WORK
2026-03-14 16:09	muski630346	Security	30	POOR	Security Score: 30/100
2026-03-14 16:09	muski630346	PR Review	0	POOR	Health Score: 0/100 (NEEDS WORK
2026-03-14 16:09	muski630346	Full Review	30	POOR	Health Score: 30/100 (REJECTED
2026-03-14 16:17	muski630346	Full Review	85	EXCELLENT	Health Score: 85/100 (REJECTED
2026-03-14 16:18	muski630346	Security	50	FAIR	Security Score: 50/100
2026-03-14 16:19	muski630346	PR Review	0	POOR	Health Score: 0/100 (NEEDS WORK
2026-03-14 16:19	muski630346	Security	30	POOR	Security Score: 30/100
2026-03-14 16:19	muski630346	PR Review	0	POOR	Health Score: 0/100 (NEEDS WORK
2026-03-14 16:19	muski630346	Full Review	30	POOR	Health Score: 30/100 (REJECTED
2026-03-14 17:12	muski630346	Full Review	75	GOOD	Health Score: 75/100 (REJECTED
2026-03-14 17:13	muski630346	Security	50	FAIR	Security Score: 50/100
2026-03-14 17:13	muski630346	PR Review	0	POOR	Health Score: 0/100 (NEEDS WORK
2026-03-14 17:14	muski630346	Security	30	POOR	Security Score: 30/100
2026-03-14 17:14	muski630346	PR Review	0	POOR	Health Score: 0/100 (NEEDS WORK
2026-03-14 17:14	muski630346	Full Review	30	POOR	Health Score: 30/100 (REJECTED
2026-03-14 17:23	muski630346	Full Review	85	EXCELLENT	Health Score: 85/100 (REJECTED
2026-03-14 17:24	muski630346	Security	50	FAIR	Security Score: 50/100
2026-03-14 17:25	muski630346	PR Review	0	POOR	Health Score: 0/100 (NEEDS WORK
2026-03-14 17:25	muski630346	Security	30	POOR	Security Score: 30/100
2026-03-14 17:26	muski630346	PR Review	0	POOR	Health Score: 0/100 (NEEDS WORK

Time	Author	Type	Score	Band	Summary
2026-03-14 17:26	muski630346	Full Review	30	POOR	Health Score: 30/100 (REJECTED
2026-03-14 18:02	muski630346	Security	72	GOOD	Security Score: 72/100
2026-03-14 19:35	muski630346	Full Review	85	EXCELLENT	Health Score: 85/100 (REJECTED
2026-03-14 19:38	muski630346	Security	50	FAIR	Security Score: 50/100
2026-03-14 19:40	muski630346	PR Review	0	POOR	Health Score: 0/100 (NEEDS WORK
2026-03-14 19:40	muski630346	Full Review	30	POOR	Health Score: 30/100 (REJECTED
2026-03-14 20:28	muski630346	Full Review	85	EXCELLENT	Health Score: 85/100 (REJECTED
2026-03-14 20:29	muski630346	Security	50	FAIR	Security Score: 50/100
2026-03-14 20:30	muski630346	PR Review	0	POOR	Health Score: 0/100 (NEEDS WORK
2026-03-14 20:31	muski630346	Security	30	POOR	Security Score: 30/100
2026-03-14 20:31	muski630346	PR Review	0	POOR	Health Score: 0/100 (NEEDS WORK
2026-03-14 20:31	muski630346	Full Review	30	POOR	Health Score: 30/100 (REJECTED

4 Security Scan Reports (58 scans)

Security Scan #1 69/100 -- FAIR 2026-03-14 07:02 UTC

RepoGuardian — Security Scan Report Security Score: SECURITY RISK — DO NOT MERGE Summary The code appears to be ...

Severity	Category	Co
High (block merge)	OWASP Vulnerability	
Medium (fix before release)	0	
Low (hardening)	0	
Total	0	

Security Scan #2 50/100 -- FAIR 2026-03-14 07:13 UTC

RepoGuardian — Security Scan Report Security Score: SECURITY RISK — DO NOT MERGE Summary The code appears to be ...

Severity	Category	Co
High (block merge)	Injection Risk	
Medium (fix before release)	OWASP Vulnerability	
Low (hardening)	Insecure Pattern	
Total	0	

Security Scan #3 50/100 -- FAIR 2026-03-14 07:32 UTC

RepoGuardian — Security Scan Report Security Score: SECURITY RISK — DO NOT MERGE Summary The provided code appea...

Severity	Category	Co
High (block merge)	Injection Risk	
Medium (fix before release)	OWASP Vulnerability	
Low (hardening)	Insecure Pattern	
Total	0	

Security Scan #4 50/100 -- FAIR 2026-03-14 07:35 UTC

RepoGuardian — Security Scan Report Security Score: SECURITY RISK — DO NOT MERGE Summary The provided code appea...

Severity	Category	Co
High (block merge)	Injection Risk	
Medium (fix before release)	OWASP Vulnerability	
Low (hardening)	Insecure Pattern	
Total	0	

Security Scan #5 50/100 -- FAIR 2026-03-14 07:37 UTC

RepoGuardian — Security Scan Report Security Score: SECURITY RISK — DO NOT MERGE Summary LLM analysis failed.

Severity	Category	Co
High (block merge)	Injection Risk	
Medium (fix before release)	OWASP Vulnerability	
Low (hardening)	Insecure Pattern	
Total	0	

Security Scan #6 50/100 -- FAIR 2026-03-14 07:40 UTC

RepoGuardian — Security Scan Report Security Score: SECURITY RISK — DO NOT MERGE Summary LLM analysis failed.

Severity	Category	Co
High (block merge)	Injection Risk	
Medium (fix before release)	OWASP Vulnerability	
Low (hardening)	Insecure Pattern	
Total	0	

Security Scan #7 50/100 -- FAIR 2026-03-14 07:47 UTC

RepoGuardian — Security Scan Report Security Score: SECURITY RISK — DO NOT MERGE Summary LLM analysis failed.

Severity	Category	Co
High (block merge)	Injection Risk	
Medium (fix before release)	OWASP Vulnerability	
Low (hardening)	Insecure Pattern	
Total	0	

Security Scan #8 50/100 -- FAIR 2026-03-14 07:50 UTC

RepoGuardian — Security Scan Report Security Score: SECURITY RISK — DO NOT MERGE Summary LLM analysis failed.

Severity	Category	Co
High (block merge)	Injection Risk	
Medium (fix before release)	OWASP Vulnerability	
Low (hardening)	Insecure Pattern	
Total	0	

Security Scan #9 50/100 -- FAIR 2026-03-14 08:41 UTC

RepoGuardian — Security Scan Report Security Score: SECURITY RISK — DO NOT MERGE Summary The code has several se...

Severity	Category	Co
High (block merge)	Injection Risk	
Medium (fix before release)	OWASP Vulnerability	
Low (hardening)	Insecure Pattern	
Total	0	

Security Scan #10 50/100 -- FAIR 2026-03-14 08:52 UTC

RepoGuardian — Security Scan Report Security Score: SECURITY RISK — DO NOT MERGE Summary The code has several se...

Severity	Category	Co
High (block merge)	cryptographic failure	
Medium (fix before release)	Injection Risk	
Low (hardening)	OWASP Vulnerability	
Total	Insecure Pattern	

Security Scan #11 50/100 -- FAIR 2026-03-14 08:53 UTC

RepoGuardian — Security Scan Report Security Score: SECURITY RISK — DO NOT MERGE Summary The provided code appea...

Severity	Category	Co
High (block merge)	Injection Risk	
Medium (fix before release)	OWASP Vulnerability	
Low (hardening)	Insecure Pattern	
Total	0	

Security Scan #12 50/100 -- FAIR 2026-03-14 08:56 UTC

RepoGuardian — Security Scan Report Security Score: SECURITY RISK — DO NOT MERGE Summary The provided code appea...

Severity	Category	Co
High (block merge)	Injection Risk	
Medium (fix before release)	OWASP Vulnerability	
Low (hardening)	Insecure Pattern	
Total	0	

Security Scan #13 50/100 -- FAIR 2026-03-14 09:01 UTC

RepoGuardian — Security Scan Report Security Score: SECURITY RISK — DO NOT MERGE Summary LLM analysis failed.

Severity	Category	Co
High (block merge)	Injection Risk	
Medium (fix before release)	OWASP Vulnerability	
Low (hardening)	Insecure Pattern	
Total	0	

Security Scan #14 50/100 -- FAIR 2026-03-14 09:01 UTC

RepoGuardian — Security Scan Report Security Score: SECURITY RISK — DO NOT MERGE Summary The provided code appea...

Severity	Category	Co
High (block merge)	Injection Risk	
Medium (fix before release)	OWASP Vulnerability	
Low (hardening)	Insecure Pattern	
Total	0	

Security Scan #15 50/100 -- FAIR 2026-03-14 09:04 UTC

RepoGuardian — Security Scan Report Security Score: SECURITY RISK — DO NOT MERGE Summary The provided code appea...

Severity	Category	Co
High (block merge)	Injection Risk	
Medium (fix before release)	OWASP Vulnerability	
Low (hardening)	Insecure Pattern	
Total	0	

Security Scan #16 50/100 -- FAIR 2026-03-14 09:05 UTC

RepoGuardian — Security Scan Report Security Score: SECURITY RISK — DO NOT MERGE Summary The provided code appea...

Severity	Category	Co
High (block merge)	Injection Risk	
Medium (fix before release)	OWASP Vulnerability	
Low (hardening)	Insecure Pattern	
Total	0	

Security Scan #17 50/100 -- FAIR 2026-03-14 09:09 UTC

RepoGuardian — Security Scan Report Security Score: SECURITY RISK — DO NOT MERGE Summary The provided code appea...

Severity	Category	Co
High (block merge)	Injection Risk	
Medium (fix before release)	OWASP Vulnerability	
Low (hardening)	Insecure Pattern	
Total	0	

Security Scan #18 50/100 -- FAIR 2026-03-14 09:10 UTC

RepoGuardian — Security Scan Report Security Score: SECURITY RISK — DO NOT MERGE Summary The provided code appea...

Severity	Category	Co
High (block merge)	Injection Risk	
Medium (fix before release)	OWASP Vulnerability	
Low (hardening)	Insecure Pattern	
Total	0	

Security Scan #19 50/100 -- FAIR 2026-03-14 09:12 UTC

RepoGuardian — Security Scan Report Security Score: SECURITY RISK — DO NOT MERGE Summary The provided code appea...

Severity	Category	Co
High (block merge)	Injection Risk	
Medium (fix before release)	OWASP Vulnerability	
Low (hardening)	Insecure Pattern	
Total	0	

Security Scan #20 50/100 -- FAIR 2026-03-14 09:15 UTC

RepoGuardian — Security Scan Report Security Score: SECURITY RISK — DO NOT MERGE Summary The provided code appea...

Severity	Category	Co
High (block merge)	Injection Risk	
Medium (fix before release)	OWASP Vulnerability	
Low (hardening)	Insecure Pattern	
Total	0	

Security Scan #21 50/100 -- FAIR 2026-03-14 09:22 UTC

RepoGuardian — Security Scan Report Security Score: SECURITY RISK — DO NOT MERGE Summary The provided code appear...

Severity	Category	Co
High (block merge)	injection risk	
Medium (fix before release)	Injection Risk	
Low (hardening)	OWASP Vulnerability	
Total	Insecure Pattern	

Security Scan #22 50/100 -- FAIR 2026-03-14 09:24 UTC

RepoGuardian — Security Scan Report Security Score: SECURITY RISK — DO NOT MERGE Summary The provided code appea...

Severity	Category	Co
High (block merge)	Injection Risk	
Medium (fix before release)	OWASP Vulnerability	
Low (hardening)	Insecure Pattern	
Total	0	

Security Scan #23 50/100 -- FAIR 2026-03-14 09:27 UTC

RepoGuardian — Security Scan Report Security Score: SECURITY RISK — DO NOT MERGE Summary The provided code appea...

Severity	Category	Co
High (block merge)	Injection Risk	
Medium (fix before release)	OWASP Vulnerability	
Low (hardening)	Insecure Pattern	
Total	0	

Security Scan #24 50/100 -- FAIR 2026-03-14 09:30 UTC

RepoGuardian — Security Scan Report Security Score: SECURITY RISK — DO NOT MERGE Summary LLM analysis failed.

Severity	Category	Co
High (block merge)	Injection Risk	
Medium (fix before release)	OWASP Vulnerability	
Low (hardening)	Insecure Pattern	
Total	0	

Security Scan #25 50/100 -- FAIR 2026-03-14 09:42 UTC

RepoGuardian — Security Scan Report Security Score: SECURITY RISK — DO NOT MERGE Summary The provided code appear...

Severity	Category	Co
High (block merge)	Injection Risk	
Medium (fix before release)	OWASP Vulnerability	
Low (hardening)	Insecure Pattern	
Total	0	

Security Scan #26 50/100 -- FAIR 2026-03-14 10:05 UTC

RepoGuardian — Security Scan Report Security Score: SECURITY RISK — DO NOT MERGE Summary The provided code appear...

Severity	Category	Co
High (block merge)	Injection Risk	
Medium (fix before release)	OWASP Vulnerability	
Low (hardening)	Insecure Pattern	
Total	0	

Security Scan #27 50/100 -- FAIR 2026-03-14 10:15 UTC

RepoGuardian — Security Scan Report Security Score: SECURITY RISK — DO NOT MERGE Summary LLM analysis failed.

Severity	Category	Co
High (block merge)	Injection Risk	
Medium (fix before release)	OWASP Vulnerability	
Low (hardening)	Insecure Pattern	
Total	0	

Security Scan #28 50/100 -- FAIR 2026-03-14 10:23 UTC

RepoGuardian — Security Scan Report Security Score: SECURITY RISK — DO NOT MERGE Summary LLM analysis failed.

Severity	Category	Co
High (block merge)	Injection Risk	
Medium (fix before release)	OWASP Vulnerability	
Low (hardening)	Insecure Pattern	
Total	0	

Security Scan #29 50/100 -- FAIR 2026-03-14 10:35 UTC

RepoGuardian — Security Scan Report Security Score: SECURITY RISK — DO NOT MERGE Summary LLM analysis failed.

Severity	Category	Co
High (block merge)	Injection Risk	
Medium (fix before release)	OWASP Vulnerability	
Low (hardening)	Insecure Pattern	
Total	0	

Security Scan #30 50/100 -- FAIR 2026-03-14 11:06 UTC

RepoGuardian — Security Scan Report Security Score: SECURITY RISK — DO NOT MERGE Summary The provided code appear...

Severity	Category	Co
High (block merge)	Hardcoded Secret	
Medium (fix before release)	OWASP Vulnerability	
Low (hardening)	Injection Risk	
Total	Insecure Pattern	

Security Scan #31 50/100 -- FAIR 2026-03-14 11:29 UTC

RepoGuardian — Security Scan Report Security Score: SECURITY RISK — DO NOT MERGE Summary The provided code appear...

Severity	Category	Co
High (block merge)	Injection Risk	
Medium (fix before release)	OWASP Vulnerability	
Low (hardening)	Insecure Pattern	
Total	0	

Security Scan #32 50/100 -- FAIR 2026-03-14 12:31 UTC

RepoGuardian — Security Scan Report Security Score: SECURITY RISK — DO NOT MERGE Summary The provided code appea...

Severity	Category	Co
High (block merge)	Injection Risk	
Medium (fix before release)	OWASP Vulnerability	
Low (hardening)	Insecure Pattern	
Total	0	

Security Scan #33 50/100 -- FAIR 2026-03-14 12:36 UTC

RepoGuardian — Security Scan Report Security Score: SECURITY RISK — DO NOT MERGE Summary The provided code appear...

Severity	Category	Co
High (block merge)	Injection Risk	
Medium (fix before release)	OWASP Vulnerability	
Low (hardening)	Insecure Pattern	
Total	0	

Security Scan #34 50/100 -- FAIR 2026-03-14 12:43 UTC

RepoGuardian — Security Scan Report Security Score: SECURITY RISK — DO NOT MERGE Summary The provided code appear...

Severity	Category	Co
High (block merge)	Injection Risk	
Medium (fix before release)	OWASP Vulnerability	
Low (hardening)	Insecure Pattern	
Total	0	

Security Scan #35 30/100 -- POOR 2026-03-14 12:44 UTC

RepoGuardian — Developer Memory Report Hey @codewithVamshi5! This is your first PR reviewed by RepoGuardian — wel...

Severity	Count
High (block merge)	0
Medium (fix before release)	0
Low (hardening)	0
Total	0

Security Scan #36 50/100 -- FAIR 2026-03-14 12:49 UTC

RepoGuardian — Security Scan Report Security Score: SECURITY RISK — DO NOT MERGE Summary LLM analysis failed.

Severity	Category	Co
High (block merge)	Injection Risk	
Medium (fix before release)	OWASP Vulnerability	
Low (hardening)	Insecure Pattern	
Total	0	

Security Scan #37 50/100 -- FAIR 2026-03-14 13:15 UTC

RepoGuardian — Security Scan Report Security Score: SECURITY RISK — DO NOT MERGE Summary LLM analysis failed.

Severity	Category	Co
High (block merge)	Injection Risk	
Medium (fix before release)	OWASP Vulnerability	
Low (hardening)	Insecure Pattern	
Total	0	

Security Scan #38 50/100 -- FAIR 2026-03-14 13:21 UTC

RepoGuardian — Security Scan Report Security Score: SECURITY RISK — DO NOT MERGE Summary The code appears to be a...

Severity	Category	Co
High (block merge)	Injection Risk	
Medium (fix before release)	OWASP Vulnerability	
Low (hardening)	Insecure Pattern	
Total	0	

Security Scan #39 30/100 -- POOR 2026-03-14 13:22 UTC

RepoGuardian — Developer Memory Report Hey @codewithVamshi5! I've reviewed 2 PRs from you so far.

Severity	Count
High (block merge)	0
Medium (fix before release)	0
Low (hardening)	0
Total	0

Security Scan #40 50/100 -- FAIR 2026-03-14 13:28 UTC

RepoGuardian — Security Scan Report Security Score: SECURITY RISK — DO NOT MERGE Summary The provided code appear...

Severity	Category	Co
High (block merge)	Injection Risk	
Medium (fix before release)	OWASP Vulnerability	
Low (hardening)	Insecure Pattern	
Total	0	

Security Scan #41 30/100 -- POOR 2026-03-14 13:30 UTC

RepoGuardian — Developer Memory Report Hey @codewithVamshi5! I've reviewed 3 PRs from you so far.

Severity	Count
High (block merge)	0
Medium (fix before release)	0
Low (hardening)	0
Total	0

Security Scan #42 50/100 -- FAIR 2026-03-14 13:48 UTC

RepoGuardian — Security Scan Report Security Score: SECURITY RISK — DO NOT MERGE Summary LLM analysis failed.

Severity	Category	Co
High (block merge)	Injection Risk	
Medium (fix before release)	OWASP Vulnerability	
Low (hardening)	Insecure Pattern	
Total	0	

Security Scan #43 50/100 -- FAIR 2026-03-14 14:20 UTC

RepoGuardian — Security Scan Report Security Score: SECURITY RISK — DO NOT MERGE Summary LLM analysis failed.

Severity	Category	Co
High (block merge)	Injection Risk	
Medium (fix before release)	OWASP Vulnerability	
Low (hardening)	Insecure Pattern	
Total	0	

Security Scan #44 30/100 -- POOR 2026-03-14 14:23 UTC

RepoGuardian — Developer Memory Report Hey @codewithVamshi5! I've reviewed 4 PRs from you so far.

Severity	Count
High (block merge)	0
Medium (fix before release)	0
Low (hardening)	0
Total	0

Security Scan #45 50/100 -- FAIR 2026-03-14 16:04 UTC

RepoGuardian — Security Scan Report Security Score: SECURITY RISK — DO NOT MERGE Summary The provided code appear...

Severity	Category	Co
High (block merge)	Injection Risk	
Medium (fix before release)	OWASP Vulnerability	
Low (hardening)	Insecure Pattern	
Total	0	

Security Scan #46 30/100 -- POOR 2026-03-14 16:05 UTC

RepoGuardian — Developer Memory Report Hey @codewithVamshi5! I've reviewed 5 PRs from you and tracked 167 finding...

Severity	Count
High (block merge)	0
Medium (fix before release)	0
Low (hardening)	0
Total	0

Security Scan #47 50/100 -- FAIR 2026-03-14 16:07 UTC

RepoGuardian — Security Scan Report Security Score: SECURITY RISK — DO NOT MERGE Summary The provided code appear...

Severity	Category	Co
High (block merge)	Injection Risk	
Medium (fix before release)	OWASP Vulnerability	
Low (hardening)	Insecure Pattern	
Total	0	

Security Scan #48 30/100 -- POOR 2026-03-14 16:09 UTC

RepoGuardian — Developer Memory Report Hey @codewithVamshi5! I've reviewed 6 PRs from you and tracked 202 finding...

Severity	Count
High (block merge)	0
Medium (fix before release)	0
Low (hardening)	0
Total	0

Security Scan #49 50/100 -- FAIR 2026-03-14 16:18 UTC

RepoGuardian — Security Scan Report Security Score: SECURITY RISK — DO NOT MERGE Summary The provided code appear...

Severity	Category	Co
High (block merge)	Injection Risk	
Medium (fix before release)	OWASP Vulnerability	
Low (hardening)	Insecure Pattern	
Total	0	

Security Scan #50 30/100 -- POOR 2026-03-14 16:19 UTC

RepoGuardian — Developer Memory Report Hey @codewithVamshi5! I've reviewed 7 PRs from you and tracked 238 finding...

Severity	Count
High (block merge)	0
Medium (fix before release)	0
Low (hardening)	0
Total	0

Security Scan #51 50/100 -- FAIR 2026-03-14 17:13 UTC

RepoGuardian — Security Scan Report Security Score: SECURITY RISK — DO NOT MERGE Summary The provided code appear...

Severity	Category	Co
High (block merge)	Injection Risk	
Medium (fix before release)	OWASP Vulnerability	
Low (hardening)	Insecure Pattern	
Total	0	

Security Scan #52 30/100 -- POOR 2026-03-14 17:14 UTC

RepoGuardian — Developer Memory Report Hey @codewithVamshi5! I've reviewed 8 PRs from you and tracked 277 finding...

Severity	Count
High (block merge)	0
Medium (fix before release)	0
Low (hardening)	0
Total	0

Security Scan #53 50/100 -- FAIR 2026-03-14 17:24 UTC

RepoGuardian — Security Scan Report Security Score: SECURITY RISK — DO NOT MERGE Summary The provided code appear...

Severity	Category	Co
High (block merge)	Injection Risk	
Medium (fix before release)	OWASP Vulnerability	
Low (hardening)	Insecure Pattern	
Total	0	

Security Scan #54 30/100 -- POOR 2026-03-14 17:25 UTC

RepoGuardian — Developer Memory Report Hey @codewithVamshi5! I've reviewed 9 PRs from you and tracked 313 finding...

Severity	Count
High (block merge)	0
Medium (fix before release)	0
Low (hardening)	0
Total	0

Security Scan #55 72/100 -- GOOD 2026-03-14 18:02 UTC

RepoGuardian — Developer Memory Report Hey @codewithVamshi5! I've reviewed 2 PRs from you so far.

Severity	Count
High (block merge)	0
Medium (fix before release)	0
Low (hardening)	0
Total	0

Security Scan #56 50/100 -- FAIR 2026-03-14 19:38 UTC

RepoGuardian — Security Scan Report Security Score: SECURITY RISK — DO NOT MERGE Summary LLM analysis failed.

Severity	Category	Co
High (block merge)	Injection Risk	
Medium (fix before release)	OWASP Vulnerability	
Low (hardening)	Insecure Pattern	
Total	0	

Security Scan #57 50/100 -- FAIR 2026-03-14 20:29 UTC

RepoGuardian — Security Scan Report Security Score: SECURITY RISK — DO NOT MERGE Summary The provided code appear...

Severity	Category	Co
High (block merge)	Injection Risk	
Medium (fix before release)	OWASP Vulnerability	
Low (hardening)	Insecure Pattern	
Total	0	

Security Scan #58 30/100 -- POOR 2026-03-14 20:31 UTC

RepoGuardian — Developer Memory Report Hey @codewithVamshi5! I've reviewed 10 PRs from you and tracked 348 findin...

Severity	Count
High (block merge)	0
Medium (fix before release)	0
Low (hardening)	0
Total	0

5 PR Review Comments (119 reviews)

PR REVIEW @muski630346 2026-03-14 05:57 UTC 100/100

RepoGuardian Automated Review Score: 100/100 Summary: LLM failed Issues Found: 0.

Severity	Count
High (must fix)	0
Medium (should fix)	0
Low (nice to fix)	0
Total	0

PR REVIEW @muski630346 2026-03-14 05:59 UTC 100/100

RepoGuardian Automated Review Score: 100/100 Summary: LLM failed Issues Found: 0.

Severity	Count
High (must fix)	0
Medium (should fix)	0
Low (nice to fix)	0
Total	0

PR REVIEW @muski630346 2026-03-14 06:00 UTC 100/100

RepoGuardian Automated Review Score: 100/100 Summary: LLM failed Issues Found: 0.

Severity	Count
High (must fix)	0
Medium (should fix)	0
Low (nice to fix)	0
Total	0

PR REVIEW @muski630346 2026-03-14 06:01 UTC 100/100

RepoGuardian Automated Review Score: 100/100 Summary: LLM failed Issues Found: 0.

Severity	Count
High (must fix)	0
Medium (should fix)	0
Low (nice to fix)	0
Total	0

PR REVIEW @muski630346 2026-03-14 06:14 UTC 75/100

RepoGuardian — Automated PR Review Health Score: NEEDS WORK Summary The code has a few issues with formatting an...

Severity	Count
High (must fix)	0
Medium (should fix)	0
Low (nice to fix)	0
Total	0

PR REVIEW @muski630346 2026-03-14 06:54 UTC 65/100

RepoGuardian — Automated PR Review Health Score: NEEDS WORK Summary The code has several issues including missin...

Severity	Count
High (must fix)	0
Medium (should fix)	0
Low (nice to fix)	0
Total	0

PR REVIEW @muski630346 2026-03-14 07:14 UTC 55/100

RepoGuardian — Automated PR Review Health Score: CRITICAL ISSUES Summary The code provided appears to be a secur...

Severity	Count
High (must fix)	0
Medium (should fix)	0
Low (nice to fix)	0
Total	0

PR REVIEW @muski630346 2026-03-14 07:14 UTC 0/100

RepoGuardian — Full Automated Review Health Score: (Grade: F)   REJECTED — Critical issues found Overview 2...

Severity	Count
High (must fix)	0
Medium (should fix)	0

Severity	Count
Low (nice to fix)	0
Total	0

PR REVIEW @muski630346 2026-03-14 07:33 UTC 35/100

RepoGuardian — Automated PR Review Health Score: CRITICAL ISSUES Summary The code provided appears to be a secur...

Severity	Count
High (must fix)	0
Medium (should fix)	0
Low (nice to fix)	0
Total	0

PR REVIEW @muski630346 2026-03-14 07:33 UTC 0/100

RepoGuardian — Full Automated Review Health Score: (Grade: F)   REJECTED — Critical issues found Overview 3...

Severity	Count
High (must fix)	0
Medium (should fix)	0
Low (nice to fix)	0
Total	0

PR REVIEW @muski630346 2026-03-14 07:36 UTC 0/100

RepoGuardian — Automated PR Review Health Score: CRITICAL ISSUES Summary The code provided appears to be a secur...

Severity	Count
High (must fix)	0
Medium (should fix)	0
Low (nice to fix)	0
Total	0

PR REVIEW @muski630346 2026-03-14 07:37 UTC 0/100

RepoGuardian — Full Automated Review Health Score: (Grade: F)   REJECTED — Critical issues found Overview 3...

Severity	Count
High (must fix)	0
Medium (should fix)	0
Low (nice to fix)	0
Total	0

PR REVIEW @muski630346 2026-03-14 07:38 UTC 25/100

RepoGuardian — Automated PR Review Health Score: CRITICAL ISSUES Summary LLM failed to respond.

Severity	Count
High (must fix)	0
Medium (should fix)	0
Low (nice to fix)	0
Total	0

PR REVIEW @muski630346 2026-03-14 07:38 UTC 0/100

RepoGuardian — Full Automated Review Health Score: (Grade: F)   REJECTED — Critical issues found Overview 2...

Severity	Count
High (must fix)	0
Medium (should fix)	0
Low (nice to fix)	0
Total	0

PR REVIEW @muski630346 2026-03-14 07:43 UTC 25/100

RepoGuardian — Automated PR Review Health Score: CRITICAL ISSUES Summary Code review of the provided Python scri...

Severity	Count
High (must fix)	0
Medium (should fix)	0
Low (nice to fix)	0
Total	0

PR REVIEW @muski630346 2026-03-14 07:43 UTC 0/100

RepoGuardian — Full Automated Review Health Score: (Grade: F)   REJECTED — Critical issues found Overview 3...

Severity	Count
High (must fix)	0
Medium (should fix)	0
Low (nice to fix)	0
Total	0

PR REVIEW @muski630346 2026-03-14 07:50 UTC 25/100

RepoGuardian — Automated PR Review Health Score: CRITICAL ISSUES Summary Code review of the provided diff reveal...

Severity	Count
High (must fix)	0
Medium (should fix)	0

Severity	Count
Low (nice to fix)	0
Total	0

PR REVIEW @muski630346 2026-03-14 07:54 UTC 0/100

RepoGuardian — Automated PR Review Health Score: CRITICAL ISSUES Summary Code review of print statements in the ...

Severity	Count
High (must fix)	0
Medium (should fix)	0
Low (nice to fix)	0
Total	0

PR REVIEW @muski630346 2026-03-14 08:45 UTC 0/100

RepoGuardian — Automated PR Review Health Score: CRITICAL ISSUES Summary Code review of print statements in diff...

Severity	Count
High (must fix)	0
Medium (should fix)	0
Low (nice to fix)	0
Total	0

PR REVIEW @muski630346 2026-03-14 08:45 UTC 0/100

RepoGuardian — Full Automated Review Health Score: (Grade: F)   REJECTED — Critical issues found Overview 6...

Severity	Count
High (must fix)	0
Medium (should fix)	0
Low (nice to fix)	0
Total	0

PR REVIEW @muski630346 2026-03-14 08:52 UTC 0/100

RepoGuardian — Full Automated Review Health Score: (Grade: F)   REJECTED — Critical issues found Overview 1...

Severity	Count
High (must fix)	0
Medium (should fix)	0
Low (nice to fix)	0
Total	0

PR REVIEW @muski630346 2026-03-14 08:56 UTC 30/100

RepoGuardian — Automated PR Review Health Score: CRITICAL ISSUES Summary The code has several issues with logic,...

Severity	Count
High (must fix)	0
Medium (should fix)	0
Low (nice to fix)	0
Total	0

PR REVIEW @muski630346 2026-03-14 08:56 UTC 0/100

RepoGuardian — Full Automated Review Health Score: (Grade: F)   REJECTED — Critical issues found Overview 4...

Severity	Count
High (must fix)	0
Medium (should fix)	0
Low (nice to fix)	0
Total	0

PR REVIEW @muski630346 2026-03-14 08:57 UTC 95/100

RepoGuardian — Automated PR Review Health Score: GOOD Summary LLM failed to respond.

Severity	Count
High (must fix)	0
Medium (should fix)	0
Low (nice to fix)	0
Total	0

PR REVIEW @muski630346 2026-03-14 08:57 UTC 0/100

RepoGuardian — Full Automated Review Health Score: (Grade: F)   REJECTED — Critical issues found Overview 1...

Severity	Count
High (must fix)	0
Medium (should fix)	0
Low (nice to fix)	0
Total	0

PR REVIEW @muski630346 2026-03-14 09:02 UTC 100/100

RepoGuardian — Automated PR Review Health Score: GOOD Summary LLM failed to respond.

Severity	Count
High (must fix)	0
Medium (should fix)	0

Severity	Count
Low (nice to fix)	0
Total	0

PR REVIEW @muski630346 2026-03-14 09:02 UTC 0/100

RepoGuardian — Full Automated Review Health Score: (Grade: F)   REJECTED — Critical issues found Overview 6...

Severity	Count
High (must fix)	0
Medium (should fix)	0
Low (nice to fix)	0
Total	0

PR REVIEW @muski630346 2026-03-14 09:04 UTC 25/100

RepoGuardian — Automated PR Review Health Score: CRITICAL ISSUES Summary The code has several issues with logic,...

Severity	Count
High (must fix)	0
Medium (should fix)	0
Low (nice to fix)	0
Total	0

PR REVIEW @muski630346 2026-03-14 09:04 UTC 0/100

RepoGuardian — Full Automated Review Health Score: (Grade: F)   REJECTED — Critical issues found Overview 4...

Severity	Count
High (must fix)	0
Medium (should fix)	0
Low (nice to fix)	0
Total	0

PR REVIEW @muski630346 2026-03-14 09:07 UTC 5/100

RepoGuardian — Automated PR Review Health Score: CRITICAL ISSUES Summary The code provided appears to be a secur...

Severity	Count
High (must fix)	0
Medium (should fix)	0
Low (nice to fix)	0
Total	0

PR REVIEW @muski630346 2026-03-14 09:07 UTC 0/100

RepoGuardian — Full Automated Review Health Score: (Grade: F)   REJECTED — Critical issues found Overview 3...

Severity	Count
High (must fix)	0
Medium (should fix)	0
Low (nice to fix)	0
Total	0

PR REVIEW @muski630346 2026-03-14 09:07 UTC 25/100

RepoGuardian — Automated PR Review Health Score: CRITICAL ISSUES Summary The code has several issues with logic ...

Severity	Count
High (must fix)	0
Medium (should fix)	0
Low (nice to fix)	0
Total	0

PR REVIEW @muski630346 2026-03-14 09:12 UTC 30/100

RepoGuardian — Automated PR Review Health Score: CRITICAL ISSUES Summary The code provided appears to be a secur...

Severity	Count
High (must fix)	0
Medium (should fix)	0
Low (nice to fix)	0
Total	0

PR REVIEW @muski630346 2026-03-14 09:12 UTC 0/100

RepoGuardian — Full Automated Review Health Score: (Grade: F)   REJECTED — Critical issues found Overview 3...

Severity	Count
High (must fix)	0
Medium (should fix)	0
Low (nice to fix)	0
Total	0

PR REVIEW @muski630346 2026-03-14 09:13 UTC 40/100

RepoGuardian — Automated PR Review Health Score: CRITICAL ISSUES Summary The code provided appears to be a secur...

Severity	Count
High (must fix)	0
Medium (should fix)	0
Low (nice to fix)	0
Total	0

PR REVIEW @muski630346 2026-03-14 09:13 UTC 0/100

RepoGuardian — Full Automated Review Health Score: (Grade: F)   REJECTED — Critical issues found Overview 3...

Severity	Count
High (must fix)	0
Medium (should fix)	0
Low (nice to fix)	0
Total	0

PR REVIEW @muski630346 2026-03-14 09:16 UTC 5/100

RepoGuardian — Automated PR Review Health Score: CRITICAL ISSUES Summary The provided code is a security agent t...

Severity	Count
High (must fix)	0
Medium (should fix)	0
Low (nice to fix)	0
Total	0

PR REVIEW @muski630346 2026-03-14 09:16 UTC 0/100

RepoGuardian — Full Automated Review Health Score: (Grade: F)   REJECTED — Critical issues found Overview 3...

Severity	Count
High (must fix)	0
Medium (should fix)	0
Low (nice to fix)	0
Total	0

PR REVIEW @muski630346 2026-03-14 09:23 UTC 85/100

RepoGuardian — PR Review Report Health Score: GOOD Summary The code appears to be well-structured and readable, ...

Severity	Count
High (must fix)	0
Medium (should fix)	0
Low (nice to fix)	0
Total	0

PR REVIEW @muski630346 2026-03-14 09:23 UTC 30/100

RepoGuardian — Full Automated Review Health Score: (Grade: F)   REJECTED — Critical issues found Overview 1...

Severity	Count
High (must fix)	0
Medium (should fix)	0
Low (nice to fix)	0
Total	0

PR REVIEW @muski630346 2026-03-14 09:25 UTC 40/100

RepoGuardian — Automated PR Review Health Score: CRITICAL ISSUES Summary The code provided appears to be a secur...

Severity	Count
High (must fix)	0
Medium (should fix)	0
Low (nice to fix)	0
Total	0

PR REVIEW @muski630346 2026-03-14 09:25 UTC 0/100

RepoGuardian — Full Automated Review Health Score: (Grade: F)   REJECTED — Critical issues found Overview 3...

Severity	Count
High (must fix)	0
Medium (should fix)	0
Low (nice to fix)	0
Total	0

PR REVIEW @muski630346 2026-03-14 09:28 UTC 35/100

RepoGuardian — Automated PR Review Health Score: CRITICAL ISSUES Summary The code provided appears to be a secur...

Severity	Count
High (must fix)	0
Medium (should fix)	0
Low (nice to fix)	0
Total	0

PR REVIEW @muski630346 2026-03-14 09:28 UTC 0/100

RepoGuardian — Full Automated Review Health Score: (Grade: F)   REJECTED — Critical issues found Overview 4...

Severity	Count
High (must fix)	0
Medium (should fix)	0
Low (nice to fix)	0
Total	0

PR REVIEW @muski630346 2026-03-14 09:32 UTC 95/100

RepoGuardian — PR Review Report Health Score: GOOD Summary LLM failed.

Severity	Count
High (must fix)	0
Medium (should fix)	0
Low (nice to fix)	0
Total	0

PR REVIEW @muski630346 2026-03-14 09:32 UTC 30/100

RepoGuardian — Full Automated Review Health Score: (Grade: F)   REJECTED — Critical issues found Overview 9...

Severity	Count
High (must fix)	0
Medium (should fix)	0
Low (nice to fix)	0
Total	0

PR REVIEW @muski630346 2026-03-14 09:43 UTC 75/100

RepoGuardian — PR Review Report Health Score: NEEDS WORK Summary The code provided appears to be a part of a cod...

Severity	Count
High (must fix)	0
Medium (should fix)	0
Low (nice to fix)	0
Total	0

PR REVIEW @muski630346 2026-03-14 09:43 UTC 30/100

RepoGuardian — Full Automated Review Health Score: (Grade: F)   REJECTED — Critical issues found Overview 2...

Severity	Count
High (must fix)	0
Medium (should fix)	0
Low (nice to fix)	0
Total	0

PR REVIEW @muski630346 2026-03-14 10:05 UTC 0/100

RepoGuardian — Documentation Review Status: POOR DOCUMENTATION Summary The provided code has a good structure and...

Severity	Count
High (must fix)	0
Medium (should fix)	0
Low (nice to fix)	0
Total	0

PR REVIEW @muski630346 2026-03-14 10:06 UTC 75/100

RepoGuardian — PR Review Report Health Score: NEEDS WORK Summary The code provided appears to be a part of a cod...

Severity	Count
High (must fix)	0
Medium (should fix)	0
Low (nice to fix)	0
Total	0

PR REVIEW @muski630346 2026-03-14 10:06 UTC 30/100

RepoGuardian — Full Automated Review Health Score: (Grade: F)   REJECTED — Critical issues found Overview 2...

Severity	Count
High (must fix)	0
Medium (should fix)	0
Low (nice to fix)	0
Total	0

PR REVIEW @muski630346 2026-03-14 10:15 UTC 0/100

RepoGuardian — Documentation Review Status: DOCS NEED WORK Summary LLM docs analysis failed.

Severity	Count
High (must fix)	0
Medium (should fix)	0
Low (nice to fix)	0
Total	0

PR REVIEW @muski630346 2026-03-14 10:15 UTC 90/100

RepoGuardian — PR Review Report Health Score: GOOD Summary LLM failed.

Severity	Count
High (must fix)	0

Severity	Count
Medium (should fix)	0
Low (nice to fix)	0
Total	0

PR REVIEW @muski630346 2026-03-14 10:18 UTC 0/100

RepoGuardian — Code Smell Report Status: HIGH TECHNICAL DEBT | Complexity Score: Summary LLM analys...

Severity	Count
High (must fix)	0
Medium (should fix)	0
Low (nice to fix)	0
Total	0

PR REVIEW @muski630346 2026-03-14 10:18 UTC 30/100

RepoGuardian — Full Automated Review Health Score: (Grade: F)   REJECTED — Critical issues found Overview 1...

Severity	Count
High (must fix)	0
Medium (should fix)	0
Low (nice to fix)	0
Total	0

PR REVIEW @muski630346 2026-03-14 10:23 UTC 0/100

RepoGuardian — Documentation Review Status: DOCS NEED WORK Summary LLM docs analysis failed.

Severity	Count
High (must fix)	0
Medium (should fix)	0
Low (nice to fix)	0
Total	0

PR REVIEW @muski630346 2026-03-14 10:29 UTC 0/100

RepoGuardian — Code Smell Report Status: HIGH TECHNICAL DEBT | Complexity Score: Summary Found 99 c...

Severity	Count
High (must fix)	0
Medium (should fix)	0
Low (nice to fix)	0
Total	0

PR REVIEW @muski630346 2026-03-14 11:05 UTC 75/100

RepoGuardian — PR Review Report Health Score: NEEDS WORK Summary The code provided appears to be a part of a cod...

Severity	Count
High (must fix)	0
Medium (should fix)	0
Low (nice to fix)	0
Total	0

PR REVIEW @muski630346 2026-03-14 11:07 UTC 0/100

RepoGuardian — Documentation Review Status: POOR DOCUMENTATION Summary The provided code has good documentation q...

Severity	Count
High (must fix)	0
Medium (should fix)	0
Low (nice to fix)	0
Total	0

PR REVIEW @muski630346 2026-03-14 11:07 UTC 30/100

RepoGuardian — Full Automated Review Health Score: (Grade: F)   REJECTED — Critical issues found Overview 4...

Severity	Count
High (must fix)	0
Medium (should fix)	0
Low (nice to fix)	0
Total	0

PR REVIEW @muski630346 2026-03-14 11:28 UTC 85/100

RepoGuardian — PR Review Report Health Score: GOOD Summary The code provided appears to be a part of a larger sy...

Severity	Count
High (must fix)	0
Medium (should fix)	0
Low (nice to fix)	0
Total	0

PR REVIEW @muski630346 2026-03-14 11:29 UTC 0/100

RepoGuardian — Documentation Review Status: POOR DOCUMENTATION Summary The provided code has a good structure and...

Severity	Count
High (must fix)	0
Medium (should fix)	0
Low (nice to fix)	0
Total	0

PR REVIEW @muski630346 2026-03-14 11:30 UTC 30/100

RepoGuardian — Full Automated Review Health Score: (Grade: F)   REJECTED — Critical issues found Overview 3...

Severity	Count
High (must fix)	0
Medium (should fix)	0
Low (nice to fix)	0
Total	0

PR REVIEW @muski630346 2026-03-14 12:33 UTC 90/100

RepoGuardian — Automated PR Review Health Score: GOOD Summary LLM failed to respond.

Severity	Count
High (must fix)	0
Medium (should fix)	0
Low (nice to fix)	0
Total	0

PR REVIEW @muski630346 2026-03-14 12:33 UTC 0/100

RepoGuardian — Full Automated Review Health Score: (Grade: F)   REJECTED — Critical issues found Overview 1...

Severity	Count
High (must fix)	0
Medium (should fix)	0
Low (nice to fix)	0
Total	0

PR REVIEW @muski630346 2026-03-14 12:35 UTC 75/100

RepoGuardian — PR Review Report Health Score: NEEDS WORK Summary The code provided appears to be a part of a lar...

Severity	Count
High (must fix)	0
Medium (should fix)	0
Low (nice to fix)	0
Total	0

PR REVIEW @muski630346 2026-03-14 12:36 UTC 0/100

RepoGuardian — Documentation Review Status: POOR DOCUMENTATION Summary The provided code has a good structure and...

Severity	Count
High (must fix)	0
Medium (should fix)	0
Low (nice to fix)	0
Total	0

PR REVIEW @muski630346 2026-03-14 12:37 UTC 30/100

RepoGuardian — Full Automated Review Health Score: (Grade: F)   REJECTED — Critical issues found Overview 2...

Severity	Count
High (must fix)	0
Medium (should fix)	0
Low (nice to fix)	0
Total	0

PR REVIEW @muski630346 2026-03-14 12:42 UTC 75/100

RepoGuardian — PR Review Report Health Score: NEEDS WORK Summary The code appears to be well-structured, but the...

Severity	Count
High (must fix)	0
Medium (should fix)	0
Low (nice to fix)	0
Total	0

PR REVIEW @muski630346 2026-03-14 12:44 UTC 0/100

RepoGuardian — Documentation Review Status: POOR DOCUMENTATION Summary The provided code has a good structure and...

Severity	Count
High (must fix)	0
Medium (should fix)	0
Low (nice to fix)	0
Total	0

PR REVIEW @muski630346 2026-03-14 12:44 UTC 30/100

RepoGuardian — Full Automated Review Health Score: (Grade: F)   REJECTED — Critical issues found Overview 3...

Severity	Count
High (must fix)	0
Medium (should fix)	0
Low (nice to fix)	0
Total	0

PR REVIEW @muski630346 2026-03-14 12:47 UTC 100/100

RepoGuardian — PR Review Report Health Score: GOOD Summary LLM failed.

Severity	Count
High (must fix)	0
Medium (should fix)	0
Low (nice to fix)	0
Total	0

PR REVIEW @muski630346 2026-03-14 12:51 UTC 0/100

RepoGuardian — Documentation Review Status: DOCS NEED WORK Summary LLM docs analysis failed.

Severity	Count
High (must fix)	0
Medium (should fix)	0
Low (nice to fix)	0
Total	0

PR REVIEW @muski630346 2026-03-14 12:52 UTC 30/100

RepoGuardian — Full Automated Review Health Score: (Grade: F)   REJECTED — Critical issues found Overview 1...

Severity	Count
High (must fix)	0
Medium (should fix)	0
Low (nice to fix)	0
Total	0

PR REVIEW @muski630346 2026-03-14 13:13 UTC 95/100

RepoGuardian — PR Review Report Health Score: GOOD Summary LLM failed.

Severity	Count
High (must fix)	0
Medium (should fix)	0
Low (nice to fix)	0
Total	0

PR REVIEW @muski630346 2026-03-14 13:17 UTC 0/100

RepoGuardian — Documentation Review Status: POOR DOCUMENTATION Summary LLM docs analysis failed.

Severity	Count
High (must fix)	0
Medium (should fix)	0
Low (nice to fix)	0
Total	0

PR REVIEW @muski630346 2026-03-14 13:18 UTC 30/100

RepoGuardian — Full Automated Review Health Score: (Grade: F)   REJECTED — Critical issues found Overview 2...

Severity	Count
High (must fix)	0
Medium (should fix)	0
Low (nice to fix)	0
Total	0

PR REVIEW @muski630346 2026-03-14 13:20 UTC 85/100

RepoGuardian — PR Review Report Health Score: GOOD Summary The code review reveals a well-structured and readabl...

Severity	Count
High (must fix)	0
Medium (should fix)	0
Low (nice to fix)	0
Total	0

PR REVIEW @muski630346 2026-03-14 13:21 UTC 0/100

RepoGuardian — Documentation Review Status: POOR DOCUMENTATION Summary The provided code has a good structure and...

Severity	Count
High (must fix)	0
Medium (should fix)	0
Low (nice to fix)	0
Total	0

PR REVIEW @muski630346 2026-03-14 13:22 UTC 30/100

RepoGuardian — Full Automated Review Health Score: (Grade: F)   REJECTED — Critical issues found Overview 3...

Severity	Count
High (must fix)	0

Severity	Count
Medium (should fix)	0
Low (nice to fix)	0
Total	0

PR REVIEW @muski630346 2026-03-14 13:27 UTC 85/100

RepoGuardian — PR Review Report Health Score: GOOD Summary The code appears to be well-structured, but there are...

Severity	Count
High (must fix)	0
Medium (should fix)	0
Low (nice to fix)	0
Total	0

PR REVIEW @muski630346 2026-03-14 13:29 UTC 0/100

RepoGuardian — Documentation Review Status: POOR DOCUMENTATION Summary The provided code has a good structure and...

Severity	Count
High (must fix)	0
Medium (should fix)	0
Low (nice to fix)	0
Total	0

PR REVIEW @muski630346 2026-03-14 13:30 UTC 0/100

RepoGuardian — Auto-Fix PR Raised RepoGuardian has automatically fixed 7 issue(s) from this PR.

Severity	Count
High (must fix)	0
Medium (should fix)	0
Low (nice to fix)	0
Total	0

PR REVIEW @muski630346 2026-03-14 13:30 UTC 30/100

RepoGuardian — Full Automated Review Health Score: (Grade: F)   REJECTED — Critical issues found Overview 3...

Severity	Count
High (must fix)	0
Medium (should fix)	0
Low (nice to fix)	0
Total	0

PR REVIEW @muski630346 2026-03-14 13:45 UTC 95/100

RepoGuardian — PR Review Report Health Score: GOOD Summary LLM failed.

Severity	Count
High (must fix)	0
Medium (should fix)	0
Low (nice to fix)	0
Total	0

PR REVIEW @muski630346 2026-03-14 13:50 UTC 0/100

RepoGuardian — Documentation Review Status: POOR DOCUMENTATION Summary LLM docs analysis failed.

Severity	Count
High (must fix)	0
Medium (should fix)	0
Low (nice to fix)	0
Total	0

PR REVIEW @muski630346 2026-03-14 13:50 UTC 30/100

RepoGuardian — Full Automated Review Health Score: (Grade: F)   REJECTED — Critical issues found Overview 2...

Severity	Count
High (must fix)	0
Medium (should fix)	0
Low (nice to fix)	0
Total	0

PR REVIEW @muski630346 2026-03-14 14:18 UTC 85/100

RepoGuardian — PR Review Report Health Score: GOOD Summary The code appears to be well-structured and follows a ...

Severity	Count
High (must fix)	0
Medium (should fix)	0
Low (nice to fix)	0
Total	0

PR REVIEW @muski630346 2026-03-14 14:23 UTC 0/100

RepoGuardian — Documentation Review Status: POOR DOCUMENTATION Summary LLM docs analysis failed.

Severity	Count
High (must fix)	0

Severity	Count
Medium (should fix)	0
Low (nice to fix)	0
Total	0

PR REVIEW @muski630346 2026-03-14 14:23 UTC 0/100

RepoGuardian — Auto-Fix PR Raised RepoGuardian has automatically fixed 7 issue(s) from this PR.

Severity	Count
High (must fix)	0
Medium (should fix)	0
Low (nice to fix)	0
Total	0

PR REVIEW @muski630346 2026-03-14 14:23 UTC 30/100

RepoGuardian — Full Automated Review Health Score: (Grade: F)   REJECTED — Critical issues found Overview 2...

Severity	Count
High (must fix)	0
Medium (should fix)	0
Low (nice to fix)	0
Total	0

PR REVIEW @muski630346 2026-03-14 15:48 UTC 75/100

RepoGuardian — PR Review Report Health Score: NEEDS WORK Summary The code appears to be well-structured and foll...

Severity	Count
High (must fix)	0
Medium (should fix)	0
Low (nice to fix)	0
Total	0

PR REVIEW @muski630346 2026-03-14 16:03 UTC 85/100

RepoGuardian — PR Review Report Health Score: GOOD Summary The code appears to be well-structured, but there are...

Severity	Count
High (must fix)	0
Medium (should fix)	0
Low (nice to fix)	0
Total	0

PR REVIEW @muski630346 2026-03-14 16:05 UTC 0/100

RepoGuardian — Documentation Review Status: POOR DOCUMENTATION Summary The provided code has a good structure and...

Severity	Count
High (must fix)	0
Medium (should fix)	0
Low (nice to fix)	0
Total	0

PR REVIEW @muski630346 2026-03-14 16:05 UTC 0/100

RepoGuardian — Auto-Fix PR Raised RepoGuardian has automatically fixed 7 issue(s) from this PR.

Severity	Count
High (must fix)	0
Medium (should fix)	0
Low (nice to fix)	0
Total	0

PR REVIEW @muski630346 2026-03-14 16:05 UTC 30/100

RepoGuardian — Full Automated Review Health Score: (Grade: F)   REJECTED — Critical issues found Overview 3...

Severity	Count
High (must fix)	0
Medium (should fix)	0
Low (nice to fix)	0
Total	0

PR REVIEW @muski630346 2026-03-14 16:06 UTC 85/100

RepoGuardian — PR Review Report Health Score: GOOD Summary The code appears to be well-structured and follows a ...

Severity	Count
High (must fix)	0
Medium (should fix)	0
Low (nice to fix)	0
Total	0

PR REVIEW @muski630346 2026-03-14 16:08 UTC 0/100

RepoGuardian — Documentation Review Status: POOR DOCUMENTATION Summary The provided code has a good structure and...

Severity	Count
High (must fix)	0
Medium (should fix)	0
Low (nice to fix)	0
Total	0

PR REVIEW @muski630346 2026-03-14 16:09 UTC 0/100

RepoGuardian — Auto-Fix PR Raised RepoGuardian has automatically fixed 7 issue(s) from this PR.

Severity	Count
High (must fix)	0
Medium (should fix)	0
Low (nice to fix)	0
Total	0

PR REVIEW @muski630346 2026-03-14 16:09 UTC 30/100

RepoGuardian — Full Automated Review Health Score: (Grade: F)   REJECTED — Critical issues found Overview 3...

Severity	Count
High (must fix)	0
Medium (should fix)	0
Low (nice to fix)	0
Total	0

PR REVIEW @muski630346 2026-03-14 16:17 UTC 85/100

RepoGuardian — PR Review Report Health Score: GOOD Summary The code appears to be well-structured and follows a ...

Severity	Count
High (must fix)	0
Medium (should fix)	0
Low (nice to fix)	0
Total	0

PR REVIEW @muski630346 2026-03-14 16:19 UTC 0/100

RepoGuardian — Documentation Review Status: POOR DOCUMENTATION Summary The provided code has a good structure and...

Severity	Count
High (must fix)	0
Medium (should fix)	0
Low (nice to fix)	0
Total	0

PR REVIEW @muski630346 2026-03-14 16:19 UTC 0/100

RepoGuardian — Auto-Fix PR Raised RepoGuardian has automatically fixed 7 issue(s) from this PR.

Severity	Count
High (must fix)	0
Medium (should fix)	0
Low (nice to fix)	0
Total	0

PR REVIEW @muski630346 2026-03-14 16:19 UTC 30/100

RepoGuardian — Full Automated Review Health Score: (Grade: F)   REJECTED — Critical issues found Overview 3...

Severity	Count
High (must fix)	0
Medium (should fix)	0
Low (nice to fix)	0
Total	0

PR REVIEW @muski630346 2026-03-14 17:12 UTC 75/100

RepoGuardian — PR Review Report Health Score: NEEDS WORK Summary The code appears to be well-structured and foll...

Severity	Count
High (must fix)	0
Medium (should fix)	0
Low (nice to fix)	0
Total	0

PR REVIEW @muski630346 2026-03-14 17:13 UTC 0/100

RepoGuardian — Documentation Review Status: POOR DOCUMENTATION Summary The provided code has a good structure and...

Severity	Count
High (must fix)	0
Medium (should fix)	0
Low (nice to fix)	0
Total	0

PR REVIEW @muski630346 2026-03-14 17:14 UTC 0/100

RepoGuardian — Auto-Fix PR Raised RepoGuardian has automatically fixed 7 issue(s) from this PR.

Severity	Count
High (must fix)	0
Medium (should fix)	0
Low (nice to fix)	0
Total	0

PR REVIEW @muski630346 2026-03-14 17:14 UTC 30/100

RepoGuardian — Full Automated Review Health Score: (Grade: F)   REJECTED — Critical issues found Overview 3...

Severity	Count
High (must fix)	0
Medium (should fix)	0
Low (nice to fix)	0
Total	0

PR REVIEW @muski630346 2026-03-14 17:23 UTC 85/100

RepoGuardian — PR Review Report Health Score: GOOD Summary The code appears to be well-structured and follows a ...

Severity	Count
High (must fix)	0
Medium (should fix)	0
Low (nice to fix)	0
Total	0

PR REVIEW @muski630346 2026-03-14 17:25 UTC 0/100

RepoGuardian — Documentation Review Status: POOR DOCUMENTATION Summary The provided code has a good structure and...

Severity	Count
High (must fix)	0
Medium (should fix)	0
Low (nice to fix)	0
Total	0

PR REVIEW @muski630346 2026-03-14 17:26 UTC 0/100

RepoGuardian — Auto-Fix PR Raised RepoGuardian has automatically fixed 7 issue(s) from this PR.

Severity	Count
High (must fix)	0
Medium (should fix)	0
Low (nice to fix)	0
Total	0

PR REVIEW @muski630346 2026-03-14 17:26 UTC 30/100

RepoGuardian — Full Automated Review Health Score: (Grade: F)   REJECTED — Critical issues found Overview 3...

Severity	Count
High (must fix)	0
Medium (should fix)	0
Low (nice to fix)	0
Total	0

PR REVIEW @muski630346 2026-03-14 19:35 UTC 85/100

RepoGuardian — PR Review Report Health Score: GOOD Summary The code appears to be well-structured and follows a ...

Severity	Count
High (must fix)	0
Medium (should fix)	0
Low (nice to fix)	0
Total	0

PR REVIEW @muski630346 2026-03-14 19:40 UTC 0/100

RepoGuardian — Documentation Review Status: POOR DOCUMENTATION Summary LLM docs analysis failed.

Severity	Count
High (must fix)	0
Medium (should fix)	0
Low (nice to fix)	0
Total	0

PR REVIEW @muski630346 2026-03-14 19:40 UTC 30/100

RepoGuardian — Full Automated Review Health Score: (Grade: F)   REJECTED — Critical issues found Overview 2...

Severity	Count
High (must fix)	0
Medium (should fix)	0
Low (nice to fix)	0
Total	0

PR REVIEW @muski630346 2026-03-14 20:28 UTC 85/100

RepoGuardian — PR Review Report Health Score: GOOD Summary The code appears to be well-structured and follows a ...

Severity	Count
High (must fix)	0

Severity	Count
Medium (should fix)	0
Low (nice to fix)	0
Total	0

PR REVIEW @muski630346 2026-03-14 20:30 UTC 0/100

RepoGuardian — Documentation Review Status: POOR DOCUMENTATION Summary The provided code has a good structure and...

Severity	Count
High (must fix)	0
Medium (should fix)	0
Low (nice to fix)	0
Total	0

PR REVIEW @muski630346 2026-03-14 20:31 UTC 0/100

RepoGuardian — Auto-Fix PR Raised RepoGuardian has automatically fixed 7 issue(s) from this PR.

Severity	Count
High (must fix)	0
Medium (should fix)	0
Low (nice to fix)	0
Total	0

PR REVIEW @muski630346 2026-03-14 20:31 UTC 30/100

RepoGuardian — Full Automated Review Health Score: (Grade: F)   REJECTED — Critical issues found Overview 3...

Severity	Count
High (must fix)	0
Medium (should fix)	0
Low (nice to fix)	0
Total	0

6 Inline Code Review Comments (986 comments)

File: agents/orchestrator.py (425 comments)

Line	Severity	Comment
1	Low	**RepoGuardian — Naming Convention** | `LOW` The docstring could be more descriptive and include information about the purpose of the file and its functio...
1	Low	**RepoGuardian — Naming Convention** | `LOW` The docstring could be more descriptive and include information about the purpose of the file and its functio...

Line	Severity	Comment
5	Medium	**RepoGuardian — Logic Issue** | `MEDIUM` The variable 'findings' is not defined before it is used in the line. It should be initialized before use. --- ...
5	Medium	**RepoGuardian — Logic Issue** | `MEDIUM` The issue.severity and issue.category are being used directly without any validation or error handling. This cou...
5	Medium	**RepoGuardian — Naming Convention** | `MEDIUM` The variable 'findings' could be more descriptively named, such as 'security_findings' or 'agent_results'....
5	Medium	**RepoGuardian — Logic Issue** | `MEDIUM` The variable 'findings' is not checked for None before being used, which could lead to a TypeError if 'result.is...
7	Medium	**RepoGuardian Code Smell — Code Duplication** (score: 5) | `MEDIUM` **`duplicate_block_line_7`** — Duplicate code block detected (also at agents/pr_revie...
7	Medium	**RepoGuardian Code Smell — Code Duplication** (score: 5) | `MEDIUM` **`duplicate_block_line_7`** — Duplicate code block detected (also at agents/pr_revie...
8	Medium	**RepoGuardian Code Smell — Code Duplication** (score: 5) | `MEDIUM` **`duplicate_block_line_8`** — Duplicate code block detected (also at agents/pr_revie...
8	Medium	**RepoGuardian Code Smell — Code Duplication** (score: 5) | `MEDIUM` **`duplicate_block_line_8`** — Duplicate code block detected (also at agents/pr_revie...
10	Medium	**RepoGuardian — Code Structure** | `MEDIUM` The function run_full_review is not defined in this code snippet, consider adding it or importing it from ano...
10	Medium	**RepoGuardian — Logic Issue** | `MEDIUM` The issue.severity, issue.body, issue.path, and issue.line variables are not checked for potential None values b...
10	Medium	**RepoGuardian — Code Structure** | `MEDIUM` The function _run_dependency is doing multiple tasks, including running the dependency scan and logging the r...
14	Medium	**RepoGuardian — Code Structure** | `MEDIUM` The function _run_dependency is not properly handling the case where the dependency agent is not found. It sh...
14	Medium	**RepoGuardian — Logic Issue** | `MEDIUM` The calculate_health_score function is not defined in this scope, it should be imported or defined locally. The ...
14	Medium	**RepoGuardian — Logic Issue** | `MEDIUM` The _run_dependency function does not handle the case where the tools/dependency.py file is present but the run_...
14	Medium	**RepoGuardian — Logic Issue** | `MEDIUM` The calculate_health_score function is not defined in this scope, ensure it is properly imported or defined. --...
14	Medium	**RepoGuardian — Logic Issue** | `MEDIUM` The _run_dependency function does not handle the case where the tools.dependency module is found but the run_dep...
14	Medium	**RepoGuardian — Code Structure** | `MEDIUM` The function _run_dependency is not properly handling the case where the dependency agent is not found. It sh...
14	Medium	**RepoGuardian — Logic Issue** | `MEDIUM` The _run_dependency function does not handle any exceptions that may occur during the execution of the run_depen...
14	Medium	**RepoGuardian Security — OWASP Vulnerability** | `MEDIUM` | `ENVIRONMENT_VARIABLE_HANDLING` The code loads environment variables using dotenv, but does n...
14	Medium	**RepoGuardian Security — OWASP Vulnerability** | `MEDIUM` | `A07:2021-Security Misconfiguration` The GITHUB_TOKEN is loaded from a .env file, but it's no...
14	Medium	**RepoGuardian — Logic Issue** | `MEDIUM` The function _run_dependency does not handle the case where the dependency scan returns an empty list of finding...
14	Medium	**RepoGuardian Security — OWASP Vulnerability** | `MEDIUM` | `ENVIRONMENT_VARIABLES` The code loads environment variables using dotenv, but it does not va...
14	Medium	**RepoGuardian — Logic Issue** | `MEDIUM` The function _run_dependency does not handle the case where the dependency scan returns an empty list of finding...

Line	Severity	Comment
14	Medium	**RepoGuardian Security — OWASP Vulnerability** | `MEDIUM` | `ENVIRONMENT_VARIABLES` The code uses environment variables for sensitive data such as GITHUB...
14	Low	**RepoGuardian Security — OWASP Vulnerability** | `LOW` | `PATH_TRAVERSAL` The use of `sys.path.insert` with a relative path could potentially lead to pat...
14	Medium	**RepoGuardian Security — OWASP Vulnerability** | `MEDIUM` | `ENVIRONMENT_VARIABLES` The use of environment variables such as GITHUB_TOKEN and GROQ_API_KE...
14	Low	**RepoGuardian Security — OWASP Vulnerability** | `LOW` | `PATH_TRAVERSAL` The use of `sys.path.insert` with a relative path could potentially lead to pat...
14	Medium	**RepoGuardian Security — OWASP Vulnerability** | `MEDIUM` | `ENVIRONMENT_VARIABLES` The code loads environment variables using dotenv, but it does not va...
14	Medium	**RepoGuardian Security — OWASP Vulnerability** | `MEDIUM` | `ENVIRONMENT_VARIABLES` The code uses environment variables (e.g., GITHUB_TOKEN, GROQ_API_KEY...
15	Medium	**RepoGuardian Security — OWASP Vulnerability** | `MEDIUM` | `A07:2021-Security Misconfiguration` The GITHUB_TOKEN is loaded from a .env file, which may n...
15	Medium	**RepoGuardian — Logic Issue** | `MEDIUM` The _run_dependency function is run in a separate thread, but its result is not checked for errors. This could l...
15	Medium	**RepoGuardian — Code Structure** | `MEDIUM` The use of a ThreadPoolExecutor with a single worker may not be the most efficient way to run the dependency ...
15	Medium	**RepoGuardian — Logic Issue** | `MEDIUM` The _run_dependency function is called in a separate thread, but its result is not checked for potential excepti...
15	Medium	**RepoGuardian — Code Structure** | `MEDIUM` The _run_dependency function is doing multiple tasks, including running the dependency scan and logging the r...
15	Medium	**RepoGuardian — Code Structure** | `MEDIUM` The function _run_dependency is trying to import a module from tools.dependency, but the file path in the imp...
15	Medium	**RepoGuardian — Code Structure** | `MEDIUM` The _run_dependency function is doing multiple tasks, including running the dependency scan and logging the r...
15	Medium	**RepoGuardian — Logic Issue** | `MEDIUM` The _run_dependency function does not handle the case where the tools/dependency.py file is found but the run_de...
15	Medium	**RepoGuardian — Logic Issue** | `MEDIUM` The _run_dependency function does not handle the case where the tools/dependency.py file is found but the run_de...
16	Medium	**RepoGuardian — Naming Convention** | `MEDIUM` The variable 'all_findings' could be renamed to something more descriptive, such as 'code_review_findings'...
16	Medium	**RepoGuardian — Code Structure** | `MEDIUM` The function run_full_review is not defined in this code snippet, consider adding it or importing it from ano...
16	High	**RepoGuardian — Logic Issue** | `HIGH` The `run_full_review` function is not properly defined, and its implementation is not provided. This could lead to...
16	Medium	**RepoGuardian — Coding Standard** | `MEDIUM` The import statement for sys.path.insert(0, ...) is not necessary and can be removed. --- *Posted automatic...
16	High	**RepoGuardian Security — OWASP Vulnerability** | `HIGH` | `A01:2017 - Broken Access Control` The code does not perform proper authentication and authoris...
16	Medium	**RepoGuardian — Coding Standard** | `MEDIUM` The import statement for sys.path.insert(0, ...) is not necessary and can be removed to improve code cleanli...
16	High	**RepoGuardian — Logic Issue** | `HIGH` The script does not handle the case where the GROQ_API_KEY or GITHUB_TOKEN environment variables are not set, whic...
16	Medium	**RepoGuardian — Coding Standard** | `MEDIUM` Consider using a more descriptive name for the `SEVERITY_WEIGHTS` dictionary instead of a magic number. ---...

Line	Severity	Comment
16	Medium	**RepoGuardian — Code Structure** | `MEDIUM` The function `run_full_review` is not defined in this code snippet, which could lead to a NameError. Consider...
16	Medium	**RepoGuardian — Code Structure** | `MEDIUM` The function `run_full_review` is not defined in this snippet, consider adding a clear definition or import s...
16	High	**RepoGuardian — Logic Issue** | `HIGH` The script does not handle the case where the GROQ_API_KEY or GITHUB_TOKEN environment variables are not set, whic...
16	Medium	**RepoGuardian — Naming Convention** | `MEDIUM` The variable 'all_findings' could be renamed to something more descriptive, such as 'code_review_findings'...
17	Low	**RepoGuardian Security — OWASP Vulnerability** | `LOW` | `ENV_INJECTION` The use of `load_dotenv` to load environment variables from a .env file could be...
20	Low	**RepoGuardian — Coding Standard** | `LOW` The unused import from db.models can be removed to keep the code clean and avoid potential issues. --- *Posted...
20	High	**RepoGuardian — Security** | `HIGH` The use of os.getenv('GITHUB_TOKEN') to authenticate with the GitHub API is a potential security risk if the token is...
20	High	**RepoGuardian — Logic Issue** | `MEDIUM` The code assumes that the 'highs', 'mediums', and 'lows' keys exist in the score_data dictionary. Consider addin...
21	Medium	**RepoGuardian Security — OWASP Vulnerability** | `MEDIUM` | `A07:2021-Security Misconfiguration` The code loads environment variables using load_dotenv()...
21	Low	**RepoGuardian — Naming Convention** | `LOW` Consider using a more descriptive name for the variable 'BANNER' instead of a magic string. --- *Posted auto...
21	Medium	**RepoGuardian Security — OWASP Vulnerability** | `MEDIUM` | `A07:2021-Security Misconfiguration` The code loads environment variables using load_dotenv()...
21	Medium	**RepoGuardian Security — OWASP Vulnerability** | `MEDIUM` | `A07:2021-Security Misconfiguration` The code loads environment variables using load_dotenv()...
23	Medium	**RepoGuardian Security — OWASP Vulnerability** | `MEDIUM` | `A07:2021-Security Misconfiguration` The GITHUB_TOKEN is loaded from an environment variable,...
23	Low	**RepoGuardian — Coding Standard** | `LOW` The unused import from db.models should be removed to avoid cluttering the namespace. --- *Posted automaticall...
23	Medium	**RepoGuardian — Coding Standard** | `MEDIUM` The `AGENT_MULTIPLIERS` dictionary is not properly formatted. Consider using a more consistent naming conven...
23	Medium	**RepoGuardian Security — OWASP Vulnerability** | `MEDIUM` | `ENVIRONMENT_VARIABLES` The use of 'load_dotenv' to load environment variables from a .env fi...
23	Medium	**RepoGuardian — Naming Convention** | `MEDIUM` The function '_run_dependency' has a similar name to '_run_docs' and '_run_memory', but it is not clear wh...
23	High	**RepoGuardian — Logic Issue** | `HIGH` The _run_dependency function does not handle the case where the tools/dependency.py module is not found. This coul...
23	Low	**RepoGuardian — Code Structure** | `LOW` The function '_run_dependency' has a similar structure to other agent functions, consider extracting a separate ...
23	Low	**RepoGuardian Security — OWASP Vulnerability** | `LOW` | `PATH_TRAVERSAL` The use of `sys.path.insert` with a relative path could potentially lead to pat...
23	Medium	**RepoGuardian — Code Structure** | `MEDIUM` The function '_run_dependency' has a try-except block that catches ImportError, but it does not handle other ...
24	Medium	**RepoGuardian — Logic Issue** | `MEDIUM` The post_final_verdict function is not defined in this scope, ensure it is properly imported or defined. --- *P...
24	Low	**RepoGuardian Security — OWASP Vulnerability** | `LOW` | `DIRECTORY_TRAVERSAL` The use of sys.path.insert(0, os.path.dirname(os.path.dirname(os.path.absp...

Line	Severity	Comment
25	Medium	**RepoGuardian — Code Structure** | `MEDIUM` The _run_dependency function does not handle the case where the tools.dependency module is not found, it only...
25	Medium	**RepoGuardian — Logic Issue** | `MEDIUM` The function _run_complexity is trying to import a module called tools.complexity, but this module does not exis...
26	High	**RepoGuardian Security — OWASP Vulnerability** | `HIGH` | `A02:2017 - Cryptographic Failures` The code uses the `logging` module to log sensitive data, i...
26	Medium	**RepoGuardian — Naming Convention** | `MEDIUM` The variable names 'repo_arg' and 'pr_arg' are not descriptive. They should be renamed to something more m...
30	Low	**RepoGuardian — Naming Convention** | `LOW` The variable 'repo_arg' and 'pr_arg' could be renamed to something more descriptive, such as 'repository_name...
30	Medium	**RepoGuardian — Logic Issue** | `MEDIUM` The _run_complexity function does not handle the case where the tools/complexity.py file is present but the run_...
30	Medium	**RepoGuardian — Logic Issue** | `MEDIUM` The _run_complexity function attempts to import a module called tools.complexity, but this module is not present...
30	Medium	**RepoGuardian — Code Structure** | `MEDIUM` The _run_complexity function is similar to the _run_dependency function, and could also benefit from being br...
30	Medium	**RepoGuardian — Code Structure** | `MEDIUM` The _run_complexity function is similar to the _run_dependency function, and could also benefit from being br...
31	High	**RepoGuardian — Security** | `HIGH` The post_final_verdict function is not defined in this scope, it should be imported or defined locally. This function...
31	Medium	**RepoGuardian — Logic Issue** | `MEDIUM` The _run_pr_review function is called without checking if the repository and PR number are valid. This could lea...
31	Medium	**RepoGuardian — Logic Issue** | `MEDIUM` The function _run_complexity tries to import a module called tools.complexity, but this module is not present in...
31	Medium	**RepoGuardian — Logic Issue** | `MEDIUM` The function _run_complexity does not handle the case where the complexity scan returns an empty list of finding...
31	Medium	**RepoGuardian — Logic Issue** | `MEDIUM` The _run_pr_review function is called, but its result is not checked for potential exceptions. Consider adding a...
31	Medium	**RepoGuardian — Code Structure** | `MEDIUM` The function _run_complexity is trying to import a module from tools.complexity, but the file path in the imp...
31	Medium	**RepoGuardian — Logic Issue** | `MEDIUM` The _run_complexity function tries to import tools/complexity.py, but this file is not present in the list of va...
31	Medium	**RepoGuardian — Logic Issue** | `MEDIUM` The _run_complexity function tries to import tools/complexity.py, but this file is not present in the list of va...
32	High	**RepoGuardian Security — OWASP Vulnerability** | `HIGH` | `A07:2021-Identifying-Upload-of-Sensitive-Data` The GitHub API token is stored in an environmen...
32	Medium	**RepoGuardian Security — OWASP Vulnerability** | `MEDIUM` | `A04:2017 - Insecure Design` The code uses a ThreadPoolExecutor to run multiple agents in par...
32	Medium	**RepoGuardian — Naming Convention** | `MEDIUM` The variable names 'repo_arg' and 'pr_arg' are not descriptive. They should be renamed to something like '...
33	Low	**RepoGuardian — Naming Convention** | `LOW` The variable name 'pr_number' could be more descriptive. Consider renaming it to something like 'pull_request...
34	Low	**RepoGuardian Security — OWASP Vulnerability** | `LOW` | `ENV_VAR_EXPOSURE` The .env file is loaded using load_dotenv(), but it's not clear if the file i...
34	Medium	**RepoGuardian — Code Structure** | `MEDIUM` The function _run_complexity has a similar issue with error handling as _run_dependency. It should provide mo...

Line	Severity	Comment
34	Medium	**RepoGuardian Security — OWASP Vulnerability** | `MEDIUM` | `ENVIRONMENT_VARIABLES` The use of environment variables like GITHUB_TOKEN and GROQ_API_KEY m...
34	Medium	**RepoGuardian — Naming Convention** | `MEDIUM` The variable 'result' could be more descriptive, consider renaming it to something like 'review_result'. ...
34	Medium	**RepoGuardian — Logic Issue** | `MEDIUM` The _run_complexity function does not handle the case where the tools.complexity module is found but the run_com...
34	Low	**RepoGuardian — Naming Convention** | `LOW` The variable name 'all_findings' could be more descriptive. Consider renaming it to something like 'collected...
34	Low	**RepoGuardian Security — OWASP Vulnerability** | `LOW` | `INSECURE_LOGGING` The logging setup may potentially log sensitive information, such as environm...
34	Low	**RepoGuardian Security — OWASP Vulnerability** | `LOW` | `INSECURE_LOGGING` The logging mechanism uses a basic configuration and does not handle sensitiv...
36	Low	**RepoGuardian — Coding Standard** | `LOW` The import 'sys' is not used in this file. Consider removing it to avoid unused imports. --- *Posted automatic...
36	Medium	**RepoGuardian Security — OWASP Vulnerability** | `MEDIUM` | `A07:2021-Cross-Site Scripting (XSS)` The log messages are not properly sanitized, which coul...
36	Medium	**RepoGuardian Security — OWASP Vulnerability** | `MEDIUM` | `A07:2021-Security Misconfiguration` The GITHUB_TOKEN is loaded from an environment variable,...
36	Medium	**RepoGuardian Security — OWASP Vulnerability** | `MEDIUM` | `ENVIRONMENT_VARIABLES` The use of environment variables for sensitive data, such as the GITH...
37	Low	**RepoGuardian — Coding Standard** | `LOW` The import 'time' is not used in this file. Consider removing it to avoid unused imports. --- *Posted automati...
38	Low	**RepoGuardian — Coding Standard** | `LOW` The import 'logging' is not used in this file. Consider removing it to avoid unused imports. --- *Posted autom...
40	Medium	**RepoGuardian — Naming Convention** | `MEDIUM` The variable name 'findings' is used in multiple functions, but it is not clear what this variable represe...
42	Low	**RepoGuardian Security — OWASP Vulnerability** | `MEDIUM` | `A04:2021-Use-of-Too-General-Exception-Guidance` The bare except: clause swallows all excepti...
42	High	**RepoGuardian Security — OWASP Vulnerability** | `MEDIUM` | `A05:2017 - Security Misconfiguration` The code uses a hardcoded GitHub token to authenticate...
43	Medium	**RepoGuardian — Naming Convention** | `MEDIUM` The variable result is not very descriptive, it would be better to use a more descriptive name such as rev...
43	Medium	**RepoGuardian — Logic Issue** | `MEDIUM` The _run_security function is called without checking if the repository and PR number are valid. This could lead...
43	Medium	**RepoGuardian — Logic Issue** | `MEDIUM` The _run_security function is called, but its result is not checked for potential exceptions. Consider adding a ...
43	Low	**RepoGuardian — Code Structure** | `LOW` The function '_run_memory' has a long docstring that explains its purpose, but it would be more readable if it w...
43	Medium	**RepoGuardian — Naming Convention** | `MEDIUM` The variable name 'findings' is not very descriptive. It would be better to use a more descriptive name to...
43	Medium	**RepoGuardian — Logic Issue** | `MEDIUM` The 'try-except' block in the '_run_docs' function only catches 'ImportError', consider adding more specific err...
43	Low	**RepoGuardian — Naming Convention** | `LOW` The variable 'start' is not very descriptive, consider renaming it to something like 'scan_start_time' to bet...
45	Medium	**RepoGuardian — Logic Issue** | `MEDIUM` The function post_final_verdict does not handle the case where the GitHub API request fails. Consider adding err...

Line	Severity	Comment
45	Medium	**RepoGuardian — Code Structure** | `MEDIUM` The _run_complexity function does not handle the case where the tools.complexity module is not found, it only...
45	Medium	**RepoGuardian — Code Structure** | `MEDIUM` The _run_docs function is also doing multiple tasks, and could be improved by being broken down into smaller ...
45	Medium	**RepoGuardian — Code Structure** | `MEDIUM` The _run_docs function is also doing multiple tasks, and could be improved by being broken down into smaller ...
46	Medium	**RepoGuardian — Logic Issue** | `MEDIUM` The _run_docs function does not handle any exceptions that may occur during the execution of the run_docs_scan f...
47	Medium	**RepoGuardian — Code Structure** | `MEDIUM` The function _run_docs is trying to import a module from tools.docs, but the file path in the import statemen...
47	Medium	**RepoGuardian — Logic Issue** | `MEDIUM` The _run_docs function does not handle the case where the tools/docs.py file is found but the run_docs_scan func...
47	Medium	**RepoGuardian — Logic Issue** | `MEDIUM` The _run_docs function does not handle the case where the tools/docs.py file is found but the run_docs_scan func...
48	Medium	**RepoGuardian — Logic Issue** | `MEDIUM` The function _run_docs does not handle the case where the docs scan returns an empty list of findings. This coul...
51	Low	**RepoGuardian — Code Structure** | `LOW` The code block for building the result object is quite long, consider breaking it up into smaller functions for ...
52	Medium	**RepoGuardian — Coding Standard** | `MEDIUM` The sys.path.insert call is used to modify the system path. This could potentially lead to issues if not han...
52	High	**RepoGuardian Security — OWASP Vulnerability** | `HIGH` | `A09:2021-Using-Components-with-Known-Vulnerabilities` The code uses a ThreadPoolExecutor to ru...
52	Low	**RepoGuardian Security — OWASP Vulnerability** | `LOW` | `A09:2017 - Insecure Data Storage` The code stores sensitive data, including passwords and PII, ...
52	Low	**RepoGuardian — Coding Standard** | `LOW` The sys.path.insert call is modifying the system path, which could lead to unexpected behavior. Consider using ...
52	Low	**RepoGuardian — Coding Standard** | `LOW` The log messages are not very descriptive, consider adding more context to the log messages to improve debuggin...
53	Low	**RepoGuardian — Code Structure** | `LOW` The metadata dictionary is not following the standard Python naming conventions, it would be better to use under...
53	Medium	**RepoGuardian — Logic Issue** | `MEDIUM` The function _run_docs tries to import a module called tools.docs, but it does not check if the import was succe...
55	Low	**RepoGuardian Security — OWASP Vulnerability** | `LOW` | `A05:2021-Security Misconfiguration` The logging level is set to INFO, which may not be suitable...
55	Low	**RepoGuardian Security — OWASP Vulnerability** | `LOW` | `A09:2021-Security Logging and Monitoring Failures` The logging configuration does not seem to i...
55	Medium	**RepoGuardian Docs — Missing Docstring** | `MEDIUM` **`log_info`** — Add a docstring to explain the purpose of the log_info function and its parameters. ...
55	Medium	**RepoGuardian — Logic Issue** | `MEDIUM` The _run_docs function is called without checking if the repository and PR number are valid. This could lead to ...
55	Medium	**RepoGuardian — Logic Issue** | `MEDIUM` The _run_docs function is called, but its result is not checked for potential exceptions. Consider adding a try-...
60	Low	**RepoGuardian — Style** | `LOW` The function post_final_verdict is very long and complex, with multiple tasks being performed. It would be better to brea...
60	Medium	**RepoGuardian — Code Structure** | `MEDIUM` The _run_memory function is doing multiple tasks, including running the memory scan and logging the results. ...

Line	Severity	Comment
61	Medium	**RepoGuardian Docs — Missing Docstring** | `MEDIUM` **`log_ok`** — Add a docstring to explain the purpose of the log_ok function and its parameters. ---...
63	Medium	**RepoGuardian — Logic Issue** | `MEDIUM` The try-except block for the LLM agents does not provide much information about the exceptions that occur. Consi...
63	High	**RepoGuardian — Logic Issue** | `HIGH` The function 'post_final_verdict' does not handle the case where the 'score_data' dictionary is missing the 'score...
63	Low	**RepoGuardian — Code Structure** | `LOW` The _run_docs function is very similar to the _run_dependency function. It would be better to extract the common...
63	Medium	**RepoGuardian — Logic Issue** | `MEDIUM` The function '_run_memory' does not check if 'all_findings' is empty before passing it to 'run_memory_scan', whi...
63	Medium	**RepoGuardian — Code Structure** | `MEDIUM` The function _run_memory is trying to import a module from tools.memory, but the file path in the import stat...
63	Medium	**RepoGuardian — Logic Issue** | `MEDIUM` The _run_memory function does not handle the case where the tools/memory.py file is found but the run_memory_sca...
63	Medium	**RepoGuardian — Logic Issue** | `MEDIUM` The _run_memory function does not handle the case where the tools/memory.py file is found but the run_memory_sca...
65	Medium	**RepoGuardian — Code Structure** | `MEDIUM` The _run_docs function does not handle the case where the tools.docs module is not found, it only logs a warn...
65	Medium	**RepoGuardian — Code Structure** | `MEDIUM` The _run_memory function is doing multiple tasks, including running the memory scan and logging the results. ...
65	High	**RepoGuardian — Logic Issue** | `HIGH` The 'post_final_verdict' function does not handle the case where the 'score_data' dictionary is missing required k...
67	Medium	**RepoGuardian Docs — Missing Docstring** | `MEDIUM` **`log_warn`** — Add a docstring to explain the purpose of the log_warn function and its parameters. ...
67	Medium	**RepoGuardian — Logic Issue** | `MEDIUM` The _run_complexity function is called without checking if the repository and PR number are valid. This could le...
67	Medium	**RepoGuardian — Logic Issue** | `MEDIUM` The _run_complexity function is called, but its result is not checked for potential exceptions. Consider adding ...
73	Medium	**RepoGuardian Docs — Missing Docstring** | `MEDIUM` **`log_err`** — Add a docstring to explain the purpose of the log_err function and its parameters. -...
74	High	**RepoGuardian — Security** | `HIGH` The post_final_verdict function uses an environment variable called GITHUB_TOKEN to authenticate with the GitHub API,...
78	Low	**RepoGuardian Security — OWASP Vulnerability** | `LOW` | `A11:2017 - Sensitive Data Exposure` The code logs sensitive data, including passwords and PII, ...
79	Medium	**RepoGuardian Docs — Missing Docstring** | `MEDIUM` **`log_agent`** — Add a docstring to explain the purpose of the log_agent function and its parameters...
81	Medium	**RepoGuardian — Logic Issue** | `MEDIUM` The dep_future.result() call is made with a timeout of 120 seconds, but it is not checked if the result is an er...
81	Medium	**RepoGuardian — Logic Issue** | `MEDIUM` The dep_future.result() call is made with a timeout of 120 seconds, but it does not handle potential exceptions....
83	Medium	**RepoGuardian — Naming Convention** | `MEDIUM` The variable 'badge' is not clearly named. Consider renaming it to something like 'review_status' to make ...
85	Medium	**RepoGuardian Code Smell — Function Too Long** (score: 54) | `MEDIUM` **`calculate_health_score`** — Function `calculate_health_score` is 54 lines long —...
85	Medium	**RepoGuardian Code Smell — Function Too Long** (score: 54) | `MEDIUM` **`calculate_health_score`** — Function `calculate_health_score` is 54 lines long —...

Line	Severity	Comment
85	Medium	**RepoGuardian — Code Structure** | `MEDIUM` The _run_memory function does not handle the case where the tools.memory module is not found, it only logs a ...
86	Medium	**RepoGuardian Docs — Missing Docstring** | `MEDIUM` **`log_score`** — Add a docstring to explain the purpose of the log_score function and its parameters...
91	High	**RepoGuardian — Security** | `HIGH` The 'GITHUB_TOKEN' is being retrieved from an environment variable, but it is not clear if this token is properly sec...
93	High	**RepoGuardian — Logic Issue** | `HIGH` The post_final_verdict function does not handle the case where the GitHub token is not set. This could lead to an ...
95	High	**RepoGuardian — Logic Issue** | `HIGH` The post_final_verdict function is using a try-except block to handle exceptions, but it is not providing any info...
100	Medium	**RepoGuardian — Coding Standard** | `MEDIUM` The calculate_health_score function does not have a docstring. Consider adding a docstring to describe what ...
100	Medium	**RepoGuardian — Coding Standard** | `MEDIUM` The calculate_health_score function does not have a docstring. Consider adding a docstring to describe what ...
100	Medium	**RepoGuardian — Coding Standard** | `MEDIUM` The calculate_health_score function does not have a docstring. Consider adding a docstring to explain what t...
100	Low	**RepoGuardian — Coding Standard** | `LOW` The calculate_health_score function does not have a docstring. Consider adding a docstring to explain what the ...
100	Low	**RepoGuardian — Coding Standard** | `LOW` The calculate_health_score function does not have a docstring. Consider adding a docstring to explain what the ...
100	Medium	**RepoGuardian — Coding Standard** | `MEDIUM` The calculate_health_score function does not have a docstring. Consider adding a docstring to explain what t...
101	High	**RepoGuardian — Logic Issue** | `HIGH` The function post_final_verdict is using an environment variable GITHUB_TOKEN, but it does not handle the case whe...
103	High	**RepoGuardian — Security** | `HIGH` The post_final_verdict function uses the os.getenv function to get the GITHUB_TOKEN environment variable. However, it...
104	Low	**RepoGuardian Security — OWASP Vulnerability** | `LOW` | `LOG_INJECTION` The logging mechanism uses string formatting, which could potentially lead to lo...
104	High	**RepoGuardian — Security** | `HIGH` The function post_final_verdict uses an environment variable called GITHUB_TOKEN to authenticate with the GitHub API....
104	Low	**RepoGuardian Security — OWASP Vulnerability** | `LOW` | `IMPORT_VALIDATION` The code uses try-except blocks to handle missing modules, but it does not v...
104	High	**RepoGuardian — Security** | `HIGH` The function post_final_verdict uses the Github API to post a comment to the PR, but it does not handle the case wher...
104	Low	**RepoGuardian Security — OWASP Vulnerability** | `LOW` | `INPUT_VALIDATION` The calculate_health_score function does not validate its input, which could ...
104	Low	**RepoGuardian Security — OWASP Vulnerability** | `LOW` | `COMMAND_INJECTION` The execution of external tools using the subprocess module may pose a secur...
104	Low	**RepoGuardian Security — OWASP Vulnerability** | `LOW` | `INSECURE_LOGGING` The code uses a custom logging function that prints the log messages to the c...
104	Medium	**RepoGuardian Security — OWASP Vulnerability** | `MEDIUM` | `INCOMPLETE_ERROR_HANDLING` The error handling mechanism in the calculate_health_score functi...
105	Low	**RepoGuardian — Naming Convention** | `LOW` The variable name 'g' is not very descriptive. Consider renaming it to something like 'github_client' to impr...
105	Low	**RepoGuardian — Naming Convention** | `LOW` The variable name 'g' is not very descriptive. Consider renaming it to something like 'github_client'. --- *...

Line	Severity	Comment
105	Low	**RepoGuardian — Naming Convention** | `LOW` The variable name 'g' is not very descriptive. Consider renaming it to something like 'github_client'. --- *...
113	Medium	**RepoGuardian Security — OWASP Vulnerability** | `MEDIUM` | `INSECURE_DESERIALIZATION` The `calculate_health_score` function uses a simple scoring system...
120	Medium	**RepoGuardian — Code Structure** | `MEDIUM` The `agent_jobs` dictionary is defined inside the `run_full_review` function, but it could be defined as a co...
120	Medium	**RepoGuardian Security — OWASP Vulnerability** | `MEDIUM` | `A05:2021-Security Misconfiguration` The code uses the Github API to post comments but does n...
120	High	**RepoGuardian — Security** | `HIGH` The post_final_verdict function uses the os.getenv function to get the GITHUB_TOKEN, but it does not check if the tok...
120	High	**RepoGuardian — Logic Issue** | `HIGH` The post_final_verdict function is using a try-except block to handle any exceptions that may occur when posting t...
121	Low	**RepoGuardian — Code Structure** | `LOW` The ReviewResult object is created with a lot of attributes. Consider breaking it down into smaller objects or u...
121	Low	**RepoGuardian Security — OWASP Vulnerability** | `MEDIUM` | `INSECURE_DESERIALIZATION` The `calculate_health_score` function uses a simple scoring system...
121	Medium	**RepoGuardian Docs — Missing Docstring** | `MEDIUM` **`SEVERITY_WEIGHTS`** — Add a docstring to explain the purpose and values of SEVERITY_WEIGHTS dictio...
121	Medium	**RepoGuardian Docs — Missing Docstring** | `MEDIUM` **`SEVERITY_WEIGHTS`** — Add a docstring to explain the purpose and values of SEVERITY_WEIGHTS dictio...
121	High	**RepoGuardian — Security** | `HIGH` The post_final_verdict function uses the os.getenv function to retrieve the GITHUB_TOKEN environment variable. Howeve...
123	Medium	**RepoGuardian — Coding Standard** | `MEDIUM` Consider using named constants instead of magic numbers for SEVERITY_WEIGHTS and AGENT_MULTIPLIERS. --- *Po...
123	Medium	**RepoGuardian — Code Structure** | `MEDIUM` The _run_dependency and _run_complexity functions can be simplified by removing the try-except block and dire...
123	Medium	**RepoGuardian Security — OWASP Vulnerability** | `MEDIUM` | `A01:2021-Broken Access Control` The `post_final_verdict` function uses the `GITHUB_TOKEN` en...
123	Medium	**RepoGuardian — Code Structure** | `MEDIUM` The _run_dependency and _run_complexity functions have a try-except block that catches the ImportError except...
123	High	**RepoGuardian Security — OWASP Vulnerability** | `HIGH` | `A01:2021-Broken Access Control` The GITHUB_TOKEN is loaded from an environment variable, but i...
123	Medium	**RepoGuardian Security — OWASP Vulnerability** | `MEDIUM` | `A07:2021-Security Misconfiguration` The GITHUB_TOKEN is loaded from an environment variable,...
123	Low	**RepoGuardian Security — OWASP Vulnerability** | `LOW` | `A05:2021-Security Misconfiguration` The logging configuration does not specify a maximum log si...
123	High	**RepoGuardian Security — OWASP Vulnerability** | `HIGH` | `A01:2021-Broken Access Control` The code uses a hardcoded GitHub token, which is a security ri...
123	Medium	**RepoGuardian — Logic Issue** | `MEDIUM` The _run_dependency function does not handle any potential exceptions that may occur during the dependency scan,...
123	Low	**RepoGuardian — Naming Convention** | `LOW` The variable name 'sec_deduction' is not very descriptive. Consider renaming it to something more descriptive...
123	Medium	**RepoGuardian — Code Structure** | `MEDIUM` The run_full_review function is quite long and complex, and could be broken down into smaller functions to im...
123	Low	**RepoGuardian — Naming Convention** | `LOW` The variable 'result' is not very descriptive. Consider renaming it to something more descriptive, such as 'r...

Line	Severity	Comment
123	Medium	**RepoGuardian Docs — Missing Docstring** | `MEDIUM` **`SEVERITY_WEIGHTS`** — Add a docstring to explain the purpose and values of SEVERITY_WEIGHTS dictio...
123	Low	**RepoGuardian Security — OWASP Vulnerability** | `LOW` | `A04:2021-Insecure Design` The calculate_health_score function uses a simple scoring system, but...
123	Medium	**RepoGuardian — Code Structure** | `MEDIUM` The calculate_health_score function is complex and has many nested conditional statements. Consider breaking ...
123	Low	**RepoGuardian — Naming Convention** | `LOW` The variable names SEVERITY_WEIGHTS and AGENT_MULTIPLIERS are not very descriptive. Consider using more descr...
123	Medium	**RepoGuardian Docs — Missing Docstring** | `MEDIUM` **`SEVERITY_WEIGHTS`** — Add a docstring to explain the purpose and values of SEVERITY_WEIGHTS dictio...
123	Low	**RepoGuardian — Naming Convention** | `LOW` The variable name 'result' is not very descriptive. Consider renaming it to something more descriptive, such ...
123	Medium	**RepoGuardian Docs — Missing Docstring** | `MEDIUM` **`SEVERITY_WEIGHTS`** — Add a docstring to explain the purpose and values of SEVERITY_WEIGHTS dictio...
123	Medium	**RepoGuardian Docs — Missing Docstring** | `MEDIUM` **`SEVERITY_WEIGHTS`** — Add a docstring to explain the purpose and values of SEVERITY_WEIGHTS. For e...
123	Medium	**RepoGuardian Docs — Missing Docstring** | `MEDIUM` **`SEVERITY_WEIGHTS`** — Add a docstring to explain the purpose and values of SEVERITY_WEIGHTS dictio...
123	Medium	**RepoGuardian Docs — Missing Docstring** | `MEDIUM` **`SEVERITY_WEIGHTS`** — Add a docstring to explain the purpose and values of SEVERITY_WEIGHTS dictio...
123	Medium	**RepoGuardian — Logic Issue** | `MEDIUM` The calculate_health_score function does not handle the case where the findings list is empty and the penalty is...
123	Medium	**RepoGuardian Docs — Missing Docstring** | `MEDIUM` **`SEVERITY_WEIGHTS`** — Add a docstring to explain the purpose and values of SEVERITY_WEIGHTS dictio...
124	Medium	**RepoGuardian — Code Structure** | `MEDIUM` The calculate_health_score function is complex and has many nested conditional statements. Consider breaking ...
124	Medium	**RepoGuardian — Logic Issue** | `MEDIUM` The calculate_health_score function does not handle the case where the findings list is empty and the penalty is...
124	Medium	**RepoGuardian Security — OWASP Vulnerability** | `MEDIUM` | `INSECURE_DESERIALIZATION` The Finding objects are created using the severity, message, file,...
124	Medium	**RepoGuardian Docs — Missing Docstring** | `MEDIUM` **`SEVERITY_WEIGHTS`** — Add a docstring to explain the purpose and values of SEVERITY_WEIGHTS dictio...
124	Low	**RepoGuardian Security — OWASP Vulnerability** | `LOW` | `EXTERNAL_TOOL_EXECUTION` The execution of external tools like run_pr_review_agent and run_secur...
124	Medium	**RepoGuardian Docs — Missing Inline Comments** | `MEDIUM` **`SEVERITY_WEIGHTS`** — Add a comment to explain the purpose of the SEVERITY_WEIGHTS dictionar...
126	Low	**RepoGuardian — Naming Convention** | `LOW` The variable 'c' in the _run_pr_review function could be renamed to something more descriptive, such as 'comm...
128	Medium	**RepoGuardian Docs — Missing Docstring** | `MEDIUM` **`AGENT_MULTIPLIERS`** — Add a docstring to explain the purpose and values of AGENT_MULTIPLIERS dict...
128	Medium	**RepoGuardian Docs — Missing Docstring** | `MEDIUM` **`AGENT_MULTIPLIERS`** — Add a docstring to explain the purpose and values of AGENT_MULTIPLIERS dict...
130	Medium	**RepoGuardian Docs — Missing Docstring** | `MEDIUM` **`AGENT_MULTIPLIERS`** — Add a docstring to explain the purpose and values of AGENT_MULTIPLIERS dict...
130	Medium	**RepoGuardian Docs — Missing Docstring** | `MEDIUM` **`AGENT_MULTIPLIERS`** — Add a docstring to explain the purpose and values of AGENT_MULTIPLIERS dict...

Line	Severity	Comment
131	Medium	**RepoGuardian Docs — Missing Docstring** | `MEDIUM` **`AGENT_MULTIPLIERS`** — Add a docstring to explain the purpose and values of AGENT_MULTIPLIERS dict...
131	Medium	**RepoGuardian Docs — Missing Docstring** | `MEDIUM` **`AGENT_MULTIPLIERS`** — Add a docstring to explain the purpose and values of AGENT_MULTIPLIERS dict...
131	Medium	**RepoGuardian Docs — Missing Docstring** | `MEDIUM` **`AGENT_MULTIPLIERS`** — Add a docstring to explain the purpose and values of AGENT_MULTIPLIERS dict...
133	Medium	**RepoGuardian Docs — Missing Docstring** | `MEDIUM` **`AGENT_MULTIPLIERS`** — Add a docstring to explain the purpose and values of AGENT_MULTIPLIERS dict...
133	Medium	**RepoGuardian Docs — Missing Docstring** | `MEDIUM` **`AGENT_MULTIPLIERS`** — Add a docstring to explain the purpose and values of AGENT_MULTIPLIERS dict...
133	Medium	**RepoGuardian Docs — Missing Docstring** | `MEDIUM` **`AGENT_MULTIPLIERS`** — Add a docstring to explain the purpose and values of AGENT_MULTIPLIERS. For...
134	Medium	**RepoGuardian — Coding Standard** | `MEDIUM` The `run_pr_review_agent` function is not properly imported. Consider using a more consistent naming convent...
136	Medium	**RepoGuardian Docs — Missing Inline Comments** | `MEDIUM` **`AGENT_MULTIPLIERS`** — Add a comment to explain the purpose of the AGENT_MULTIPLIERS diction...
141	Medium	**RepoGuardian — Naming Convention** | `MEDIUM` The variable name 'start' is not very descriptive. Consider renaming it to something like 'review_start_ti...
141	Medium	**RepoGuardian Docs — Missing Docstring** | `MEDIUM` **`SEVERITY_WEIGHTS`** — Add a docstring to explain the purpose and values of SEVERITY_WEIGHTS dictio...
141	Medium	**RepoGuardian Docs — Missing Docstring** | `MEDIUM` **`SEVERITY_WEIGHTS`** — Add a docstring to explain the purpose and values of SEVERITY_WEIGHTS dictio...
142	Medium	**RepoGuardian — Logic Issue** | `MEDIUM` The scoring system is complex and may be prone to errors. Consider simplifying it or adding more comments to exp...
142	Medium	**RepoGuardian — Logic Issue** | `MEDIUM` The calculate_health_score function does not handle the case where the findings list is None. This could lead to...
143	Low	**RepoGuardian — Naming Convention** | `LOW` The variable name 'c' in the _run_pr_review function is not descriptive. Consider renaming it to something li...
143	Low	**RepoGuardian — Naming Convention** | `LOW` The variable name 'c' in the _run_pr_review function is not very descriptive. Consider renaming it to somethi...
143	Low	**RepoGuardian — Naming Convention** | `LOW` The variable 'c' in the _run_pr_review function is not very descriptive, consider renaming it to something li...
143	Medium	**RepoGuardian — Coding Standard** | `MEDIUM` The `run_security_agent` function is not properly imported. Consider using a more consistent naming conventi...
143	Medium	**RepoGuardian — Logic Issue** | `MEDIUM` The function run_full_review does not handle the case where the review result is None. It should be checked to e...
144	Medium	**RepoGuardian — Logic Issue** | `MEDIUM` The function post_final_verdict does not handle the case where the GitHub token is not set. It should provide a ...
144	Medium	**RepoGuardian — Code Structure** | `MEDIUM` The post_final_verdict function is quite long and complex. Consider breaking it down into smaller functions, ...
144	Medium	**RepoGuardian — Logic Issue** | `MEDIUM` The run_full_review function does not handle the case where the webhook receiver is not properly configured. Thi...
144	Low	**RepoGuardian — Naming Convention** | `LOW` The variable 'SEVERITY_WEIGHTS' and 'AGENT_MULTIPLIERS' are not clearly defined and may cause confusion. Cons...
149	Medium	**RepoGuardian Docs — Missing Docstring** | `MEDIUM` **`AGENT_MULTIPLIERS`** — Add a docstring to explain the purpose and values of AGENT_MULTIPLIERS dict...

Line	Severity	Comment
149	Medium	**RepoGuardian Docs — Missing Docstring** | `MEDIUM` **`AGENT_MULTIPLIERS`** — Add a docstring to explain the purpose and values of AGENT_MULTIPLIERS dict...
151	Low	**RepoGuardian — Naming Convention** | `LOW` The variable name 'f' is not descriptive. Consider renaming it to something more meaningful, such as 'finding...
173	Medium	**RepoGuardian — Logic Issue** | `MEDIUM` The calculate_health_score function is complex and may be difficult to understand and maintain. Consider breakin...
173	Medium	**RepoGuardian Security — OWASP Vulnerability** | `MEDIUM` | `INSECURE_DESERIALIZATION` The code uses the 'Finding' class to deserialize data, but it does...
173	Medium	**RepoGuardian — Logic Issue** | `MEDIUM` The calculate_health_score function does not handle the case where the findings list is empty and the agent name...
173	Medium	**RepoGuardian — Logic Issue** | `MEDIUM` The calculate_health_score function is complex and may be prone to errors. Consider breaking it down into smalle...
173	Medium	**RepoGuardian — Logic Issue** | `MEDIUM` The calculate_health_score function does not handle the case where the findings list is empty and the agent name...
173	Medium	**RepoGuardian — Logic Issue** | `MEDIUM` The calculate_health_score function does not handle the case where the findings list is empty and the agent name...
173	Medium	**RepoGuardian — Logic Issue** | `MEDIUM` The calculate_health_score function does not handle the case where the findings list is empty and the agent name...
173	Medium	**RepoGuardian — Logic Issue** | `MEDIUM` The calculate_health_score function does not handle the case where the findings list is empty and the penalty is...
173	Medium	**RepoGuardian — Logic Issue** | `MEDIUM` The calculate_health_score function does not handle the case where the findings list is empty and the agent name...
173	Medium	**RepoGuardian — Logic Issue** | `MEDIUM` The calculate_health_score function is complex and may be prone to errors. Consider breaking it down into smalle...
173	Medium	**RepoGuardian — Logic Issue** | `MEDIUM` The calculate_health_score function does not handle the case where the findings list is empty and the agent name...
173	Medium	**RepoGuardian — Logic Issue** | `MEDIUM` The calculate_health_score function is complex and may be prone to errors. Consider breaking it down into smalle...
173	Medium	**RepoGuardian Docs — Missing Inline Comments** | `MEDIUM` **`calculate_health_score`** — Add inline comments to explain the complex logic in the calculat...
173	Medium	**RepoGuardian — Logic Issue** | `MEDIUM` The calculate_health_score function does not handle the case where the findings list is empty and the penalty is...
173	Medium	**RepoGuardian Docs — Missing Inline Comments** | `MEDIUM` **`calculate_health_score`** — Add inline comments to explain the complex logic of calculating ...
173	Medium	**RepoGuardian — Logic Issue** | `MEDIUM` The calculate_health_score function does not handle the case where the findings list is None. It should be check...
174	High	**RepoGuardian Security — OWASP Vulnerability** | `HIGH` | `A01:2021-Broken Access Control` The post_final_verdict function does not validate the input pa...
174	Medium	**RepoGuardian — Logic Issue** | `MEDIUM` The calculate_health_score function does not handle the case where the findings list is empty and the agent name...
174	Medium	**RepoGuardian — Logic Issue** | `MEDIUM` The '_run_pr_review' function does not handle errors properly. If 'run_pr_review_agent' fails, it will not be ca...
174	Low	**RepoGuardian — Naming Convention** | `LOW` The variable name 'e' is not very descriptive. Consider renaming it to something like 'exception'. --- *Post...
174	Medium	**RepoGuardian — Logic Issue** | `MEDIUM` The calculate_health_score function does not handle the case where the findings list is empty and the agent name...

Line	Severity	Comment
174	Low	**RepoGuardian — Naming Convention** | `LOW` The variable name 'f' in the calculate_health_score function is not very descriptive. It would be better to u...
174	Medium	**RepoGuardian — Logic Issue** | `MEDIUM` The calculate_health_score function does not handle the case where the findings list is empty and the agent name...
174	Medium	**RepoGuardian — Logic Issue** | `MEDIUM` The calculate_health_score function does not handle the case where the findings list is empty and the agent name...
174	Low	**RepoGuardian — Naming Convention** | `LOW` The variable name 'f' in the _run_pr_review function is not very descriptive. Consider renaming it to somethi...
175	Low	**RepoGuardian — Naming Convention** | `LOW` The variable name 'f' in the _run_pr_review function is not very descriptive. It would be better to use a mor...
179	High	**RepoGuardian Security — OWASP Vulnerability** | `HIGH` | `A01:2021-Broken Access Control` The 'post_final_verdict' function does not validate the 'repo_...
184	Low	**RepoGuardian — Naming Convention** | `LOW` The variable name 'c' in the _run_pr_review function is not very descriptive. Consider renaming it to somethi...
184	Low	**RepoGuardian — Naming Convention** | `LOW` The variable name 'c' in the _run_pr_review function is not very descriptive. Consider renaming it to somethi...
184	Low	**RepoGuardian — Naming Convention** | `LOW` The variable name 'c' in the _run_pr_review function is not very descriptive. Consider renaming it to somethi...
184	Low	**RepoGuardian — Naming Convention** | `LOW` The variable 'c' in the _run_pr_review function is not very descriptive. Consider renaming it to something li...
184	Low	**RepoGuardian — Naming Convention** | `LOW` The variable name 'c' in the _run_pr_review function is not very descriptive. Consider renaming it to somethi...
185	Low	**RepoGuardian Security — OWASP Vulnerability** | `LOW` | `A04:2021-Insecure Design` The 'run_full_review' function runs all agents in parallel, but it do...
185	Medium	**RepoGuardian Security — OWASP Vulnerability** | `MEDIUM` | `A07:2021-Security Misconfiguration` The code does not validate or sanitize user input, which...
185	Medium	**RepoGuardian — Logic Issue** | `MEDIUM` The _run_complexity function does not handle any potential exceptions that may occur during the complexity scan,...
190	Low	**RepoGuardian — Naming Convention** | `LOW` The variable `pr_score` could be renamed to something more descriptive, such as `pull_request_score`, to impr...
190	Low	**RepoGuardian — Naming Convention** | `LOW` The variable names 'c' and 'issue' are not very descriptive. Consider renaming them to something more meaning...
191	Low	**RepoGuardian — Naming Convention** | `LOW` The variable name 'f' in the for loop is not descriptive. It should be renamed to something more meaningful, ...
191	Low	**RepoGuardian — Naming Convention** | `LOW` The variable name 'f' in the for loop is not descriptive. It should be renamed to something more meaningful, ...
191	Low	**RepoGuardian — Naming Convention** | `LOW` The variable name 'f' in the for loop is not very descriptive. Consider renaming it to something more descrip...
191	Low	**RepoGuardian — Naming Convention** | `LOW` The variable name 'f' in the for loop is not very descriptive. Consider renaming it to something more descrip...
192	Medium	**RepoGuardian — Coding Standard** | `MEDIUM` The `run_dependency_scan` function is not properly imported. Consider using a more consistent naming convent...
195	Medium	**RepoGuardian Security — OWASP Vulnerability** | `MEDIUM` | `A04:2021-Insecure Design` The repo name and PR number are not validated or sanitized before ...
196	Low	**RepoGuardian Security — OWASP Vulnerability** | `LOW` | `A09:2021-Security Logging and Monitoring Failures` The `log_err` function logs error messages, ...

Line	Severity	Comment
200	Medium	**RepoGuardian — Logic Issue** | `MEDIUM` The `calculate_health_score` function is not defined in this code snippet, but it is called in the `run_full_rev...
201	Medium	**RepoGuardian — Coding Standard** | `MEDIUM` The `run_complexity_scan` function is not properly imported. Consider using a more consistent naming convent...
201	Medium	**RepoGuardian — Code Structure** | `MEDIUM` The _run_pr_review and _run_security functions have similar logic. Consider extracting the common logic into ...
201	Medium	**RepoGuardian — Code Structure** | `MEDIUM` The _run_security function is similar to the _run_pr_review function. Consider extracting a separate function...
202	Medium	**RepoGuardian Security — OWASP Vulnerability** | `MEDIUM` | `A09:2021-Security Logging and Monitoring Failures` The log_err function logs exceptions, but...
202	Low	**RepoGuardian — Code Structure** | `LOW` The main orchestrator function run_full_review is quite long and complex. Consider breaking it down into smaller...
202	Low	**RepoGuardian — Naming Convention** | `LOW` The variable name 'f' in the calculate_health_score function is not very descriptive. Consider renaming it to...
204	Low	**RepoGuardian Security — OWASP Vulnerability** | `LOW` | `INCOMPLETE_ERROR_HANDLING` The except ImportError block in the _run_dependency and _run_complex...
204	Low	**RepoGuardian — Naming Convention** | `LOW` The variable name 'c' in the list comprehension is not very descriptive. Consider renaming it to something mo...
205	Medium	**RepoGuardian — Logic Issue** | `MEDIUM` The '_run_security' function also does not handle errors properly. If 'run_security_agent' fails, it will not be...
207	Medium	**RepoGuardian — Logic Issue** | `MEDIUM` The _run_security function does not check if the result of the run_security_agent function is None before trying...
210	Low	**RepoGuardian — Naming Convention** | `LOW` The variable name 'f' in the _run_pr_review function is not descriptive. Consider renaming it to something mo...
213	High	**RepoGuardian Security — OWASP Vulnerability** | `HIGH` | `A01:2021-Broken Access Control` The post_final_verdict function uses the GITHUB_TOKEN environm...
213	Medium	**RepoGuardian — Coding Standard** | `MEDIUM` Add type hints for function parameters in _run_pr_review, _run_security, _run_dependency, and _run_complexit...
213	Medium	**RepoGuardian Security — OWASP Vulnerability** | `MEDIUM` | `A01:2021-Broken Access Control` The post_final_verdict function does not check if the GitHub...
213	Medium	**RepoGuardian Security — OWASP Vulnerability** | `MEDIUM` | `A06:2021-Vulnerable and Outdated Components` The 'Github' library is used without specifying...
213	Medium	**RepoGuardian Security — OWASP Vulnerability** | `MEDIUM` | `A01:2021-Broken Access Control` The post_final_verdict function does not seem to check if th...
218	Low	**RepoGuardian — Naming Convention** | `LOW` The variable name 'c' in the list comprehension is not very descriptive. Consider renaming it to something mo...
221	Low	**RepoGuardian — Naming Convention** | `LOW` The variable name 'c' in the list comprehension is not very descriptive. Consider renaming it to something mo...
223	Medium	**RepoGuardian — Logic Issue** | `MEDIUM` The _run_pr_review function does not handle any exceptions that may occur when running the PR review agent. It s...
223	Medium	**RepoGuardian — Logic Issue** | `MEDIUM` The _run_pr_review function does not handle any exceptions that may occur when running the PR review agent. It s...
230	Medium	**RepoGuardian Security — OWASP Vulnerability** | `MEDIUM` | `A07:2021-Identification and Authentication Failures` The run_full_review function does not c...
230	Low	**RepoGuardian Security — OWASP Vulnerability** | `LOW` | `A09:2021-Security Logging and Monitoring Failures` The code logs sensitive information such as ...

Line	Severity	Comment
233	Medium	**RepoGuardian — Logic Issue** | `MEDIUM` The _run_pr_review and _run_security functions do not handle exceptions properly. If an exception occurs during ...
233	Medium	**RepoGuardian Security — OWASP Vulnerability** | `MEDIUM` | `IMPORT_STATEMENTS` The code uses import statements with try-except blocks to handle missing ...
233	Low	**RepoGuardian — Naming Convention** | `LOW` The variable name 'c' in the list comprehension is not very descriptive. Consider renaming it to something mo...
233	Low	**RepoGuardian — Naming Convention** | `LOW` The variable name 'f' in the _run_pr_review function is not very descriptive. It would be better to use a mor...
233	Medium	**RepoGuardian Security — OWASP Vulnerability** | `MEDIUM` | `UNTRUSTED_DATA` The handling of untrusted data from the PR review and security agents may po...
233	Medium	**RepoGuardian — Logic Issue** | `MEDIUM` The _run_pr_review function does not handle exceptions properly. If an exception occurs during the execution of ...
233	Medium	**RepoGuardian — Logic Issue** | `MEDIUM` The _run_pr_review function does not handle exceptions properly. If an exception occurs during the execution of ...
233	Medium	**RepoGuardian — Logic Issue** | `MEDIUM` The _run_pr_review function does not handle potential exceptions that may occur when running the PR review agent...
234	Medium	**RepoGuardian — Logic Issue** | `MEDIUM` The _run_security function does not handle any potential exceptions that may be raised by the run_security_agent...
234	Medium	**RepoGuardian Docs — Missing Inline Comments** | `MEDIUM` **`calculate_health_score function`** — Add inline comments to explain the complex logic in the...
234	Medium	**RepoGuardian — Logic Issue** | `MEDIUM` The _run_pr_review function does not handle any exceptions that may occur when running the PR review agent. Cons...
244	Low	**RepoGuardian — Naming Convention** | `LOW` The variable name 'f' in the list comprehension is not very descriptive. Consider renaming it to something mo...
245	Medium	**RepoGuardian Docs — Missing Inline Comments** | `MEDIUM` **`calculate_health_score function`** — Add inline comments to explain the complex logic in the...
246	Low	**RepoGuardian Docs — Missing Inline Comments** | `LOW` **`_run_dependency`** — Add inline comments to explain the purpose of the try-except block in _run...
246	Medium	**RepoGuardian Docs — Missing Inline Comments** | `MEDIUM` **`calculate_health_score`** — Add inline comments to explain the complex logic in the calculat...
246	Medium	**RepoGuardian Security — OWASP Vulnerability** | `MEDIUM` | `UNTRUSTED_INPUT` The code converts ReviewComment objects to Finding objects, but it does not...
246	Medium	**RepoGuardian Docs — Missing Docstring** | `MEDIUM` **`_run_pr_review`** — Add a docstring to explain the purpose and parameters of the _run_pr_review fu...
246	Low	**RepoGuardian — Naming Convention** | `LOW` The variable name 'c' in the list comprehension is not very descriptive. It would be better to use a more des...
246	Medium	**RepoGuardian Docs — Missing Inline Comments** | `MEDIUM` **`_run_dependency`** — Add inline comments to explain the logic and purpose of the _run_depend...
253	Low	**RepoGuardian — Naming Convention** | `LOW` The variable name 'c' in the _run_security function is not very descriptive. It would be better to use a more...
253	Medium	**RepoGuardian Docs — Missing Inline Comments** | `MEDIUM` **`calculate_health_score`** — Add inline comments to explain the complex logic of calculating ...
253	Medium	**RepoGuardian — Logic Issue** | `MEDIUM` The _run_security function also does not handle exceptions properly. If an exception occurs during the execution...
253	Medium	**RepoGuardian — Logic Issue** | `MEDIUM` The _run_security function does not handle exceptions properly. If an exception occurs during the execution of t...

Line	Severity	Comment
258	Medium	**RepoGuardian Code Smell — Function Too Long** (score: 63) | `MEDIUM` **`post_final_verdict`** — Function `post_final_verdict` is 63 lines long — too lon...
258	Medium	**RepoGuardian Code Smell — Function Too Long** (score: 63) | `MEDIUM` **`post_final_verdict`** — Function `post_final_verdict` is 63 lines long — too lon...
259	Low	**RepoGuardian — Naming Convention** | `LOW` The variable name 'f' in the _run_pr_review function is not descriptive. Consider renaming it to something mo...
259	Medium	**RepoGuardian — Logic Issue** | `MEDIUM` The _run_pr_review function does not handle any exceptions that may be raised by the run_pr_review_agent functio...
263	Low	**RepoGuardian — Naming Convention** | `LOW` The variable name 'c' in the list comprehension is not descriptive. It should be renamed to something more me...
263	Low	**RepoGuardian — Naming Convention** | `LOW` The variable name 'f' in the list comprehension is not very descriptive. Consider renaming it to something mo...
263	Medium	**RepoGuardian — Logic Issue** | `MEDIUM` The _run_security function does not handle any potential exceptions that may be raised by the run_security_agent...
263	Medium	**RepoGuardian — Logic Issue** | `MEDIUM` The _run_security function does not handle potential exceptions that may occur when running the security agent. ...
264	Low	**RepoGuardian Docs — Missing Inline Comments** | `LOW` **`_run_complexity`** — Add inline comments to explain the purpose of the try-except block in _run...
268	Medium	**RepoGuardian Docs — Missing Inline Comments** | `MEDIUM` **`_run_dependency`** — Add inline comments to explain the purpose of the try-except block and ...
268	Medium	**RepoGuardian Security — OWASP Vulnerability** | `MEDIUM` | `A06:2021-Vulnerable and Outdated Components` The post_final_verdict function uses the Github...
268	Low	**RepoGuardian — Code Structure** | `MEDIUM` The _run_pr_review and _run_security functions are tightly coupled with the specific agents they are running....
268	Medium	**RepoGuardian Docs — Missing Inline Comments** | `MEDIUM` **`_run_dependency`** — Add inline comments to explain the purpose of the try-except block and ...
268	Medium	**RepoGuardian Security — OWASP Vulnerability** | `MEDIUM` | `INCOMPLETE_ERROR_HANDLING` The error handling in the `_run_dependency` and `_run_complexity`...
272	Medium	**RepoGuardian — Code Structure** | `MEDIUM` The _run_security function does not handle any potential errors that may occur when running the security agen...
273	Medium	**RepoGuardian Docs — Missing Docstring** | `MEDIUM` **`_run_security`** — Add a docstring to explain the purpose and parameters of the _run_security func...
273	Medium	**RepoGuardian Docs — Missing Inline Comments** | `MEDIUM` **`_run_complexity`** — Add inline comments to explain the logic and purpose of the _run_comple...
281	Low	**RepoGuardian Security — OWASP Vulnerability** | `LOW` | `BARE_EXCEPT` The use of a bare 'except' clause in the '_run_dependency' and '_run_complexity' f...
283	Low	**RepoGuardian Security — OWASP Vulnerability** | `LOW` | `A04:2021-Insecure Design` The code uses a try-except block to catch all exceptions, but it does...
283	Low	**RepoGuardian — Naming Convention** | `LOW` The variable name 'issue' in the _run_security function is not descriptive. Consider renaming it to something...
284	Medium	**RepoGuardian Docs — Missing Inline Comments** | `MEDIUM` **`_run_dependency`** — Add inline comments to explain the logic and purpose of the _run_depend...
284	Medium	**RepoGuardian — Logic Issue** | `MEDIUM` The _run_pr_review function does not handle any exceptions that may occur when running the PR review agent. Cons...
284	Medium	**RepoGuardian Docs — Missing Docstring** | `MEDIUM` **`_run_pr_review`** — Add a docstring to explain the purpose of the _run_pr_review function and its ...

Line	Severity	Comment
285	Medium	**RepoGuardian — Logic Issue** | `MEDIUM` The _run_security function does not handle any potential exceptions that may occur when running the security age...
286	Medium	**RepoGuardian Docs — Missing Inline Comments** | `MEDIUM` **`_run_complexity`** — Add inline comments to explain the purpose of the try-except block and ...
286	Medium	**RepoGuardian Docs — Missing Inline Comments** | `MEDIUM` **`_run_complexity`** — Add inline comments to explain the purpose of the try-except block and ...
287	Medium	**RepoGuardian Security — OWASP Vulnerability** | `MEDIUM` | `A04:2021-Insecure Design` The `run_full_review` function runs multiple agents in parallel, b...
287	Medium	**RepoGuardian Security — OWASP Vulnerability** | `MEDIUM` | `A07:2021-Security Misconfiguration` The calculate_health_score function does not appear to v...
287	Medium	**RepoGuardian Security — OWASP Vulnerability** | `MEDIUM` | `A09:2021-Security Logging and Monitoring Failures` The 'post_final_verdict' function logs a ...
287	Low	**RepoGuardian Security — OWASP Vulnerability** | `LOW` | `A04:2021-Insecure Design` The code uses a simple logging mechanism, but it does not provide any...
294	Medium	**RepoGuardian Docs — Missing Inline Comments** | `MEDIUM` **`_run_dependency`** — Add inline comments to explain the purpose of the try-except block and ...
294	Medium	**RepoGuardian Docs — Missing Docstring** | `MEDIUM` **`_run_dependency`** — Add a docstring to explain the purpose and functionality of _run_dependency f...
297	Low	**RepoGuardian Security — OWASP Vulnerability** | `LOW` | `A05:2021-Security Misconfiguration` The run_full_review function prints the LLM_MODEL environme...
300	Medium	**RepoGuardian Docs — Missing Docstring** | `MEDIUM` **`_run_dependency`** — Add a docstring to explain the purpose and parameters of the _run_dependency ...
300	Medium	**RepoGuardian Docs — Missing Inline Comments** | `MEDIUM` **`_run_docs`** — Add inline comments to explain the logic and purpose of the _run_docs functio...
302	Medium	**RepoGuardian Docs — Missing Docstring** | `MEDIUM` **`_run_dependency`** — Add a docstring to explain the purpose of the _run_dependency function and it...
310	Medium	**RepoGuardian — Code Structure** | `MEDIUM` The _run_dependency function is quite long and complex, and could be broken down into smaller functions. Addi...
310	Medium	**RepoGuardian — Code Structure** | `MEDIUM` The _run_dependency and _run_complexity functions have similar structures and could be refactored into a sing...
310	Medium	**RepoGuardian — Code Structure** | `MEDIUM` The _run_dependency function is quite long and complex, and could be broken down into smaller functions. Addi...
310	Medium	**RepoGuardian — Code Structure** | `MEDIUM` The _run_dependency and _run_complexity functions are trying to import modules that may not exist, which coul...
310	Low	**RepoGuardian Security — OWASP Vulnerability** | `LOW` | `A09:2021-Security Logging and Monitoring Failures` The log_info, log_ok, log_warn, log_err, log...
310	Medium	**RepoGuardian — Code Structure** | `MEDIUM` The _run_dependency and _run_complexity functions are trying to import modules that may not exist, consider u...
310	Medium	**RepoGuardian — Code Structure** | `MEDIUM` The _run_dependency and _run_complexity functions are trying to import modules that may not exist, which coul...
310	Medium	**RepoGuardian — Code Structure** | `MEDIUM` The _run_dependency and _run_complexity functions are not properly implemented and may cause issues if the co...
310	Medium	**RepoGuardian — Code Structure** | `MEDIUM` The _run_dependency and _run_complexity functions have similar try-except blocks to handle missing dependenci...
310	Medium	**RepoGuardian — Code Structure** | `MEDIUM` The _run_dependency function is quite long and complex, and could be broken down into smaller functions. Addi...

Line	Severity	Comment
311	Medium	**RepoGuardian Docs — Missing Inline Comments** | `MEDIUM` **`_run_complexity`** — Add inline comments to explain the logic and purpose of the _run_comple...
312	Medium	**RepoGuardian Docs — Missing Docstring** | `MEDIUM` **`_run_security`** — Add a docstring to explain the purpose of the _run_security function and its pa...
314	Medium	**RepoGuardian Docs — Missing Docstring** | `MEDIUM` **`_run_complexity`** — Add a docstring to explain the purpose and functionality of _run_complexity f...
316	Medium	**RepoGuardian Docs — Missing Inline Comments** | `MEDIUM` **`_run_complexity`** — Add inline comments to explain the purpose of the try-except block and ...
317	Medium	**RepoGuardian Security — OWASP Vulnerability** | `MEDIUM` | `A04:2021-Insecure Design` The post_final_verdict function does not validate the input parame...
317	Medium	**RepoGuardian Security — OWASP Vulnerability** | `MEDIUM` | `A09:2021-Security Logging and Monitoring Failures` The code logs sensitive information, such...
321	High	**RepoGuardian Code Smell — Function Too Long** (score: 133) | `HIGH` **`run_full_review`** — Function `run_full_review` is 133 lines long — too long to r...
321	High	**RepoGuardian Code Smell — Function Too Long** (score: 133) | `HIGH` **`run_full_review`** — Function `run_full_review` is 133 lines long — too long to r...
322	Low	**RepoGuardian Security — OWASP Vulnerability** | `LOW` | `A05:2021-Security Misconfiguration` The 'max_workers' parameter for the ThreadPoolExecutor is s...
322	Medium	**RepoGuardian Security — OWASP Vulnerability** | `MEDIUM` | `A04:2021-Insecure Design` The run_full_review function runs all agents in parallel, but it d...
322	Low	**RepoGuardian Security — OWASP Vulnerability** | `LOW` | `IMPORT_STATEMENTS` The use of try-except blocks to import modules may lead to potential securit...
327	Medium	**RepoGuardian Docs — Missing Docstring** | `MEDIUM` **`_run_complexity`** — Add a docstring to explain the purpose and parameters of the _run_complexity ...
328	Medium	**RepoGuardian Docs — Missing Docstring** | `MEDIUM` **`_run_complexity`** — Add a docstring to explain the purpose of the _run_complexity function and it...
334	Medium	**RepoGuardian Docs — Missing Docstring** | `MEDIUM` **`_run_docs`** — Add a docstring to explain the purpose and functionality of _run_docs function. --...
343	Medium	**RepoGuardian Docs — Missing Docstring** | `MEDIUM` **`_run_dependency`** — Add a docstring to explain the purpose and parameters of the _run_dependency ...
354	Medium	**RepoGuardian Docs — Missing Docstring** | `MEDIUM` **`_run_docs`** — Add a docstring to explain the purpose and parameters of the _run_docs function. -...
373	Medium	**RepoGuardian Docs — Missing Docstring** | `MEDIUM` **`_run_complexity`** — Add a docstring to explain the purpose and parameters of the _run_complexity ...
394	Medium	**RepoGuardian Docs — Missing Docstring** | `MEDIUM` **`_run_dependency function`** — Add a docstring to explain the purpose and parameters of the _run_de...
394	Medium	**RepoGuardian Docs — Missing Docstring** | `MEDIUM` **`_run_dependency`** — Add a docstring to explain the purpose and functionality of _run_dependency f...
394	Medium	**RepoGuardian Docs — Missing Docstring** | `MEDIUM` **`_run_dependency function`** — Add a docstring to explain the purpose and parameters of the _run_de...
403	Medium	**RepoGuardian Docs — Missing Docstring** | `MEDIUM` **`_run_docs`** — Add a docstring to explain the purpose and parameters of the _run_docs function. Fo...
414	Medium	**RepoGuardian Docs — Missing Docstring** | `MEDIUM` **`_run_complexity`** — Add a docstring to explain the purpose and functionality of _run_complexity f...
423	Medium	**RepoGuardian Docs — Missing Docstring** | `MEDIUM` **`_run_complexity function`** — Add a docstring to explain the purpose and parameters of the _run_co...

Line	Severity	Comment
423	Medium	**RepoGuardian Docs — Missing Docstring** | `MEDIUM` **`_run_complexity function`** — Add a docstring to explain the purpose and parameters of the _run_co...
434	Medium	**RepoGuardian Docs — Missing Docstring** | `MEDIUM` **`_run_docs`** — Add a docstring to explain the purpose and functionality of _run_docs function. --...
452	Medium	**RepoGuardian Docs — Missing Docstring** | `MEDIUM` **`_run_docs function`** — Add a docstring to explain the purpose and parameters of the _run_docs fun...
452	Medium	**RepoGuardian Docs — Missing Docstring** | `MEDIUM` **`_run_docs function`** — Add a docstring to explain the purpose and parameters of the _run_docs fun...
466	Medium	**RepoGuardian Docs — Missing Docstring** | `MEDIUM` **`post_final_verdict`** — Add a docstring to explain the purpose of the post_final_verdict function ...
515	Medium	**RepoGuardian Code Smell — Code Duplication** (score: 5) | `MEDIUM` **`duplicate_block_line_397`** — Duplicate code block detected (also at agents/pr_rev...
515	Medium	**RepoGuardian Code Smell — Code Duplication** (score: 5) | `MEDIUM` **`duplicate_block_line_397`** — Duplicate code block detected (also at agents/pr_rev...
517	Medium	**RepoGuardian Code Smell — Code Duplication** (score: 5) | `MEDIUM` **`duplicate_block_line_399`** — Duplicate code block detected (also at tools/securit...
518	Medium	**RepoGuardian Code Smell — Code Duplication** (score: 5) | `MEDIUM` **`duplicate_block_line_400`** — Duplicate code block detected (also at tools/securit...

File: agents/pr_review.py (135 comments)

Line	Severity	Comment
6	Medium	**RepoGuardian Code Smell — Code Duplication** (score: 5) | `MEDIUM` **`duplicate_block_line_6`** — Duplicate code block detected (also at agents/orchestr...
6	Medium	**RepoGuardian Code Smell — Code Duplication** (score: 5) | `MEDIUM` **`duplicate_block_line_6`** — Duplicate code block detected (also at agents/orchestr...
7	Medium	**RepoGuardian Code Smell — Code Duplication** (score: 5) | `MEDIUM` **`duplicate_block_line_7`** — Duplicate code block detected (also at agents/orchestr...
7	Medium	**RepoGuardian Code Smell — Code Duplication** (score: 5) | `MEDIUM` **`duplicate_block_line_7`** — Duplicate code block detected (also at agents/orchestr...
10	Medium	**RepoGuardian — Logic Issue** | `MEDIUM` The GROQ_API_KEY and GITHUB_TOKEN are not checked for validity, it would be better to add some error handling to...
10	Medium	**RepoGuardian — Logic Issue** | `MEDIUM` The GROQ_API_KEY and GITHUB_TOKEN are loaded from the environment, but there is no error handling if they are no...
15	Medium	**RepoGuardian Code Smell — Code Duplication** (score: 5) | `MEDIUM` **`duplicate_block_line_15`** — Duplicate code block detected (also at tools/security...
16	Medium	**RepoGuardian Code Smell — Code Duplication** (score: 5) | `MEDIUM` **`duplicate_block_line_16`** — Duplicate code block detected (also at tools/security...
17	Medium	**RepoGuardian Code Smell — Code Duplication** (score: 5) | `MEDIUM` **`duplicate_block_line_17`** — Duplicate code block detected (also at tools/security...
20	High	**RepoGuardian — Logic Issue** | `HIGH` The function get_llm_client_and_model does not handle the case where the LLM_MODEL environment variable is not set...
21	High	**RepoGuardian — Coding Standard** | `HIGH` The GROQ_API_KEY and GITHUB_TOKEN are hardcoded and should be stored securely using environment variables or a...
21	Medium	**RepoGuardian — Code Structure** | `MEDIUM` The `get_llm_client_and_model` function has a long list of if-elif statements. Consider using a dictionary to...
21	High	**RepoGuardian Security — OWASP Vulnerability** | `HIGH` | `A02:2021 - Cryptographic Failures` The GROQ_API_KEY and GITHUB_TOKEN are loaded from the .env ...

Line	Severity	Comment
21	Medium	**RepoGuardian Security — OWASP Vulnerability** | `MEDIUM` | `A07:2021-Cross-Site Scripting (XSS)` The `log.info` statements may log sensitive information...
26	Low	**RepoGuardian — Naming Convention** | `LOW` The variable 'GROQ_API_KEY' could be renamed to something more descriptive, such as 'groq_api_key'. Consider ...
26	Low	**RepoGuardian — Naming Convention** | `MEDIUM` The variable `GROQ_API_KEY` is not properly named, as it does not follow the conventional naming style. To...
26	Low	**RepoGuardian — Naming Convention** | `LOW` The variable `GROQ_API_KEY` could be more descriptive. Consider renaming it to something like `groq_api_key` ...
26	Low	**RepoGuardian — Naming Convention** | `LOW` The variable `GROQ_API_KEY` could be renamed to something more descriptive, such as `groq_api_key`, to follow...
26	Low	**RepoGuardian — Naming Convention** | `LOW` The variable 'model' could be renamed to something more descriptive, such as 'llm_model'. Consider using more...
26	Medium	**RepoGuardian Code Smell — Code Duplication** (score: 5) | `MEDIUM` **`duplicate_block_line_26`** — Duplicate code block detected (also at tools/security...
28	Medium	**RepoGuardian Code Smell — Code Duplication** (score: 5) | `MEDIUM` **`duplicate_block_line_28`** — Duplicate code block detected (also at tools/security...
29	Medium	**RepoGuardian Code Smell — Code Duplication** (score: 5) | `MEDIUM` **`duplicate_block_line_29`** — Duplicate code block detected (also at tools/security...
30	Medium	**RepoGuardian — Code Structure** | `MEDIUM` The function get_llm_client_and_model has a long list of if-elif statements, which can be refactored into a d...
31	Medium	**RepoGuardian Code Smell — Code Duplication** (score: 5) | `MEDIUM` **`duplicate_block_line_31`** — Duplicate code block detected (also at tools/security...
32	Medium	**RepoGuardian Code Smell — Code Duplication** (score: 5) | `MEDIUM` **`duplicate_block_line_32`** — Duplicate code block detected (also at tools/security...
34	Medium	**RepoGuardian Code Smell — Code Duplication** (score: 5) | `MEDIUM` **`duplicate_block_line_34`** — Duplicate code block detected (also at tools/security...
36	High	**RepoGuardian Security — OWASP Vulnerability** | `HIGH` | `A02:2021-Cryptographic Failures` The `GROQ_API_KEY` and `GITHUB_TOKEN` are stored in environme...
40	High	**RepoGuardian — Logic Issue** | `HIGH` The code does not handle the case where the GROQ_API_KEY or GITHUB_TOKEN is missing in the .env file. Add proper e...
40	High	**RepoGuardian — Logic Issue** | `HIGH` Missing error handling for missing GROQ_API_KEY or GITHUB_TOKEN in .env. Consider using try-except blocks to handl...
41	High	**RepoGuardian Code Smell — Function Too Long** (score: 78) | `HIGH` **`get_llm_client_and_model`** — Function `get_llm_client_and_model` is 78 lines long...
41	High	**RepoGuardian Code Smell — Function Too Long** (score: 78) | `HIGH` **`get_llm_client_and_model`** — Function `get_llm_client_and_model` is 78 lines long...
41	Medium	**RepoGuardian Code Smell — Code Duplication** (score: 5) | `MEDIUM` **`duplicate_block_line_41`** — Duplicate code block detected (also at tools/security...
42	Medium	**RepoGuardian Code Smell — Code Duplication** (score: 5) | `MEDIUM` **`duplicate_block_line_42`** — Duplicate code block detected (also at tools/security...
43	Medium	**RepoGuardian — Logic Issue** | `MEDIUM` The code raises a RuntimeError if the GROQ_API_KEY or GITHUB_TOKEN environment variables are missing. Consider a...
43	Medium	**RepoGuardian Code Smell — Code Duplication** (score: 5) | `MEDIUM` **`duplicate_block_line_43`** — Duplicate code block detected (also at tools/security...
44	Medium	**RepoGuardian Code Smell — Code Duplication** (score: 5) | `MEDIUM` **`duplicate_block_line_44`** — Duplicate code block detected (also at tools/security...

Line	Severity	Comment
45	Medium	**RepoGuardian — Logic Issue** | `MEDIUM` The get_llm_client_and_model function does not handle the case where the LLM_MODEL environment variable is not s...
45	Medium	**RepoGuardian Code Smell — Code Duplication** (score: 5) | `MEDIUM` **`duplicate_block_line_45`** — Duplicate code block detected (also at tools/security...
46	Medium	**RepoGuardian Code Smell — Code Duplication** (score: 5) | `MEDIUM` **`duplicate_block_line_46`** — Duplicate code block detected (also at tools/security...
47	Medium	**RepoGuardian Code Smell — Code Duplication** (score: 5) | `MEDIUM` **`duplicate_block_line_47`** — Duplicate code block detected (also at tools/security...
48	Medium	**RepoGuardian Code Smell — Code Duplication** (score: 5) | `MEDIUM` **`duplicate_block_line_48`** — Duplicate code block detected (also at tools/security...
49	Medium	**RepoGuardian Code Smell — Code Duplication** (score: 5) | `MEDIUM` **`duplicate_block_line_49`** — Duplicate code block detected (also at tools/security...
50	Low	**RepoGuardian — Naming Convention** | `LOW` The variable model is not following the standard naming convention, consider renaming it to llm_model for bet...
50	Low	**RepoGuardian — Coding Standard** | `LOW` The `get_llm_client_and_model` function is not properly documented, and its purpose is not clearly explained. T...
50	High	**RepoGuardian — Logic Issue** | `HIGH` The `get_llm_client_and_model` function does not handle the case where the `LLM_MODEL` environment variable is not...
50	Medium	**RepoGuardian — Logic Issue** | `MEDIUM` The `get_llm_client_and_model` function does not handle the case where the `LLM_MODEL` environment variable is n...
50	Low	**RepoGuardian — Coding Standard** | `LOW` The script uses the 'load_dotenv' function to load environment variables from a .env file, but it does not chec...
50	Low	**RepoGuardian — Code Structure** | `LOW` The get_llm_client_and_model function has a long list of if-elif statements, it could be refactored to use a dic...
64	Medium	**RepoGuardian — Code Structure** | `MEDIUM` The get_llm_client_and_model function has a long chain of if-elif-else statements. Consider using a dictionar...
64	Medium	**RepoGuardian — Code Structure** | `MEDIUM` Deep nesting in the get_llm_client_and_model function. Consider breaking it down into smaller functions for b...
71	High	**RepoGuardian — Security** | `HIGH` The get_llm_client_and_model function is handling sensitive data such as API keys, it should be reviewed for potentia...
77	Medium	**RepoGuardian — Code Structure** | `MEDIUM` The class PRReviewResult has a field comments which is a list of ReviewComment objects, but it is not properl...
77	Low	**RepoGuardian — Code Structure** | `LOW` The get_llm_client_and_model function has a long list of if-elif statements. It would be better to use a diction...
81	Low	**RepoGuardian — Code Structure** | `LOW` The get_llm_client_and_model function has a long list of if-elif statements. Consider refactoring it to use a di...
104	Low	**RepoGuardian — Naming Convention** | `LOW` The variable `current` in the `chunk_diff` function is not very descriptive. Consider renaming it to somethin...
104	Medium	**RepoGuardian Security — OWASP Vulnerability** | `MEDIUM` | `A07:2021 - Identification and Authentication Failures` The get_llm_client_and_model function...
104	Medium	**RepoGuardian Security — OWASP Vulnerability** | `MEDIUM` | `A04:2021-Insecure Design` The `get_llm_client_and_model` function uses a simple string compa...
113	Low	**RepoGuardian — Naming Convention** | `LOW` The variable name 'current' in the chunk_diff function is not very descriptive. Consider renaming it to somet...
119	Medium	**RepoGuardian Code Smell — Function Too Long** (score: 51) | `MEDIUM` **`fetch_pr_diff`** — Function `fetch_pr_diff` is 51 lines long — too long to read ...

Line	Severity	Comment
119	Medium	**RepoGuardian Code Smell — Function Too Long** (score: 51) | `MEDIUM` **`fetch_pr_diff`** — Function `fetch_pr_diff` is 51 lines long — too long to read ...
123	Medium	**RepoGuardian — Code Structure** | `MEDIUM` The `run_pr_review_agent` function is quite long and complex, consider breaking it down into smaller function...
127	Medium	**RepoGuardian Code Smell — Code Duplication** (score: 5) | `MEDIUM` **`duplicate_block_line_127`** — Duplicate code block detected (also at tools/securit...
127	Medium	**RepoGuardian Code Smell — Code Duplication** (score: 5) | `MEDIUM` **`duplicate_block_line_127`** — Duplicate code block detected (also at tools/securit...
148	Medium	**RepoGuardian Code Smell — Code Duplication** (score: 5) | `MEDIUM` **`duplicate_block_line_148`** — Duplicate code block detected (also at tools/securit...
148	Medium	**RepoGuardian Code Smell — Code Duplication** (score: 5) | `MEDIUM` **`duplicate_block_line_148`** — Duplicate code block detected (also at tools/securit...
156	Low	**RepoGuardian — Naming Convention** | `LOW` The variable `all_comments` could be renamed to something more descriptive, such as `review_comments` or `pr_...
173	Medium	**RepoGuardian — Code Structure** | `MEDIUM` The 'get_llm_client_and_model' function is quite long and complex. Consider breaking it down into smaller fun...
173	Medium	**RepoGuardian — Code Structure** | `MEDIUM` The 'get_llm_client_and_model' function has a long list of if-elif statements. Consider breaking this out int...
193	Medium	**RepoGuardian — Coding Standard** | `MEDIUM` The `call_llm` function is not defined in this code snippet, but it is being used to call an external API. C...
196	Medium	**RepoGuardian Code Smell — Function Too Long** (score: 45) | `MEDIUM` **`call_llm`** — Function `call_llm` is 45 lines long — too long to read and test e...
196	Medium	**RepoGuardian Code Smell — Function Too Long** (score: 45) | `MEDIUM` **`call_llm`** — Function `call_llm` is 45 lines long — too long to read and test e...
199	Medium	**RepoGuardian — Coding Standard** | `MEDIUM` The `call_llm` function does not handle the case where the LLM API returns an error. Consider adding a try-e...
199	Medium	**RepoGuardian Code Smell — Code Duplication** (score: 5) | `MEDIUM` **`duplicate_block_line_199`** — Duplicate code block detected (also at tools/securit...
199	Medium	**RepoGuardian Code Smell — Code Duplication** (score: 5) | `MEDIUM` **`duplicate_block_line_199`** — Duplicate code block detected (also at tools/securit...
202	Medium	**RepoGuardian — Coding Standard** | `MEDIUM` The call_llm function does not handle the case where the LLM API returns an error. Consider adding a try-exc...
205	Medium	**RepoGuardian Code Smell — Code Duplication** (score: 5) | `MEDIUM` **`duplicate_block_line_205`** — Duplicate code block detected (also at tools/securit...
205	Medium	**RepoGuardian Code Smell — Code Duplication** (score: 5) | `MEDIUM` **`duplicate_block_line_205`** — Duplicate code block detected (also at tools/securit...
206	Medium	**RepoGuardian Code Smell — Code Duplication** (score: 5) | `MEDIUM` **`duplicate_block_line_206`** — Duplicate code block detected (also at tools/securit...
206	Medium	**RepoGuardian Code Smell — Code Duplication** (score: 5) | `MEDIUM` **`duplicate_block_line_206`** — Duplicate code block detected (also at tools/securit...
207	Medium	**RepoGuardian Code Smell — Code Duplication** (score: 5) | `MEDIUM` **`duplicate_block_line_207`** — Duplicate code block detected (also at tools/securit...
207	Medium	**RepoGuardian Code Smell — Code Duplication** (score: 5) | `MEDIUM` **`duplicate_block_line_207`** — Duplicate code block detected (also at tools/securit...
208	Medium	**RepoGuardian Code Smell — Code Duplication** (score: 5) | `MEDIUM` **`duplicate_block_line_208`** — Duplicate code block detected (also at tools/securit...

Line	Severity	Comment
208	Medium	**RepoGuardian Code Smell — Code Duplication** (score: 5) | `MEDIUM` **`duplicate_block_line_208`** — Duplicate code block detected (also at tools/securit...
209	Medium	**RepoGuardian Code Smell — Code Duplication** (score: 5) | `MEDIUM` **`duplicate_block_line_209`** — Duplicate code block detected (also at tools/securit...
209	Medium	**RepoGuardian Code Smell — Code Duplication** (score: 5) | `MEDIUM` **`duplicate_block_line_209`** — Duplicate code block detected (also at tools/securit...
210	Medium	**RepoGuardian — Code Structure** | `MEDIUM` The chunk_diff function does not handle the case where the diff is empty. Consider adding a check for this ca...
219	Medium	**RepoGuardian Code Smell — Code Duplication** (score: 5) | `MEDIUM` **`duplicate_block_line_219`** — Duplicate code block detected (also at tools/securit...
219	Medium	**RepoGuardian Code Smell — Code Duplication** (score: 5) | `MEDIUM` **`duplicate_block_line_219`** — Duplicate code block detected (also at tools/securit...
220	Medium	**RepoGuardian Code Smell — Code Duplication** (score: 5) | `MEDIUM` **`duplicate_block_line_220`** — Duplicate code block detected (also at tools/securit...
220	Medium	**RepoGuardian Code Smell — Code Duplication** (score: 5) | `MEDIUM` **`duplicate_block_line_220`** — Duplicate code block detected (also at tools/securit...
221	Medium	**RepoGuardian Code Smell — Code Duplication** (score: 5) | `MEDIUM` **`duplicate_block_line_221`** — Duplicate code block detected (also at tools/securit...
221	Medium	**RepoGuardian Code Smell — Code Duplication** (score: 5) | `MEDIUM` **`duplicate_block_line_221`** — Duplicate code block detected (also at tools/securit...
223	Medium	**RepoGuardian Code Smell — Code Duplication** (score: 5) | `MEDIUM` **`duplicate_block_line_223`** — Duplicate code block detected (also at tools/securit...
223	Medium	**RepoGuardian Code Smell — Code Duplication** (score: 5) | `MEDIUM` **`duplicate_block_line_223`** — Duplicate code block detected (also at tools/securit...
224	Medium	**RepoGuardian Code Smell — Code Duplication** (score: 5) | `MEDIUM` **`duplicate_block_line_224`** — Duplicate code block detected (also at tools/securit...
224	Medium	**RepoGuardian Code Smell — Code Duplication** (score: 5) | `MEDIUM` **`duplicate_block_line_224`** — Duplicate code block detected (also at tools/securit...
225	Medium	**RepoGuardian Code Smell — Code Duplication** (score: 5) | `MEDIUM` **`duplicate_block_line_225`** — Duplicate code block detected (also at tools/securit...
225	Medium	**RepoGuardian Code Smell — Code Duplication** (score: 5) | `MEDIUM` **`duplicate_block_line_225`** — Duplicate code block detected (also at tools/securit...
226	Medium	**RepoGuardian Code Smell — Code Duplication** (score: 5) | `MEDIUM` **`duplicate_block_line_226`** — Duplicate code block detected (also at tools/securit...
226	Medium	**RepoGuardian Code Smell — Code Duplication** (score: 5) | `MEDIUM` **`duplicate_block_line_226`** — Duplicate code block detected (also at tools/securit...
227	Medium	**RepoGuardian Code Smell — Code Duplication** (score: 5) | `MEDIUM` **`duplicate_block_line_227`** — Duplicate code block detected (also at tools/securit...
227	Medium	**RepoGuardian Code Smell — Code Duplication** (score: 5) | `MEDIUM` **`duplicate_block_line_227`** — Duplicate code block detected (also at tools/securit...
240	Low	**RepoGuardian — Naming Convention** | `LOW` The variable name 'c' in the post_inline_comments function is not descriptive. Consider renaming it to someth...
241	Medium	**RepoGuardian Code Smell — Function Too Long** (score: 42) | `MEDIUM` **`is_valid_issue`** — Function `is_valid_issue` is 42 lines long — too long to rea...
241	Medium	**RepoGuardian Code Smell — Function Too Long** (score: 42) | `MEDIUM` **`is_valid_issue`** — Function `is_valid_issue` is 42 lines long — too long to rea...

Line	Severity	Comment
276	Medium	**RepoGuardian Security — OWASP Vulnerability** | `MEDIUM` | `A05:2021 - Security Misconfiguration` The call_llm function does not handle errors properly,...
283	Low	**RepoGuardian Docs — Missing Inline Comments** | `LOW` **`post_inline_comments`** — Function `post_inline_comments` has 38 lines but no inline comments. ...
283	Low	**RepoGuardian Docs — Missing Inline Comments** | `LOW` **`post_inline_comments`** — Function `post_inline_comments` has 38 lines but no inline comments. ...
283	Low	**RepoGuardian Docs — Missing Inline Comments** | `LOW` **`post_inline_comments`** — Function `post_inline_comments` has 38 lines but no inline comments. ...
283	Low	**RepoGuardian Docs — Missing Inline Comments** | `LOW` **`post_inline_comments`** — Function `post_inline_comments` has 38 lines but no inline comments. ...
283	Low	**RepoGuardian Docs — Missing Inline Comments** | `LOW` **`post_inline_comments`** — Function `post_inline_comments` has 38 lines but no inline comments. ...
283	Low	**RepoGuardian Docs — Missing Inline Comments** | `LOW` **`post_inline_comments`** — Function `post_inline_comments` has 38 lines but no inline comments. ...
283	Low	**RepoGuardian Docs — Missing Inline Comments** | `LOW` **`post_inline_comments`** — Function `post_inline_comments` has 38 lines but no inline comments. ...
283	Low	**RepoGuardian Docs — Missing Inline Comments** | `LOW` **`post_inline_comments`** — Function `post_inline_comments` has 38 lines but no inline comments. ...
283	Low	**RepoGuardian Docs — Missing Inline Comments** | `LOW` **`post_inline_comments`** — Function `post_inline_comments` has 38 lines but no inline comments. ...
283	Low	**RepoGuardian Docs — Missing Inline Comments** | `LOW` **`post_inline_comments`** — Function `post_inline_comments` has 38 lines but no inline comments. ...
283	Low	**RepoGuardian Docs — Missing Inline Comments** | `LOW` **`post_inline_comments`** — Function `post_inline_comments` has 38 lines but no inline comments. ...
283	Low	**RepoGuardian Docs — Missing Inline Comments** | `LOW` **`post_inline_comments`** — Function `post_inline_comments` has 38 lines but no inline comments. ...
283	Low	**RepoGuardian Docs — Missing Inline Comments** | `LOW` **`post_inline_comments`** — Function `post_inline_comments` has 38 lines but no inline comments. ...
283	Low	**RepoGuardian Docs — Missing Inline Comments** | `LOW` **`post_inline_comments`** — Function `post_inline_comments` has 38 lines but no inline comments. ...
283	Low	**RepoGuardian Docs — Missing Inline Comments** | `LOW` **`post_inline_comments`** — Function `post_inline_comments` has 38 lines but no inline comments. ...
283	Low	**RepoGuardian Docs — Missing Inline Comments** | `LOW` **`post_inline_comments`** — Function `post_inline_comments` has 38 lines but no inline comments. ...
283	Low	**RepoGuardian Docs — Missing Inline Comments** | `LOW` **`post_inline_comments`** — Function `post_inline_comments` has 38 lines but no inline comments. ...
283	Low	**RepoGuardian Docs — Missing Inline Comments** | `LOW` **`post_inline_comments`** — Function `post_inline_comments` has 38 lines but no inline comments. ...
283	Low	**RepoGuardian Docs — Missing Inline Comments** | `LOW` **`post_inline_comments`** — Function `post_inline_comments` has 38 lines but no inline comments. ...
283	Low	**RepoGuardian Docs — Missing Inline Comments** | `LOW` **`post_inline_comments`** — Function `post_inline_comments` has 38 lines but no inline comments. ...
285	Medium	**RepoGuardian Code Smell — Code Duplication** (score: 5) | `MEDIUM` **`duplicate_block_line_285`** — Duplicate code block detected (also at tools/securit...
285	Medium	**RepoGuardian Code Smell — Code Duplication** (score: 5) | `MEDIUM` **`duplicate_block_line_285`** — Duplicate code block detected (also at tools/securit...

Line	Severity	Comment
301	Medium	**RepoGuardian Code Smell — Code Duplication** (score: 5) | `MEDIUM` **`duplicate_block_line_301`** — Duplicate code block detected (also at tools/securit...
301	Medium	**RepoGuardian Code Smell — Code Duplication** (score: 5) | `MEDIUM` **`duplicate_block_line_301`** — Duplicate code block detected (also at tools/securit...
312	Medium	**RepoGuardian — Logic Issue** | `MEDIUM` The call_groq function does not handle the case where the Groq API returns an error. Consider adding a try-excep...
355	High	**RepoGuardian Code Smell — Function Too Long** (score: 128) | `HIGH` **`run_pr_review_agent`** — Function `run_pr_review_agent` is 128 lines long — too l...
355	High	**RepoGuardian Code Smell — Function Too Long** (score: 128) | `HIGH` **`run_pr_review_agent`** — Function `run_pr_review_agent` is 128 lines long — too l...
456	Medium	**RepoGuardian Code Smell — Code Duplication** (score: 5) | `MEDIUM` **`duplicate_block_line_456`** — Duplicate code block detected (also at agents/orches...
456	Medium	**RepoGuardian Code Smell — Code Duplication** (score: 5) | `MEDIUM` **`duplicate_block_line_456`** — Duplicate code block detected (also at agents/orches...

File: db/memory_store.json (72 comments)

Line	Severity	Comment
197	High	**RepoGuardian Security — Injection Risk** | `HIGH` | `SQL_INJECTION` SQL injection risk: query uses string formatting or concatenation. Use parameterised...
197	High	**RepoGuardian Security — Injection Risk** | `HIGH` | `SQL_INJECTION` SQL injection risk: query uses string formatting or concatenation. Use parameterised...
197	High	**RepoGuardian Security — Injection Risk** | `HIGH` | `SQL_INJECTION` SQL injection risk: query uses string formatting or concatenation. Use parameterised...
197	High	**RepoGuardian Security — Injection Risk** | `HIGH` | `SQL_INJECTION` SQL injection risk: query uses string formatting or concatenation. Use parameterised...
197	High	**RepoGuardian Security — Injection Risk** | `HIGH` | `SQL_INJECTION` SQL injection risk: query uses string formatting or concatenation. Use parameterised...
197	High	**RepoGuardian Security — Injection Risk** | `HIGH` | `SQL_INJECTION` SQL injection risk: query uses string formatting or concatenation. Use parameterised...
197	High	**RepoGuardian Security — Injection Risk** | `HIGH` | `SQL_INJECTION` SQL injection risk: query uses string formatting or concatenation. Use parameterised...
197	High	**RepoGuardian Security — Injection Risk** | `HIGH` | `SQL_INJECTION` SQL injection risk: query uses string formatting or concatenation. Use parameterised...
197	High	**RepoGuardian Security — Injection Risk** | `HIGH` | `SQL_INJECTION` SQL injection risk: query uses string formatting or concatenation. Use parameterised...
197	High	**RepoGuardian Security — Injection Risk** | `HIGH` | `SQL_INJECTION` SQL injection risk: query uses string formatting or concatenation. Use parameterised...
197	High	**RepoGuardian Security — Injection Risk** | `HIGH` | `SQL_INJECTION` SQL injection risk: query uses string formatting or concatenation. Use parameterised...
209	High	**RepoGuardian Security — OWASP Vulnerability** | `HIGH` | `EVAL_USAGE` eval() executes arbitrary code — never use with user input. Use ast.literal_eval()...
209	High	**RepoGuardian Security — OWASP Vulnerability** | `HIGH` | `EVAL_USAGE` eval() executes arbitrary code — never use with user input. Use ast.literal_eval()...
209	High	**RepoGuardian Security — OWASP Vulnerability** | `HIGH` | `EVAL_USAGE` eval() executes arbitrary code — never use with user input. Use ast.literal_eval()...

Line	Severity	Comment
209	High	**RepoGuardian Security — OWASP Vulnerability** | `HIGH` | `EVAL_USAGE` eval() executes arbitrary code — never use with user input. Use ast.literal_eval()...
209	High	**RepoGuardian Security — OWASP Vulnerability** | `HIGH` | `EVAL_USAGE` eval() executes arbitrary code — never use with user input. Use ast.literal_eval()...
209	High	**RepoGuardian Security — OWASP Vulnerability** | `HIGH` | `EVAL_USAGE` eval() executes arbitrary code — never use with user input. Use ast.literal_eval()...
209	High	**RepoGuardian Security — OWASP Vulnerability** | `HIGH` | `EVAL_USAGE` eval() executes arbitrary code — never use with user input. Use ast.literal_eval()...
209	High	**RepoGuardian Security — OWASP Vulnerability** | `HIGH` | `EVAL_USAGE` eval() executes arbitrary code — never use with user input. Use ast.literal_eval()...
209	High	**RepoGuardian Security — OWASP Vulnerability** | `HIGH` | `EVAL_USAGE` eval() executes arbitrary code — never use with user input. Use ast.literal_eval()...
209	High	**RepoGuardian Security — OWASP Vulnerability** | `HIGH` | `EVAL_USAGE` eval() executes arbitrary code — never use with user input. Use ast.literal_eval()...
209	High	**RepoGuardian Security — OWASP Vulnerability** | `HIGH` | `EVAL_USAGE` eval() executes arbitrary code — never use with user input. Use ast.literal_eval()...
209	High	**RepoGuardian Security — OWASP Vulnerability** | `HIGH` | `EVAL_USAGE` eval() executes arbitrary code — never use with user input. Use ast.literal_eval()...
221	High	**RepoGuardian Security — OWASP Vulnerability** | `HIGH` | `OS_SYSTEM_INJECTION` Command injection risk: os.system() or subprocess shell=True. Use subproc...
221	High	**RepoGuardian Security — OWASP Vulnerability** | `HIGH` | `OS_SYSTEM_INJECTION` Command injection risk: os.system() or subprocess shell=True. Use subproc...
221	High	**RepoGuardian Security — OWASP Vulnerability** | `HIGH` | `OS_SYSTEM_INJECTION` Command injection risk: os.system() or subprocess shell=True. Use subproc...
221	High	**RepoGuardian Security — OWASP Vulnerability** | `HIGH` | `OS_SYSTEM_INJECTION` Command injection risk: os.system() or subprocess shell=True. Use subproc...
221	High	**RepoGuardian Security — OWASP Vulnerability** | `HIGH` | `OS_SYSTEM_INJECTION` Command injection risk: os.system() or subprocess shell=True. Use subproc...
221	High	**RepoGuardian Security — OWASP Vulnerability** | `HIGH` | `OS_SYSTEM_INJECTION` Command injection risk: os.system() or subprocess shell=True. Use subproc...
221	High	**RepoGuardian Security — OWASP Vulnerability** | `HIGH` | `OS_SYSTEM_INJECTION` Command injection risk: os.system() or subprocess shell=True. Use subproc...
221	High	**RepoGuardian Security — OWASP Vulnerability** | `HIGH` | `OS_SYSTEM_INJECTION` Command injection risk: os.system() or subprocess shell=True. Use subproc...
221	High	**RepoGuardian Security — OWASP Vulnerability** | `HIGH` | `OS_SYSTEM_INJECTION` Command injection risk: os.system() or subprocess shell=True. Use subproc...
221	High	**RepoGuardian Security — OWASP Vulnerability** | `HIGH` | `OS_SYSTEM_INJECTION` Command injection risk: os.system() or subprocess shell=True. Use subproc...
221	High	**RepoGuardian Security — OWASP Vulnerability** | `HIGH` | `OS_SYSTEM_INJECTION` Command injection risk: os.system() or subprocess shell=True. Use subproc...
235	High	**RepoGuardian Security — OWASP Vulnerability** | `HIGH` | `PICKLE_DESERIALISE` pickle.load() can execute arbitrary code — never use with untrusted data. ...
235	High	**RepoGuardian Security — OWASP Vulnerability** | `HIGH` | `PICKLE_DESERIALISE` pickle.load() can execute arbitrary code — never use with untrusted data. ...

Line	Severity	Comment
235	High	**RepoGuardian Security — OWASP Vulnerability** | `HIGH` | `PICKLE_DESERIALISE` pickle.load() can execute arbitrary code — never use with untrusted data. ...
235	High	**RepoGuardian Security — OWASP Vulnerability** | `HIGH` | `PICKLE_DESERIALISE` pickle.load() can execute arbitrary code — never use with untrusted data. ...
235	High	**RepoGuardian Security — OWASP Vulnerability** | `HIGH` | `PICKLE_DESERIALISE` pickle.load() can execute arbitrary code — never use with untrusted data. ...
235	High	**RepoGuardian Security — OWASP Vulnerability** | `HIGH` | `PICKLE_DESERIALISE` pickle.load() can execute arbitrary code — never use with untrusted data. ...
235	High	**RepoGuardian Security — OWASP Vulnerability** | `HIGH` | `PICKLE_DESERIALISE` pickle.load() can execute arbitrary code — never use with untrusted data. ...
235	High	**RepoGuardian Security — OWASP Vulnerability** | `HIGH` | `PICKLE_DESERIALISE` pickle.load() can execute arbitrary code — never use with untrusted data. ...
235	High	**RepoGuardian Security — OWASP Vulnerability** | `HIGH` | `PICKLE_DESERIALISE` pickle.load() can execute arbitrary code — never use with untrusted data. ...
235	High	**RepoGuardian Security — OWASP Vulnerability** | `HIGH` | `PICKLE_DESERIALISE` pickle.load() can execute arbitrary code — never use with untrusted data. ...
235	High	**RepoGuardian Security — OWASP Vulnerability** | `HIGH` | `PICKLE_DESERIALISE` pickle.load() can execute arbitrary code — never use with untrusted data. ...
235	High	**RepoGuardian Security — OWASP Vulnerability** | `HIGH` | `PICKLE_DESERIALISE` pickle.load() can execute arbitrary code — never use with untrusted data. ...
247	Low	**RepoGuardian Security — Insecure Pattern** | `MEDIUM` | `BARE_EXCEPT` Bare except: swallows all exceptions including KeyboardInterrupt. Always catch spe...
247	Low	**RepoGuardian Security — Insecure Pattern** | `MEDIUM` | `BARE_EXCEPT` Bare except: swallows all exceptions including KeyboardInterrupt. Always catch spe...
247	Low	**RepoGuardian Security — Insecure Pattern** | `MEDIUM` | `BARE_EXCEPT` Bare except: swallows all exceptions including KeyboardInterrupt. Always catch spe...
247	Low	**RepoGuardian Security — Insecure Pattern** | `MEDIUM` | `BARE_EXCEPT` Bare except: swallows all exceptions including KeyboardInterrupt. Always catch spe...
247	Low	**RepoGuardian Security — Insecure Pattern** | `MEDIUM` | `BARE_EXCEPT` Bare except: swallows all exceptions including KeyboardInterrupt. Always catch spe...
247	Low	**RepoGuardian Security — Insecure Pattern** | `MEDIUM` | `BARE_EXCEPT` Bare except: swallows all exceptions including KeyboardInterrupt. Always catch spe...
247	Low	**RepoGuardian Security — Insecure Pattern** | `MEDIUM` | `BARE_EXCEPT` Bare except: swallows all exceptions including KeyboardInterrupt. Always catch spe...
247	Low	**RepoGuardian Security — Insecure Pattern** | `MEDIUM` | `BARE_EXCEPT` Bare except: swallows all exceptions including KeyboardInterrupt. Always catch spe...
247	Low	**RepoGuardian Security — Insecure Pattern** | `MEDIUM` | `BARE_EXCEPT` Bare except: swallows all exceptions including KeyboardInterrupt. Always catch spe...
247	Low	**RepoGuardian Security — Insecure Pattern** | `MEDIUM` | `BARE_EXCEPT` Bare except: swallows all exceptions including KeyboardInterrupt. Always catch spe...
247	Low	**RepoGuardian Security — Insecure Pattern** | `MEDIUM` | `BARE_EXCEPT` Bare except: swallows all exceptions including KeyboardInterrupt. Always catch spe...
259	Low	**RepoGuardian Security — OWASP Vulnerability** | `LOW` | `HTTP_NOT_HTTPS` Plain HTTP URL detected — use HTTPS to encrypt traffic in transit. **Detected ...

Line	Severity	Comment
259	Low	**RepoGuardian Security — OWASP Vulnerability** | `LOW` | `HTTP_NOT_HTTPS` Plain HTTP URL detected — use HTTPS to encrypt traffic in transit. **Detected ...
259	Low	**RepoGuardian Security — OWASP Vulnerability** | `LOW` | `HTTP_NOT_HTTPS` Plain HTTP URL detected — use HTTPS to encrypt traffic in transit. **Detected ...
259	Low	**RepoGuardian Security — OWASP Vulnerability** | `LOW` | `HTTP_NOT_HTTPS` Plain HTTP URL detected — use HTTPS to encrypt traffic in transit. **Detected ...
259	Low	**RepoGuardian Security — OWASP Vulnerability** | `LOW` | `HTTP_NOT_HTTPS` Plain HTTP URL detected — use HTTPS to encrypt traffic in transit. **Detected ...
259	Low	**RepoGuardian Security — OWASP Vulnerability** | `LOW` | `HTTP_NOT_HTTPS` Plain HTTP URL detected — use HTTPS to encrypt traffic in transit. **Detected ...
259	Low	**RepoGuardian Security — OWASP Vulnerability** | `LOW` | `HTTP_NOT_HTTPS` Plain HTTP URL detected — use HTTPS to encrypt traffic in transit. **Detected ...
259	Low	**RepoGuardian Security — OWASP Vulnerability** | `LOW` | `HTTP_NOT_HTTPS` Plain HTTP URL detected — use HTTPS to encrypt traffic in transit. **Detected ...
259	Low	**RepoGuardian Security — OWASP Vulnerability** | `LOW` | `HTTP_NOT_HTTPS` Plain HTTP URL detected — use HTTPS to encrypt traffic in transit. **Detected ...
259	Low	**RepoGuardian Security — OWASP Vulnerability** | `LOW` | `HTTP_NOT_HTTPS` Plain HTTP URL detected — use HTTPS to encrypt traffic in transit. **Detected ...
259	Low	**RepoGuardian Security — OWASP Vulnerability** | `LOW` | `HTTP_NOT_HTTPS` Plain HTTP URL detected — use HTTPS to encrypt traffic in transit. **Detected ...
259	Low	**RepoGuardian Security — OWASP Vulnerability** | `LOW` | `HTTP_NOT_HTTPS` Plain HTTP URL detected — use HTTPS to encrypt traffic in transit. **Detected ...

File: db/models.py (10 comments)

Line	Severity	Comment
1	Medium	**RepoGuardian — Naming Convention** | `MEDIUM` Consider renaming the 'agent' field in the 'Finding' dataclass to something more descriptive, such as 'fin...
1	Medium	**RepoGuardian — Code Structure** | `MEDIUM` The import statement from dataclasses import dataclass has been split into two lines. Consider keeping it on ...
1	Medium	**RepoGuardian — Code Structure** | `MEDIUM` The import statement from dataclasses import dataclass has been split into two lines. Consider keeping it on ...
5	Low	**RepoGuardian — Naming Convention** | `MEDIUM` The variable 'agent' in the Finding dataclass should be renamed to follow standard naming conventions, suc...
5	Medium	**RepoGuardian — Naming Convention** | `MEDIUM` The variable 'agent' in the Finding dataclass could be renamed to something more descriptive like 'agent_t...
10	Medium	**RepoGuardian — Code Structure** | `MEDIUM` The Finding dataclass has a new field called suggestion, but it is not clear how this field will be used. Con...
10	Low	**RepoGuardian — Naming Convention** | `MEDIUM` The variable 'agent' in the Finding dataclass should be renamed to follow standard naming conventions, suc...
10	Medium	**RepoGuardian — Code Structure** | `MEDIUM` The Finding dataclass has a new field suggestion, but it is not clear what this field is used for. Consider a...
10	Low	**RepoGuardian — Code Structure** | `MEDIUM` The Finding dataclass has a new field 'suggestion' with a default value of an empty string. However, it would...
25	Medium	**RepoGuardian — Code Structure** | `MEDIUM` The class 'ReviewResult' has a redundant field 'metadata'. Remove this field to simplify the dataclass. --- ...

File: main.py (16 comments)

Line	Severity	Comment
1	Medium	**RepoGuardian — Naming Convention** | `MEDIUM` The function name 'calc' is not descriptive, consider renaming it to something like 'add_numbers' to bette...
1	Low	**RepoGuardian — Code Structure** | `LOW` The file is missing a newline at the end, which is a standard convention in Python. Add a newline at the end of ...
1	Low	**RepoGuardian — Code Structure** | `MEDIUM` The main.py file does not have a newline at the end of the file. This can cause issues with some text editors...
1	Low	**RepoGuardian — Naming Convention** | `LOW` The function 'calc' should be renamed to follow standard naming conventions, such as 'calculate_sum'. Additio...
1	Low	**RepoGuardian — Naming Convention** | `LOW` The function name 'calc' is not descriptive, consider renaming it to something like 'add_numbers' to better r...
1	Low	**RepoGuardian — Naming Convention** | `LOW` The function name calc is not descriptive and does not follow standard naming conventions. Consider renaming ...
1	Low	**RepoGuardian — Code Structure** | `MEDIUM` The function calc(a, b) is not following the standard naming convention and is too simple, consider renaming ...
1	Low	**RepoGuardian — Naming Convention** | `LOW` The function 'calc' should be renamed to follow standard naming conventions, such as 'calculate_sum'. Additio...
1	Low	**RepoGuardian — Naming Convention** | `LOW` The function name calc is not descriptive and does not follow standard naming conventions. Consider renaming ...
1	Low	**RepoGuardian — Naming Convention** | `LOW` The function name 'calc' is not descriptive, consider renaming it to something like 'add_numbers' to better r...
1	Low	**RepoGuardian — Naming Convention** | `LOW` The function 'calc' is not descriptive and does not follow PEP 8 naming conventions. It would be better to re...
2	Medium	**RepoGuardian — Logic Issue** | `MEDIUM` The function 'calc' is missing a docstring. Add a docstring to describe its purpose and parameters. --- *Posted...
2	Medium	**RepoGuardian — Coding Standard** | `MEDIUM` Add a docstring to the `calc` function to describe its purpose and behavior. --- *Posted automatically by R...
2	Low	**RepoGuardian — Naming Convention** | `LOW` The function name `calc` is not descriptive. Consider renaming it to something like `calculate_sum`. --- *Po...
2	Medium	**RepoGuardian — Logic Issue** | `MEDIUM` The function 'calc' is missing a docstring. Add a docstring to describe the function's purpose and parameters. ...
2	Medium	**RepoGuardian — Logic Issue** | `MEDIUM` The function calc(a, b) is missing a docstring. Add a docstring to describe the function's purpose and parameter...

File: test.py (4 comments)

Line	Severity	Comment
5	High	**RepoGuardian Security — Hardcoded Secret** | `HIGH` | `HARDCODED_PASSWORD` Hardcoded password in source code. Use environment variables or a secrets man...
6	High	**RepoGuardian Security — Hardcoded Secret** | `HIGH` | `HARDCODED_API_KEY` Hardcoded API key or secret detected. Move this to an environment variable usi...
9	High	**RepoGuardian Security — OWASP Vulnerability** | `HIGH` | `WEAK_HASH_MD5` MD5 is a broken hash — do not use for security. Use bcrypt/argon2 for passwords...
10	High	**RepoGuardian Security — Injection Risk** | `HIGH` | `SQL_STRING_CONCAT` SQL built with string concatenation — classic injection vulnerability. Always us...

File: tools/docs.py (16 comments)

Line	Severity	Comment
276	Low	**RepoGuardian Docs — Missing Inline Comments** | `LOW` **`scan_inline_comments`** — Function `scan_inline_comments` has 15 lines but no inline comments. ...
276	Low	**RepoGuardian Docs — Missing Inline Comments** | `LOW` **`scan_inline_comments`** — Function `scan_inline_comments` has 15 lines but no inline comments. ...
276	Low	**RepoGuardian Docs — Missing Inline Comments** | `LOW` **`scan_inline_comments`** — Function `scan_inline_comments` has 15 lines but no inline comments. ...
276	Low	**RepoGuardian Docs — Missing Inline Comments** | `LOW` **`scan_inline_comments`** — Function `scan_inline_comments` has 15 lines but no inline comments. ...
276	Low	**RepoGuardian Docs — Missing Inline Comments** | `LOW` **`scan_inline_comments`** — Function `scan_inline_comments` has 15 lines but no inline comments. ...
276	Low	**RepoGuardian Docs — Missing Inline Comments** | `LOW` **`scan_inline_comments`** — Function `scan_inline_comments` has 15 lines but no inline comments. ...
276	Low	**RepoGuardian Docs — Missing Inline Comments** | `LOW` **`scan_inline_comments`** — Function `scan_inline_comments` has 15 lines but no inline comments. ...
276	Low	**RepoGuardian Docs — Missing Inline Comments** | `LOW` **`scan_inline_comments`** — Function `scan_inline_comments` has 15 lines but no inline comments. ...
276	Low	**RepoGuardian Docs — Missing Inline Comments** | `LOW` **`scan_inline_comments`** — Function `scan_inline_comments` has 15 lines but no inline comments. ...
276	Low	**RepoGuardian Docs — Missing Inline Comments** | `LOW` **`scan_inline_comments`** — Function `scan_inline_comments` has 15 lines but no inline comments. ...
276	Low	**RepoGuardian Docs — Missing Inline Comments** | `LOW` **`scan_inline_comments`** — Function `scan_inline_comments` has 15 lines but no inline comments. ...
276	Low	**RepoGuardian Docs — Missing Inline Comments** | `LOW` **`scan_inline_comments`** — Function `scan_inline_comments` has 15 lines but no inline comments. ...
276	Low	**RepoGuardian Docs — Missing Inline Comments** | `LOW` **`scan_inline_comments`** — Function `scan_inline_comments` has 15 lines but no inline comments. ...
276	Low	**RepoGuardian Docs — Missing Inline Comments** | `LOW` **`scan_inline_comments`** — Function `scan_inline_comments` has 15 lines but no inline comments. ...
276	Low	**RepoGuardian Docs — Missing Inline Comments** | `LOW` **`scan_inline_comments`** — Function `scan_inline_comments` has 15 lines but no inline comments. ...
276	Low	**RepoGuardian Docs — Missing Inline Comments** | `LOW` **`scan_inline_comments`** — Function `scan_inline_comments` has 15 lines but no inline comments. ...

File: tools/memory.py (48 comments)

Line	Severity	Comment
122	Low	**RepoGuardian Docs — Missing Inline Comments** | `LOW` **`load_memory_store`** — Function `load_memory_store` has 13 lines but no inline comments. Add # ...
122	Low	**RepoGuardian Docs — Missing Inline Comments** | `LOW` **`load_memory_store`** — Function `load_memory_store` has 13 lines but no inline comments. Add # ...
122	Low	**RepoGuardian Docs — Missing Inline Comments** | `LOW` **`load_memory_store`** — Function `load_memory_store` has 13 lines but no inline comments. Add # ...
122	Low	**RepoGuardian Docs — Missing Inline Comments** | `LOW` **`load_memory_store`** — Function `load_memory_store` has 13 lines but no inline comments. Add # ...
122	Low	**RepoGuardian Docs — Missing Inline Comments** | `LOW` **`load_memory_store`** — Function `load_memory_store` has 13 lines but no inline comments. Add # ...
122	Low	**RepoGuardian Docs — Missing Inline Comments** | `LOW` **`load_memory_store`** — Function `load_memory_store` has 13 lines but no inline comments. Add # ...

Line	Severity	Comment
122	Low	**RepoGuardian Docs — Missing Inline Comments** | `LOW` **`load_memory_store`** — Function `load_memory_store` has 13 lines but no inline comments. Add # ...
122	Low	**RepoGuardian Docs — Missing Inline Comments** | `LOW` **`load_memory_store`** — Function `load_memory_store` has 13 lines but no inline comments. Add # ...
122	Low	**RepoGuardian Docs — Missing Inline Comments** | `LOW` **`load_memory_store`** — Function `load_memory_store` has 13 lines but no inline comments. Add # ...
122	Low	**RepoGuardian Docs — Missing Inline Comments** | `LOW` **`load_memory_store`** — Function `load_memory_store` has 13 lines but no inline comments. Add # ...
122	Low	**RepoGuardian Docs — Missing Inline Comments** | `LOW` **`load_memory_store`** — Function `load_memory_store` has 13 lines but no inline comments. Add # ...
122	Low	**RepoGuardian Docs — Missing Inline Comments** | `LOW` **`load_memory_store`** — Function `load_memory_store` has 13 lines but no inline comments. Add # ...
135	Low	**RepoGuardian Docs — Missing Inline Comments** | `LOW` **`save_memory_store`** — Function `save_memory_store` has 11 lines but no inline comments. Add # ...
135	Low	**RepoGuardian Docs — Missing Inline Comments** | `LOW` **`save_memory_store`** — Function `save_memory_store` has 11 lines but no inline comments. Add # ...
135	Low	**RepoGuardian Docs — Missing Inline Comments** | `LOW` **`save_memory_store`** — Function `save_memory_store` has 11 lines but no inline comments. Add # ...
135	Low	**RepoGuardian Docs — Missing Inline Comments** | `LOW` **`save_memory_store`** — Function `save_memory_store` has 11 lines but no inline comments. Add # ...
135	Low	**RepoGuardian Docs — Missing Inline Comments** | `LOW` **`save_memory_store`** — Function `save_memory_store` has 11 lines but no inline comments. Add # ...
135	Low	**RepoGuardian Docs — Missing Inline Comments** | `LOW` **`save_memory_store`** — Function `save_memory_store` has 11 lines but no inline comments. Add # ...
135	Low	**RepoGuardian Docs — Missing Inline Comments** | `LOW` **`save_memory_store`** — Function `save_memory_store` has 11 lines but no inline comments. Add # ...
135	Low	**RepoGuardian Docs — Missing Inline Comments** | `LOW` **`save_memory_store`** — Function `save_memory_store` has 11 lines but no inline comments. Add # ...
135	Low	**RepoGuardian Docs — Missing Inline Comments** | `LOW` **`save_memory_store`** — Function `save_memory_store` has 11 lines but no inline comments. Add # ...
135	Low	**RepoGuardian Docs — Missing Inline Comments** | `LOW` **`save_memory_store`** — Function `save_memory_store` has 11 lines but no inline comments. Add # ...
135	Low	**RepoGuardian Docs — Missing Inline Comments** | `LOW` **`save_memory_store`** — Function `save_memory_store` has 11 lines but no inline comments. Add # ...
146	Low	**RepoGuardian Docs — Missing Inline Comments** | `LOW` **`load_profile`** — Function `load_profile` has 32 lines but no inline comments. Add # comments t...
146	Low	**RepoGuardian Docs — Missing Inline Comments** | `LOW` **`load_profile`** — Function `load_profile` has 32 lines but no inline comments. Add # comments t...
146	Low	**RepoGuardian Docs — Missing Inline Comments** | `LOW` **`load_profile`** — Function `load_profile` has 32 lines but no inline comments. Add # comments t...
146	Low	**RepoGuardian Docs — Missing Inline Comments** | `LOW` **`load_profile`** — Function `load_profile` has 32 lines but no inline comments. Add # comments t...
146	Low	**RepoGuardian Docs — Missing Inline Comments** | `LOW` **`load_profile`** — Function `load_profile` has 32 lines but no inline comments. Add # comments t...

Line	Severity	Comment
146	Low	**RepoGuardian Docs — Missing Inline Comments** | `LOW` **`load_profile`** — Function `load_profile` has 32 lines but no inline comments. Add # comments t...
146	Low	**RepoGuardian Docs — Missing Inline Comments** | `LOW` **`load_profile`** — Function `load_profile` has 32 lines but no inline comments. Add # comments t...
146	Low	**RepoGuardian Docs — Missing Inline Comments** | `LOW` **`load_profile`** — Function `load_profile` has 32 lines but no inline comments. Add # comments t...
146	Low	**RepoGuardian Docs — Missing Inline Comments** | `LOW` **`load_profile`** — Function `load_profile` has 32 lines but no inline comments. Add # comments t...
146	Low	**RepoGuardian Docs — Missing Inline Comments** | `LOW` **`load_profile`** — Function `load_profile` has 32 lines but no inline comments. Add # comments t...
146	Low	**RepoGuardian Docs — Missing Inline Comments** | `LOW` **`load_profile`** — Function `load_profile` has 32 lines but no inline comments. Add # comments t...
146	Low	**RepoGuardian Docs — Missing Inline Comments** | `LOW` **`load_profile`** — Function `load_profile` has 32 lines but no inline comments. Add # comments t...
356	High	**RepoGuardian Security — OWASP Vulnerability** | `HIGH` | `EVAL_USAGE` eval() executes arbitrary code — never use with user input. Use ast.literal_eval()...
356	High	**RepoGuardian Security — OWASP Vulnerability** | `HIGH` | `EVAL_USAGE` eval() executes arbitrary code — never use with user input. Use ast.literal_eval()...
356	High	**RepoGuardian Security — OWASP Vulnerability** | `HIGH` | `EVAL_USAGE` eval() executes arbitrary code — never use with user input. Use ast.literal_eval()...
356	High	**RepoGuardian Security — OWASP Vulnerability** | `HIGH` | `EVAL_USAGE` eval() executes arbitrary code — never use with user input. Use ast.literal_eval()...
356	High	**RepoGuardian Security — OWASP Vulnerability** | `HIGH` | `EVAL_USAGE` eval() executes arbitrary code — never use with user input. Use ast.literal_eval()...
356	High	**RepoGuardian Security — OWASP Vulnerability** | `HIGH` | `EVAL_USAGE` eval() executes arbitrary code — never use with user input. Use ast.literal_eval()...
356	High	**RepoGuardian Security — OWASP Vulnerability** | `HIGH` | `EVAL_USAGE` eval() executes arbitrary code — never use with user input. Use ast.literal_eval()...
356	High	**RepoGuardian Security — OWASP Vulnerability** | `HIGH` | `EVAL_USAGE` eval() executes arbitrary code — never use with user input. Use ast.literal_eval()...
356	High	**RepoGuardian Security — OWASP Vulnerability** | `HIGH` | `EVAL_USAGE` eval() executes arbitrary code — never use with user input. Use ast.literal_eval()...
356	High	**RepoGuardian Security — OWASP Vulnerability** | `HIGH` | `EVAL_USAGE` eval() executes arbitrary code — never use with user input. Use ast.literal_eval()...
356	High	**RepoGuardian Security — OWASP Vulnerability** | `HIGH` | `EVAL_USAGE` eval() executes arbitrary code — never use with user input. Use ast.literal_eval()...
356	High	**RepoGuardian Security — OWASP Vulnerability** | `HIGH` | `EVAL_USAGE` eval() executes arbitrary code — never use with user input. Use ast.literal_eval()...

File: tools/security.py (260 comments)

Line	Severity	Comment
1	Medium	**RepoGuardian — Naming Convention** | `MEDIUM` The variable name 'log' is not descriptive. Consider renaming it to something like 'security_logger' to be...
6	Medium	**RepoGuardian Code Smell — Code Duplication** (score: 5) | `MEDIUM` **`duplicate_block_line_6`** — Duplicate code block detected (also at agents/orchestr...
6	Medium	**RepoGuardian Code Smell — Code Duplication** (score: 5) | `MEDIUM` **`duplicate_block_line_6`** — Duplicate code block detected (also at agents/orchestr...

Line	Severity	Comment
7	Medium	**RepoGuardian Code Smell — Code Duplication** (score: 5) | `MEDIUM` **`duplicate_block_line_7`** — Duplicate code block detected (also at agents/orchestr...
7	Medium	**RepoGuardian Code Smell — Code Duplication** (score: 5) | `MEDIUM` **`duplicate_block_line_7`** — Duplicate code block detected (also at agents/orchestr...
10	High	**RepoGuardian — Logic Issue** | `HIGH` The GROQ_API_KEY and GITHUB_TOKEN are not checked for validity after being loaded from the environment variables. ...
15	High	**RepoGuardian — Security** | `HIGH` The 'GROQ_API_KEY' and 'GITHUB_TOKEN' are loaded from the environment variables, but they are not validated or saniti...
15	Low	**RepoGuardian — Code Structure** | `MEDIUM` The 'get_llm_client_and_model' function is doing too much, consider breaking it down into smaller functions t...
15	High	**RepoGuardian — Security** | `HIGH` The GROQ_API_KEY and GITHUB_TOKEN are being loaded from the environment variables, but there is no error handling if ...
15	Medium	**RepoGuardian — Code Structure** | `MEDIUM` The 'get_llm_client_and_model' function is complex and should be refactored to improve readability and mainta...
15	Medium	**RepoGuardian — Code Structure** | `MEDIUM` The 'get_llm_client_and_model' function is doing too much, consider breaking it down into smaller functions t...
15	Medium	**RepoGuardian Code Smell — Code Duplication** (score: 5) | `MEDIUM` **`duplicate_block_line_15`** — Duplicate code block detected (also at agents/pr_revi...
16	Medium	**RepoGuardian Code Smell — Code Duplication** (score: 5) | `MEDIUM` **`duplicate_block_line_16`** — Duplicate code block detected (also at agents/pr_revi...
17	Medium	**RepoGuardian Code Smell — Code Duplication** (score: 5) | `MEDIUM` **`duplicate_block_line_17`** — Duplicate code block detected (also at agents/pr_revi...
25	High	**RepoGuardian — Logic Issue** | `HIGH` The 'get_llm_client_and_model' function does not handle the case where the 'LLM_MODEL' environment variable is not...
26	Medium	**RepoGuardian Code Smell — Code Duplication** (score: 5) | `MEDIUM` **`duplicate_block_line_26`** — Duplicate code block detected (also at agents/pr_revi...
28	Medium	**RepoGuardian Code Smell — Code Duplication** (score: 5) | `MEDIUM` **`duplicate_block_line_28`** — Duplicate code block detected (also at agents/pr_revi...
29	Medium	**RepoGuardian Code Smell — Code Duplication** (score: 5) | `MEDIUM` **`duplicate_block_line_29`** — Duplicate code block detected (also at agents/pr_revi...
31	Medium	**RepoGuardian Code Smell — Code Duplication** (score: 5) | `MEDIUM` **`duplicate_block_line_31`** — Duplicate code block detected (also at agents/pr_revi...
32	Medium	**RepoGuardian Code Smell — Code Duplication** (score: 5) | `MEDIUM` **`duplicate_block_line_32`** — Duplicate code block detected (also at agents/pr_revi...
34	Medium	**RepoGuardian Code Smell — Code Duplication** (score: 5) | `MEDIUM` **`duplicate_block_line_34`** — Duplicate code block detected (also at agents/pr_revi...
39	Medium	**RepoGuardian — Coding Standard** | `MEDIUM` Consider using a more descriptive label for the 'CATEGORY_LABEL' dictionary. Missing docstring for the 'run_...
41	High	**RepoGuardian Code Smell — Function Too Long** (score: 242) | `HIGH` **`get_llm_client_and_model`** — Function `get_llm_client_and_model` is 242 lines lo...
41	High	**RepoGuardian Code Smell — Function Too Long** (score: 242) | `HIGH` **`get_llm_client_and_model`** — Function `get_llm_client_and_model` is 242 lines lo...
41	Medium	**RepoGuardian Code Smell — Code Duplication** (score: 5) | `MEDIUM` **`duplicate_block_line_41`** — Duplicate code block detected (also at agents/pr_revi...
42	Medium	**RepoGuardian Code Smell — Code Duplication** (score: 5) | `MEDIUM` **`duplicate_block_line_42`** — Duplicate code block detected (also at agents/pr_revi...

Line	Severity	Comment
43	Medium	**RepoGuardian Code Smell — Code Duplication** (score: 5) | `MEDIUM` **`duplicate_block_line_43`** — Duplicate code block detected (also at agents/pr_revi...
44	Medium	**RepoGuardian Code Smell — Code Duplication** (score: 5) | `MEDIUM` **`duplicate_block_line_44`** — Duplicate code block detected (also at agents/pr_revi...
45	High	**RepoGuardian — Logic Issue** | `HIGH` The function get_llm_client_and_model does not handle the case where the LLM_MODEL environment variable is not set...
45	Medium	**RepoGuardian Code Smell — Code Duplication** (score: 5) | `MEDIUM` **`duplicate_block_line_45`** — Duplicate code block detected (also at agents/pr_revi...
46	Medium	**RepoGuardian Code Smell — Code Duplication** (score: 5) | `MEDIUM` **`duplicate_block_line_46`** — Duplicate code block detected (also at agents/pr_revi...
47	Medium	**RepoGuardian Code Smell — Code Duplication** (score: 5) | `MEDIUM` **`duplicate_block_line_47`** — Duplicate code block detected (also at agents/pr_revi...
48	Medium	**RepoGuardian Code Smell — Code Duplication** (score: 5) | `MEDIUM` **`duplicate_block_line_48`** — Duplicate code block detected (also at agents/pr_revi...
49	Medium	**RepoGuardian Code Smell — Code Duplication** (score: 5) | `MEDIUM` **`duplicate_block_line_49`** — Duplicate code block detected (also at agents/pr_revi...
50	Low	**RepoGuardian — Naming Convention** | `MEDIUM` The variable model is not descriptive. Consider renaming it to llm_model to better reflect its purpose. Fo...
59	Medium	**RepoGuardian — Coding Standard** | `MEDIUM` Missing docstring for the 'fetch_pr_diff' function. --- *Posted automatically by RepoGuardian PR Review Agent*
69	Medium	**RepoGuardian — Coding Standard** | `MEDIUM` Missing docstring for the 'run_static_scan' function. --- *Posted automatically by RepoGuardian PR Review A...
84	Medium	**RepoGuardian — Coding Standard** | `MEDIUM` Missing docstring for the 'call_llm_security' function. --- *Posted automatically by RepoGuardian PR Review...
88	Medium	**RepoGuardian — Coding Standard** | `MEDIUM` Missing docstring for the 'SecurityResult' class. --- *Posted automatically by RepoGuardian PR Review Agent*
94	Medium	**RepoGuardian — Code Structure** | `MEDIUM` The STATIC_RULES list is very long and complex. Consider breaking it up into smaller, more manageable pieces ...
100	High	**RepoGuardian — Coding Standard** | `HIGH` The STATIC_RULES list contains hardcoded regular expressions that may not be secure or up-to-date. Consider us...
146	High	**RepoGuardian Security — Injection Risk** | `HIGH` | `SQL_INJECTION` SQL injection risk: query uses string formatting or concatenation. Use parameterised...
146	High	**RepoGuardian Security — Injection Risk** | `HIGH` | `SQL_INJECTION` SQL injection risk: query uses string formatting or concatenation. Use parameterised...
146	High	**RepoGuardian Security — Injection Risk** | `HIGH` | `SQL_INJECTION` SQL injection risk: query uses string formatting or concatenation. Use parameterised...
146	High	**RepoGuardian Security — Injection Risk** | `HIGH` | `SQL_INJECTION` SQL injection risk: query uses string formatting or concatenation. Use parameterised...
146	High	**RepoGuardian Security — Injection Risk** | `HIGH` | `SQL_INJECTION` SQL injection risk: query uses string formatting or concatenation. Use parameterised...
146	High	**RepoGuardian Security — Injection Risk** | `HIGH` | `SQL_INJECTION` SQL injection risk: query uses string formatting or concatenation. Use parameterised...
146	High	**RepoGuardian Security — Injection Risk** | `HIGH` | `SQL_INJECTION` SQL injection risk: query uses string formatting or concatenation. Use parameterised...
146	High	**RepoGuardian Security — Injection Risk** | `HIGH` | `SQL_INJECTION` SQL injection risk: query uses string formatting or concatenation. Use parameterised...

Line	Severity	Comment
146	High	**RepoGuardian Security — Injection Risk** | `HIGH` | `SQL_INJECTION` SQL injection risk: query uses string formatting or concatenation. Use parameterised...
146	High	**RepoGuardian Security — Injection Risk** | `HIGH` | `SQL_INJECTION` SQL injection risk: query uses string formatting or concatenation. Use parameterised...
146	High	**RepoGuardian Security — Injection Risk** | `HIGH` | `SQL_INJECTION` SQL injection risk: query uses string formatting or concatenation. Use parameterised...
146	High	**RepoGuardian Security — Injection Risk** | `HIGH` | `SQL_INJECTION` SQL injection risk: query uses string formatting or concatenation. Use parameterised...
146	High	**RepoGuardian Security — Injection Risk** | `HIGH` | `SQL_INJECTION` SQL injection risk: query uses string formatting or concatenation. Use parameterised...
146	High	**RepoGuardian Security — Injection Risk** | `HIGH` | `SQL_INJECTION` SQL injection risk: query uses string formatting or concatenation. Use parameterised...
146	High	**RepoGuardian Security — Injection Risk** | `HIGH` | `SQL_INJECTION` SQL injection risk: query uses string formatting or concatenation. Use parameterised...
146	High	**RepoGuardian Security — Injection Risk** | `HIGH` | `SQL_INJECTION` SQL injection risk: query uses string formatting or concatenation. Use parameterised...
146	High	**RepoGuardian Security — Injection Risk** | `HIGH` | `SQL_INJECTION` SQL injection risk: query uses string formatting or concatenation. Use parameterised...
146	High	**RepoGuardian Security — Injection Risk** | `HIGH` | `SQL_INJECTION` SQL injection risk: query uses string formatting or concatenation. Use parameterised...
146	High	**RepoGuardian Security — Injection Risk** | `HIGH` | `SQL_INJECTION` SQL injection risk: query uses string formatting or concatenation. Use parameterised...
146	High	**RepoGuardian Security — Injection Risk** | `HIGH` | `SQL_INJECTION` SQL injection risk: query uses string formatting or concatenation. Use parameterised...
146	High	**RepoGuardian Security — Injection Risk** | `HIGH` | `SQL_INJECTION` SQL injection risk: query uses string formatting or concatenation. Use parameterised...
146	High	**RepoGuardian Security — Injection Risk** | `HIGH` | `SQL_INJECTION` SQL injection risk: query uses string formatting or concatenation. Use parameterised...
146	High	**RepoGuardian Security — Injection Risk** | `HIGH` | `SQL_INJECTION` SQL injection risk: query uses string formatting or concatenation. Use parameterised...
152	High	**RepoGuardian Security — Injection Risk** | `HIGH` | `SQL_INJECTION` SQL injection risk: query uses string formatting or concatenation. Use parameterised...
203	High	**RepoGuardian Security — OWASP Vulnerability** | `HIGH` | `EVAL_USAGE` eval() executes arbitrary code — never use with user input. Use ast.literal_eval()...
203	High	**RepoGuardian Security — OWASP Vulnerability** | `HIGH` | `EVAL_USAGE` eval() executes arbitrary code — never use with user input. Use ast.literal_eval()...
203	High	**RepoGuardian Security — OWASP Vulnerability** | `HIGH` | `EVAL_USAGE` eval() executes arbitrary code — never use with user input. Use ast.literal_eval()...
203	High	**RepoGuardian Security — OWASP Vulnerability** | `HIGH` | `EVAL_USAGE` eval() executes arbitrary code — never use with user input. Use ast.literal_eval()...
203	High	**RepoGuardian Security — OWASP Vulnerability** | `HIGH` | `EVAL_USAGE` eval() executes arbitrary code — never use with user input. Use ast.literal_eval()...
203	High	**RepoGuardian Security — OWASP Vulnerability** | `HIGH` | `EVAL_USAGE` eval() executes arbitrary code — never use with user input. Use ast.literal_eval()...
203	High	**RepoGuardian Security — OWASP Vulnerability** | `HIGH` | `EVAL_USAGE` eval() executes arbitrary code — never use with user input. Use ast.literal_eval()...

Line	Severity	Comment
203	High	**RepoGuardian Security — OWASP Vulnerability** | `HIGH` | `EVAL_USAGE` eval() executes arbitrary code — never use with user input. Use ast.literal_eval()...
203	High	**RepoGuardian Security — OWASP Vulnerability** | `HIGH` | `EVAL_USAGE` eval() executes arbitrary code — never use with user input. Use ast.literal_eval()...
203	High	**RepoGuardian Security — OWASP Vulnerability** | `HIGH` | `EVAL_USAGE` eval() executes arbitrary code — never use with user input. Use ast.literal_eval()...
203	High	**RepoGuardian Security — OWASP Vulnerability** | `HIGH` | `EVAL_USAGE` eval() executes arbitrary code — never use with user input. Use ast.literal_eval()...
203	High	**RepoGuardian Security — OWASP Vulnerability** | `HIGH` | `EVAL_USAGE` eval() executes arbitrary code — never use with user input. Use ast.literal_eval()...
203	High	**RepoGuardian Security — OWASP Vulnerability** | `HIGH` | `EVAL_USAGE` eval() executes arbitrary code — never use with user input. Use ast.literal_eval()...
203	High	**RepoGuardian Security — OWASP Vulnerability** | `HIGH` | `EVAL_USAGE` eval() executes arbitrary code — never use with user input. Use ast.literal_eval()...
203	High	**RepoGuardian Security — OWASP Vulnerability** | `HIGH` | `EVAL_USAGE` eval() executes arbitrary code — never use with user input. Use ast.literal_eval()...
203	High	**RepoGuardian Security — OWASP Vulnerability** | `HIGH` | `EVAL_USAGE` eval() executes arbitrary code — never use with user input. Use ast.literal_eval()...
203	High	**RepoGuardian Security — OWASP Vulnerability** | `HIGH` | `EVAL_USAGE` eval() executes arbitrary code — never use with user input. Use ast.literal_eval()...
203	High	**RepoGuardian Security — OWASP Vulnerability** | `HIGH` | `EVAL_USAGE` eval() executes arbitrary code — never use with user input. Use ast.literal_eval()...
203	High	**RepoGuardian Security — OWASP Vulnerability** | `HIGH` | `EVAL_USAGE` eval() executes arbitrary code — never use with user input. Use ast.literal_eval()...
203	High	**RepoGuardian Security — OWASP Vulnerability** | `HIGH` | `EVAL_USAGE` eval() executes arbitrary code — never use with user input. Use ast.literal_eval()...
203	High	**RepoGuardian Security — OWASP Vulnerability** | `HIGH` | `EVAL_USAGE` eval() executes arbitrary code — never use with user input. Use ast.literal_eval()...
203	High	**RepoGuardian Security — OWASP Vulnerability** | `HIGH` | `EVAL_USAGE` eval() executes arbitrary code — never use with user input. Use ast.literal_eval()...
203	High	**RepoGuardian Security — OWASP Vulnerability** | `HIGH` | `EVAL_USAGE` eval() executes arbitrary code — never use with user input. Use ast.literal_eval()...
213	High	**RepoGuardian Security — OWASP Vulnerability** | `HIGH` | `OS_SYSTEM_INJECTION` Command injection risk: os.system() or subprocess shell=True. Use subproc...
213	High	**RepoGuardian Security — OWASP Vulnerability** | `HIGH` | `OS_SYSTEM_INJECTION` Command injection risk: os.system() or subprocess shell=True. Use subproc...
213	High	**RepoGuardian Security — OWASP Vulnerability** | `HIGH` | `OS_SYSTEM_INJECTION` Command injection risk: os.system() or subprocess shell=True. Use subproc...
213	High	**RepoGuardian Security — OWASP Vulnerability** | `HIGH` | `OS_SYSTEM_INJECTION` Command injection risk: os.system() or subprocess shell=True. Use subproc...
213	High	**RepoGuardian Security — OWASP Vulnerability** | `HIGH` | `OS_SYSTEM_INJECTION` Command injection risk: os.system() or subprocess shell=True. Use subproc...
213	High	**RepoGuardian Security — OWASP Vulnerability** | `HIGH` | `OS_SYSTEM_INJECTION` Command injection risk: os.system() or subprocess shell=True. Use subproc...
213	High	**RepoGuardian Security — OWASP Vulnerability** | `HIGH` | `OS_SYSTEM_INJECTION` Command injection risk: os.system() or subprocess shell=True. Use subproc...

Line	Severity	Comment
213	High	**RepoGuardian Security — OWASP Vulnerability** | `HIGH` | `OS_SYSTEM_INJECTION` Command injection risk: os.system() or subprocess shell=True. Use subproc...
213	High	**RepoGuardian Security — OWASP Vulnerability** | `HIGH` | `OS_SYSTEM_INJECTION` Command injection risk: os.system() or subprocess shell=True. Use subproc...
213	High	**RepoGuardian Security — OWASP Vulnerability** | `HIGH` | `OS_SYSTEM_INJECTION` Command injection risk: os.system() or subprocess shell=True. Use subproc...
213	High	**RepoGuardian Security — OWASP Vulnerability** | `HIGH` | `OS_SYSTEM_INJECTION` Command injection risk: os.system() or subprocess shell=True. Use subproc...
213	High	**RepoGuardian Security — OWASP Vulnerability** | `HIGH` | `OS_SYSTEM_INJECTION` Command injection risk: os.system() or subprocess shell=True. Use subproc...
213	High	**RepoGuardian Security — OWASP Vulnerability** | `HIGH` | `OS_SYSTEM_INJECTION` Command injection risk: os.system() or subprocess shell=True. Use subproc...
213	High	**RepoGuardian Security — OWASP Vulnerability** | `HIGH` | `OS_SYSTEM_INJECTION` Command injection risk: os.system() or subprocess shell=True. Use subproc...
213	High	**RepoGuardian Security — OWASP Vulnerability** | `HIGH` | `OS_SYSTEM_INJECTION` Command injection risk: os.system() or subprocess shell=True. Use subproc...
213	High	**RepoGuardian Security — OWASP Vulnerability** | `HIGH` | `OS_SYSTEM_INJECTION` Command injection risk: os.system() or subprocess shell=True. Use subproc...
213	High	**RepoGuardian Security — OWASP Vulnerability** | `HIGH` | `OS_SYSTEM_INJECTION` Command injection risk: os.system() or subprocess shell=True. Use subproc...
213	High	**RepoGuardian Security — OWASP Vulnerability** | `HIGH` | `OS_SYSTEM_INJECTION` Command injection risk: os.system() or subprocess shell=True. Use subproc...
213	High	**RepoGuardian Security — OWASP Vulnerability** | `HIGH` | `OS_SYSTEM_INJECTION` Command injection risk: os.system() or subprocess shell=True. Use subproc...
213	High	**RepoGuardian Security — OWASP Vulnerability** | `HIGH` | `OS_SYSTEM_INJECTION` Command injection risk: os.system() or subprocess shell=True. Use subproc...
213	High	**RepoGuardian Security — OWASP Vulnerability** | `HIGH` | `OS_SYSTEM_INJECTION` Command injection risk: os.system() or subprocess shell=True. Use subproc...
213	High	**RepoGuardian Security — OWASP Vulnerability** | `HIGH` | `OS_SYSTEM_INJECTION` Command injection risk: os.system() or subprocess shell=True. Use subproc...
213	High	**RepoGuardian Security — OWASP Vulnerability** | `HIGH` | `OS_SYSTEM_INJECTION` Command injection risk: os.system() or subprocess shell=True. Use subproc...
213	High	**RepoGuardian Security — OWASP Vulnerability** | `HIGH` | `OS_SYSTEM_INJECTION` Command injection risk: os.system() or subprocess shell=True. Use subproc...
222	High	**RepoGuardian Security — OWASP Vulnerability** | `HIGH` | `EVAL_USAGE` eval() executes arbitrary code — never use with user input. Use ast.literal_eval()...
223	High	**RepoGuardian Security — OWASP Vulnerability** | `HIGH` | `PICKLE_DESERIALISE` pickle.load() can execute arbitrary code — never use with untrusted data. ...
223	High	**RepoGuardian Security — OWASP Vulnerability** | `HIGH` | `PICKLE_DESERIALISE` pickle.load() can execute arbitrary code — never use with untrusted data. ...
223	High	**RepoGuardian Security — OWASP Vulnerability** | `HIGH` | `PICKLE_DESERIALISE` pickle.load() can execute arbitrary code — never use with untrusted data. ...
223	High	**RepoGuardian Security — OWASP Vulnerability** | `HIGH` | `PICKLE_DESERIALISE` pickle.load() can execute arbitrary code — never use with untrusted data. ...
223	High	**RepoGuardian Security — OWASP Vulnerability** | `HIGH` | `PICKLE_DESERIALISE` pickle.load() can execute arbitrary code — never use with untrusted data. ...
223	High	**RepoGuardian Security — OWASP Vulnerability** | `HIGH` | `PICKLE_DESERIALISE` pickle.load() can execute arbitrary code — never use with untrusted data. ...

Line	Severity	Comment
223	High	**RepoGuardian Security — OWASP Vulnerability** | `HIGH` | `PICKLE_DESERIALISE` pickle.load() can execute arbitrary code — never use with untrusted data. ...
223	High	**RepoGuardian Security — OWASP Vulnerability** | `HIGH` | `PICKLE_DESERIALISE` pickle.load() can execute arbitrary code — never use with untrusted data. ...
223	High	**RepoGuardian Security — OWASP Vulnerability** | `HIGH` | `PICKLE_DESERIALISE` pickle.load() can execute arbitrary code — never use with untrusted data. ...
223	High	**RepoGuardian Security — OWASP Vulnerability** | `HIGH` | `PICKLE_DESERIALISE` pickle.load() can execute arbitrary code — never use with untrusted data. ...
223	High	**RepoGuardian Security — OWASP Vulnerability** | `HIGH` | `PICKLE_DESERIALISE` pickle.load() can execute arbitrary code — never use with untrusted data. ...
223	High	**RepoGuardian Security — OWASP Vulnerability** | `HIGH` | `PICKLE_DESERIALISE` pickle.load() can execute arbitrary code — never use with untrusted data. ...
223	High	**RepoGuardian Security — OWASP Vulnerability** | `HIGH` | `PICKLE_DESERIALISE` pickle.load() can execute arbitrary code — never use with untrusted data. ...
223	High	**RepoGuardian Security — OWASP Vulnerability** | `HIGH` | `PICKLE_DESERIALISE` pickle.load() can execute arbitrary code — never use with untrusted data. ...
223	High	**RepoGuardian Security — OWASP Vulnerability** | `HIGH` | `PICKLE_DESERIALISE` pickle.load() can execute arbitrary code — never use with untrusted data. ...
223	High	**RepoGuardian Security — OWASP Vulnerability** | `HIGH` | `PICKLE_DESERIALISE` pickle.load() can execute arbitrary code — never use with untrusted data. ...
223	High	**RepoGuardian Security — OWASP Vulnerability** | `HIGH` | `PICKLE_DESERIALISE` pickle.load() can execute arbitrary code — never use with untrusted data. ...
223	High	**RepoGuardian Security — OWASP Vulnerability** | `HIGH` | `PICKLE_DESERIALISE` pickle.load() can execute arbitrary code — never use with untrusted data. ...
223	High	**RepoGuardian Security — OWASP Vulnerability** | `HIGH` | `PICKLE_DESERIALISE` pickle.load() can execute arbitrary code — never use with untrusted data. ...
223	High	**RepoGuardian Security — OWASP Vulnerability** | `HIGH` | `PICKLE_DESERIALISE` pickle.load() can execute arbitrary code — never use with untrusted data. ...
223	High	**RepoGuardian Security — OWASP Vulnerability** | `HIGH` | `PICKLE_DESERIALISE` pickle.load() can execute arbitrary code — never use with untrusted data. ...
223	High	**RepoGuardian Security — OWASP Vulnerability** | `HIGH` | `PICKLE_DESERIALISE` pickle.load() can execute arbitrary code — never use with untrusted data. ...
223	High	**RepoGuardian Security — OWASP Vulnerability** | `HIGH` | `PICKLE_DESERIALISE` pickle.load() can execute arbitrary code — never use with untrusted data. ...
233	High	**RepoGuardian Security — OWASP Vulnerability** | `HIGH` | `OS_SYSTEM_INJECTION` Command injection risk: os.system() or subprocess shell=True. Use subproc...
243	Low	**RepoGuardian Security — Insecure Pattern** | `MEDIUM` | `BARE_EXCEPT` Bare except: swallows all exceptions including KeyboardInterrupt. Always catch spe...
243	Low	**RepoGuardian Security — Insecure Pattern** | `MEDIUM` | `BARE_EXCEPT` Bare except: swallows all exceptions including KeyboardInterrupt. Always catch spe...
243	Low	**RepoGuardian Security — Insecure Pattern** | `MEDIUM` | `BARE_EXCEPT` Bare except: swallows all exceptions including KeyboardInterrupt. Always catch spe...
243	Low	**RepoGuardian Security — Insecure Pattern** | `MEDIUM` | `BARE_EXCEPT` Bare except: swallows all exceptions including KeyboardInterrupt. Always catch spe...
243	Low	**RepoGuardian Security — Insecure Pattern** | `MEDIUM` | `BARE_EXCEPT` Bare except: swallows all exceptions including KeyboardInterrupt. Always catch spe...

Line	Severity	Comment
243	Low	**RepoGuardian Security — Insecure Pattern** | `MEDIUM` | `BARE_EXCEPT` Bare except: swallows all exceptions including KeyboardInterrupt. Always catch spe...
243	Low	**RepoGuardian Security — Insecure Pattern** | `MEDIUM` | `BARE_EXCEPT` Bare except: swallows all exceptions including KeyboardInterrupt. Always catch spe...
243	Low	**RepoGuardian Security — Insecure Pattern** | `MEDIUM` | `BARE_EXCEPT` Bare except: swallows all exceptions including KeyboardInterrupt. Always catch spe...
243	Low	**RepoGuardian Security — Insecure Pattern** | `MEDIUM` | `BARE_EXCEPT` Bare except: swallows all exceptions including KeyboardInterrupt. Always catch spe...
243	Low	**RepoGuardian Security — Insecure Pattern** | `MEDIUM` | `BARE_EXCEPT` Bare except: swallows all exceptions including KeyboardInterrupt. Always catch spe...
243	Low	**RepoGuardian Security — Insecure Pattern** | `MEDIUM` | `BARE_EXCEPT` Bare except: swallows all exceptions including KeyboardInterrupt. Always catch spe...
243	Low	**RepoGuardian Security — Insecure Pattern** | `MEDIUM` | `BARE_EXCEPT` Bare except: swallows all exceptions including KeyboardInterrupt. Always catch spe...
243	Low	**RepoGuardian Security — Insecure Pattern** | `MEDIUM` | `BARE_EXCEPT` Bare except: swallows all exceptions including KeyboardInterrupt. Always catch spe...
243	Low	**RepoGuardian Security — Insecure Pattern** | `MEDIUM` | `BARE_EXCEPT` Bare except: swallows all exceptions including KeyboardInterrupt. Always catch spe...
243	Low	**RepoGuardian Security — Insecure Pattern** | `MEDIUM` | `BARE_EXCEPT` Bare except: swallows all exceptions including KeyboardInterrupt. Always catch spe...
243	Low	**RepoGuardian Security — Insecure Pattern** | `MEDIUM` | `BARE_EXCEPT` Bare except: swallows all exceptions including KeyboardInterrupt. Always catch spe...
243	Low	**RepoGuardian Security — Insecure Pattern** | `MEDIUM` | `BARE_EXCEPT` Bare except: swallows all exceptions including KeyboardInterrupt. Always catch spe...
243	Low	**RepoGuardian Security — Insecure Pattern** | `MEDIUM` | `BARE_EXCEPT` Bare except: swallows all exceptions including KeyboardInterrupt. Always catch spe...
243	Low	**RepoGuardian Security — Insecure Pattern** | `MEDIUM` | `BARE_EXCEPT` Bare except: swallows all exceptions including KeyboardInterrupt. Always catch spe...
243	Low	**RepoGuardian Security — Insecure Pattern** | `MEDIUM` | `BARE_EXCEPT` Bare except: swallows all exceptions including KeyboardInterrupt. Always catch spe...
243	Low	**RepoGuardian Security — Insecure Pattern** | `MEDIUM` | `BARE_EXCEPT` Bare except: swallows all exceptions including KeyboardInterrupt. Always catch spe...
243	Low	**RepoGuardian Security — Insecure Pattern** | `MEDIUM` | `BARE_EXCEPT` Bare except: swallows all exceptions including KeyboardInterrupt. Always catch spe...
243	Low	**RepoGuardian Security — Insecure Pattern** | `MEDIUM` | `BARE_EXCEPT` Bare except: swallows all exceptions including KeyboardInterrupt. Always catch spe...
243	Low	**RepoGuardian Security — Insecure Pattern** | `MEDIUM` | `BARE_EXCEPT` Bare except: swallows all exceptions including KeyboardInterrupt. Always catch spe...
244	High	**RepoGuardian Security — OWASP Vulnerability** | `HIGH` | `PICKLE_DESERIALISE` pickle.load() can execute arbitrary code — never use with untrusted data. ...
261	Low	**RepoGuardian Security — OWASP Vulnerability** | `LOW` | `HTTP_NOT_HTTPS` Plain HTTP URL detected — use HTTPS to encrypt traffic in transit. **Detected ...
261	Low	**RepoGuardian Security — OWASP Vulnerability** | `LOW` | `HTTP_NOT_HTTPS` Plain HTTP URL detected — use HTTPS to encrypt traffic in transit. **Detected ...
261	Low	**RepoGuardian Security — OWASP Vulnerability** | `LOW` | `HTTP_NOT_HTTPS` Plain HTTP URL detected — use HTTPS to encrypt traffic in transit. **Detected ...
261	Low	**RepoGuardian Security — OWASP Vulnerability** | `LOW` | `HTTP_NOT_HTTPS` Plain HTTP URL detected — use HTTPS to encrypt traffic in transit. **Detected ...

Line	Severity	Comment
261	Low	**RepoGuardian Security — OWASP Vulnerability** | `LOW` | `HTTP_NOT_HTTPS` Plain HTTP URL detected — use HTTPS to encrypt traffic in transit. **Detected ...
261	Low	**RepoGuardian Security — OWASP Vulnerability** | `LOW` | `HTTP_NOT_HTTPS` Plain HTTP URL detected — use HTTPS to encrypt traffic in transit. **Detected ...
261	Low	**RepoGuardian Security — OWASP Vulnerability** | `LOW` | `HTTP_NOT_HTTPS` Plain HTTP URL detected — use HTTPS to encrypt traffic in transit. **Detected ...
261	Low	**RepoGuardian Security — OWASP Vulnerability** | `LOW` | `HTTP_NOT_HTTPS` Plain HTTP URL detected — use HTTPS to encrypt traffic in transit. **Detected ...
261	Low	**RepoGuardian Security — OWASP Vulnerability** | `LOW` | `HTTP_NOT_HTTPS` Plain HTTP URL detected — use HTTPS to encrypt traffic in transit. **Detected ...
261	Low	**RepoGuardian Security — OWASP Vulnerability** | `LOW` | `HTTP_NOT_HTTPS` Plain HTTP URL detected — use HTTPS to encrypt traffic in transit. **Detected ...
261	Low	**RepoGuardian Security — OWASP Vulnerability** | `LOW` | `HTTP_NOT_HTTPS` Plain HTTP URL detected — use HTTPS to encrypt traffic in transit. **Detected ...
261	Low	**RepoGuardian Security — OWASP Vulnerability** | `LOW` | `HTTP_NOT_HTTPS` Plain HTTP URL detected — use HTTPS to encrypt traffic in transit. **Detected ...
261	Low	**RepoGuardian Security — OWASP Vulnerability** | `LOW` | `HTTP_NOT_HTTPS` Plain HTTP URL detected — use HTTPS to encrypt traffic in transit. **Detected ...
261	Low	**RepoGuardian Security — OWASP Vulnerability** | `LOW` | `HTTP_NOT_HTTPS` Plain HTTP URL detected — use HTTPS to encrypt traffic in transit. **Detected ...
261	Low	**RepoGuardian Security — OWASP Vulnerability** | `LOW` | `HTTP_NOT_HTTPS` Plain HTTP URL detected — use HTTPS to encrypt traffic in transit. **Detected ...
261	Low	**RepoGuardian Security — OWASP Vulnerability** | `LOW` | `HTTP_NOT_HTTPS` Plain HTTP URL detected — use HTTPS to encrypt traffic in transit. **Detected ...
261	Low	**RepoGuardian Security — OWASP Vulnerability** | `LOW` | `HTTP_NOT_HTTPS` Plain HTTP URL detected — use HTTPS to encrypt traffic in transit. **Detected ...
261	Low	**RepoGuardian Security — OWASP Vulnerability** | `LOW` | `HTTP_NOT_HTTPS` Plain HTTP URL detected — use HTTPS to encrypt traffic in transit. **Detected ...
261	Low	**RepoGuardian Security — OWASP Vulnerability** | `LOW` | `HTTP_NOT_HTTPS` Plain HTTP URL detected — use HTTPS to encrypt traffic in transit. **Detected ...
261	Low	**RepoGuardian Security — OWASP Vulnerability** | `LOW` | `HTTP_NOT_HTTPS` Plain HTTP URL detected — use HTTPS to encrypt traffic in transit. **Detected ...
261	Low	**RepoGuardian Security — OWASP Vulnerability** | `LOW` | `HTTP_NOT_HTTPS` Plain HTTP URL detected — use HTTPS to encrypt traffic in transit. **Detected ...
261	Low	**RepoGuardian Security — OWASP Vulnerability** | `LOW` | `HTTP_NOT_HTTPS` Plain HTTP URL detected — use HTTPS to encrypt traffic in transit. **Detected ...
261	Low	**RepoGuardian Security — OWASP Vulnerability** | `LOW` | `HTTP_NOT_HTTPS` Plain HTTP URL detected — use HTTPS to encrypt traffic in transit. **Detected ...
261	Low	**RepoGuardian Security — OWASP Vulnerability** | `LOW` | `HTTP_NOT_HTTPS` Plain HTTP URL detected — use HTTPS to encrypt traffic in transit. **Detected ...
261	Low	**RepoGuardian Security — OWASP Vulnerability** | `LOW` | `HTTP_NOT_HTTPS` Plain HTTP URL detected — use HTTPS to encrypt traffic in transit. **Detected ...
266	Low	**RepoGuardian Security — Insecure Pattern** | `MEDIUM` | `BARE_EXCEPT` Bare except: swallows all exceptions including KeyboardInterrupt. Always catch spe...
283	Medium	**RepoGuardian Code Smell — Function Too Long** (score: 44) | `MEDIUM` **`fetch_pr_diff`** — Function `fetch_pr_diff` is 44 lines long — too long to read ...
283	Medium	**RepoGuardian Code Smell — Function Too Long** (score: 44) | `MEDIUM` **`fetch_pr_diff`** — Function `fetch_pr_diff` is 44 lines long — too long to read ...

Line	Severity	Comment
287	Medium	**RepoGuardian Code Smell — Code Duplication** (score: 5) | `MEDIUM` **`duplicate_block_line_287`** — Duplicate code block detected (also at agents/pr_rev...
287	Medium	**RepoGuardian Code Smell — Code Duplication** (score: 5) | `MEDIUM` **`duplicate_block_line_287`** — Duplicate code block detected (also at agents/pr_rev...
306	Medium	**RepoGuardian Code Smell — Code Duplication** (score: 5) | `MEDIUM` **`duplicate_block_line_306`** — Duplicate code block detected (also at agents/pr_rev...
306	Medium	**RepoGuardian Code Smell — Code Duplication** (score: 5) | `MEDIUM` **`duplicate_block_line_306`** — Duplicate code block detected (also at agents/pr_rev...
327	High	**RepoGuardian Code Smell — Function Too Long** (score: 98) | `HIGH` **`run_static_scan`** — Function `run_static_scan` is 98 lines long — too long to rea...
327	High	**RepoGuardian Code Smell — Function Too Long** (score: 98) | `HIGH` **`run_static_scan`** — Function `run_static_scan` is 98 lines long — too long to rea...
425	Medium	**RepoGuardian Code Smell — Function Too Long** (score: 67) | `MEDIUM` **`call_llm_security`** — Function `call_llm_security` is 67 lines long — too long ...
425	Medium	**RepoGuardian Code Smell — Function Too Long** (score: 67) | `MEDIUM` **`call_llm_security`** — Function `call_llm_security` is 67 lines long — too long ...
442	Medium	**RepoGuardian Code Smell — Code Duplication** (score: 5) | `MEDIUM` **`duplicate_block_line_442`** — Duplicate code block detected (also at agents/pr_rev...
442	Medium	**RepoGuardian Code Smell — Code Duplication** (score: 5) | `MEDIUM` **`duplicate_block_line_442`** — Duplicate code block detected (also at agents/pr_rev...
448	Medium	**RepoGuardian Code Smell — Code Duplication** (score: 5) | `MEDIUM` **`duplicate_block_line_448`** — Duplicate code block detected (also at agents/pr_rev...
448	Medium	**RepoGuardian Code Smell — Code Duplication** (score: 5) | `MEDIUM` **`duplicate_block_line_448`** — Duplicate code block detected (also at agents/pr_rev...
449	Medium	**RepoGuardian Code Smell — Code Duplication** (score: 5) | `MEDIUM` **`duplicate_block_line_449`** — Duplicate code block detected (also at agents/pr_rev...
449	Medium	**RepoGuardian Code Smell — Code Duplication** (score: 5) | `MEDIUM` **`duplicate_block_line_449`** — Duplicate code block detected (also at agents/pr_rev...
450	Medium	**RepoGuardian Code Smell — Code Duplication** (score: 5) | `MEDIUM` **`duplicate_block_line_450`** — Duplicate code block detected (also at agents/pr_rev...
450	Medium	**RepoGuardian Code Smell — Code Duplication** (score: 5) | `MEDIUM` **`duplicate_block_line_450`** — Duplicate code block detected (also at agents/pr_rev...
451	Medium	**RepoGuardian Code Smell — Code Duplication** (score: 5) | `MEDIUM` **`duplicate_block_line_451`** — Duplicate code block detected (also at agents/pr_rev...
451	Medium	**RepoGuardian Code Smell — Code Duplication** (score: 5) | `MEDIUM` **`duplicate_block_line_451`** — Duplicate code block detected (also at agents/pr_rev...
452	Medium	**RepoGuardian Code Smell — Code Duplication** (score: 5) | `MEDIUM` **`duplicate_block_line_452`** — Duplicate code block detected (also at agents/pr_rev...
452	Medium	**RepoGuardian Code Smell — Code Duplication** (score: 5) | `MEDIUM` **`duplicate_block_line_452`** — Duplicate code block detected (also at agents/pr_rev...
461	Medium	**RepoGuardian Code Smell — Code Duplication** (score: 5) | `MEDIUM` **`duplicate_block_line_461`** — Duplicate code block detected (also at agents/pr_rev...
461	Medium	**RepoGuardian Code Smell — Code Duplication** (score: 5) | `MEDIUM` **`duplicate_block_line_461`** — Duplicate code block detected (also at agents/pr_rev...
462	Medium	**RepoGuardian Code Smell — Code Duplication** (score: 5) | `MEDIUM` **`duplicate_block_line_462`** — Duplicate code block detected (also at agents/pr_rev...

Line	Severity	Comment
462	Medium	**RepoGuardian Code Smell — Code Duplication** (score: 5) | `MEDIUM` **`duplicate_block_line_462`** — Duplicate code block detected (also at agents/pr_rev...
463	Medium	**RepoGuardian Code Smell — Code Duplication** (score: 5) | `MEDIUM` **`duplicate_block_line_463`** — Duplicate code block detected (also at agents/pr_rev...
463	Medium	**RepoGuardian Code Smell — Code Duplication** (score: 5) | `MEDIUM` **`duplicate_block_line_463`** — Duplicate code block detected (also at agents/pr_rev...
465	Medium	**RepoGuardian Code Smell — Code Duplication** (score: 5) | `MEDIUM` **`duplicate_block_line_465`** — Duplicate code block detected (also at agents/pr_rev...
465	Medium	**RepoGuardian Code Smell — Code Duplication** (score: 5) | `MEDIUM` **`duplicate_block_line_465`** — Duplicate code block detected (also at agents/pr_rev...
466	Medium	**RepoGuardian Code Smell — Code Duplication** (score: 5) | `MEDIUM` **`duplicate_block_line_466`** — Duplicate code block detected (also at agents/pr_rev...
466	Medium	**RepoGuardian Code Smell — Code Duplication** (score: 5) | `MEDIUM` **`duplicate_block_line_466`** — Duplicate code block detected (also at agents/pr_rev...
467	Medium	**RepoGuardian Code Smell — Code Duplication** (score: 5) | `MEDIUM` **`duplicate_block_line_467`** — Duplicate code block detected (also at agents/pr_rev...
467	Medium	**RepoGuardian Code Smell — Code Duplication** (score: 5) | `MEDIUM` **`duplicate_block_line_467`** — Duplicate code block detected (also at agents/pr_rev...
468	Medium	**RepoGuardian Code Smell — Code Duplication** (score: 5) | `MEDIUM` **`duplicate_block_line_468`** — Duplicate code block detected (also at agents/pr_rev...
468	Medium	**RepoGuardian Code Smell — Code Duplication** (score: 5) | `MEDIUM` **`duplicate_block_line_468`** — Duplicate code block detected (also at agents/pr_rev...
469	Medium	**RepoGuardian Code Smell — Code Duplication** (score: 5) | `MEDIUM` **`duplicate_block_line_469`** — Duplicate code block detected (also at agents/pr_rev...
469	Medium	**RepoGuardian Code Smell — Code Duplication** (score: 5) | `MEDIUM` **`duplicate_block_line_469`** — Duplicate code block detected (also at agents/pr_rev...
492	Low	**RepoGuardian Docs — Missing Inline Comments** | `LOW` **`post_inline_comments`** — Function `post_inline_comments` has 39 lines but no inline comments. ...
492	Low	**RepoGuardian Docs — Missing Inline Comments** | `LOW` **`post_inline_comments`** — Function `post_inline_comments` has 39 lines but no inline comments. ...
492	Low	**RepoGuardian Docs — Missing Inline Comments** | `LOW` **`post_inline_comments`** — Function `post_inline_comments` has 39 lines but no inline comments. ...
492	Low	**RepoGuardian Docs — Missing Inline Comments** | `LOW` **`post_inline_comments`** — Function `post_inline_comments` has 39 lines but no inline comments. ...
492	Low	**RepoGuardian Docs — Missing Inline Comments** | `LOW` **`post_inline_comments`** — Function `post_inline_comments` has 39 lines but no inline comments. ...
492	Low	**RepoGuardian Docs — Missing Inline Comments** | `LOW` **`post_inline_comments`** — Function `post_inline_comments` has 39 lines but no inline comments. ...
492	Low	**RepoGuardian Docs — Missing Inline Comments** | `LOW` **`post_inline_comments`** — Function `post_inline_comments` has 39 lines but no inline comments. ...
492	Low	**RepoGuardian Docs — Missing Inline Comments** | `LOW` **`post_inline_comments`** — Function `post_inline_comments` has 39 lines but no inline comments. ...
492	Low	**RepoGuardian Docs — Missing Inline Comments** | `LOW` **`post_inline_comments`** — Function `post_inline_comments` has 39 lines but no inline comments. ...
492	Low	**RepoGuardian Docs — Missing Inline Comments** | `LOW` **`post_inline_comments`** — Function `post_inline_comments` has 39 lines but no inline comments. ...

Line	Severity	Comment
492	Low	**RepoGuardian Docs — Missing Inline Comments** | `LOW` **`post_inline_comments`** — Function `post_inline_comments` has 39 lines but no inline comments. ...
492	Low	**RepoGuardian Docs — Missing Inline Comments** | `LOW` **`post_inline_comments`** — Function `post_inline_comments` has 39 lines but no inline comments. ...
492	Low	**RepoGuardian Docs — Missing Inline Comments** | `LOW` **`post_inline_comments`** — Function `post_inline_comments` has 39 lines but no inline comments. ...
492	Low	**RepoGuardian Docs — Missing Inline Comments** | `LOW` **`post_inline_comments`** — Function `post_inline_comments` has 39 lines but no inline comments. ...
492	Low	**RepoGuardian Docs — Missing Inline Comments** | `LOW` **`post_inline_comments`** — Function `post_inline_comments` has 39 lines but no inline comments. ...
492	Low	**RepoGuardian Docs — Missing Inline Comments** | `LOW` **`post_inline_comments`** — Function `post_inline_comments` has 39 lines but no inline comments. ...
492	Low	**RepoGuardian Docs — Missing Inline Comments** | `LOW` **`post_inline_comments`** — Function `post_inline_comments` has 39 lines but no inline comments. ...
492	Low	**RepoGuardian Docs — Missing Inline Comments** | `LOW` **`post_inline_comments`** — Function `post_inline_comments` has 39 lines but no inline comments. ...
492	Low	**RepoGuardian Docs — Missing Inline Comments** | `LOW` **`post_inline_comments`** — Function `post_inline_comments` has 39 lines but no inline comments. ...
492	Low	**RepoGuardian Docs — Missing Inline Comments** | `LOW` **`post_inline_comments`** — Function `post_inline_comments` has 39 lines but no inline comments. ...
494	Medium	**RepoGuardian Code Smell — Code Duplication** (score: 5) | `MEDIUM` **`duplicate_block_line_494`** — Duplicate code block detected (also at agents/pr_rev...
494	Medium	**RepoGuardian Code Smell — Code Duplication** (score: 5) | `MEDIUM` **`duplicate_block_line_494`** — Duplicate code block detected (also at agents/pr_rev...
511	Medium	**RepoGuardian Code Smell — Code Duplication** (score: 5) | `MEDIUM` **`duplicate_block_line_511`** — Duplicate code block detected (also at agents/pr_rev...
511	Medium	**RepoGuardian Code Smell — Code Duplication** (score: 5) | `MEDIUM` **`duplicate_block_line_511`** — Duplicate code block detected (also at agents/pr_rev...
531	Medium	**RepoGuardian Code Smell — Function Too Long** (score: 53) | `MEDIUM` **`post_security_summary`** — Function `post_security_summary` is 53 lines long — t...
531	Medium	**RepoGuardian Code Smell — Function Too Long** (score: 53) | `MEDIUM` **`post_security_summary`** — Function `post_security_summary` is 53 lines long — t...
584	High	**RepoGuardian Code Smell — Function Too Long** (score: 140) | `HIGH` **`run_security_agent`** — Function `run_security_agent` is 140 lines long — too lon...
584	High	**RepoGuardian Code Smell — Function Too Long** (score: 140) | `HIGH` **`run_security_agent`** — Function `run_security_agent` is 140 lines long — too lon...
591	High	**RepoGuardian Security — Injection Risk** | `HIGH` | `SQL_INJECTION` Potential SQL injection: query appears to use string formatting or concatenation. Us...
676	High	**RepoGuardian Security — OWASP Vulnerability** | `HIGH` | `EVAL_USAGE` eval() executes arbitrary code — never pass user-controlled input to it. If dynami...
687	High	**RepoGuardian Security — OWASP Vulnerability** | `HIGH` | `OS_SYSTEM_INJECTION` Command injection risk: os.system() or subprocess with shell=True can be ...
696	Medium	**RepoGuardian Code Smell — Code Duplication** (score: 5) | `MEDIUM` **`duplicate_block_line_696`** — Duplicate code block detected (also at agents/orches...
696	Medium	**RepoGuardian Code Smell — Code Duplication** (score: 5) | `MEDIUM` **`duplicate_block_line_696`** — Duplicate code block detected (also at agents/orches...

Line	Severity	Comment
698	High	**RepoGuardian Security — OWASP Vulnerability** | `HIGH` | `PICKLE_DESERIALISE` pickle.load() deserialises arbitrary Python objects and can execute code. ...
698	Medium	**RepoGuardian Code Smell — Code Duplication** (score: 5) | `MEDIUM` **`duplicate_block_line_698`** — Duplicate code block detected (also at agents/orches...
699	Medium	**RepoGuardian Code Smell — Code Duplication** (score: 5) | `MEDIUM` **`duplicate_block_line_699`** — Duplicate code block detected (also at agents/orches...
720	Low	**RepoGuardian Security — Insecure Pattern** | `MEDIUM` | `BARE_EXCEPT` Bare except: clause swallows all exceptions including KeyboardInterrupt and System...