


LG Prompthon Challenge 2025 Hands on Lab

실습 환경 생성

1. VSCode 설치

- [Visual Studio Code - Code Editing. Redefined](#) 접속
- Download for Windows 클릭하여 다운로드




2. Python 설치

- [Welcome to Python.org](#)
- Python 버전 선택 후 (3.13.7 권장) OS 에 맞는 installer 다운로드하여 설치

Files

Version	Operating System	Description	MD5 Sum	File Size	GPG	Sigstore	SBOM
Gzipped source tarball	Source release		138c2e19c835ead10499571e0d4cf189	28.0 MB	SIG	.sigstore	SPDX
XZ compressed source tarball	Source release		256cdb3bbf45cdce7499e52ba6c36ea3	21.7 MB	SIG	.sigstore	SPDX
macOS 64-bit universal2 installer	macOS	for macOS 10.13 and later	ac0421b04eef155f4daab0b023cf3956	67.8 MB	SIG	.sigstore	
Windows installer (64-bit)	Windows	Recommended	1da92e43c79f3d1539dd23a3c14bf3f0	27.5 MB	SIG	.sigstore	SPDX
Windows installer (32-bit)	Windows		f501c1b321c82412ed330ec5604cac39	26.2 MB	SIG	.sigstore	SPDX
Windows installer (ARM64)	Windows	Experimental	66c0ba98b20b7d4ea0904223d484d369	26.8 MB	SIG	.sigstore	SPDX
Windows embeddable package (64-bit)	Windows		77f294ec267596827a2ab06e8fa3f18c	10.4 MB	SIG	.sigstore	SPDX
Windows embeddable package (32-bit)	Windows		53eae0de1231dfd133ea703e43b30	9.2 MB	SIG	.sigstore	SPDX
Windows embeddable package (ARM64)	Windows		6a3fcfc7a10a3822459b1c214f769df1	9.7 MB	SIG	.sigstore	SPDX
Windows release manifest	Windows	Install with 'py install 3.13'	6a5588452e73f959c9fa1ba009f42f75	14.6 KB		.sigstore	

- 설치 시 Add python.exe to PATH 선택




3. VSCode extension 설치

- 왼쪽 메뉴에서 아래 아이콘 클릭




- Python 선택 후 install




4. Python venv 설치

- 프로젝트 폴더 설정 (File > Open Folder)

※ 기존 폴더를 지정해도 되지만, 새로운 폴더 생성 후 사용을 권장합니다.




- New Terminal> cmd (Command Prompt) 선택




- Terminal 에서 아래 명령어 실행

- `python -m venv venv`


- venv 생성 확인



- [Ctrl + Shift + P] 키를 눌러 Python: Select Interpreter 검색하여 생성한 venv 선택



- Terminal 재실행 > venv 활성화 확인




5. 실습에 필요한 패키지 설치


- Explorer 탭에서 New File 아이콘 선택



- requirements.txt 생성



- requirements.txt 에 아래 내용 붙여 넣고 저장



- requirements.txt 설치
 - Terminal 에서 아래 명령어 실행
 - `pip install -r requirements.txt`

```

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS

Microsoft Windows [Version 10.0.26100.4946]
(c) Microsoft Corporation. All rights reserved.

C:\Users\soeunpark\OneDrive - Microsoft\soeunpark\07. Study\VSCode>"C:/Users/soeunpark/OneDrive - Microsoft
(venv) C:\Users\soeunpark\OneDrive - Microsoft\soeunpark\07. Study\VSCode>pip install -r requirements.txt


```

기본 환경 설정 및 권한 확인

1. Azure portal 접속
 - [Home - Microsoft Azure \(portal.azure.com\)](https://portal.azure.com)
2. Resource group 생성 확인
 - 아래 아이콘 클릭하여 리소스 그룹 접근



3. 권한 확인
 - 생성된 Resource groups 클릭




#1 AI Foundry 실습


AI Foundry 프로젝트를 생성하고 간단한 RAG 기반 agent 생성

1. AI Foundry 리소스 생성

- 리소스 그룹 선택 > Create 클릭



- 검색창에 Azure AI Foundry 검색 후 Create 클릭



- 설정 값 입력

[Basics]

Resource group: 생성된 리소스 그룹 선택

Name: <생성할 리소스 이름 입력>

Region: East US

※ Korea Central 선택도 가능하지만 일부 기능이 preview로 지원되지 않아 East US를 권장합니다.

- 나머지 설정은 그대로 두고 Next 클릭

- Review + submit 설정 내용 확인 > Create
Create an Azure AI Foundry resource ...

✓ Basics
✓ Network
✓ Identity
✓ Encryption
✓ Tags
6 Review + submit

[View automation template](#)

Basics

Subscription LG Prompthon 2025
 Resource group test99-Test-RG
 Name soeunpark-ai-foundry
 Region East US
 Default project name firstProject

Network

Inbound Access All networks, including the internet, can access this resource.

Identity

Identity type System assigned

- 생성된 리소스 확인 (Azure AI Foundry, Azure AI Foundry project)

☐	Name ↑	Type	Location
☐	soeunpark-ai-foundry ...	Azure AI Foundry	East US
☐	firstProject (soeunpark-ai-foundry/firstProject) ...	Azure AI Foundry project	East US

2. Grounding with Bing Search 리소스 생성

- 리소스 그룹 선택 > Create 클릭

Home > Resource groups >


test99-Test-RG
✂ ☆ ...
Are there any alerts fired for this resource group?

Resource group

⌵ ⏪
+ Create
⚙ Manage view ▾
🗑 Delete resource group

Overview
▽ Essentials

- 검색창에 Grounding with Bing Search 검색 후 Create 클릭



[Basics]

Resource group: 생성된 리소스 그룹 선택

Name: <생성할 리소스 이름 입력>

Region: Global

Pricing tier: Grounding with Bing Search (\$35K per 1K transactions)

- 나머지 설정은 그대로 두고 Next 클릭
- Review + submit 설정 내용 확인 > Create
Create a Grounding with Bing Search resource ...

Basics Tags **Review + create**


[View automation template](#)

Basics


Subscription	LG Prompthon 2025
Resource group	test99-Test-RG
Name	soeunpark-bing-search
Resource group location	Korea Central
Pricing tier	Grounding with Bing Search (\$35 per 1K transactions)

3. AI Foundry portal 접속 (ai.azure.com)

- 생성된 Azure AI Foundry project 리소스 클릭 > Go to Azure AI Foundry portal




- AI Foundry portal 화면 확인




4. Grounding with Bing Search 연결


- 메뉴 설명 - All resources / Quota / Overview / Users / Connected resources
- Grounding with Bing Search 연결
 - Management center 클릭




- Resource > Connected resources > New Connection



- Grounding with Bing Search 선택



- 기존에 생성했던 Grounding with Bing Search 확인 > Add connection



■ 연결 확인

Management center

- All resources
- Quota
- Resource (SOEUNPARK-FOUN...)
- Overview
- Users
- Connected resources**
- Project (firstProject) ▾
- Overview
- Users
- Connected resources
- Go to project

Manage connected resources in this project

+ New connection Refresh Delete Edit Reset view

Search

Name	Access	Authentication type	Added by ▾
SOEUNPARKBINGSEARCH	Shared to all projects ⓘ	API key	soeunpark@microsoft.c...

■ 프로젝트로 돌아가기

Management center

- All resources
- Quota
- Resource (SOEUNPARK-FOUN...)
- Overview
- Users
- Connected resources**
- Project (firstProject) ▾
- Overview
- Users
- Connected resources
- Go to project**

Manage connected resources in this project

+ New connection Refresh Delete Edit Reset view

Search

Name	Access	Authentication type	Added by ▾
SOEUNPARKBINGSEARCH	Shared to all projects ⓘ	API key	soeunpark@microsoft.c...

5. AI Foundry 에 AOAI 모델 배포 – GPT-4.1, GPT-5

○ Model Catalog 탐색 – 모델 리스트, Benchmark

Azure AI Foundry / firstProject ▾ / Model catalog

Find the right model to build your custom AI solution

Models shown are available for deployment in this project. [See all models](#)

Announcements

- Introducing Mistral Document AI (25.05)
- Introducing GPT-5 models
- Announcing new gpt-oss models
- Model Router with GPT-5
- FLUX.1 Kontext [pro] - [pro] are now available

Model leaderboards

See what models are performing best in different criteria. [Learn more](#) about the scoring methodology.

Quality ⓘ

- o3-pro
- gpt-5
- o3

Safety ⓘ

- Phi-4
- o3
- o1

Cost ⓘ

- Ministral-3B
- Phi-4-mini-instruct
- Phi-4-mini-reasoning

Throughput ⓘ

- grok-3-mini
- Llama-3.2-1B-Instruct
- o3-mini

Search

Models 96

- gpt-5-mini
- codex-mini
- model-router
- gpt-4.1-nano
- mistral-medium-2505
- Phi-4-reasoning
- FLUX-11-pro
- FLUX-1-Kontext-pro
- grok-3
- grok-3-mini
- gpt-4.1
- gpt-4.1-mini
- Phi-4-mini-reasoning
- Llama-4-Scout-17B-16E-L-

- gpt-4.1 클릭 > Use this model

gpt-4.1

▶ Use this model

Fine-tune

Details

Benchmarks

Existing deployments

License

The gpt-4.1 series is the latest iteration of the `gpt-4o` model family. This iteration of models is specifically targeted for better coding and instruction following, making it better at handling complex technical and coding problems.

In addition, it increases the context token limit up to 1M input tokens and provides separate billing for small context (128k) and large (up to 1M) context inputs.

- Customize > Tokens per Minute Rate Limit 500K 로 설정

Deployment details

Collapse

Model version upgrade policy

Upgrade once new default version becomes available

Model version

2025-04-14 (Default)

Connected AI resource

SOEUNPARK-FOUNDRY-EU2 (This resource)

730K tokens per minute quota available for your deployment

Tokens per Minute Rate Limit ⓘ

500K

Corresponding requests per minute (RPM) = 500

Content filter ⓘ

DefaultV2

Deploy

Cancel

- Deployment details 확인 > Deploy

Deploy gpt-4.1

Deployment name *

gpt-4.1

Deployment type

Global Standard

Global Standard: Pay per API call with the highest rate limits. Learn more about [Global deployment types](#).

Data might be processed globally, outside of the resource's Azure geography, but data storage remains in the AI resource's Azure geography. Learn more about [data residency](#).

Deployment details

Customize

Model version

2025-04-14

Authentication type

Key

Capacity

140K tokens per minute (TPM)

Resource location

East US 2

Content safety

DefaultV2


Version upgrade policy

Once a new default version is available

Deploy

Cancel

- gpt-5 도 동일하게 배포
- 배포된 모델 확인
 - 왼쪽 메뉴에서 My Assets 밑에 Models + endpoints 선택



- 배포된 모델 리스트 확인

Model deployments Help

Model deployments Service endpoints

[+ Deploy model](#) [Refresh](#) [Edit](#) [Open in playground](#) [Reset view](#)

Name	Model name	Model version	State	Model retirement date	Content filter	Deployment type
This resource						
gpt-4.1	gpt-4.1	2025-04-14	Succeeded	Apr 11, 2026 9:00 AM	DefaultV2	Global Standard

6. Agent 생성

- Agents 메뉴 클릭 > agent 자동 생성

 A screenshot of the Azure OpenAI 'Agents' page. The left sidebar shows the 'Agents' menu item selected. The main area has a green success banner at the top stating 'Success: Agent with id asst_be1ANTv9KNWlv4INvkeOGzst created successfully'. Below this is the 'Create and debug your agents' section, which includes tabs for 'My agents' and 'My threads'. A 'New agent' button is visible. A table lists the created agent:

Name	ID	Model	Created ↓	Description	Tools
Agent411	asst_be1ANTv9KNWlv4INvkeOGzst	gpt-4.1	Aug 31, 2025 ...		

- Agent 설정

Agent name: <Agent 이름 입력>

Deployment: 이전에 배포한 gpt-4.1 모델 확인

Instructions: You are a helpful assistant. Search for information using the input that I give.

※ Instruction 예/output 형식 지정과 같이 agent 의 행동 설정 가능

예) Hi, Agent! Draw a graph for a line with a slope of 4 and y-intercept of 9.

Setup Hide

Try in playground

Agent ID ⓘ
asst_bE1ANTv9KNWlv4lNxke0Gzst


Agent name
my-agent

Deployment * + Create new deployment
gpt-4.1 (version:2025-04-14)


Instructions ⓘ
You are a helpful assistant. Search information using the input that I give.

○ Knowledge 추가

■ Add 버튼 클릭



■ Grounding with Bing Search 클릭



- 이전에 생성한 Grounding with Bing Search connection 클릭 > Next

Choose an existing Grounding with Bing Search connection ×

← Back to select knowledge type

① When you use Grounding with Bing Search, your customer data is transferred outside of the Azure compliance boundary to the Grounding with Bing Search service. Grounding with Bing Search is not subject to the same data processing terms (including location of processing) and does not have the same compliance standards and certifications as the Azure AI Agent Service, as described in the [Grounding with Bing Search TOU](#). It is your responsibility to assess whether use of Grounding with Bing Search in your agent meets your needs and requirements.

[+ New connection](#) [Refresh](#)

Filter

Name	Authentication type	Added by	Key
SOEUNPARKBINGSEARCH	API key	soeunpark@microsoft.c...	

[Configure Grounding with Bing Search optional parameters]

Count: 응답으로 리턴할 Search 결과 개수

Set language: 설정 언어(한국어의 경우 ko 입력)

Market: 검색 대상 국가 설정(한국의 경우 ko-KR 입력)

Freshness: 검색 결과 필터링에 사용할 날짜 지정

(2020-09-01~2025-08-31 입력 시 해당 날짜 사이의 결과만 반환)

- Try in playground 선택

Setup

Hide

Try in playground

Agent ID ⓘ

asst_Dje2ceAPsSowTvtVfmjPZpk7

Agent name

my-agent

Deployment *

[+ Create new deployment](#)

gpt-4.1 (version:2025-04-14)


Instructions ⓘ

You are a helpful assistant. Search for information using the input that I give.

- Try in playground 에서 생성한 agent 테스트


예) 2025 년에 가장 핫한 러닝화 브랜드 추천해줘

← Agents playground



7. 모델 Fine tuning

- 왼쪽 메뉴에서 Fine-tuning 선택



- Fine tune model 버튼 클릭

Fine-tune with your own data

Adapt a pre-trained language model to excel at specific tasks or new domains by training it on targeted datasets, teaching the model new skills while retaining

Generative AI fine-tuning AI Service fine-tuning

+ Fine-tune model Refresh Deploy Reset view

○ gpt-4.1 선택 > Next

Select a model to fine-tune

Choose a model to fine-tune by filtering through our catalog. Note that specific models may only be available for fine-tuning in specific regions. [Learn more about regional constraints for fine-tuning](#)

Models 7Customization method

Show description

Search

Base models

Fine-tuned models

o4-mini

Chat completion

gpt-4.1

Chat completion

gpt-4.1-mini

Chat completion

gpt-4.1-nano

Chat completion

gpt-4o

Chat completion

gpt-4o-mini

Chat completion

gpt-4.1

Model version: 2025-04-14

Task: Chat completion

Supervised

Direct Preference optimization

The gpt-4.1 series is the latest iteration of the `gpt-4o` model family. This iteration of models is specifically targeted for better coding and instruction following, making it better at handling complex technical and coding problems.

In addition, it increases the context token limit up to 1M input tokens and provides separate billing for small context (128k) and large (up to 1M) context inputs.

As with the previous gpt-4o model family, it supports a 16k output size and features such as:

• Text, image processing

• JSON Mode

• parallel function calling

• Enhanced accuracy and responsiveness

• Parity with English text and coding tasks compared to GPT-4 Turbo with Vision

• Superior performance in non-English languages and in vision tasks

• Support for enhancements

• Support for complex structured outputs.

Next

Cancel

○ Training data > Curated sample datasets > textGSM8K_train_sample

Fine-tune gpt-4.1

← Back to fine-tuning

Choose a dataset to customize your model. Ensure your training data is in a jsonl file, formatted for chat completions, with 'messages' as the row header.

Get started faster - learn how to create datasets using these samples ([chat data](#) , [multi-modal data](#)) on our [GitHub repo](#)

Training data *

Curated sample datasets

* Curated Sample Datasets

GPT-4.1

Get started with a pre-prepared sample dataset to help you understand how to format data for fine-tuning and test end-to-end workloads. These datasets are intended as examples; they are not intended to produce production quality models.

Select data *

textGSM8K_train_sample

☒ Skip preview

[Learn more about preparing your own data](#)

Apply

Cancel

※Fine tuning 과정은 시간이 오래 소요될 수 있어서, 실습이 끝날 때까지 학습이 완료되지 않는다면
강제 종료를 부탁드립니다.

○ Completed 확인

Fine-tune with your own data

Adapt a pre-trained language model to excel at specific tasks or new domains by training it on targeted datasets, teaching the model new skills while retaining it's general language

[Generative AI fine-tuning](#) [AI Service fine-tuning](#)

[+ Fine-tune model](#) [Refresh](#) [Deploy](#) [Continual fine-tuning](#) [Delete](#) [Pause](#) [Cancel](#) [Reset view](#)

Model name	Base model	Status	Customization method	Created on
gpt-4.1-2025-04-14.ft-6cbf87f33cf347b890bb866decba61c7	gpt-4.1-2025-04-14	Completed	Supervised	Aug 31, 2025

○ 배포된 모델 클릭하여 Details 확인

← [gpt-4.1-2025-04-14.ft-6cbf87f33cf347b890bb866decba61c7](#)

[Details](#) [Metrics](#) [Logs](#) [Checkpoints](#)

[Use this model](#) [Refresh](#) [Continual fine-tuning](#) [Delete](#) [Pause](#) [Cancel](#)

Model attributes

ID
ftjob-6cbf87f33cf347b890bb866decba61c7

Status ✔ Completed	Base model gpt-4.1-2025-04-14
Created on Aug 31, 2025 9:00 PM	Training file textGSM8K_train_sample.jsonl
Validation file -	Azure OpenAI resource SOEUNPARK-FOUNDRY-EU2
Method of Customization Supervised	Training type Global (Preview)
Auto-deployment enabled true	Deployment type Global standard

Training completed on Aug 31, 2025 10:54 PM	Duration 1h 54m 33s
Training tokens billed 251,000	Deployment Status Deployment Successfully Triggered - View Details

[Download results](#) [Download training file](#) [Download validation file](#)

Task parameters

Batch size
1

Learning rate multiplier
2

Number of epochs
3

Seed
367147176

○ Fine tuning 된 모델 테스트

- [Models + endpoints] 탭 접속
- Open in playground 클릭
- 테스트 질문 입력

예) 4 명의 학생 중 달리기 선수 2 명을 뽑는 경우의 수는 얼마야?

Chat history



4명의 학생 중 달리기 선수 2명을 뽑는 경우의 수는 얼마야?

Azure AI Foundry | gpt-4.1-2025-04-14.ft-6cbf87f33cf347b890bb866decba61c7 AI-generated content may be incorrect

4명 중 달리기 선수 2명을 뽑는 경우의 수는 조합(Combination)을 사용해 구합니다.

공식: $nCk = n! / (k! \times (n-k)!)$

여기서, $n=4$, $k=2$


따라서 $4C2 = 4! / (2! \times 2!) = (4 \times 3 \times 2 \times 1) / ((2 \times 1) \times (2 \times 1)) = 24 / 4 = 6$

답: 6가지 경우가 있습니다.

#2 나만의 자비스 생성

OpenAI ChatGPT 의 Function Calling 기능을 활용하여, 아이언맨의 자비스와 같은 인공지능 비서 생성

- 사용자의 음성은 Azure 가 제공하는 AI Speech 서비스의 STT(Speech-to-text) 기능을 이용하여 텍스트로 변환
- 텍스트는 ChatGPT 가 제공하는 Function Calling 기능을 활용하여, 이미 작성되어진 API 또는 코드를 선택적으로 수행
- 수행 결과는 다시 Azure 가 제공하는 AI Speech 서비스의 TTS(Text-to-speech)를 이용하여 답변




1. 환경 변수 설정 (.env)

- Explorer 탭에서 New File 아이콘 선택



- .env 생성




- 아래 내용 .env 에 복사 후 저장

```
AZURE_OPENAI_ENDPOINT=<OPENAI_ENDPOINT>
AZURE_OPENAI_API_KEY=<OPENAI_API_KEY>
OPENAI_API_VERSION=2025-03-01-preview
DEPLOYMENT_NAME=gpt-4.1
AZURE_SPEECH_KEY=<AI_SERVICES_API_KEY>
AZURE_SPEECH_REGION=eastus2
AZURE_SPEECH_LANGUAGE=ko=KR
KAKAO_REST_API_KEY=<KAKAO_REST_API_KEY>
WEATHER_API_KEY=<WEATHER_API_KEY>
```

※AZURE_OPENAI_API_KEY 와 AZURE_SPEECH_KEY 는 같은 값을 사용

- .env 값 가져오기 (Azure AI Foundry portal)




○ KAKAO_REST_API_KEY 발급 방법

[REST API | Kakao Developers 문서](#)


■ 앱 > 앱 생성




■ 생성된 앱 클릭 > 앱 > 일반 > REST API 키 복사




■ 허용 IP 주소 등록을 위해 네이버에서 내 IP 찾기



■ 앱 > 고급 > 허용 IP 주소 등록 (REST API 키를 사용하려면 IP 주소 지정 필요)




- 제품 설정 > 카카오맵 > 사용 설정 ON 으로 변경




- WEATHER_API_KEY 발급 방법

[Current weather data - OpenWeatherMap](#)


- 회원가입 > 메일인증필요
- API > Current Weather Data > Subscribe



- 스크롤을 아래로 쪽 내려서 Free Access > Get API key



- Key 값 복사




2. Jupyter notebook 코드 다운받기


[azure-openai-samples-kr/quick_start/11_my_jarvis_stt_chatgpt_tts.ipynb at main · HyounsooKim/azure-openai-samples-kr](https://github.com/HyounsooKim/azure-openai-samples-kr/blob/main/11_my_jarvis_stt_chatgpt_tts.ipynb)

3. VS Code 에서 코드 실행

- 다운로드 받은 Jupyter notebook 선택 > 오른쪽 위에 Select Kernal 클릭



- 이전에 생성한 Python venv 선택




- Shift + Enter 눌러서 코드 하나씩 실행 후 결과 확인

※실행 초반에 ipykernel 설치 팝업이 뜨면 설치 진행


#3 AI Foundry with Copilot Studio 실습

AI Foundry 모델을 사용하는 Copilot Agent 만들기

1. Copilot Studio 접속 (copilotstudio.microsoft.com)
2. 환경 설정
 - Select environment > Supported environments > PrompthonCopilotProd
3. Agents > New agent




4. Copilot agent 가 실행되면 오른쪽 위에서 Skip to configure 선택




5. Agent 구성에서 다음과 같이 입력 후 Create

Name: 데모 에이전트




6. 생성된 Agent 들어가서 Tools > Add tool > + New tool



7. Prompt 생성


○ Prompt 선택



○ 프롬프트 이름 변경


- 이름: 인터뷰 준비

- 모델 선택 > Azure AI Foundry Models




- AI Foundry portal 에서 아래 필요한 정보 가져오기

← grok-3



- 모델 설정 완료 확인




- Instructions 을 아래와 같이 입력

내부 채용 면접 준비를 돕는 에이전트로서/질의에 응답하세요. 당신은 사용자가 내부 채용에 지원할 수 있도록 준비를 돕기 위해 여기에 있습니다.



- 간결하게 응답하고, 사용자의 질문에 대한 답변만 제공하세요.

- /질의 작성 방법

- / 입력 > Input 창 > Text > 질의 입력




- 설정 확인




- Inputs 설정


- Fill using > Custom Value




- Value > ... > System > Activity.text 선택



- Outputs 설정 > {X} > Output.text 선택 > 저장



8. 데모 에이전트 > Overview > Instructions 수정



역할(Role)

당신은 사용자가 면접을 준비할 수 있도록 돕는 **면접 준비 코치**입니다. 사용자가 지원하는 직무, 회사, 예상 질문, 답변 전략, 자기소개, STAR 기법 등을 준비할 수 있도록 가이드합니다.

목표(Objective)


- 사용자가 **면접 질문에 대한 답변을 구조화**하고, **자신의 경험을 효과적으로 표현**하도록 돕습니다.
- **회사 및 직무 분석, 예상 질문 리스트, 답변 피드백**을 제공합니다.
- **튼튼 전문적이면서도 친근하고 격려하는 방식**을 유지합니다.

지침(Instructions)

1. 모든 면접과 관련된 질문에 대답 답변은 **면접 준비 지원**을 이용하여 결과물을 제공합니다.

9. 에이전트 테스트

예) Microsoft SE 면접 준비를 위한 질문지를 만들어줘




10. 배포




11. 배포 완료 후 채널 추가

- 데모 에이전트 > Channels > Teams and Microsoft 365 Copilot




- Add Channel



- Edit details

Agent preview



- Teams settings 체크 > Save

Teams settings

Decide where and how your agent should function in Teams.

- ☒ Users can add this agent to a team


[Review best practices and adjust settings to prevent spamming team members.](#) [Go to Teams settings](#)

- ☒ Use this agent for group and meeting chats


12. Teams 에 생성한 agent 추가

- See agent in Teams


Agent preview



- Add



- Open



13. Teams 에서 agent 테스트

