

FDE-Associate Foundation — Skills & Connectors Advanced MCQs

Source reviewed: Panaversity AI Agent Factory — “Skills & Connectors: Teach AI Once, Connect It to Your Apps.” The exam emphasizes the source’s durable reasoning: Skills encode repeatable procedure, Connectors provide scoped app/data access, Skills and Connectors compose, descriptions control automatic triggering, and safety/verification remain human responsibilities.

Format verified: 35 questions — 19 single-answer, 8 two-answer, 8 table-based. Answers are placed immediately after the options. Two-answer questions require exactly two selections.

Q1. A customer repeatedly pastes the same 10 rules for producing board papers, but the source data changes every month and lives in a document repository. Which architecture best addresses the two distinct frictions?

- A. Store the rules in a Project and paste the source data manually.
- B. Create a Skill for the repeatable board-paper method and use a Connector for the repository data.
- C. Create a Connector containing the board-paper rules and use Custom Instructions for the repository.
- D. Use a Project alone because Projects provide both procedures and application access.

Answer: B

Q2. An FDE builds a skill and notices that installing 40 skills does not materially increase the amount of full instruction text loaded into every request. Which mechanism best explains this?

- A. Skills are permanently compiled into the model weights.
- B. Progressive disclosure keeps the short descriptions available and loads full instructions only after a match.
- C. Connectors compress skill instructions into MCP calls.
- D. Projects automatically disable unused skills.

Answer: B

Q3. A skill called “report helper” almost never fires when users ask for “monthly close,” “month-end report,” or “client summary.” The instructions themselves are correct. What should the FDE investigate first?

- A. Rewrite the entire instruction body.
- B. Increase connector permissions.
- C. Tighten the description with the phrases users actually say.
- D. Convert the skill into a Project.

Answer: C

Q4. A skill fires for nearly every request because its description says only “Helps with reports.” Which change is most likely to fix the problem without changing the workflow itself?

- A. Add a negative trigger and specific use cases to the description.
- B. Add more scripts to the skill.
- C. Grant the skill write access.
- D. Move the skill into a connector.

Answer: A

Q5. A team asks why a Connector cannot open a file that the user also cannot open in the underlying application. What is the correct explanation?

- A. Connectors bypass application permissions but require an administrator token.
- B. The connector inherits the user’s existing permissions and cannot exceed them.
- C. MCP requires a separate organization-wide permission for every file.
- D. The connector is necessarily broken.

Answer: B

Q6. A user connects a company Drive and asks the AI to summarize one folder. The FDE recommends granting access to the whole Drive because it is “simpler.” Which response is most aligned with the source?

- A. Whole-drive access is preferable because broader context improves every answer.
- B. Scope should be as small as the workflow requires; one folder is safer than the whole Drive.
- C. Scope is relevant only for Skills, not Connectors.

D. Scope is irrelevant when access is read-only.

Answer: B

Q7. A connector can read a document but cannot edit it in place. The user has write permission in the source app. What is the best diagnosis?

- A. The connector's action set does not include in-place editing; permissions cannot create a capability the connector does not expose.
- B. The user needs to upgrade to a stronger model.
- C. MCP guarantees editing once write permission is granted.
- D. The skill description must contain the word 'edit'.

Answer: A

Q8. An analyst needs a one-time answer about a tax rate and will never repeat the workflow. They ask whether they should build a Skill. What is the best FDE answer?

- A. Yes; every successful prompt should become a Skill.
- B. Yes; Skills are required for all accurate work.
- C. No; a one-off task is usually better served by a good prompt.
- D. No; Skills are only for programmers.

Answer: C

Q9. A project manager wants AI to create a Linear issue from an incident report using a fixed severity rubric. The incident data is already in the chat. Which capability is required for the action itself?

- A. A Skill only.
- B. A Connector with appropriate write access.
- C. A Project only.
- D. Custom Instructions only.

Answer: B

Q10. The same Linear workflow also requires the fixed severity rubric to be applied consistently. What additional capability best completes the design?

- A. A Skill containing the rubric and output procedure.
- B. Another read-only Connector.
- C. Global Custom Instructions.
- D. A second Project containing the same incident text.

Answer: A

Q11. An FDE wants to build a new Skill but does not want to write the SKILL.md manually. According to the source, what is the fastest path?

- A. Ask skill-creator to build it from a plain-English description, then test and refine it.
- B. Create a connector first and let it infer the method.
- C. Put the instructions in Custom Instructions and export them.
- D. Write a Python package before defining the workflow.

Answer: A

Q12. A Skill's output is inconsistent specifically on a numeric threshold check, even after the natural-language instruction has been clarified. Which next step is most appropriate?

- A. Make the description broader.
- B. Move the exact threshold computation into a small program/script.
- C. Replace the Connector with a Project.
- D. Add more examples but keep the same ambiguous rule.

Answer: B

Q13. A skill worked perfectly in a short chat, but after a very long conversation its output becomes confused. The skill file has not changed. What is the best first response?

- A. Rewrite the Skill's description.
- B. Add a negative trigger.
- C. Start a fresh chat and restate the task; the skill may be fine while the chat has become tangled.
- D. Grant the Skill broader scope.

Answer: C

Q14. A skill used to work but now produces incorrect reports. Its SKILL.md is unchanged. The team's threshold, template, and source files have changed. Which diagnosis is strongest?

- A. Skills are deterministic and therefore cannot become stale.
- B. Something around the skill changed; re-check the skill against the current workflow, threshold, template, and connector data.
- C. The only possible cause is model degradation.
- D. Convert the Skill to Custom Instructions.

Answer: B

Q15. A team wants the same Skill available in Claude.ai and a command-line environment from another vendor. Which property of the source's Agent Skills standard matters most?

- A. It makes every vendor's UI identical.
- B. A basic SKILL.md can be read across compatible tools, although install paths, permissions, and extra features differ.
- C. It automatically migrates all connector permissions.
- D. It turns Custom GPTs into portable Skills.

Answer: B

Q16. A developer claims that ChatGPT Custom GPTs and Gemini Gems are equivalent to portable Agent Skills because all three "save instructions." What is the most important correction?

- A. Custom GPTs and Gems are portable by the same open standard.
- B. The key distinction is portability: consumer-app saved assistants remain within their ecosystems, while Agent Skills use the open SKILL.md standard.
- C. Skills cannot contain instructions.
- D. Gems are actually connectors.

Answer: B

Q17. A company downloads a Skill from an unknown forum. It contains instructions to send extracted customer data to an external server. Which risk is this most directly associated with?

- A. Progressive disclosure.
- B. Data exfiltration enabled by a malicious skill.
- C. Read-only connector scope.
- D. Project context drift.

Answer: B

Q18. A team gives an AI connector write access to a production tracker on day one because "we can revoke it later." What is the better deployment posture?

- A. Start read-only, observe behavior, then grant write access only when needed and trusted.
- B. Grant delete access first so the full action surface can be tested.
- C. Use whole-app scope so the connector has enough context.
- D. Skip testing because permissions are inherited from the user.

Answer: A

Q19. A user enables ten connectors for every conversation. The FDE wants actions to load only when needed. Which setting/concept from the source is most relevant?

- A. Progressive disclosure for Skills only.
- B. Connector Tool access with load-on-demand behavior.
- C. Project-only memory.
- D. Negative triggers for connectors.

Answer: B

Q20. A customer asks for a monthly-close workflow that reads a ledger from Drive and always applies the firm's formatting, grouping, and threshold rules. Which TWO capabilities should the FDE combine?

- A. A Skill for the repeatable formatting and business procedure.
- B. A Connector for retrieving the live ledger.
- C. Custom Instructions for the Drive permission boundary.
- D. A Project instead of any Skill.
- E. A second Connector containing the formatting rules.

Correct answers: A and B

Q21. A skill is not firing reliably. Which TWO diagnostic actions are directly supported by the source?

- A. Ask AI when it would and would not use the skill.
- B. Inspect and refine the description with the phrases users actually say.
- C. Immediately add write access.
- D. Add unrelated reference files.
- E. Replace the skill with a Project without testing.

Correct answers: A and B

Q22. A connector cannot find a document. Which TWO checks should happen before rebuilding the workflow?

- A. Confirm the connector is enabled for the current conversation.
- B. Confirm the user's own account can access the document.
- C. Rewrite the skill body.
- D. Grant whole-drive access immediately.
- E. Assume the model hallucinated the document.

Correct answers: A and B

Q23. A security review is required before installing a community Skill. Which TWO actions best match the source's safety checklist?

- A. Read the SKILL.md and bundled files or ask AI to explain exactly what it instructs.
- B. Flag external-server contact, credential handling, or possible data leakage.
- C. Enable write access first so hidden behavior can be observed.
- D. Trust it if its directory description looks professional.
- E. Copy it into every team member's account immediately.

Correct answers: A and B

Q24. An organization wants to share a validated Skill across a team. Which TWO statements are consistent with the source?

- A. Team/Enterprise users can share a Skill with named colleagues or publish it to an organizational directory.
- B. Shared Skills are view-only and can update when the original changes.
- C. Sharing is always enabled automatically.
- D. Shared Skills require every recipient to rewrite the SKILL.md.
- E. The safest distribution method is to email arbitrary zip files.

Correct answers: A and B

Q25. A Skill has correct triggering but repeatedly miscalculates reversed ledger entries. Which TWO actions are most defensible?

- A. Make the exact transformation explicit and consider moving the exact computation into a small program.
- B. Use a Connector if the needed data is not actually reaching the Skill.
- C. Broaden the description so it fires more often.
- D. Add more global Custom Instructions.
- E. Grant delete access to the data source.

Correct answers: A and B

Q26. A multinational FDE wants a Skill to survive a future vendor change. Which TWO principles should shape the design?

- A. Keep the reusable core in the Agent Skills SKILL.md format.
- B. Expect each product to have its own installation, permissions, and extra features even when the basic Skill travels.
- C. Depend on a vendor-specific Custom GPT for portability.
- D. Encode connector credentials inside the Skill.
- E. Assume all tool UIs will remain identical.

Correct answers: A and B

Q27. A regulated customer is piloting a connector-backed workflow. Which TWO controls most directly reduce risk before production write actions?

- A. Keep the connector read-only during initial testing.
- B. Limit connector scope to the smallest folder/app needed and check recovery/undo behavior before edits.
- C. Grant whole-drive write access to reduce permission errors.
- D. Install community Skills without auditing them because the connector is trusted.
- E. Let the Skill define its own scope.

Correct answers: A and B

Q28. A consulting firm has four recurring annoyances. The FDE uses the source's friction-based diagnosis. Which recommendation for Case 4 is best?

Case	Observed friction	Data location	Desired result	Candidate
1	Same report method re-explained	Chat input	Same format each time	Skill
2	Repeatedly copy tickets from tracker	Tracker	Bring live ticket data	Connector
3	Live data + fixed output procedure	Drive	Formatted monthly report	Both
4	One-off answer, never repeated	Chat input	Immediate answer	Skill

Question: Select the best answer based on the table.

- A. Skill
- B. Connector
- C. Both
- D. Neither

Answer: D

Q29. An FDE audits four SKILL.md designs. Which row is valid according to the source?

Row	SKILL.md name	Description quality	Folder name	Issue
A	client-monthly-summary	Specific triggers and use case	client-monthly-summary	None
B	Client Monthly Summary	Specific triggers	Client Monthly Summary	Folder violates kebab-case
C	client_monthly_summary	Specific triggers	client_monthly_summary	Folder violates kebab-case
D	claude-reports	Specific triggers	claude-reports	Reserved vendor name in skill name

Question: Select the best answer based on the table.

- A. A
- B. B
- C. C
- D. D

Answer: A

Q30. A skill's loading behavior is observed. Which row correctly describes progressive disclosure?

Level	Content	When loaded	Purpose	Typical scope
1	Name + description	Always in view	Decide relevance	Short

Level	Content	When loaded	Purpose	Typical scope
2	Full instructions	After description matches	Execute procedure	Detailed
3	References/assets/scripts	Only as needed	Support complex task	Optional
4	Connector credentials	Always in view	Authorize apps	Required in every Skill

Question: Select the best answer based on the table.

- A. Level 1 only
- B. Levels 1 and 2 only
- C. Levels 1, 2 and 3
- D. All four levels

Answer: C

Q31. A customer grants a Drive connector access. The tool's capabilities and the user's permissions are shown below. Which conclusion is supported?

Action	Connector exposes?	User permitted?	Result	Reason
Search file	Yes	Yes	Available	Both conditions met
Read file	Yes	No	Unavailable	Permission blocks it
Edit existing file in place	No	Yes	Unavailable	Tool does not expose capability
Save new file	Yes	Yes	Available	Both conditions met

Question: Select the best answer based on the table.

- A. Read file is available because the connector exposes it.
- B. Edit existing file is available because the user has permission.
- C. Save new file is available because capability and permission both exist.
- D. All actions are available because Drive is connected.

Answer: C

Q32. A team tests a new Skill. Based on the results, what should the FDE do next?

Test	Result	Likely cause	Best next action	Priority
Trigger test	Never fires	Description too vague	Add user phrases	High
Unrelated request	Skill fires	Description too broad	Narrow/add negative trigger	High
Normal output	Wrong threshold behavior	Instruction too loose	Make rule explicit / consider script	High
Long-chat run	Degrades only after many turns	Chat became tangled	Start fresh chat; don't edit skill yet	Medium

Question: Select the best answer based on the table.

- A. Rewrite the Skill after every failure
- B. Use the timing pattern to target the cause before editing
- C. Grant broader connector access
- D. Convert the Skill to a Project

Answer: B

Q33. A company wants a portable workflow across tools. The table compares artifacts. Which one is the strongest portability choice?

Artifact	Where it lives	Portable across tools?	Main strength	Constraint
A	Custom GPT	ChatGPT	Low	Vendor-bound
B	Gem	Google apps	Low	Vendor-bound
C	SKILL.md	Agent Skills-compatible tools	Yes, at the core	Install/permission details vary
D	Chat transcript	Any chat	Not as a reusable asset	Context-dependent

Question: Select the best answer based on the table.

- A. A
- B. B
- C. C

D. D

Answer: C

Q34. A security team reviews four proposed deployment strategies. Which strategy best matches the source?

Strategy	Skill source	Connector mode	Scope	Assessment
A	Unknown forum	Write	Whole Drive	High risk
B	Official directory	Read-only	Small folder	Best starting posture
C	Official directory	Delete	Whole app	Best because official
D	Unknown forum	Read-only	Whole Drive	Safe because read-only

Question: Select the best answer based on the table.

A. A

B. B

C. C

D. D

Answer: B

Q35. A team wants to prove its new Skill is ready. The table shows the evidence. Which conclusion is justified?

Test	Observed result	What it proves	Gap
1	Natural request triggers Skill	Trigger works	None for trigger
2	Output follows required format	Procedure works	None for normal case
3	Unrelated request does not trigger	Boundary works	None for negative case
4	Threshold-edge case never tested	Unknown	Hard case not validated

Question: Select the best answer based on the table.

A. Ready for all production use because three tests passed

B. Ready only after the hard case is tested

C. Triggering is still unvalidated

D. The Skill should be deleted

Answer: B