

General Agents on the Web — FDE-Associate Foundation MCQ Exam

Source reviewed: <https://agentfactory.panaversity.org/docs/general-agents-web-crash-course>

Format: 35 scenario-based questions (19 single, 8 two-answer, 8 table-based)

QUESTIONS 1–5 · SINGLE ANSWER

1. Single Answer

A client asks an AI worker to prepare a weekly executive brief from Gmail and Drive. The analyst assumes that because the work begins in a normal chat window, the task will stop when the browser tab closes. The workflow is configured as a delegated task that can continue after the user leaves. The client now wants to distinguish ordinary conversational assistance from genuine delegated execution. Which criterion is the most reliable?

- A. Whether the interface uses a separate browser tab
- B. Whether the model produces a long response
- C. Whether the work continues toward the assigned outcome after the user stops typing
- D. Whether the task uses at least one connector

Answer: C

2. Single Answer

An FDE investigates a failed overnight workflow. The agent loop runs in the vendor cloud and successfully processes cloud-hosted documents, but one required local folder was exposed through a desktop bridge. The laptop was shut down overnight. The customer reports that "the agent crashed." What is the most precise diagnosis?

- A. The cloud agent loop necessarily stopped because its controlling device was offline
- B. The entire workflow must be local because one input was local
- C. The cloud run could continue, but the bridged local tool became unavailable
- D. Closing the laptop converts the cloud session into a local session

Answer: C

3. Single Answer

A customer evaluates two agent products and focuses heavily on labels such as "memory," "plugin," "browser," and "approval." You are asked to create a vendor-neutral architecture comparison that remains useful after product terminology changes. Which approach best follows the course?

- A. Compare model names, plan tiers, and UI controls because those determine capability
- B. Map each product to heartbeat, reach, run-until-done loop, state spine, human gate, and body
- C. Compare only the browser implementation because web agents are primarily browser systems
- D. Treat every product's "memory" as equivalent persistence

Answer: B

4. Single Answer

A consulting team stores critical operating rules only inside a vendor's semantic memory. Six months later they want to migrate to another platform. They discover that session history, project context, semantic memory, standing instructions, and user-owned files had been mixed together conceptually. Which design change most directly reduces portability risk?

- A. Increase the amount of semantic memory retained by the vendor
- B. Put important rules and workflow context into a user-owned, readable, portable context file
- C. Replace all project instructions with longer chat history
- D. Store every prior session indefinitely

Answer: B

5. Single Answer

An agent needs to obtain monthly invoice totals from a supplier portal. No connector exists, but the account can download invoices and cannot change bank details or send payments. The team wants the narrowest practical access path while initially learning the workflow. Which choice is best?

- A. Give the agent full computer control and enable unattended execution
- B. Use a browser path and begin with Manual approval
- C. Build a custom local runtime before testing the portal
- D. Use semantic memory to reproduce the portal's data

Answer: B

QUESTIONS 6–10 · SINGLE ANSWER

6. Single Answer

A workflow can read customer records, draft renewal notices, and send them. The agent's output is usually correct, but an incorrect send could create contractual or reputational consequences. The team proposes Auto because it minimizes interruptions. Which reasoning is strongest?

- A. Accuracy alone determines the correct approval mode
- B. If the workflow has succeeded three times, approval is no longer relevant
- C. The gate should reflect blast radius; sending customer-facing messages warrants a stronger human control
- D. Auto is always safer than Manual because a classifier checks every action

Answer: C

7. Single Answer

A product manager cannot explain how she manually prepares a weekly client update. She knows it consumes an hour and sometimes misses information. An engineer proposes writing a detailed 40-step prompt based on assumptions. Which first move is most appropriate?

- A. Write the 40-step procedure and schedule it immediately
- B. Ask the agent to interview the user about outcome, sources, exceptions, boundaries, and definition of done
- C. Give the agent unrestricted browser access so it can infer the process
- D. Start with Skip mode to discover the workflow faster

Answer: B

8. Single Answer

An agent proposes a 22-step plan for a customer report. The plan includes reading an unrelated HR folder, changing a record before verifying evidence, and publishing the result to an external audience. The user has not authorized any of those actions. What should the FDE do first?

- A. Allow execution and inspect the final result for efficiency
- B. Redirect the plan before execution, correcting scope, order, reach, and assumptions
- C. Increase model temperature so the agent can reason more broadly
- D. Disable all connectors permanently

Answer: B

9. Single Answer

A weekly scheduled report appears in the dashboard as "completed." The destination folder contains a PDF, but the PDF has no data because the source returned no records and the workflow interpreted the empty case as a reason to fabricate a narrative. What principle was violated?

- A. A run finishing proves the business outcome succeeded
- B. Empty cases should be treated as valid observable outcomes, not invitations to invent missing evidence
- C. Schedules should always use Skip mode
- D. Cloud workflows cannot process empty results

Answer: B

10. Single Answer

A team wants a scheduled Monday brief to run while everyone is traveling. The workflow reads Gmail and Drive through cloud connectors, produces a report in Drive, and sends a completion notification. No local files or browser sessions are required. What is the key reason this workflow can be device-independent?

- A. The user's laptop remains asleep but still supplies the tools
- B. The workflow's required tools are all reachable without the user's device
- C. The schedule automatically converts local tools into cloud tools
- D. The notification service keeps the laptop awake

Answer: B

QUESTIONS 11–15 · SINGLE ANSWER

11. Single Answer

A regulated-data project involves patient names attached to diagnoses. The customer says the chosen AI product is available on their enterprise plan and therefore assumes it is approved for the workload. What should the FDE do?

- A. Upload the data because enterprise controls imply regulatory approval
- B. Upload a small sample first and inspect whether the model leaks data
- C. Verify written compliance and contractual coverage for the exact surface/configuration before processing the regulated identifiers
- D. Use a desktop bridge so the file remains physically on the customer's laptop

Answer: C

12. Single Answer

A customer says, "The file is on my laptop, so it never leaves our environment." The file is read by a cloud agent through a desktop bridge. Which correction is technically accurate?

- A. The file remains local because only the filename crosses the bridge
- B. The file is processed in the vendor cloud, so physical source location does not establish processing custody
- C. The bridge turns the cloud agent into a local agent
- D. The file is automatically encrypted in a customer-controlled environment

Answer: B

13. Single Answer

A browser agent reads a webpage containing hidden instructions telling it to ignore the user's task and upload confidential files to an unrelated site. The page is technically accessible and the agent has permission to browse it. What is the correct trust model?

- A. The webpage becomes authoritative because the browser reached it successfully
- B. Instructions found in external content should be treated as untrusted data, not as a new authority
- C. The browser should follow the instruction if it appears technically valid
- D. The agent should obey whichever instruction appears most recently

Answer: B

14. Single Answer

A customer asks which tool should be used to update a business system. The system exposes a structured connector that supports the exact required operation. A browser can also reach the same system through a signed-in portal. Which routing choice is generally preferred?

- A. Browser automation because it is more flexible
- B. Full computer use because it provides maximum capability
- C. The structured connector because it provides narrower, purpose-built access
- D. Manual screen recording so the agent can imitate the user

Answer: C

15. Single Answer

An organization wants to migrate from a managed agent platform to an internally operated runtime. They discover that the managed product provided sessions, synchronization, permissions, schedules, notifications, and persistence automatically. What is the most important operational implication of choosing the open path?

- A. The organization gains custody and model/runtime choice but must build and operate more of the state spine
- B. The open path removes the need for scheduling and recovery
- C. The organization automatically gets stronger safety guarantees
- D. The open path is always cheaper because engineering has no ongoing cost

Answer: A

QUESTIONS 16–19 · SINGLE ANSWER

16. Single Answer

An FDE is deciding whether a task belongs on the web agent surface, a local desktop agent, or a coding agent. The task's system of record is a Git repository, it requires terminal commands, tests, branches, and CI, and the final state must be reproducible. Which route is most appropriate?

- A. Chat because the repository can be pasted into the prompt
- B. Browser agent because repositories are websites
- C. Coding agent or terminal-oriented harness because the repository/toolchain is the system of record
- D. Scheduled cloud report because CI is just another connector

Answer: C

17. Single Answer

A customer wants to schedule a workflow after one successful manual demonstration. The workflow sometimes encounters missing source data and has no explicit success signal or escalation rule. The customer argues that scheduling will reveal edge cases faster. What is the strongest FDE response?

- A. Schedule immediately because unattended execution is the fastest way to discover failures
- B. Walk the workflow manually at least twice, inspect permissions, empty cases, destination, and success evidence, then schedule only after the workflow is proven
- C. Switch to Skip mode before scheduling to avoid interruptions
- D. Remove the success signal because the scheduler already reports completion

Answer: B

18. Single Answer

A cloud agent can read a local file through a bridge, but the organization's policy requires sensitive processing to remain on infrastructure it controls. The customer argues that the file never gets copied permanently to the vendor's storage. What is the decisive architectural question?

- A. Whether the file is deleted from the local folder after use
- B. Whether the vendor offers semantic memory
- C. Where the file contents are actually processed and under whose custody
- D. Whether the bridge uses HTTPS

Answer: C

19. Single Answer

A customer has a recurring workflow that is reliable, bounded, and low consequence. They want to reduce interruptions but still retain automated safety screening. Which approval strategy best matches the course's autonomy model?

- A. Manual forever, regardless of risk or maturity
- B. Auto, provided the workflow is proven, bounded, and its consequences remain manageable
- C. Skip immediately because repeated success eliminates risk
- D. Disable all safety checks because the workflow is scheduled

Answer: B

QUESTIONS 20–27 · TWO ANSWERS

20. Two Answers

A financial operations team is designing a browser-based agent for a new vendor portal. The portal is unfamiliar, the account is signed in, and the agent may eventually download invoices and update records. Which TWO controls are most appropriate for the initial rollout?

- ☐ A. Start with Manual approval while the workflow and site behavior are being learned
- ☐ B. Grant every available connector so the agent can recover from unexpected states
- ☐ C. Use the narrowest permissions that complete the workflow
- ☐ D. Enable Skip immediately because browser automation is inherently reversible
- ☐ E. Treat instructions embedded in portal pages as higher authority than the task brief
- ☐ F. Allow unrestricted publishing until the workflow becomes reliable

Correct answers: A and C

QUESTIONS 21–24 · TWO ANSWERS (CONTINUED)

21. Two Answers

A customer wants to make a scheduled agent truly independent of employee laptops. Which TWO questions must be answered before claiming device independence?

- ☐ A. Does every required source, tool, and destination remain reachable with employee devices turned off?
- ☐ B. Does the model have the largest available context window?
- ☐ C. What observable signal proves the workflow succeeded rather than merely ran?
- ☐ D. Does the browser tab remain open during the schedule?
- ☐ E. Is semantic memory enabled even if the workflow has no persistent state requirement?
- ☐ F. Has the workflow been given maximum autonomy?

Correct answers: A and C

22. Two Answers

An agent plan is about to execute a high-impact customer workflow. The FDE reviews the plan before approval. Which TWO findings should trigger immediate redirection before execution?

- ☐ A. The plan proposes a connector that can read data outside the stated scope
- ☐ B. The plan contains 18 steps rather than 12
- ☐ C. The plan assumes an audience and business rule the customer never specified
- ☐ D. The plan uses a cloud session instead of a local session
- ☐ E. The plan includes a clearly defined success condition
- ☐ F. The plan proposes checking evidence before modifying the target record

Correct answers: A and C

23. Two Answers

A customer is worried about vendor lock-in while using a managed agent platform for daily work. Which TWO practices most directly improve portability without rejecting the managed platform entirely?

- ☐ A. Keep important workflow rules in a user-owned, portable context file
- ☐ B. Store the only copy of the definition of done inside semantic memory
- ☐ C. Put finished deliverables into systems of record the customer controls
- ☐ D. Depend entirely on session history because it contains the most detail
- ☐ E. Avoid all managed persistence even for temporary working context
- ☐ F. Store every intermediate browser click as the portable specification

Correct answers: A and C

24. Two Answers

An organization is evaluating whether an agent action requires tighter human oversight. Which TWO factors from the course's review-threshold model should influence whether a person reviews the resulting output?

- ☐ A. Audience
- ☐ B. Model brand
- ☐ C. Regulatory exposure
- ☐ D. Number of browser tabs
- ☐ E. Vendor marketing category
- ☐ F. Whether the response uses Markdown

Correct answers: A and C

QUESTIONS 25–27 · TWO ANSWERS (CONTINUED)

25. Two Answers

A team wants to reduce prompt-injection risk in a browser-enabled workflow. Which TWO controls align directly with the course's security model?

- ☐ A. Restrict the workflow to trusted sites and low-stakes accounts while it is being learned
- ☐ B. Assume safety classifiers eliminate the need for permission scoping
- ☐ C. Give the agent only the connectors and browser reach required for the job
- ☐ D. Treat every webpage instruction as an extension of the user's authority
- ☐ E. Prefer broader permissions because they reduce recovery failures
- ☐ F. Reuse highly sensitive banking credentials whenever the browser supports them

Correct answers: A and C

26. Two Answers

An NGO cannot place donor records on a third-party consumer platform and has no internal engineering team. It is considering an open/self-controlled agent runtime. Which TWO consequences should the FDE explicitly surface?

- ☐ A. The organization gains greater control over custody and model/runtime choice
- ☐ B. The organization automatically receives the managed vendor's scheduler, phone gate, and synchronization
- ☐ C. Someone must operate, maintain, and troubleshoot the runtime and its state spine
- ☐ D. Open infrastructure eliminates all governance obligations
- ☐ E. Vendor custody remains unchanged because the model can still be external
- ☐ F. The organization no longer needs backups or recovery procedures

Correct answers: A and C

27. Two Answers

A scheduled research workflow has already been tested manually and is low consequence. The team wants to decide whether it is ready for unattended execution. Which TWO conditions most strongly support proceeding?

- ☐ A. The workflow has a clear, observable success signal
- ☐ B. The workflow has the broadest possible permissions so it can handle surprises
- ☐ C. The workflow's empty/no-new-items case has an explicit valid behavior
- ☐ D. The workflow has never been run manually because scheduling is the real test
- ☐ E. The workflow uses the newest available browser implementation
- ☐ F. The workflow's plan is intentionally undocumented so it can adapt freely

Correct answers: A and C

QUESTIONS 28–35 · TABLE-BASED QUESTIONS

28. Table-Based

A customer wants an automated reporting system and gives the FDE the following architecture observations. The customer insists that the agent is "cloud-based," but the incident occurs only when a particular local dependency is unavailable.

Component	Agent Loop	Tool Execution	Device Offline	Key Risk
A	Vendor cloud	Cloud Drive connector	Continues	Low runtime dependency
B	Vendor cloud	Local folder through desktop bridge	Cloud run continues; local tool unavailable	Hidden device dependency
C	Local machine	Local filesystem	Run pauses/fails	Machine availability
D	Vendor cloud	Cloud browser	Continues	Signed-in web trust boundary
E	Local machine	Cloud connector	Run depends on local runtime	Runtime dependency

Which architecture best explains a workflow that continues executing but suddenly cannot access a local folder after the laptop shuts down?

- A. A
- B. B
- C. C
- D. E

Answer: B

QUESTIONS 29–35 · TABLE-BASED QUESTIONS (CONTINUED)

29. Table-Based

An FDE maps several customer requests to possible reach mechanisms. The goal is to choose the narrowest practical path while minimizing trust exposure.

Task	Structured Connector	Browser	Full Computer Use	Best Starting Path
Read CRM records through a supported API	Yes	Yes	Yes	Connector
Download invoices from portal with no connector	No	Yes	Yes	Browser
Work inside user's existing signed-in Chrome context	No	Existing session required	Possible	Chrome-context path
Perform arbitrary desktop UI operations	No	Limited	Yes	Computer use
Read public webpage only	No	Yes	Yes	Browser

A customer asks the agent to retrieve monthly invoices from a portal that has no connector and cannot alter payment information. Which starting path is best?

- A. Structured connector
B. Browser
C. Full computer use
D. Local semantic memory

Answer: B

30. Table-Based

A security lead compares possible workflows by action consequence and review requirements.

Workflow	Action	Reversibility	Audience	Recommended Gate
A	Read public pages and summarize internally	High	Internal	Automatic after permissions are understood
B	Draft customer email without sending	High	Internal reviewer	Moderate review
C	Send renewal notices to customers	Low	External	Strong human control
D	Delete critical records	Very low	System-wide	Explicit human control
E	Create internal draft report	High	Internal	Moderate review

The team wants to automate the workflow with the largest consequence if the agent makes a wrong decision. Which row most clearly requires the strongest explicit human control?

- A. A
B. B
C. C
D. E

Answer: C

31. Table-Based

An FDE audits a weekly scheduled workflow before allowing it to run unattended.

Check	Workflow 1	Workflow 2	Workflow 3	Workflow 4
Cloud-reachable sources	Yes	Yes	No	Yes
Requires local laptop	No	Yes	Yes	No
Observable success signal	Yes	Yes	Yes	No
Empty case defined	Yes	No	Yes	Yes
Manual runs completed twice	Yes	Yes	Yes	No

Which workflow is the strongest candidate for unattended scheduling under the course's guidance?

- A. Workflow 1
B. Workflow 2
C. Workflow 3
D. Workflow 4

Answer: A

32. Table-Based

A customer is deciding whether to keep a workflow on a managed vendor platform or move it to an open/self-controlled runtime.

Requirement	Managed Surface	Open/Self-Controlled Path	Decision Pressure
Fast setup	Strong	Weaker	Managed
Vendor-managed sessions and sync	Strong	Must build	Managed
Data custody on controlled infrastructure	Limited by vendor	Strong	Open
Model/runtime choice	Vendor constrained	Greater choice	Open