



A


DC_INPUT




TYPEC1




For LCD (2.8V)




VBAT(7.4V-11.1V)降压至5V




LED



5V+3.3V




VBAT(7.4V-11.1V)降压至3.3V




COMPANY:	幻尔科技有限公司		
TITLE:	ESP32S3 Large Model Board		
DRAWN:	Dengchengang	DATED:	2025.12.15
CHECKED:		DATED:	
QUALITY CONTROL:		DATED:	
RELEASED:		DATED:	
CODE:	SIZE:	DRAWING NO:	REV:
	C	POWER	V1.1
SCALE:	SHEET: 3 OF 4		

D


ALS+IR+PS(IIC+INT)




TH (IIC)



电池电量检测(ADC)




S_BUS总线舵机*2




C


TF卡 (四线SPI)



KEY




BEEP(PWM)




B


IIC



GPIO EXPANDER



PWM*4



COMPANY:

幻尔科技有限公司

TITLE:

ESP32S3 Large Model Board

DRAWN: Dengchengang

DATED: 2025.12.15

CHECKED:

DATED:

QUALITY CONTROL:

DATED:

RELEASED:

DATED:

CODE:

SIZE:

DRAWING NO:

REV:

C

OTHER

V1.1

SCALE:

SHEET: 4 OF 4

A