

OverGoods (OGS) — Routing / Navigation Map

HOW ROUTING WORKS

This is a classic **ASP.NET WebForms** app (`Overgoods_SSO`). There is ****no custom route table**** — no `MapPageRoute` , `RouteConfig` , or MVC/attribute routing.

`Global.asax` only declares `Inherits="Overgoods.Global"` and `App_Code/global.asax.cs`

contains no route registration.

Routing is therefore **physical .aspx file paths**. Navigation between pages happens via:

- `<a href="...aspx">` links in the master page and the menu/hub pages
- `Response.Redirect(...)` / `PostBackUrl` in code-behind (e.g. login flow)
- `*.asmx` web-service endpoints (registered as httpHandlers in `web.config`)

Entry point after auth is `login.aspx` → `default.aspx` (subsidiary picker) → `mainmenu.aspx` .

flowchart TD

```
SSO[AzureSSOLoginPage.aspx] --> LOGIN[login.aspx]
```

```
AUTH[auth.aspx] --> LOGIN
```

```
LOGIN -->|no profile| PNF[ProfileNotFound.aspx]
```

```
LOGIN -->|SCS user| SEARCH
```

```
LOGIN --> DEFAULT[default.aspx - Subsidiaries]
```

```
DEFAULT --> MAIN[mainmenu.aspx - MAIN MENU]
```

```
MASTER[MasterPage.master] -.MAIN MENU / LOGOUT.-> MAIN
```

```
MASTER -.LOGOUT.-> LOGIN
```

```
%% ---- Main menu groups ----
```

```
MAIN --> DE[dataentry.aspx]
```

MAIN --> SEARCH[search.aspx]

MAIN --> REPORTS[reports.aspx]

MAIN --> UM[usermanagement/default.aspx]

MAIN --> WH[WarehouseMenu.aspx]

MAIN --> TOOLS[toolsmenu.aspx]

%% ---- Data Entry ----

DE --> unknownovergoods.aspx

DE --> knowngoods.aspx

DE --> WweMiOrphans.aspx

DE --> CarrierKnowngoods.aspx

DE --> sensitivematerial.aspx

DE --> AbandonedOvergoods.aspx

DE --> NonTransportingGoods.aspx

DE --> hazmat.aspx

DE --> guns.aspx

DE --> scssalvage.aspx

%% ---- Search ----

SEARCH --> searchresults.aspx

SEARCH --> AdminSearch.aspx

SEARCH --> eTTPostback.aspx

%% ---- User Management ----

UM --> um_new[usermanagement/NewUser.aspx]

UM --> um_sel[usermanagement/selectuser.aspx]

UM --> um_del[usermanagement/deleteuser.aspx]

UM --> um_perm[usermanagement/pagepermissions.aspx]

%% ---- Warehouse Ops ----

WH --> HotListCandidate.aspx

WH --> LTRReceive.aspx

WH --> DispositionInventory.aspx

WH --> AttachPhoto.aspx

WH --> ListInventory.aspx

WH --> QualityAudit.aspx

WH --> OverageDataEntry.aspx

WH --> InventoryActivity.aspx

WH --> PrintTickets.aspx

%% ---- Tools ----

TOOLS --> HotListDataCapture.aspx

TOOLS --> UpdateLocations.aspx

TOOLS --> AddTrackingNumbers.aspx

TOOLS --> ReverseVoid.aspx

TOOLS --> FinalStatusTool.aspx

TOOLS --> WarehouseAdd.aspx

TOOLS --> WarehouseAlignment.aspx

TOOLS --> synonymsearch.aspx

TOOLS --> PrintLetters.aspx

TOOLS --> KnownBlockedAccounts.aspx

TOOLS --> CitibankPilotMaintenance.aspx

TOOLS --> DeleteOvergoods.aspx

%% ---- Reports (reports/ subfolder) ----

REPORTS --> r_wh[reports/warehousereport.aspx]

REPORTS --> r_whp[reports/WHPerfReport.aspx]

REPORTS --> r_isp[reports/AbandonISP.aspx]

REPORTS --> r_void[reports/VoidConcillationReport.aspx]

REPORTS --> r_cust[reports/CustomerReturnsReport.aspx]

REPORTS --> r_eu[reports/EULiquidationReport.aspx]

REPORTS --> r_fs[reports/FinalStatusReport.aspx]

REPORTS --> r_frec[reports/FreightReceivedReport.aspx]

REPORTS --> r_fops[reports/FreightOperationsReport.aspx]

REPORTS --> r_foi[reports/FreightOpenInventoryReport.aspx]

REPORTS --> r_ftv[reports/FreightTotalValueOverageReport.aspx]

REPORTS --> r_exd[reports/ExceptionDetails.aspx]

REPORTS --> r_exs[reports/ExceptionSummary.aspx]

REPORTS --> r_og[reports/overgoodreport.aspx]

REPORTS --> r_adv[reports/advovergoodreport.aspx]

REPORTS --> r_wip[reports/WIPReport.aspx]

REPORTS --> r_photo[reports/PhotoReport.aspx]

REPORTS --> r_mat[reports/MaturedItemsReport.aspx]

REPORTS --> r_fmat[reports/FreightMaturedItemsReport.aspx]

REPORTS --> r_whex[reports/WarehouseExceptions.aspx]

REPORTS --> r_ogsum[reports/OvergoodSummaryReport.aspx]

REPORTS --> r_del[reports/DeletedIncidentReport.aspx]

REPORTS --> r_wwed[reports/WWEDetails.aspx]

REPORTS --> r_wwes[reports/WWESummary.aspx]

REPORTS --> r_known[reports/KnownOvergoodsWeeklyExtract.aspx]

REPORTS --> r_data[reports/datareport.aspx?reporttype=...]

REPORTS -.exports.-> r_csv[reports/downloadcsv.aspx]

```
REPORTS -.exports.-> r_rtf[reports/downloadrtf.aspx]
```

```
%% ---- Web services (asmx httpHandlers) ----
```

```
SVC1[OGSService.asmx]:::svc
```

```
SVC2[ProductCodeProcessor.asmx]:::svc
```

```
classDef svc fill:#eef,stroke:#66c;
```

WEB-SERVICE ENDPOINTS (FROM WEB.CONFIG HTTPHANDLERS, *.ASMX)

- OGSService.asmx
- ProductCodeProcessor.asmx

STANDALONE / NOT MENU-LINKED PAGES (REACHED BY REDIRECT OR DIRECT URL)

Image.aspx , InventoryPhoto.aspx , photos.aspx , ItemDetails.aspx ,
Address.aspx , UpdateReturnInfo.aspx , UpcLookup.aspx ,
AddTrackingNumbers.aspx ,
ListerHistory.aspx , LettersHistory.aspx , PickTicketHistory.aspx ,
ViewAllKeyword.aspx , Exceptions.aspx , Firearms.aspx , hazmat-
us/ca/eu.aspx ,
guns-ca/eu.aspx , unknowngoods.aspx , ReverseVoid.aspx ,
WebServiceTest.aspx ,
ErrorPage.aspx , ErrorInvalidInput.aspx , ProfileNotFound.aspx , Firearms ,
etc.