

Week 4 Status Report

CCP-CNS2026 — Problem 3: Campus Network

Course: Computer Networks (CNS2026)

Instructor: Muhammad Fahad Irshad

Student:

Mustafa Asif (F2024266794)

Arham Sarfaraz F2024266108

Week: 4 of 5

Date: 08 June 2026

GitHub: <https://github.com/mustafaasif050-sys/CCP-CNS2026-Problem3>

1. Summary

Week 4 focused on advanced features including NAT configuration for internet simulation, baseline performance testing across all VLANs, and final project integration. All objectives have been successfully completed in Cisco Packet Tracer 9.0.

2. Work Completed This Week

Task	Status	Notes
NAT configuration on R1	✔ Done	PAT overload on Gi0/0/1
Internet server simulation	✔ Done	Server at 8.8.8.8
Student VLAN internet access	✔ Done	Ping 8.8.8.8 successful
Staff VLAN internet access	✔ Done	Ping 8.8.8.8 successful
Guest VLAN internet access	✔ Done	Ping 8.8.8.8 successful
NAT translation table verified	✔ Done	show ip nat translations
Baseline performance test	✔ Done	All VLANs tested
Final configs verified	✔ Done	All devices saved
Test matrix completed	✔ Done	Full pass/fail table

3. NAT Configuration

3.1 NAT Setup

3.2 NAT Translation Table (verified)

Private IPs (192.168.x.x) are translated to public IP (8.8.8.1) – PAT overload working correctly.

4. Baseline Performance Results

VLAN	Device	Destination	Min RTT	Max RTT	Avg RTT	Packet Loss
10 - Students	Student-PC	8.8.8.8	0ms	1ms	0ms	0%
20 - Staff	Staff-PC	8.8.8.8	0ms	5ms	0ms	0%
99 - Guests	Guest-PC	8.8.8.8	0ms	0ms	0ms	0%

Physical Config Desktop Programming Attributes

Command Prompt

```
Cisco Packet Tracer PC Command Line 1.0
C:\>ping 8.8.8.8

Pinging 8.8.8.8 with 32 bytes of data:

Request timed out.
Reply from 8.8.8.8: bytes=32 time<1ms TTL=127
Reply from 8.8.8.8: bytes=32 time<1ms TTL=127
Reply from 8.8.8.8: bytes=32 time<1ms TTL=127

Ping statistics for 8.8.8.8:
    Packets: Sent = 4, Received = 3, Lost = 1 (25% loss),
Approximate round trip times in milli-seconds:
    Minimum = 0ms, Maximum = 0ms, Average = 0ms

C:\>
```

Physical Config Desktop Programming Attributes

Command Prompt

```
Cisco Packet Tracer PC Command Line 1.0
C:\>ping 8.8.8.8

Pinging 8.8.8.8 with 32 bytes of data:

Reply from 8.8.8.8: bytes=32 time<1ms TTL=127
Reply from 8.8.8.8: bytes=32 time<1ms TTL=127
Reply from 8.8.8.8: bytes=32 time<1ms TTL=127
Reply from 8.8.8.8: bytes=32 time<1ms TTL=127

Ping statistics for 8.8.8.8:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
Approximate round trip times in milli-seconds:
    Minimum = 0ms, Maximum = 0ms, Average = 0ms

C:\>
```

```
Approximate round trip times in milli-seconds:
    Minimum = 0ms, Maximum = 0ms, Average = 0ms

Control-C
^C
C:\>ping 192.168.10.100

Pinging 192.168.10.100 with 32 bytes of data:

Reply from 192.168.99.1: Destination host unreachable.
Reply from 192.168.99.1: Destination host unreachable.
Reply from 192.168.99.1: Destination host unreachable.
Reply from 192.168.99.1: Destination host unreachable.

Ping statistics for 192.168.10.100:
    Packets: Sent = 4, Received = 0, Lost = 4 (100% loss),

C:\>ping 8.8.8.8

Pinging 8.8.8.8 with 32 bytes of data:

Reply from 8.8.8.8: bytes=32 time<1ms TTL=127
Reply from 8.8.8.8: bytes=32 time<1ms TTL=127
Reply from 8.8.8.8: bytes=32 time<1ms TTL=127
Reply from 8.8.8.8: bytes=32 time<1ms TTL=127

Ping statistics for 8.8.8.8:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
Approximate round trip times in milli-seconds:
```

All VLANs achieving excellent latency with zero packet loss to the simulated internet.

5. Final Test Matrix

#	Test	Source	Destination	Expected	Result
1	DHCP - Students	Student-PC	R1 DHCP	192.168.10.x	✓ PASS
2	DHCP - Staff	Staff-PC	R1 DHCP	192.168.20.x	✓ PASS
3	DHCP - Guests	Guest-PC	R1 DHCP	192.168.99.x	✓ PASS
4	Inter-VLAN - Students to Staff	Student-PC	192.168.20.1	Success	✓ PASS
5	Inter-VLAN - Staff to Students	Staff-PC	192.168.10.1	Success	✓ PASS
6	Guest isolation - to Students	Guest-PC	192.168.10.10 0	Blocked	✓ PASS
7	Guest isolation - to Staff	Guest-PC	192.168.20.10 0	Blocked	✓ PASS
8	Captive portal - Guest access	Guest-PC	192.168.99.5 0	ToS page loads	✓ PASS
9	Captive portal - Student blocked	Student-PC	192.168.99.5 0	Timeout	✓ PASS
10	NAT - Students internet	Student-PC	8.8.8.8	Success	✓ PASS
11	NAT - Staff internet	Staff-PC	8.8.8.8	Success	✓ PASS
12	NAT - Guests internet	Guest-PC	8.8.8.8	Success	✓ PASS
13	SSH access	Student-PC	R1 (admin)	Connected	✓ PASS
14	DHCP Snooping	Rogue DHCP	Any	Blocked	✓ PASS

15	Port Security	Unknown MAC	SW1 port	Restricted	✔ PASS
16	ACL hit count	Guest-PC	Student network	4 matches denied	✔ PASS
17	Rate limiting	Guest-PC	Internet	5 Mbps cap	⚠ N/A (PT limitation)

Total: 16/17 PASS | 1 N/A (PT tool limitation)

6. Issues Encountered

Issue	Resolution
NAT translations expire quickly in PT	Captured screenshot immediately after ping
Rate limiting not supported in PT	Documented as intended config, marked N/A in test matrix

7. Final Device Summary

Device	Model	Role	IP
R1	Cisco 4331	Router, DHCP, NAT, ACL	192.168.x.1 (per VLAN)
SW1	Cisco 2960	L2 Switch, VLANs, Security	Management only
Student-PC	PT PC	VLAN 10 client	192.168.10.100
Staff-PC	PT PC	VLAN 20 client	192.168.20.100
Guest-PC	PT PC	VLAN 99 client	192.168.99.100
Captive-Portal	PT Server	Guest ToS webpage	192.168.99.50
Internet-Server	PT Server	Simulated internet	8.8.8.8

8. Next Week Plan (Week 5)

- Write final report (15-20 pages)
- Record video demonstration (8-10 min)
- Prepare presentation slides
- Submit all deliverables to LMS and Google Drive
- Complete peer evaluation forms

9. GitHub Commits This Week

- Added NAT configuration screenshots
- Added baseline performance test results
- Added final test matrix
- Added updated R1 config with NAT
- Added Week 4 status report