Home

Notifications

Bookmarks

Settings

Profile

Organizations

Featured

New

Trending

Top

Shahaab for Codelabz
Dec 3, 2022

FreeCodeCamp Especially If You Do Not Have 24/7 Internet Access

Make sure your conditions fit with the map. Instead of writing logic handling for each case, We had a map, and we put the case and the logic as key, value pairs. Hence, We can retriev the logic from the map based on the key...

Html 10 min read 225

```
// I attempt to redistribute an [unexpected] negative count to other
// non-negative counts. The HTTP methods are iterated in likelihood of
// execution. And, while this isn't an exact science, it will normalize
// after all HTTP requests have finished processing.
private redistributePendingCounts( negativeMethod ) {

    this.pending[ negativeMethod ] = 0;

    let overflow = Math.abs( this.pending[ negativeMethod ] );
    let methods = [ 'get', 'post', 'delete', 'put', 'head' ]; // List in likely orden

    // Trickle the overflow across the list of methods.
    for ( let i = 0; i < methods.length; i++ ) {
```

Shahaab for Codelabz
Dec 3, 2022

I Made 100 more CSS loaders for your next projects Internet Access

Make sure your conditions fit with the map. Instead of writing logic handling for each case, We had a map, and we put the case and the logic as key, value pairs. Hence, We can retriev the logic from the map based on the key...

Html 10 min read 225

Shahaab
Dec 3, 2022

FreeCodeCamp Especially If You Do Not Have 24/7 Internet Access

Make sure your conditions fit with the map. Instead of writing logic handling for each case, We had a map, and we put the case and the logic as key, value pairs. Hence, We can retriev the logic from the map based on the key...

Html 10 min read 225



Shahaab
Dec 3, 2022

I Made 100 more CSS loaders for your next projects Internet Access

Make sure your conditions fit with the map. Instead of writing logic handling for each case, We had a map, and we put the case and the logic as key, value pairs. Hence, We can retriev the logic from the map based on the key...

Html 10 min read 225

Shahaab for Codelabz
Dec 3, 2022

FreeCodeCamp Especially If You Do Not Have 24/7 Internet Access

Make sure your conditions fit with the map. Instead of writing logic handling for each case, We had a map, and we put the case and the logic as key, value pairs. Hence, We can retriev the logic from the map based on the key...

Html 10 min read 225

Upcoming Events

28 march, 2022
Github students event

28 march, 2022
Mozilla students event

28 march, 2022
Google Summer of Code

28 march, 2022
Mozilla students event

Popular Tags

Html Javascript Css
Python React Java
Html Javascript Css
Python React Java
Html Javascript Css
Python React Java

Who to follow

Rahil Hasan
Senior Developer

Rahul Kumar
Senior Developer

Mohit
Senior Designer

Biplav Roshan
Senior Developer

Organisations to follow

Python Follow
Lorem ipsum dolor sit amet, conser adip ipsum dolor sit amet...

Javascript Follow
Lorem ipsum dolor sit amet, conser adip ipsum dolor sit amet...

Java Follow
Lorem ipsum dolor sit amet, conser adip ipsum dolor sit amet...

Reactjs Follow
Lorem ipsum dolor sit amet, conser adip ipsum dolor sit amet...

Scorelabs Follow
Lorem ipsum dolor sit amet, conser adip ipsum dolor sit amet...

CodeLabz © 2022