

*Assured Quality. Better Price.*

**hepo**



*Catalogue cum Price List  
effective September 2022*



# Index

Furniture Fittings	Page No.
Hinges	
Auto Closing Slide-on Regular Hinges	5
Auto Closing Slide-on Soft Close Hinges	5
Auto Closing Clip-on Soft Close Hinges	6-7
Flap Hinges	8
Drawer Channels	
Telescopic Channel (Regular)	10
Telescopic Channel (Silent)	10
Under Mount Channel	11
Double Walled Drawer System	
Classic Box	13-14
Stainless Steel Wire Products	
Wire Baskets	16
Kitchen Accessories	17
Bathroom Accessories	18-19
Furniture Locks	
Multipurpose Locks	21
Espagnolette Locks	22
Lift-Ups	
Bi-Fold Lift-Up	24
Gas Pumps	25-26
Bed Fittings	28
Special Application Fitting	
Turn Table	29
Aluminum Profiles	31-34
Handles	36-37

Furniture Fittings	Page No.
Connecting Fittings	
Cam, Steel Dowel & Socket	39
Wooden Dowel	40
L-Bracket	40
D- Nut (Steel), Hex Metal Socket, T-Nut & Barrel Nut	41
Leveller Screws	42
JCBC Bolt, Allen Bolt/ Socket Head Bolt & HEX Bolt	43
Door Hardware	
Butt Hinges	45
Door Closer	46
Tower Bolts	47
Screws & Fasteners	
Stainless Steel Screws	
CSK Saw Thread Magnetic & Non-Magnetic Screw	51
CSK Regular Thread Non-magnetic Screw	51
Chip Board Screws	
CSK Head Saw Thread & Regular Thread Screw	52
Blackodised CSK	52
PAN Head Saw Thread & Regular Thread Screw	53
PAN Head Chipboard Screw	53
Self Drilling Screw with Ribs	54
Hexagonal Head Self Drilling Screw with Washer	54
Handle Fixing Screw	55
Black Screws	
Drywall Screw	55
Truss Head Screw	55
Accessories	
Drive Bit & Screw Driver	70

## About Us

**hepo**



Hepo India Private Limited is a subsidiary of Hepo Investments NL B.V. Netherlands and is primarily in the business of manufacturing and marketing Furniture Fittings and Screws & Fasteners. Within a few years of its operation, it has become one of the fastest growing brand in the Furniture Fittings category and a force to reckon with. Its core brand proposition of 'Assured Quality. Better Price.' is re-defining the value proposition in the fittings industry.

Hepo has an impressive product portfolio consisting of Furniture Fittings, Door Hardware and Screws & Fasteners, thereby providing holistic solutions for all hardware needs.

## Assured Quality. Better Price.



Furniture Fittings form the backbone of the furniture. They essentially lend aesthetic versatility and convenience with their endless permutations and combinations creating trendy & innovative furniture. Hepo India offers Value for Money Furniture Fittings that provide assured quality at a better price. The range includes Telescopic Runners, Hinges, Furniture locks, Bed Fitting Mechanism, Screws, Lift-ups, Handles and many more, thereby providing fitting solutions for all spaces.



Hepo offers a range of hinges for cabinet doors, room doors & windows for a wide range of shutter thickness, different closing options & for various door materials. Functional quality of the hinges are certified as per European norms and material quality is certified against rusting.

# Auto Closing Slide-on Hinges

Regular & Soft Closing

**hepo**

## Auto Closing Slide-on Hinges



### Technical Specification:

- ▶ Concealed hinge with slide on assembly
- ▶ Available in regular & soft closing options
- ▶ For door thickness 14 - 25 mm
- ▶ Opening angle: 105°
- ▶ Cup diameter 35 mm
- ▶ Cup depth 11.5 mm
- ▶ Integrated overlay adjustment + 0.5 mm / - 2.5 mm
- ▶ Integrated depth adjustment + 2 mm / - 2 mm
- ▶ Height adjustment at mounting plate
- ▶ Hinge arm material: Steel, Nickel plated

### Quality Assurance:

- ▶ Quality classification under EN 15570, Level 1
- ▶ Tested & Certified for 20,000 Cycles

Cup Distance C	Door thickness											
	14	15	16	17	18	19	20	21	22	23	24	25
3	0.04	0.12	0.23	0.38	0.59	0.85	1.18	1.61	2.22	2.96	3.76	4.6
4	0.04	0.11	0.22	0.37	0.56	0.81	1.11	1.49	1.99	2.63	3.36	4.15
4.5	0.04	0.11	0.22	0.36	0.55	0.79	1.08	1.45	1.91	2.5	3.2	3.96
5	0.04	0.11	0.21	0.36	0.54	0.77	1.06	1.41	1.84	2.39	3.04	3.77
6	0.04	0.1	0.2	0.34	0.52	0.74	1.01	1.33	1.73	2.21	2.79	3.46
7	0.04	0.1	0.2	0.33	0.5	0.71	0.97	1.27	1.64	2.07	2.59	3.2



## Auto Closing Slide-on Regular Hinges

Description (Retail Packing)	Unit	Article no.	PU	MRP/Pair
0 Crank hinge with Mounting Plate (2 hole)	Pc	9284697+9284813	100	97
9.5 Crank hinge with Mounting Plate (2 hole)	Pc	9284698+9284813	100	102
16 Crank hinge with Mounting Plate (2 hole)	Pc	9284809+9284813	100	107
0 Crank hinge with Mounting Plate (4 hole)	Pc	9284697+ 9284814	100	99
9.5 Crank hinge with Mounting Plate (4 hole)	Pc	9284698+ 9284814	100	104
16 Crank hinge with Mounting Plate (4 hole)	Pc	9284809+ 9284814	100	109

## Auto Closing Slide-on Soft Closing Hinges

Description (Retail Packing)	Unit	Article no.	PU	MRP/Pair
0 Crank hinge with Mounting Plate (2 hole)	Pc	9284810+9284813	100	175
9.5 Crank hinge with Mounting Plate (2 hole)	Pc	9284811+9284813	100	180
16 Crank hinge with Mounting Plate (2 hole)	Pc	9284812+9284813	100	185
0 Crank hinge with Mounting Plate (4 hole)	Pc	9284810+9284814	100	177
9.5 Crank hinge with Mounting Plate (4 hole)	Pc	9284811+9284814	100	182
16 Crank hinge with Mounting Plate (4 hole)	Pc	9284812+9284814	100	187

### \*Note:

- ▶ Article no mentioned for 1 pc of products.
- ▶ Order 2 Hinges & 2 Mounting Plates

# Auto Closing Clip-on Soft Close Hinges

**hepo**

## Auto Closing Clip-on Soft Close Hinges



### Technical Specification:

- Concealed hinge with Clip on assembly
- Available with integrated soft closing option
- For door thickness: 16- 24 mm
- Opening angle: up to 105 °
- Cup diameter: 35 mm
- Cup depth: 11.5 mm
- Mounting plate available with 2 holes, 4 holes & with Eccentric screw
- Material: Steel Nickel plated

### Quality Assurance:

- Quality Classification under EN 15570, Level 1
- Tested for 20,000 functional cycles

C-value	Door Thickness									
B	16	17	18	19	20	21	22	23	24	
3	0.4	0.6	0.8	1.2	1.6	2.2	2.9	3.7	4.6	
4	0.4	0.6	0.8	1.1	1.5	2.0	2.6	3.3	4.1	
5	0.4	0.6	0.8	1.1	1.4	1.8	2.4	3.0	3.8	
6	0.4	0.5	0.7	1.0	1.3	1.7	2.2	2.8	3.5	
7	0.3	0.5	0.7	1.0	1.3	1.6	2.1	2.6	3.2	



Description (Retail Packing)	Unit	Article no.	PU	MRP/Pair
0 Crank hinge with Damper, Mounting Plate (2 Hole)	Pc	9290745+9290750	100	231
9.5 Crank hinge with Damper, Mounting Plate (2 Hole)	Pc	9290746+9290750	100	237
16 Crank hinge with Damper, Mounting Plate (2 Hole)	Pc	9290747+9290750	100	243
0 Crank hinge with Damper, Mounting Plate (4 Hole)	Pc	9290745+9290751	100	233
9.5 Crank hinge with Damper, Mounting Plate (4 Hole)	Pc	9290746+9290751	100	239
16 Crank hinge with Damper, Mounting Plate (4 Hole)	Pc	9290747+9290751	100	245
0 Crank hinge with Damper, Mounting Plate (Eccentric)	Pc	9290745+9290752	100	270
9.5 Crank hinge with Damper, Mounting Plate (Eccentric)	Pc	9290746+9290752	100	276
16 Crank hinge with Damper, Mounting Plate (Eccentric)	Pc	9290747+9290752	100	282
0 Crank with hepo logo	Pc	9294814	100	5
9.5 / 16 Crank with hepo logo	Pc	9294815	100	5

#### \*Note:

- Article no mentioned for 1 pc of products.
- Order 2 Hinges, 2 Mounting Plates & 2 Cover Caps separately.

# Auto Closing Clip-on Soft Close Hinges

## For Thick Doors

**hepo**

### Auto Closing Clip-on Soft Close Hinges



#### Technical Specification:

- Concealed hinge with Clip on assembly
- Available with integrated soft closing option
- For door thickness: 16- 40 mm
- Opening angle: up to 95°
- Cup diameter: 40 mm
- Cup depth: 12.9 mm
- Mounting plate available with 2 holes, 4 holes & with Eccentric screw
- Material: Steel Nickel plated

#### Quality Assurance:

- Quality Classification under EN 15570, Level 1
- Tested for 20,000 functional cycles

C-Value	Door Thickness																								
	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40
3	0	0.2	0.3	0.4	0.5	0.6	0.8	0.9	1.1	1.3	1.6	1.8	2.5	3.5	4.5	5.4	6.4	7.4	8.3	9.3	10	11	12	13	14
4	0	0.1	0.3	0.4	0.5	0.6	0.8	0.9	1.1	1.3	1.5	1.8	2.5	2.9	3.8	4.7	5.7	6.7	7.7	8.6	9.6	11	12	12	13
5	0	0.1	0.2	0.3	0.5	0.6	0.7	0.9	1.1	1.3	1.5	1.7	2	2.3	3.2	4.1	5.1	6.1	7	7.8	8.7	9.7	11	12	13
6	0	0.1	0.2	0.3	0.4	0.5	0.7	0.9	1	1.2	1.5	1.7	2	2.3	2.7	3.6	4.4	5.3	6.3	7.2	8.1	9.1	10	11	12
7	0	0.1	0.2	0.3	0.4	0.5	0.7	0.9	1	1.2	1.4	1.7	2	2.1	2.5	3.1	4	4.9	5.7	6.6	7.5	8.5	9.4	10	11



Description (Retail Packing)	Unit	Article no.	PU	MRP/Pair
0 Crank hinge with Damper, Mounting Plate (2 Hole)	Pc	9312221+9290750	100	301
9.5 Crank hinge with Damper, Mounting Plate (2 Hole)	Pc	9312222+9290750	100	311
16 Crank hinge with Damper, Mounting Plate (2 Hole)	Pc	9312223+9290750	100	321
0 Crank hinge with Damper, Mounting Plate (4 Hole)	Pc	9312221+9290751	100	303
9.5 Crank hinge with Damper, Mounting Plate (4 Hole)	Pc	9312222+9290751	100	313
16 Crank hinge with Damper, Mounting Plate (4 Hole)	Pc	9312223+9290751	100	323
0 Crank hinge with Damper, Mounting Plate (Eccentric)	Pc	9312221+9290752	100	340
9.5 Crank hinge with Damper, Mounting Plate (Eccentric)	Pc	9312222+9290752	100	350
16 Crank hinge with Damper, Mounting Plate (Eccentric)	Pc	9312223+9290752	100	360
0 Crank with hepo logo	Pc	9294814	100	5
9.5 / 16 Crank with hepo logo	Pc	9294815	100	5

#### \*Note:

- Article no mentioned for 1 pc of products.
- Order 2 Hinges, 2 Mounting Plates & 2 Cover Caps separately.

## Flap Hinges




### Technical Specification:

- Flap hinge for overlay flaps
- Separate installation of bottom panel and flap element
- Flap alignment through adjustment of height, sides & depth
- Same drilling sizes in bottom panel and flap elements
- Hole drilling concealed by rim on both parts
- Bottom panel and flap are flush on the inside when opened without adjusting height
- Can only be used in conjunction with flap stays
- Material Used: Zinc Alloy, nickel plated

**Set Includes:** 1 Flap Hinge with 6 Screws(M3\*15)

Flap thickness TD MM	Minimum Reveal SF MM
16	1.0
17	2.0
18	3.0
19	3.5



Description	Unit	Article No.	PU	MRP/Pc
Hepo Flap Hinge	Pc	9297879	200	249

## Drawer Channels

**hepo**



Hepo drawer channels are full extension runners used to run drawers & wire baskets in kitchen & wardrobe cabinets smoothly and silently. Hepo offers ball bearing channels with better designed tracks for heavy weight carrying capacity and guaranteed up to 50,000 functional cycles. Available in Zinc & Black finish & also in silent closing option.

# Heavy Duty Telescopic Channel

Regular & Silent Closing

**hepo**

## Telescopic Channel



### Technical Specification:

- Full extension ball bearing runner with normal & silent closing
- Better designed tracks creates ease of operation & better dynamic load behaviour
- Installation width required for regular telescopic runner: 12.5 mm
- Installation width required for silent telescopic runner: 12.7 mm
- Available channel height for regular telescopic runner: 45 mm
- Available channel height for silent telescopic runner: 45.6 mm
- Available regular channel length: 250 mm – 550 mm (Zinc)  
250 mm – 550 mm (Black)

► Available silent channel length: 300 mm – 550 mm (Zinc)

- Material used: Steel
- Finish: Zinc plated / Black

### Quality Assurance:

- Guaranteed up to 30,000 functional cycles
- 48 hrs Salt spray tested against rusting for regular telescopic channel

Description	Image	Size	Unit	Article no	PU	MRP / Pair
Regular Telescopic channel - Zinc		10"- 250 mm	Pair	9298666	10	369
Regular Telescopic channel - Zinc		12"- 300 mm	Pair	9298668	10	409
Regular Telescopic channel - Zinc		14"- 350 mm	Pair	9298669	10	449
Regular Telescopic channel - Zinc		16"- 400 mm	Pair	9298670	10	489
Regular Telescopic channel - Zinc		18"- 450 mm	Pair	9298701	10	549
Regular Telescopic channel - Zinc		20"- 500 mm	Pair	9298702	10	599
Regular Telescopic channel - Zinc		22"- 550 mm	Pair	9298703	10	669

Description	Image	Size	Unit	Article no	PU	MRP / Pair
Regular Telescopic channel - Black		10"- 250 mm	Pair	9300364	10	369
Regular Telescopic channel - Black		12"- 300 mm	Pair	9300365	10	409
Regular Telescopic channel - Black		14"- 350 mm	Pair	9300366	10	449
Regular Telescopic channel - Black		16"- 400 mm	Pair	9300367	10	489
Regular Telescopic channel - Black		18"- 450 mm	Pair	9300368	10	549
Regular Telescopic channel - Black		20"- 500 mm	Pair	9300369	10	599
Regular Telescopic channel - Black		22"- 550 mm	Pair	9300370	10	669

Description	Image	Size	Unit	Article no	PU	MRP / Pair
Silent Telescopic Channel - Zinc		300 mm	Pair	9293951	10	759
Silent Telescopic Channel - Zinc		350 mm	Pair	9293903	10	819
Silent Telescopic Channel - Zinc		400 mm	Pair	9293904	10	879
Silent Telescopic Channel - Zinc		450 mm	Pair	9293905	10	939
Silent Telescopic Channel - Zinc		500 mm	Pair	9293906	10	999
Silent Telescopic Channel - Zinc		550 mm	Pair	9295964	10	1,149

# Under Mount Drawer Channel

**hepo**

## Under Mount Drawer Channel



### Technical Specification:

- Full extension drawer runner with soft closing features
- For Wooden drawers & Wire basket ( $\leq W600$  mm)
- Slide on installation with catches and tool-less height adjustment
- Weight capacity 30 Kg
- Available channel length: 250-550 mm
- Suitable for drawers with a side profile thickness of up to 16 mm
- Installation width 20 mm
- Material: Steel, Galvanized

### Set Includes:


- 2 PCs drawer channels & 2 PCs catch

### Quality Assurance:

- 50,000 functional cycles tested


S.No.	Description	Nominal Length (mm)	Unit	Article No.	PU	MRP/ Pair
1	Under Mount Drawer Channel/250-10" Silent 30Kg	250	Pair	9322081	10	1,290
2	Under Mount Drawer Channel/300-12" Silent 30Kg	300	Pair	9322082	10	1,340
3	Under Mount Drawer Channel/350-14" Silent 30Kg	350	Pair	9322083	10	1,390
4	Under Mount Drawer Channel/400-16" Silent 30Kg	400	Pair	9322084	10	1,440
5	Under Mount Drawer Channel/450-18" Silent 30Kg	450	Pair	9322085	10	1,490
6	Under Mount Drawer Channel/500-20" Silent 30Kg	500	Pair	9322086	10	1,540
7	Under Mount Drawer Channel/550-22" Silent 30Kg	550	Pair	9322087	10	1,590

## Installation Diagram & Drilling Pattern



## Double Walled Drawer System

hepo



Hepo Double Walled Drawer System with concealed runners provides a high degree of stability and durability to the furniture. It is designed to suit any type of furniture, be it the kitchen, bathroom, bedroom, living room or office. These soft close drawer systems are convenient, space saving, sturdy, smooth running and attractive.

# Double Walled Drawer System

## Classic Box

**hepo**

### Classic Box (H84 mm)




#### Technical Specification


- Drawer height 84/167/199 mm
- Nominal Length: 500 mm
- Weight capacity: 35 Kg
- Available with height & width adjustment  $\pm 1.5$  mm
- Finish: Dark Grey

Description	Unit	Article no	PU	MRP / Set
Classic Box- H84 mm	Set	9322455	1	2,990
Classic Box- H167 mm	Set	9322469	1	3,490
Classic Box- H199 mm	Set	9322476	1	3,990


### Set Components



### Space Required



### Installation Dimensions




# Double Walled Drawer System

## Classic Box


**hepo**

### Installation Dimensions


Cabinet space requirements




Front Connector Panel installation dimensions



Front Panel drilling dimensions




Back Panel installation dimensions




\*For drawer height 84 mm


Cabinet space requirements




Front Connector Panel installation dimensions



Front Panel drilling dimensions




Back Panel installation dimensions




\*For drawer height 167 mm


Cabinet space requirements




Front Connector Panel installation dimensions



Front Panel drilling dimensions





Back Panel installation dimensions



\*For drawer height 199 mm

### Cutting Dimensions for Back & Bottom Panel



KB : Cabinet width

LW : Internal cabinet width

NL : Nominal length

\*Note: Wooden back panel height as per drawer height



Hepo Wire products are made of Stainless Steel that impart a sense of style and convenience. The range consists of a number of accessories that help to organise storage perfectly in kitchen & bathroom.

The accessories not only add on style to your bathroom but also enhance the level of convenience.



### Plain Basket

- Unique sleek elegant design
- 30 kg weight carrying capacity
- Convenient to store different size packs of your kitchen

Article No.	Size (WxDxH)*	Unit	PU	MRP/Pc
9280319	380x500x100	Pc	6	2,059
9280320	380x500x150	Pc	4	2,496
9280351	380x500x200	Pc	3	2,841
9280354	430x500x100	Pc	6	2,151
9280355	430x500x150	Pc	4	2,542
9280356	430x500x200	Pc	3	3,105
9280359	480x500x100	Pc	6	2,266
9280360	480x500x150	Pc	4	2,737
9280361	480x500x200	Pc	3	3,243
9280364	530x500x100	Pc	6	2,185
9280365	530x500x150	Pc	4	2,622
9280366	530x500x200	Pc	3	3,059



### Cup & Saucer Basket

- Recommended shutter height min. 180 mm
- 500 mm depth can hold 18 no. of saucers, 380 mm width can hold 8 no. of cups & 530 mm can hold 16 no. of cups respectively

Article No.	Size (WxDxH)*	Unit	PU	MRP/Pc
9280352	380x500x100	Pc	6	2,358
9280357	430x500x100	Pc	6	2,519
9280362	480x500x100	Pc	6	3,059
9280367	530x500x100	Pc	6	3,209



### Thali Basket

- Recommended shutter height min. 360 mm
- 500 mm depth can hold 11 no. of thalis

Article No.	Size (WxDxH)*	Unit	PU	MRP/Pc
9280353	380x500x150	Pc	4	2,573
9303976	380x500x200	Pc	4	3,148
9280358	430x500x150	Pc	4	2,789
9303977	430x500x200	Pc	4	3,433
9280363	480x500x150	Pc	4	3,036
9303978	480x500x200	Pc	4	3,692
9280368	530x500x150	Pc	4	3,103
9303979	530x500x200	Pc	4	3,795

\*Sizes in mm



W234



W94



W134

### Spice Pull-out

- ▶ Three tier pull-out storage system for spice containers
- ▶ Suitable for cabinet widths 150 mm, 200 mm & 300 mm
- ▶ Available Pull-out dimensions W94xD500xH575 mm, W134xD500xH575 mm, W234xD500xH575 mm
- ▶ Suitable for mounting on left/right side (W94 & W134 only) & diagonally (W134 & W234 only)
- ▶ Weight carrying capacity up to 22.5 Kg (W94), 26.5 Kg (W134) & 30 Kg (W234) with KA telescopic runner
- ▶ Package Contain: 1 Wire Basket, 4 Fascia Clamps, 8 Fascia Screws
- ▶ Material: Stainless Steel
- ▶ Finish: Chrome Plated
- ▶ Available with Food grade certification for wire basket

Article No.	Size (WxDxH)*	Unit	PU	MRP/Pc
9292096	94x500x575	Pc	6	2,811
9292097	134x500x575	Pc	4	3,146
9292098	234x500x575	Pc	2	4,008

### Bottle Pull-out

- ▶ Two tier pull-out storage system for Bottles in kitchen
- ▶ Suitable for cabinet widths 150 mm, 200 mm & 300 mm
- ▶ Available Pull-out dimensions W94xD500xH460mm, W134xD500xH460mm, W234xD500xH460mm
- ▶ Suitable for mounting on the left/right side (W94 & W134 only) & diagonally (W134 & W234 only)
- ▶ Weight carrying capacity up to 22.5 Kg (W94), 26.5 Kg (W134) & 30 Kg (W234) with KA telescopic runner
- ▶ Package Contain: 1 Wire Basket, 4 Fascia Clamps, 8 Fascia Screws
- ▶ Material: Stainless Steel
- ▶ Finish: Chrome Plated
- ▶ Available with Food grade certification for wire basket

Article No.	Size (WxDxH)*	Unit	PU	MRP/Pc
9292100	94x500x460	Pc	6	1,977
9292101	134x500x460	Pc	4	2,200
9292102	234x500x460	Pc	2	2,761

### Cutlery Basket

- ▶ Convenient for storing various cutleries in kitchen
- ▶ Suitable for cabinet widths 450 mm, 500 mm, 550 mm & 600 mm
- ▶ Available basket dimensions W383xD500xH100, W436xD500xH100, W486xD500xH100 mm, W536xD500xH100
- ▶ Compatible with KA telescopic only
- ▶ Available with front panel adjustment
- ▶ Material: Stainless Steel
- ▶ Finish: Chrome Plated
- ▶ Available with Food grade certification for wire basket

Article No.	Size (WxDxH)*	Unit	PU	MRP/Pc
9303980	383X500X100	Pc	1	2,379
9303991	436X500X100	Pc	1	2,977
9303992	486X500X100	Pc	1	2,409
9303994	536X500X100	Pc	1	2,579



\*Sizes in mm



### Towel Rail



It's a cool practical home edition that keeps your towel dry & keeps the sick humid stink at bay.

- Package contains 1 towel rail, 2 cover caps & 5 wall fixing screws
- Can hold 2 hand towels

Description	Article No.	Size (WxDxH) mm	Unit	PU	MRP/Pc
Towel Rail - 350 mm	9280378	350x100x100	Pc	8	852

### Towel Rack



It's lets you stack your towels neatly on to it which looks good, gives you great comfort & keeps your bathroom hygienic too.

- Package contains 1 towel rack, 2 cover caps & 5 wall fixing screws
- Can hold 3 folded towels on the surface & 3 towels or clothes can be hung

Description	Article No.	Size (WxDxH) mm	Unit	PU	MRP/Pc
Towel Rack- 450mm	9280377	450x250x150	Pc	1	2,466

### Clothes Hook



The product puts an end to the unsightly picture of used & unused cloths clothes lying around in the bathroom by giving a compact place to hang them.

- Package contains 1 cloth hook, 2 cover caps & 5 wall fixing screws
- Can hold 9 nos of clothes or full size towels

Description	Article No.	Size (WxDxH) mm	Unit	PU	MRP/Pc
Clothes Hook	9280371	447x55x133	Pc	10	1,138

### Accessory Shelf



hepo Accessory Shelf has been modelled to hold daily use assortments.

- Package contains 1 accessory shelf, 1 plastic tray, 2 cover caps & 5 wall fixing screws
- Can hold a variety in bottles of different sizes

Description	Article No.	Size (WxDxH) mm	Unit	PU	MRP/Pc
Accessory Shelf - W300	9280369	300x100x120	Pc	8	1,043
Accessory Shelf - W450	9280370	450x100x120	Pc	6	1,232

### Corner Shelf



hepo corner Shelf is a sleek corner unit that can hold multiple essential stuff.

- Package contains 1 corner shelf, 1 plastic tray, 2 cover caps & 5 wall fixing screws
- Can hold a variety of bottles in different sizes with other articles as well

Description	Article No.	Size (WxDxH) mm	Unit	PU	MRP/Pc
Corner Shelf	9280372	300x300x120	Pc	1	1,328



### Hand Towel Holder



The product helps to retain a high level hygiene factor in the bathroom by keeping towels dry & gives a pleasant contemporary twist to bathroom landscape.

- Package contains 1 hand towel holder, 1 cover cap & 3 wall fixing screws
- Can hold 2 hand towels

Description	Article No.	Size (WxDxH) mm	Unit	PU	MRP/Pc
Hand Towel Holder - 220 mm	9280373	220x70x100	Pc	10	568

### Tooth Brush Holder



Tooth brush holders save unnecessary utilization of space by toothbrush containers on the basin.

- Package contains 1 tooth brush holder, 1 plastic tray, 1 cover cap & 3 wall fixing screws
- Can hold 4-6 toothbrushes, tongue cleaner & 1 toothpaste tube / mouth freshener

Description	Article No.	Size (WxDxH) mm	Unit	PU	MRP/Pc
Tooth Brush Holder	9280376	150x100x70	Pc	15	757

### Soap & Shampoo Holder



Hepo Soap & Shampoo Holder allows you to place your favourite shampoo & soap in a conveniently accessible way.

- Package contains 1 soap holder, 1 plastic tray, 1 cover cap & 3 wall fixing screws
- Can hold 1 soap and 1 shampoo bottle or shower gel bottom hook can be hold loofah or bath scrubber

Description	Article No.	Size (WxDxH) mm	Unit	PU	MRP/Pc
Soap & Shampoo Holder	9280374	200x115x125	Pc	10	948

### Tissue Roll Holder



Hepo Tissue Roll Holder with plastic tray is a suave product that maintains elite factor besides maintaining hygiene. It rolls the tissues well that comes out with ease while in use.

- Package contains 1 tissue roll holder, 1 plastic tray, 1 cover cap & 3 wall fixing screws
- Can hold 1 tissue roll and some other articles on plastic tray

Description	Article No.	Size (WxDxH) mm	Unit	PU	MRP/Pc
Tissue Roll Holder	9280375	200x105x110	Pc	12	1,138



Ideal locking solution for Home & Office environments for locking drawers, wardrobes. These locks are adjustable for both left/right hand operation and are available with 120 key combinations.

# Furniture Locks

## Economic Multipurpose Locks

**hepo**


### Economic Multipurpose Locks

Multipurpose locks throw a bolt / tongue out allowing the door to be locked when closed. This locks can be used in a number of applications particularly in any cabinet & drawer construction. It can secure the cabinet door and requires a key for the cabinet to be opened.

These locks are ideal for office environments as they allow to lock private & confidential papers securely. In addition to this, they are also suitable for homes & can keep valuables, private & confidential papers or snacks locked securely in your cupboard out of reach of young children!


#### Technical Specification:

- Adjustable for left/right-hand operation
- Available for 22 mm / 32 mm panel thickness
- Complete with rosette
- Available with max. 120 Key Combinations
- Available with 2 iron keys
- Tested for 30000 functional cycles
- Material: Zinc & Steel



#### Set Comprises

Sr No:	Description	Quantity
1	Based Cover	1
2	Front Cover	1
3	Bolt	1
4	Cylinder Cover	1
5	Cylinder	1
6	Cylinder Front Cover	1
7	Ring	1



Description	Unit	Article no	PU	MRP/ PC
Economic MP Lock 120 KC, 22 mm	Pc	9287295	120	142
Economic MP Lock 120 KC, 32 mm	Pc	9291595	120	166

Espagnolette Locks



**Technical Specification:**


- Three-way locking system for cabinet doors
- Usable for both left & right
- Used for 20 mm door thickness
- Available with rosette
- Barrel dia.: 16.5 mm
- Available rod length: 1000 mm & 1500 mm

**Set contains:**

- 1 espagnolette lock, for left / right -hand operation
- 1 rosette
- 1 pair of locking hooks, left / right
- 2 rod saddles
- 2 stop pin
- 2 keys

Note: Order rods as per cabinet height

Installation Diagram



Product description	Unit	Article no.	PU	MRP/Unit
Espagnolette Lock D16/20	Set	9299249	10	633
Espagnolette Lock Rod 6/5 1m Nickel	Pc	9299283	10	224
Espagnolette Lock Rod 6/5 1.5m Nickel	Pc	9299284	10	364



Ergonomically functional Lift-up solutions are used for creating storage space for all the extra stuffs that needs to be stored along with the convenience of access.

# Advanced Lift-up

## Bi-Fold Lift-up

**hepo**


### Bi-Fold Lift-up




#### Technical Specification:

- ▶ Bi-fold lift-up for overhead cabinets with high performance & smooth operation
- ▶ Recommended for wooden front panel or Aluminium profile with 55 mm width
- ▶ Stops at any opening position
- ▶ Available with silent opening & closing system
- ▶ Available with three dimensional front panel adjustment
- ▶ Recommended to use with concealed furniture hinges with 110° opening angle
- ▶ Recommended cabinet outer to outer height: 600-850 mm
- ▶ Recommended maximum cabinet width: ≤ 700, ≤ 900 & ≤ 1200 mm
- ▶ Recommended front panel thickness: 16-18 mm
- ▶ Front panel will sprung open if fingers get caught between two panels
- ▶ No protruding parts
- ▶ Reliable & smooth performance within a wide temperature range of 0°C to 40 °C
- ▶ Materials used: Zinc alloy, Plastic & Iron
- ▶ Finish: Nickel plating & Chrome plating

### Set Contains



### Installation Drawing



Description (Retail Packing)	Cabinet size (H x W) mm	Unit	Article no.	PU	MRP/Set
Hepo Bi-fold Lift-up Version 5, Max 5 kg	H 600 x W (600 - 700)	Set	9320383	1	7,839
Hepo Bi-fold Lift-up Version 7, Max 7 kg	H 600 x W (800 - 900)	Set	9320384	1	7,839
Hepo Bi-fold Lift-up Version 9, Max 9 kg	H 600 x W (1000 - 1200)	Set	9320385	1	8,100
Hepo Bi-fold Lift-up Version 8, Max 8 kg	H 700 x W (900)	Set	9299178	1	7,839
Hepo Bi-fold Lift-up Version 10, Max 10 kg	H 700 x W (1200)	Set	9299179	1	7,839

# Gas Pumps

Guaranteed for 50,000 cycles

**hepo**

## Gas Pumps




### Technical Specification:


- Suitable for wooden or aluminum framed shutter
- Needs auto-closing hinges fitted in the shutter for operation
- Flap weight (including handle) carrying capacity: 3.2 Kg to 35 kg
- Force of pump: 80N-350N
- Gas Pumps dimension: 9 inch (270 mm) / 12 inch (301 mm)
- Performance temperature range of +45°C to -25°C

### Quality Assurance:

- Tested for 50,000 cycles by SGS, Switzerland



### Installation Diagram



### Maximum Door Weight

H (mm) (kg)	75°				90°				100°			
	300	400	500	600	300	400	500	600	300	400	500	600
60N	3. 3kg	2. 8kg	2kg	1. 8kg	3. 1kg	2. 6kg	1. 8kg	1. 4kg	2. 9kg	2. 4kg	1. 6kg	1. 2kg
80N	4. 3kg	3. 5kg	2. 6kg	2kg	4. 1kg	3. 3kg	2. 4kg	1. 8kg	3. 9kg	3. 1kg	2. 2kg	1. 6kg
100N	5kg	4. 1kg	3. 2kg	2. 5kg	4. 8kg	4kg	3kg	2. 3kg	4. 6kg	3. 8kg	2. 8kg	2kg
120N	5. 7kg	4. 7kg	3. 8kg	3kg	5. 5kg	4. 5kg	3. 4kg	2. 8kg	5. 3kg	4. 3kg	3. 3kg	2. 6kg
150N	6. 5kg	5. 5kg	4. 7kg	3. 7kg	6. 2kg	5. 3kg	4. 5kg	3. 5kg	6kg	5. 1kg	4. 3kg	3. 3kg
200N	9. 3kg	7. 5kg	5. 5kg	4. 8kg	9. 1kg	7. 3kg	5. 3kg	4. 6kg	8. 9kg	7. 1kg	5. 1kg	4. 4kg
250N		9. 7kg	8kg	5. 5kg		9. 5kg	7. 8kg	5. 3kg		9. 3kg	7. 6kg	5. 1kg
300N		12.2kg	9. 3kg	7. 7kg		12kg	9. 1kg	7. 5kg		11.8kg	8. 9kg	7. 3kg
350N		15.8kg	10kg	9. 2kg		15. 6kg	9. 8kg	9kg		15.3kg	9. 6kg	8. 7kg

Gas Pumps for Overheads - 9 inch	Unit	Article No.	PU	MRP/ Pair
Gas Pump Capacity - 8 KG / 9 inch	Pair	9289456	1	311
Gas Pump Capacity -10 KG / 9 inch	Pair	9289457	1	311
Gas Pump Capacity - 12 KG / 9 inch	Pair	9289458	1	311
Gas Pump Capacity - 15 KG / 9 inch	Pair	9289469	1	311
Gas Pump Capacity - 20 KG / 9 inch	Pair	9289470	1	311
Gas Pump Capacity - 25 KG / 9 inch	Pair	9289471	1	311
Gas Pump Capacity - 30 KG / 9 inch	Pair	9289472	1	311
Gas Pump Capacity - 35 KG / 9 inch	Pair	9289473	1	311

Gas Pumps for Overheads - 12 inch	Unit	Article No.	PU	MRP/ Pair
Gas Pump Capacity - 8 KG /12 inch	Pair	9289474	1	379
Gas Pump Capacity -10 KG / 12 inch	Pair	9289475	1	379
Gas Pump Capacity -12 KG / 12 inch	Pair	9289476	1	379
Gas Pump Capacity -15 KG / 12 inch	Pair	9289477	1	379
Gas Pump Capacity - 20 KG / 12 inch	Pair	9289478	1	379
Gas Pump Capacity - 25 KG / 12 inch	Pair	9289479	1	379
Gas Pump Capacity - 30 KG / 12 inch	Pair	9289481	1	379
Gas Pump Capacity - 35 KG / 12 inch	Pair	9289482	1	379

# Gas Pumps

Guaranteed for 30,000 cycles

**hepo**

## Gas Pumps



### Technical Specification:

- Suitable for wooden shutter
- Needs auto-closing hinges fitted in the shutter for operation
- Flap weight (including handle) carrying capacity: 15 Kg to 30 kg
- Force of pump: 150N-300N
- Gas Pumps dimension: 12 inch
- Performance temperature range of +45°C to -25°C

### Quality Assurance:


- Tested for 30,000 cycles
- 6 hrs. salt spray tested against rusting

### Package contains:

- 2 pcs gas pump
- 4 pcs fixing part
- 14 pcs screws
- 4 screw nuts

## Installation Diagram

### Gas Pump dimension : 12 inch



## Maximum Door Weight

H (mm) (kg)	75°				90°				100°			
	300	400	500	600	300	400	500	600	300	400	500	600
60N	3. 3kg	2. 8kg	2kg	1. 8kg	3. 1kg	2. 6kg	1. 8kg	1. 4kg	2. 9kg	2. 4kg	1. 6kg	1. 2kg
80N	4. 3kg	3. 5kg	2. 6kg	2kg	4. 1kg	3. 3kg	2. 4kg	1. 8kg	3. 9kg	3. 1kg	2. 2kg	1. 6kg
100N	5kg	4. 1kg	3. 2kg	2. 5kg	4. 8kg	4kg	3kg	2. 3kg	4. 6kg	3. 8kg	2. 8kg	2kg
120N	5. 7kg	4. 7kg	3. 8kg	3kg	5. 5kg	4. 5kg	3. 4kg	2. 8kg	5. 3kg	4. 3kg	3. 3kg	2. 6kg
150N	6. 5kg	5. 5kg	4. 7kg	3. 7kg	6. 2kg	5. 3kg	4. 5kg	3. 5kg	6kg	5. 1kg	4. 3kg	3. 3kg
200N	9. 3kg	7. 5kg	5. 5kg	4. 8kg	9. 1kg	7. 3kg	5. 3kg	4. 6kg	8. 9kg	7. 1kg	5. 1kg	4. 4kg
250N		9. 7kg	8kg	5. 5kg		9. 5kg	7. 8kg	5. 3kg		9. 3kg	7. 6kg	5. 1kg
300N		12.2kg	9. 3kg	7. 7kg		12kg	9. 1kg	7. 5kg		11.8kg	8. 9kg	7. 3kg
350N		15.8kg	10kg	9. 2kg		15. 6kg	9. 8kg	9kg		15.3kg	9. 6kg	8. 7kg
500N		18.7kg	15. 1kg	10. 8kg		18. 3kg	14. 9kg	10. 6kg		18. 1kg	14. 7kg	10. 4kg

Gas Pumps for Overheads - 12 inch	Unit	Article No.	PU	MRP/Pair
Gas Pump Capacity -15 KG / 12 inch / Black	Pair	9320017	1	825
Gas Pump Capacity - 20 KG / 12 inch / Black	Pair	9320018	1	825
Gas Pump Capacity - 25 KG / 12 inch / Black	Pair	9320019	1	825
Gas Pump Capacity - 30 KG / 12 inch / Black	Pair	9320020	1	825



Hepo's range of Bed Storage Systems addresses the need of space efficiency. It offers a complete and effective solution for accessing the storage spaces below the heavy mattresses with ease. Most Indian households store bed linen, pillows & blankets which are required for seasonal purposes underneath their mattresses in the bed storage.

# Bed Fittings

## Bed Fitting Frame & Gas Pumps

**hepo**

### Bed Fittings




#### Technical Specification:

- Perfect Storage & Space saving
- Large opening for easy access under the bed
- Opening from the side or foot of the bed is workable
- Convenience of use
- Noiseless and effortless operation
- International quality mechanism
- Black Powder Coated finish
- Backed by Hepo assurance
- Gas Pumps: Passed SGS Test Reliable
- Quality Effortless Operation
- Frame Material : Q235
- Frame Thickness: 4 mm
- Length of Gas Pumps: 340 mm
- Weight carrying capacity of Gas Pumps: 70kg/ 100kg/ 120kg/ 150kg/ 200kg
- Gas Pumps Material: Steel
- Finish: Powder Coated Black color


#### Set includes:

- 1 pair of Bed lift mechanism,
- Mounting screws & nuts pack
- 1 installation manual


### Bed Fitting Frames & Gas Pumps



Bed Fitting Frame - 520 mm



Bed Fitting Frame - 1100 mm



Bed Fitting Frame - 1500 mm



Gas Pump - 340 mm

Description	Article no.	Unit	PU	MRP/Set
Bed Fitting Frame - 520 mm	9315515	Set	1	2,090
Bed Fitting Frame - 1100 mm	9304139	Set	1	3,300
Bed Fitting Frame - 1500 mm	9304140	Set	1	3,900
Gas Pump 340 mm / 70Kg	9282630	Set	1	788
Gas Pump 340 mm / 100Kg	9282631	Set	1	788
Gas Pump 340 mm / 120Kg	9282633	Set	1	788
Gas Pump 340 mm / 150Kg	9296534	Set	1	1,362
Gas Pump 340 mm / 200Kg	9319824	Set	1	1,362

\* Gas Pumps set to be ordered as per required weight capacity

\* Note: MRP are subject to change any time without prior notice.

# Special Application Fitting

**hepo**





## Turn Table Mechanism\*



### Technical Specification:

- ▶ Suitable for turning table or swivel unit
- ▶ 360° rotating ball bearing system for long lasting smooth rotation
- ▶ Available in three sizes for different loads
- ▶ Finish: Black

### Product Dimension:



t= thickness of plate

Description	Size (mm)	Load Capacity (Kg)	Ball Dia	No of balls	Unit	Article no	PU	MRP / Pcs
Turn Table Mechanism*	150 x 150 x 21.5, 1.8 (t)	50-75	Ø8	46	Pc	-	-	-
	197 x 197 x 22.5, 1.8 (t)	80-100	Ø8	58	Pc	-	-	-
	245.5 x 245.5 x 22.5, 2 (t)	150-250	Ø8	62	Pc	-	-	-
	146 x 146 x 14, 0.8 (t)	30-50	Ø8	46	Pc	-	-	-

\*Available soon












Aluminium profiles are primarily used for increasing the aesthetic value of furniture.

Shutter profiles are beautifully finished aluminium sections available with & without handle option along with various finishes used to manufacture doors with glass or any chosen material. It offers various design opportunities to design wardrobe doors & kitchen shutters.

# Aluminium Profiles

Silver Anodized Aluminium Profiles for Furniture Fronts

**hepo**

Product	Product Section	Glass Thickness	Width	Length	Finish	Article No.	Unit	PU	MRP/Pc
19 mm / 45 mm Aluminium Profiles									
19 mm Straight Frame Profile		4 mm	19 mm	3000 mm	SA	5211089	Pc	4	1,177
					SS	521110808	Pc	4	-
					BL	521110809	Pc	4	-
					DC	521110810	Pc	4	-
19 mm Straight Frame Profile with handle		4 mm	19 mm	3000 mm	SA	5211090	Pc	4	1,444
					SS	521110811	Pc	4	-
					BL	521110812	Pc	4	-
					DC	521110813	Pc	4	-
45 mm (Econ) Straight Frame Profile for small shutters		4 mm	45 mm	3000 mm	SA	5211117	Pc	4	2,010
					SS	521110814	Pc	4	-
					BL	521110815	Pc	4	-
					DC	521110816	Pc	4	-
45 mm (Econ) Straight Frame Profile with L Handle for small shutters		4 mm	45 mm	3000 mm	SA	5211118	Pc	4	2,606
					SS	521110817	Pc	4	-
					BL	521110818	Pc	4	-
					DC	521110819	Pc	4	-
45 mm Straight Frame Profile with F Handle		4 mm	45 mm	3000 mm	SA	5211082	Pc	4	2,462
					SS	521110820	Pc	4	-
					BL	521110821	Pc	4	-
					DC	521110822	Pc	4	-
45 mm Straight Stick-On Frame Profile		4 mm	45 mm	3000 mm	SA	5211091	Pc	4	1,584
					SS	521110823	Pc	4	-
					BL	521110824	Pc	4	-
					DC	521110825	Pc	4	-
45 mm Straight Stick-On Frame Profile with L handle		4 mm	45 mm	3000 mm	SA	9283487	Pc	4	2,900
					SS	9302229	Pc	4	4,630
					BL	9302230	Pc	4	4,630
45 mm Straight Frameless Stick on Profile		4 mm	45 mm	3000 mm	SA	9306110	Pc	4	2,170
					SS	9306161	Pc	4	3,460
					BL	9306163	Pc	4	3,460
45 mm Straight Frameless Stick on Handle Profile		4 mm	45 mm	3000 mm	SA	9306164	Pc	4	2,770
					SS	9306165	Pc	4	4,420
					BL	9306167	Pc	4	4,420







● SA - Silver finish   ● \*SS - Stainless steel finish   ● \*BL - Black finish   ● \*DC - Dark Champagne finish



\*Available on request

# Aluminium Profiles

## Silver Anodized Aluminium Profiles for Furniture Fronts

**hepo**

Product	Product Section	Glass Thickness	Width	Length	Finish	Article No.	Unit	PU	MRP/Pc
55 mm Aluminium Profiles									
55 mm Straight Frame Profile		4 mm	55 mm	3000 mm	SA	9288842	Pc	4	2,650
					SS	9307853	Pc	4	4,240
					BL	9307854	Pc	4	4,240
					DC	9310252	Pc	4	4,240
55 mm Straight Frame Profile with C Handle		4 mm	55 mm	3000 mm	SA	9288844	Pc	4	3,270
					SS	9307856	Pc	4	5,230
					BL	9307857	Pc	4	5,230
					DC	9310253	Pc	4	5,230
55 mm Curved Frame Profile		4 / 5 mm	55 mm	3000 mm	SA	9288848	Pc	4	3,240
55 mm Curved Frame Profile with Handle		4 / 5 mm	55 mm	3000 mm	SA	9113913	Pc	4	2,802
55 mm Straight Frame Profile		8 mm	55 mm	3000 mm	SA	9283491	Pc	4	2,510
55 mm Straight Frame Profile with F Handle		8 mm	55 mm	3000 mm	SA	9283495	Pc	4	3,100
Angle Connector Set (For all aluminum profiles) 1 Set Consists of 4 connectors & 8 screws		-	-	-	-	9303247	Set	30	142

Product	Product Section	Suitable for	Width	Length	Finish	Article No.	Unit	PU	MRP/Pc
Edge Profile									
Edge Profile (22 mm)		19 mm board thickness	-	3000 mm	SA	5211094	Pc	8	384
					SS	52110826	Pc	8	-
					BL	52110827	Pc	8	-
					DC	52110828	Pc	8	-
Edge Profile (25 mm)		22 mm board thickness	-	3000 mm	SA	5211095	Pc	8	428
					SS	52110829	Pc	8	-
					BL	52110830	Pc	8	-
					DC	52110831	Pc	8	-



● SA - Silver finish   ● \*SS - Stainless steel finish   ● \*BL - Black finish   ● \*DC - Dark Champagne finish


\*Available on request



# Aluminium Profiles

## Silver Anodized Aluminium Profiles for Furniture Fronts

**hepo**

Product	Product Section	Suitable for	Width	Length	Finish	Article No.	Unit	PU	MRP/Pc
<b>Edge Profile</b>									
Edge Profile for Wall cabinet		16.8 mm onwards	-	3000 mm	SA	5211106	Pc	12	1,240
					SS*	521110832	Pc	12	-
					BL*	521110833	Pc	12	-
					DC*	521110834	Pc	12	-
Edge Profile for Wall cabinet		18.8 mm board	-	3000 mm	SA	5211113	Pc	12	1,291
					SS*	521110835	Pc	12	-
					BL*	521110836	Pc	12	-
					DC*	521110837	Pc	12	-

Product	Product Section	Length	Finish	Article No.	Unit	PU	MRP/Pc		
<b>Mid Way Joining Profile</b>									
Mid Way Joining profile		4/5 mm glass thickness	16 mm	3000 mm	SA	5211093	Pc	8	1,070
					SS*	521110838	Pc	8	-
					BL*	521110839	Pc	8	-
					DC*	521110840	Pc	8	-
Connector Set for Mid Way Joining Profile						9308603	Pc	10	106

Product	Product Section	Length	Finish	Article No.	Unit	PU	MRP/Pc	
<b>Gola Profile &amp; Vertical Gola Profile</b>								
Gola profile C Type		3000 mm		SA	5211104	Pc	10	1,432
				SS*	521110841	Pc	10	-
				BL*	521110842	Pc	10	-
				DC*	521110843	Pc	10	-
Gola profile L Type		3000 mm		SA	5211105	Pc	10	1,030
				SS*	521110844	Pc	10	-
				BL*	521110845	Pc	10	-
				DC*	521110846	Pc	10	-


Item Description	Product	Compatible with	Side	Article No.	Unit	PU	MRP/Pc
<b>Gola Profile Accessories</b>							
Gola Profile End Cap for C Type with screws		SA	Left	9212563	Pc	20	277
			Right	9212564	Pc	20	277
		SS*	Left	521110847	Pc	20	-
			Right	521110848	Pc	20	-
		BL*	Left	521110849	Pc	20	-
			Right	521110850	Pc	20	-
		DC*	Left	521110851	Pc	20	-
			Right	521110852	Pc	20	-
Gola Profile End Cap for L Type with screws		SA	Left	9212565	Pc	20	277
			Right	9212566	Pc	20	277
		SS*	Left	521110853	Pc	20	-
			Right	521110854	Pc	20	-
		BL*	Left	521110855	Pc	20	-
			Right	521110856	Pc	20	-
		DC*	Left	521110857	Pc	20	-
			Right	521110858	Pc	20	-



# Aluminium Profiles

## Silver Anodized Aluminium Profiles for Furniture Fronts

**hepo**

Item Description	Product	Compatible with	Article No.	Unit	PU	MRP/Pc
Gola Profile Accessories						
Gola Outer Angle Profile Connector with screws		SA	9212567	Pc	20	312
		SS	521110859	Pc	20	-
		BL	521110860	Pc	20	-
		DC	521110861	Pc	20	-
Gola Inner Angle Profile Connector with screws		SA	9212568	Pc	20	422
		SS	521110862	Pc	20	-
		BL	521110863	Pc	20	-
		DC	521110864	Pc	20	-
Gola L Connector set with screws			9220600	Pc	20	46

Product	Product Section	Length (mm)	Finish	Article No.	Unit	PU	MRP/Pc
Sink Counter Profile with Connectors							
Sink counter profile		3000 mm	SA	5211109	Pc	6	1,274
Bracket for sink counter profile left		-	-	9293678	Pc	50	26
Bracket for sink counter profile right		-	-	9293699	Pc	50	26

Product	Product Section	Details	Finish	Article No.	Unit	PU	MRP/Pc
Handle Profiles							
Handle Eslinga (G Profile)		Profile height 40 mm and Length 3000 mm	SA	5211096	Pc	4	2,032
			SS	521110865	Pc	4	-
			BL	521110865	Pc	4	-
			DC	521110867	Pc	4	-
Eslinga Econ (G Profile)		Profile height 35 mm and Length 3000 mm	SA	5211097	Pc	12	1,291
			SS	521110868	Pc	12	-
			BL	521110869	Pc	12	-
			DC	521110870	Pc	12	-



• SA - Silver finish   • \*SS - Stainless steel finish   • \*BL - Black finish   • \*DC - Dark Champagne finish

\*Available on request



Ergonomically comfortable and specially designed handles available in attractive designs for furniture drawers & doors. Available in various sizes, shapes, materials and colours to cater to the need of different customers.

# Handles

**hepo**

Sr. No.	Description	Finish	Article No.	Hole Distance	Unit	PU	MRP/Pc
1.		Nickel Matt	1180122	96	Pc	200	78
			1180121	128	Pc	150	114
2.		Nickel Matt	1180167	96	Pc	200	90
			1180166	128	Pc	125	124
3.		Nickel Matt	1161173	96	Pc	60	104
			1161167	128	Pc	50	143
4.		Nickel Matt	9220976	96	Pc	50	81
			9220978	128	Pc	50	127
5.		Bright Chrome	9220975	96	Pc	50	72
			9220977	128	Pc	50	115
6.		Nickel Matt	9220980	96	Pc	50	76
			9220982	128	Pc	50	132
7.		Bright Chrome	9220979	96	Pc	50	69
			9220981	128	Pc	50	121
8.		Matt Black	9297998	128	Pc	1	95
9.		Brushed Nickel	9300407	96	Pc	1	90
			9300394	256	Pc	1	200
10.		Brushed Nickel	9300395	96	Pc	1	124
			9300396	128	Pc	1	203
11.		Brushed Nickel	9300397	160	Pc	1	230
			9300398	192	Pc	1	254
			9300399	234	Pc	1	285
			9300400	128	Pc	1	182
			9300411	160	Pc	1	197
12.		Brushed Nickel	9300412	256	Pc	1	255
			9300408	64	Pc	1	103
			9300409	96	Pc	1	120
13.		Nickel Matt	9310024	224	Pc	72	235
14.		Brushed Silver Anodized					

**Note:** For more handles refer to [Handlesfor99.com](http://Handlesfor99.com)

**HANDLES  
FOR 99** 

# Handles

## Alpha Handle

**hepo**


### Alpha Handle



#### Technical Specification:

- Recessed Handle for wooden shutters
- Handle Length: 110/ 142/ 174 mm
- Material Used: Anodized Aluminum
- Finish: Silver

### Cut out details



Description	Total Length Including End Caps (A)	Clear Base (B)	Hole to Hole Distance (C)	Profile Length	Unit	Article no	PU	MRP / Pc
Alpha Handle 96mm incl. end caps	110 mm	102 mm	96 mm	90 mm	Pc	5211053	100	188
Alpha Handle 128mm incl. end caps	142 mm	134 mm	128 mm	122 mm	Pc	5211054	80	207
Alpha Handle 160mm incl. end caps	174 mm	166 mm	160 mm	154 mm	Pc	5211055	65	226

**Note:** For more handles refer to [Handlesfor99.com](http://Handlesfor99.com)

**HANDLES  
FOR 99** .COM



Small hardware that opens up numerous design options for classic as well as lightweight material used to construct modular furniture. It fulfills requirement of frequent assembly & disassembly of furniture.


# Connecting Fittings

## Cam, Steel Dowel & Socket

**hepo**

### Cam


- Drilling diameter 15 mm
- Drilling depth: 13 mm for Zinc CAM 15/18  
11.2 mm for Zinc CAM 15/15  
9.6 mm for Zinc CAM 15/12
- Available for 12/15/18 mm panel thickness
- Surface material: Nickel Plating



Description	Unit	Article no	PU	MRP/Pc
Zinc Cam 15/18 - Zinc CAM for 18 mm panel	Pc	9290887	3000	7.22
Zinc Cam 15/15 - Zinc CAM for 15 mm panel	Pc	9299651	3000	5.49
Zinc Cam 15/12 - Zinc CAM for 12 mm panel	Pc	9308957	3000	4.9


### Steel Dowel

- M6\*7.5 mm thread
- Dowel Length: 30 mm
- Available with unmovable grey plastic part



Description	Unit	Article no	PU	MRP/Pc
M6*34 Dowel, 3 in one, PZ2, Galvanizing	Pc	9289656	3000	2.52


- Steel dowel with direct fixing thread for drilling diameter of 6 mm
- Dowel length: 30 mm



Description	Unit	Article no	PU	MRP/Pc
Steel Dowel Euro Thread, 30 mm	Pc	9299653	3000	3.08

### Fast Assembly Dowel


- Available with expanding socket with 8 mm drilling diameter
- Dowel length: 30 mm



Description	Unit	Article no	PU	MRP/Pc
Fast Assembly Steel Dowel, 30 mm	Pc	9299654	3000	3.64



### Socket

- Inner thread: M6
- Drilling diameter 10 mm
- Drilling depth: 11.5 mm
- Available for 15/18 mm panel thickness
- Finish: White





Description	Unit	Article no	PU	MRP/Pc
Nylon Socket, Φ10.8x11, Inner M6 hole	Pc	9304875/9289732	3000	0.90



Wooden Dowel




Wooden Dowel 8x50mm



Wooden Dowel 8x30mm



Wooden Dowel 8x40mm



Wooden Dowel 6x35mm

Description	Unit	Article no	PU	MRP/Pc
Wooden Dowel 6.0x35mm	Pc	9290708	2000	0.8
Wooden Dowel 8.0x30mm	Pc	9290706	2000	0.9
Wooden Dowel 8.0x40mm	Pc	9102465	2000	0.9
Wooden Dowel 8.0x50mm	Pc	9290707	2000	1.2

L-Bracket

S.No.	Description	Image	Unit	Article No.	PU	MRP/Pc
1	L-Bracket 31x31 mm		Pc	9302837	1000	15
2	L-Bracket 41x41 mm		Pc	9302840	100	16

## Connecting Fittings



D- Nut (Steel), Hex Metal Socket  
T-Nut & Barrel Nut

### D-Nut (Steel)



#### Technical Specification:

- ▶ Material used: Steel
- ▶ Available in HEX drive
- ▶ Available in Regular/Metric thread
- ▶ Available Finish: Chrome, Blue zinc (ZP, Cr3+)
- ▶ Available with bulk packing
- ▶ Tested for 48 Hrs Salt Spray against rusting





Description	Dimension	Unit	Article No.	PU	MRP/Pc
D-Nut(Steel) M6x13, ZP Cr3+	M6x13	Pc	9296712	3500	2.88
D-Nut(Steel) M6x15, ZP Cr3+	M6x15	Pc	9296713	3000	3.16
D-Nut(Steel) M6x18, ZP Cr3+	M6x18	Pc	9296714	2500	3.62
D-Nut(Steel) M6x20, ZP Cr3+	M6x20	Pc	9296715	2500	3.85
D-Nut(Steel) M6x25, ZP Cr3+	M6x25	Pc	9296716	2000	4.77
D-Nut(Steel) M8x13, ZP Cr3+	M8x13	Pc	9296717	3000	3.51
D-Nut(Steel) M8x15, ZP Cr3+	M8x15	Pc	9296718	2500	3.85
D-Nut(Steel) M8x18, ZP Cr3+	M8x18	Pc	9296719	2000	4.20
D-Nut(Steel) M8x20, ZP Cr3+	M8x20	Pc	9296720	2000	4.77
D-Nut(Steel) M8x25, ZP Cr3+	M8x25	Pc	9296721	1500	5.69

### Hex Metal Socket



#### Technical Specification:

- ▶ Material used: Zinc Alloy
- ▶ Drive: Hex Socket
- ▶ Finish: Zinc







Description	Unit	Article no	PU	MRP/Pc
Hex Metal socket M6x13 ZP	Pc	9290695	1000	5.2
Hex Metal socket M6x15 ZP	Pc	9290696	6000	4.59
Hex Metal socket M6x20 ZP	Pc	9290698	1000	7.11
Hex Metal socket M8x18 ZP	Pc	9290702	3500	6.61

### T-Nut



#### Technical Specification:

- ▶ Thread: Metric
- ▶ Material: Steel
- ▶ Finish: Zinc chrome plated






Description	Unit	Article no	PU	MRP/Pc
T-Nut M6X10	Pc	9312049	500	2.9
T-Nut M8X10	Pc	9312111	500	4.5

### Barrel Nut



#### Technical Specification:

- ▶ Thread: Metric
- ▶ Material: Steel
- ▶ Finish: Zinc chrome plated



Description	Unit	Article no	PU	MRP/Pc
Barrel Nut M6* φ10*13	Pc	9312112	500	4.7
Barrel Nut M8* φ12*18	Pc	9312113	500	9.8

# Connecting Fittings

## Leveller Screws

**hepo**

### Leveller Screws




#### Technical Specification:

- Used for height adjustment of cabinets
- Material used: Zinc plated aluminium, High quality plastic
- Finish: Zinc chrome plated, Black plastic

### Product Dimension

Rod Dia. (mm)	Rod Length (mm)	Base Dia. (mm)	Base Height (mm)
M6	10/ 24/ 40	30	7
M8	24	20	8
M10	24	26	6.5
M12	24	26	6.5

### Dimensional Diagram



Product description	Weight capacity	Height adjustment range (mm)	Unit	Article no.	PU	MRP/Pc
Leveller screw M6 x 10 mm	60 Kg	9	Pc	9138921	1000	10.64
Leveller screw M6 x 24 mm	60 Kg	23	Pc	9138922	1000	11.76
Leveller screw M6 x 40 mm	60 Kg	39	Pc	9138923	1000	13.16
Leveller screw M8 x 24 mm	70 Kg	22	Pc	9138924	1000	13.44
Leveller screw M10 x 24 mm	80 Kg	20	Pc	9138925	500	18.00
Leveller screw M12 x 24 mm	90 Kg	20	Pc	9138926	500	24.64

## Connecting Fittings

JCBC Bolt & Allen Bolt/ Socket Head Bolt

HEX Bolt

### Hepo Bolts



#### Technical Specification:

- ▶ Head for JCBC Bolt: Flat Head
- ▶ Head for Allen Bolt/ Socket Head Bolt: Round Knurled head
- ▶ Head for HEX Bolt: Hexagonal Head
- ▶ Drive for JCBC & Allen Bolt/ Socket Head Bolt: HEX drive
- ▶ Thread: Full thread (Metric)
- ▶ Head Dia for JCBC Bolt- 12.5 mm for M6 / 15.5 mm for M8
- ▶ Head Dia for Allen Bolt/ Socket Head Bolt: - 10 mm for M6 / 13 mm for M8
- ▶ Size of Hex drive in JCBC Bolt: 4 mm for M6 / 5 mm for M8
- ▶ Size of Hex drive in Allen Bolt/ Socket Head Bolt: 5 mm for M6 / 6 mm for M8
- ▶ Material used: Steel
- ▶ Finish: Black Oxide finish

**Note:** 24 hrs salt spray tested Zinc finish bolts available on request.

JCBC Bolt			Allen Bolt/ Socket Head Bolt			HEX Bolt				
Sr. No.	Size DxL (mm)	Article No.	PU	MRP/Pc	Article No.	PU	MRP/Pc	Article No.	PU	MRP/Pc
1	M6x10	9309958	4000	1.26	-	-	-	-	-	-
2	M6x15	9309961	3000	1.68	-	-	-	-	-	-
3	M6x20	9309962	2500	2	9309985	2500	2.42	-	-	-
4	M6x25	9309963	2000	2.42	-	-	-	-	-	-
5	M6x30	9309964	2000	2.73	-	-	-	-	-	-
6	M6x35	9309965	1500	3.15	-	-	-	-	-	-
7	M6x40	9309966	1500	3.47	-	-	-	-	-	-
8	M6x45	9309967	1500	3.89	-	-	-	-	-	-
9	M6x50	9309968	1000	4.2	-	-	-	-	-	-
10	M6x55	9312758	1000	4.94	-	-	-	-	-	-
11	M6x60	9309969	1000	4.94	-	-	-	-	-	-
12	M6x65	9312759	500	5.78	-	-	-	-	-	-
13	M6x70	9309970	1000	5.67	-	-	-	-	-	-
14	M8x15	9309981	1500	2.84	9309986	1000	4.62	-	-	-
15	M8x20	9309982	1500	3.47	-	-	-	9309991	1000	2.84
16	M8x25	9309983	1000	4.1	-	-	-	9309992	1000	3.36
17	M8x30	9309984	1000	4.62	-	-	-	9309993	1000	3.68
18	M8x35	-	-	-	-	-	-	9309994	1000	4.1
19	M8x40	9312760	500	6.2	9309987	500	7.04	9309995	500	4.52
20	M8x50	9312761	500	7.46	9309988	500	8.4	9309996	500	5.36
21	M8x60	-	-	-	9309989	500	10.19	9309997	500	6.09
22	M8x70	9312762	250	10.1	-	-	-	-	-	-
23	M8x75	-	-	-	9309990	500	12.6	9309998	500	7.35



Hepo Door Hardware range consists of Door Closer and Butt Hinges, which facilitates seamless controlled movement of the door. These hardware can be used for wooden, steel & aluminium framed doors. The products have been tested for long-lasting performance and carry a warranty, which is an assurance of its quality.

## Stainless Steel Welded Type (Railway Hinges)



### Technical Specification:

- ▶ Recommended for wooden / aluminium / framed doors of apartment / building
- ▶ Weight capacity: 40 Kg/Pair
- ▶ Leaf Thickness - 2.5 mm
- ▶ Available with Square Edge
- ▶ Pin Dia - 4 & 5.6 mm
- ▶ For DIN Left/Right Usage
- ▶ Available Sizes - 3x12 / 4x12 / 5x12
- ▶ Finish - SS Satin
- ▶ No. of Holes - 6/8

S.No.	Description Size mm (inch)	Unit	Article No.	PU	MRP/ Pair
1	Butt Hinge SS (3" X 1.9" X 1.9mm) (3X14)	Pair	9278616	01	151
2	Butt Hinge SS (4" X 2.3" X 1.9mm) (4X14)	Pair	9278617	01	241
3	Butt Hinge SS (5" X 2.5" X 1.9mm) (5X14)	Pair	9278618	01	314
4	Butt Hinge SS 75x50x2.5 mm (3"x2"x2.5 mm) (3x12)	Pair	9278619	20	185
5	Butt Hinge SS 100x60x2.5 mm (4"x2.3"x2.5 mm) (4x12)	Pair	9278620	12	280
6	Butt Hinge SS 125x67x2.5 mm (5"x2.6"x2.5 mm) (5x12)	Pair	9278621	10	370

## Stainless Steel Riveted Type



### Features:

- ▶ Loading Capacity up to 40 kg / pair
- ▶ DIN Left / Right Usable
- ▶ Mostly preferred for Steel / wood & Aluminum profile doors
- ▶ Area of application: Light Main and Internal doors
- ▶ Warranty : 2 years

### Technical details:

- ▶ Ø Barrel diameter: 12 mm
- ▶ Leaf thickness: 2.5 mm
- ▶ Milling for doors: 2 / 2.5 mm
- ▶ Available Sizes: 3"x2"x2 mm / 4"x3"x2.5 mm / 5"x3"x2.5 mm
- ▶ Base Material: Stainless Steel
- ▶ Edge: Square
- ▶ Finish Available: Stainless Steel Satin

S.No.	Description Size mm (inch)	Unit	Article No.	PU	MRP / Pair
1	SS 76x50x2 mm (3"x2"x2 mm) (Hole Pattern: C)	Pair	9268550	01	349
2	SS 102x76x2.5 mm (4"x3"x2.5 mm) (Hole Pattern: Z)	Pair	9268395	01	373
3	SS 127x76x2.5 mm (5"x3"x2.5 mm) (Hole Pattern: Z)	Pair	9268396	01	619

## Recommended Stainless Steel Screws:



S.No.	Description Size mm (inch)	Unit	Article No.	PU	MRP / Pcs
1	SS screw CSK PZ2 5.0X30mm	Pc	9277146	500	3.78
2	SS screw CSK PZ2 5.0X40mm	Pc	9277147	400	4.82

## Door Closer



### Technical Specification:



- Weight of Door: 45-65 Kg
- Width of door: 600-1000 mm
- Closing Speed: 120°-15°
- Latching Speed: 15°-0°
- Door Material: Steel, Wooden, Profile Framed
- Material: Aluminum Alloy
- Finish: Electrostatic paint

### Quality Assurance:

- 200,000 functional Cycle tested



S.No.	Description	Unit	Article No.	PU	MRP / Pc
1	Hepo Door Closer EN2 45 Kg	Set	9322688	1	1,890

## Installation Diagram



## Closing Speed Adjustment

The 1<sup>st</sup> adjustment screw controls the 1<sup>st</sup> segment closing speed  
The 2<sup>nd</sup> adjustment screw controls the 2<sup>nd</sup> segment closing speed  
The adjustment way is clockwise for low, and counterclockwise for fast.



### Notice:

Not to turn out the adjustment screw from body surface, otherwise, it will be oil leakage and can not work anymore.

# Tower Bolts


Aluminium & Brass Tower Bolts for Doors & Windows

**hepo**

Sr. No.		Description	Material	Finish	Rod dia. (in mm)	Article No.	Size (in mm)	Unit	PU	MRP/Pc
1		Towerbolt ALU-D18	Aluminium	Stainless Steel	9.5	9291322	100	Pc	12	243
2		Towerbolt ALU-D18	Aluminium	Stainless Steel	9.5	9291323	150	Pc	12	294
3		Towerbolt ALU-D18	Aluminium	Stainless Steel	9.5	9291324	200	Pc	12	356
4		Towerbolt ALU-D18	Aluminium	Stainless Steel	9.5	9291325	250	Pc	12	419
5		Towerbolt ALU-D18	Aluminium	Stainless Steel	9.5	9291326	300	Pc	12	475
1		Towerbolt ALU-D18	Aluminium	Antique Brass	9.5	9291327	100	Pc	12	287
2		Towerbolt ALU-D18	Aluminium	Antique Brass	9.5	9291328	150	Pc	12	350
3		Towerbolt ALU-D18	Aluminium	Antique Brass	9.5	9291329	200	Pc	12	415
4		Towerbolt ALU-D18	Aluminium	Antique Brass	9.5	9291330	250	Pc	12	490
5		Towerbolt ALU-D18	Aluminium	Antique Brass	9.5	9291331	300	Pc	12	550
1		Towerbolt ALU-D25	Aluminium	Stainless Steel	9.5	9291332	100	Pc	12	263
2		Towerbolt ALU-D25	Aluminium	Stainless Steel	9.5	9291333	150	Pc	12	328
3		Towerbolt ALU-D25	Aluminium	Stainless Steel	9.5	9291334	200	Pc	12	395
4		Towerbolt ALU-D25	Aluminium	Stainless Steel	9.5	9291335	250	Pc	12	468
5		Towerbolt ALU-D25	Aluminium	Stainless Steel	9.5	9291336	300	Pc	12	532
1		Towerbolt ALU-D25	Aluminium	Antique Brass	9.5	9291337	100	Pc	12	310
2		Towerbolt ALU-D25	Aluminium	Antique Brass	9.5	9291338	150	Pc	12	385
3		Towerbolt ALU-D25	Aluminium	Antique Brass	9.5	9291339	200	Pc	12	460
4		Towerbolt ALU-D25	Aluminium	Antique Brass	9.5	9291340	250	Pc	12	545
5		Towerbolt ALU-D25	Aluminium	Antique Brass	9.5	9291341	300	Pc	12	625
1		Towerbolt ALU-ISI-10	Aluminium	Aluminium Anodized	10	9291362	100	Pc	12	99
2		Towerbolt ALU-ISI-10	Aluminium	Aluminium Anodized	10	9291364	150	Pc	12	131
3		Towerbolt ALU-ISI-10	Aluminium	Aluminium Anodized	10	9291365	200	Pc	12	163
4		Towerbolt ALU-ISI-10	Aluminium	Aluminium Anodized	10	9291366	250	Pc	12	200
5		Towerbolt ALU-ISI-10	Aluminium	Aluminium Anodized	10	9291367	300	Pc	12	235
1		Towerbolt ALU-ISI-10	Aluminium	Anodized Stainless Steel	10	9291368	100	Pc	12	115
2		Towerbolt ALU-ISI-10	Aluminium	Anodized Stainless Steel	10	9291369	150	Pc	12	156
3		Towerbolt ALU-ISI-10	Aluminium	Anodized Stainless Steel	10	9291370	200	Pc	12	195
4		Towerbolt ALU-ISI-10	Aluminium	Anodized Stainless Steel	10	9291371	250	Pc	12	240
5		Towerbolt ALU-ISI-10	Aluminium	Anodized Stainless Steel	10	9291372	300	Pc	12	285
1		Towerbolt BRS-D25	Brass	Polished Brass	9	9291342	100	Pc	12	750
2		Towerbolt BRS-D25	Brass	Polished Brass	9	9291343	150	Pc	12	1,015
3		Towerbolt BRS-D25	Brass	Polished Brass	9	9291344	200	Pc	12	1,350
4		Towerbolt BRS-D25	Brass	Polished Brass	9	9291345	250	Pc	12	1,710
5		Towerbolt BRS-D25	Brass	Polished Brass	9	9291346	300	Pc	12	2,025



Hepo offers a wide range of safe and secure screws ideally suitable for all type of wood, plastic, masonry and sheet metal. The portfolio includes a complete range of woodworking and building & construction screws i.e. chipboard screws, drywall screws (black phosphate), self-drilling screws, truss head screws, handle fixing screws and roofing screws. Hepo Screws are made from hardened steel and are available in Stainless Steel & Carbon Steel material with Zinc & Black finishes.



Hepo screws are differentiated from the other available screws in the market on the following parameters:



**Saw Thread** - Gives better and faster cutting strength for the screw inside the material. Thus, a carpenter has to use less force and effort during drilling.

**Pozi Drive** - It has eight times better grip than a slotted head and two times better than Philips head, allowing greater torque.

**Sharp Tip** - Optimized tip geometry for better positioning and stacking of the screw, even on hard surface

**High Thread Pitch** - Gives faster drive and better contact with the substrate thereby reducing the time of installation.

**Available Screws** - Zinc Coated, Stainless Steel, Blackodized Screws & Accessories




$d$  : Thread diameter  
 $d_1$  : Core diameter  
 $d_s$  : Shank diameter  
 $L$  : Screw length  
 $d_h$  : Head diameter

## Naming Convention for Chipboard Screws

Consider 4 x 20

4 is the diameter of the thread in 'mm' (Including the thread)  
20 is the length of the screw in 'mm'




## Naming Convention for Machine Screws

Consider M4x26

4 is the diameter in 'mm'  
26 is the length of the screw in 'mm'


Specifying the Screw:

Panel thickness + 6 mm to pierce into the handle  
e.g: For a 16 mm Panel, 22 mm screw length can be suggested to fix a handle, knob etc



## Screws : Nomenclature


As per Screw Heads



Slotted Head




Phillips Head




Pozi Drive


As per Screw Head Shape



Countersunk Head



Pan Head



Hexagonal Head

Indian Market follows imperial system (Gauge & Inch) Which allows suppliers to sell shorter screws against any required size

## Conversion Chart- Imperial System to Metric System

Diameter		Length	
Gauge No.	mm	Inch	mm
2	2	1/4	6
3	2.5	3/8	10
4	3	1/2	12
5	3	5/8	16
6	3.5	3/4	20
7	4	1	25
8	4	1 1/4	30
9	4.5	1 1/2	40
10	5	1 3/4	45
12	5.5	2	50
12	6	2 1/4	55
14	8	2 1/2	60
		2 3/4	70
		3	75
		3 1/2	90
		4	100
		4 1/2	110
		5	130
		6	150

Note: There is tradition of citing screw diameter in gauge & screw length in inches

# Stainless Steel Screws

CSK Saw Thread Magnetic & Non-Magnetic Screw  
CSK Regular Thread Non-magnetic Screw

**hepo**

## CSK Saw Thread Non-Magnetic Philips Drive Screw



Material : Stainless Steel  
Finish : Stainless Steel  
Head : Countersunk  
Drive : Philips  
Thread : Saw  
Packing : Retail

S.No.	Dimension	Size
1	Ø3.5x12	12/6
2	Ø3.5x16	16/6
3	Ø3.5x20	20/6
4	Ø3.5x25	25/6
5	Ø3.5x30	30/6
6	Ø3.5x35	35/6
7	Ø4.0x16	16/8
8	Ø4.0x20	20/8
9	Ø4.0x25	25/8
10	Ø4.0x30	30/8
11	Ø4.0x35	35/8
12	Ø4.0x40	40/8
13	Ø4.0x50	50/8
14	Ø5.0x30	-
15	Ø5.0x40	-
16	Ø5.0x50	50/10
17	Ø5.0x60	60/10
18	Ø5.0x70	70/10
19	Ø5.0x80	80/10
20	Ø5.0x100	100/10
21	Ø6.0x120	100/12
22	Ø6.0x140	140/12

## CSK Saw Thread Magnetic Pozi Drive Screw



Material : Stainless Steel  
Finish : Stainless Steel  
Head : Countersunk  
Drive : Pozi  
Thread : Saw  
Packing : Retail

Article No.	PU	MRP/100 Pcs
916238200	1000	107
915445200	1000	121
916238300	1000	139
916238400	1000	169
916238500	1000	183
916238600	1000	214
916238800	1000	154
915445300	1000	176
915445400	1000	209
915445500	1000	242
915445600	500	264
916238900	500	315
-	-	-
927714600	1000	378
927714700	1000	482
915445900	200	592
916939400	200	726
915446101	200	760
-	-	-
-	-	-
-	-	-
-	-	-

## CSK Head Regular Thread Philips Drive Non-magnetic screw



Material : Stainless Steel  
Finish : Zinc Coated  
Head : Countersunk  
Drive : Philips  
Thread : Regular  
Packing : Retail

S.No.	Dimension	Size
1	Ø3.5 x 16	16/6
2	Ø3.5 x 19	19/6
3	Ø3.5 x 25	25/6
4	Ø4.2 x 32	32/8

Article No.	PU	MRP/100 Pcs
931859600	1000	110
931859700	1000	130
931859800	1000	170
931859900	1000	280

S.No.	Dimension	Size
1	Ø3 x 10	10/5
2	Ø3.0x12	12/5
3	Ø3.0x16	16/5
4	Ø3.5x12	12/6
5	Ø3.5x16	16/6
6	Ø3.5x20	20/6
7	Ø3.5x25	25/6
8	Ø3.5x30	30/6
9	Ø3.5x35	35/6
10	Ø3.5x40	40/6
11	Ø4.0x12	12/8
12	Ø4.0x16	16/8
13	Ø4.0x20	20/8
14	Ø4.0x25	25/8
15	Ø4.0x30	30/8
16	Ø4.0x35	35/8
17	Ø4.0x40	40/8
18	Ø4.0x45	45/8
19	Ø4.0x50	50/8
20	Ø5.0x50	50/10
21	Ø5.0x60	60/10
22	Ø5.0x70	70/10
23	Ø5.0x80	80/10
24	Ø5.0x90	90/10
25	Ø5.0x100	100/10

Zinc CSK Saw Thread Philips Drive Screw		
Article No.	PU	MRP/100 Pcs
-	-	-
928903800	1000	40
928908900	1000	50
928909400	1000	55
928909500	1000	60
928909600	1000	70
928909800	1000	75
928910000	1000	80
928910100	900	95
928910200	800	105
928910300	1000	60
928910400	800	70
928910600	1000	80
928910700	900	90
928910800	800	105
928911000	600	120
928911200	600	135
928911400	500	155
928911600	400	165
928911700	300	270
928911800	200	315
928911900	200	365
928912000	200	410
928912100	100	460
928912200	100	510

Zinc CSK Saw Thread Pozi Drive Screw		
Article No.	PU	MRP/100 Pcs
916936900	1000	62
916237800	1000	95
916937000	1000	98
914809200	1000	100
913798000	1000	102
915382000	1000	108
916237900	1000	125
916238000	1000	142
916937100	1000	155
916238100	500	175
916937200	1000	110
913799200	1000	127
913799100	1000	130
913799300	1000	150
914027200	1000	165
914027400	500	200
914027500	500	210
914027600	500	230
916937300	500	240
914809300	200	450
915382100	200	515
915382200	200	595
916937600	100	725
916937800	100	865
916938000	100	1000

S.No.	Dimension	Size
1	Ø3 x 16	16/5
2	Ø3.5 x 12	12/6
3	Ø3.5 x 16	16/6
4	Ø3.5 x 20	20/6
5	Ø3.5 x 25	25/6
6	Ø3.5 x 30	30/6
7	Ø3.5 x 35	35/6
8	Ø4.0 x 16	16/8
9	Ø4.0 x 20	20/8
10	Ø4.0 x 25	25/8
11	Ø4.0 x 30	30/8
12	Ø4.0 x 35	35/8
13	Ø4.0 x 40	40/8
14	Ø4.0 x 45	45/8
15	Ø4.0 x 50	50/8
16	Ø5.0 x 50	50/10
17	Ø5.0 x 60	60/10
18	Ø5.0 x 70	70/10

Zinc CSK Regular Thread Philips Drive Screw		
Article No.	PU	MRP/100 Pcs
-	-	-
541112040	1000	57
541112050	1000	73
541112060	1000	77
541112070	1000	78
541112080	1000	87
541112090	1000	97
541112120	1000	80
541112130	1000	90
541112140	1000	97
541112150	1000	115
541112160	500	130
541112170	500	145
541112180	500	160
541112190	500	170
541112230	200	280
541112240	200	325
541112250	200	385

Black CSK Regular Thread Pozi Drive Screw		
Article No.	PU	MRP/100 Pcs
541212030	1000	50
541212040	1000	51
541212050	1000	63
541212060	1000	66
541212070	1000	69
541212080	1000	78
541212090	1000	86
541212120	1000	69
541212130	1000	78
541212140	1000	86
541212150	1000	101
541212160	500	114
541212170	500	127
541212180	500	138
541212190	500	153
541212230	200	243
541212240	200	281
541212250	200	329

# Chipboard Screws

## Pan head Saw Thread & Regular Thread Screw

**hepo**

### Zinc Pan Head Saw Thread Philips Drive Screw



Material : Carbon Steel  
Finish : Zinc Coated  
Head : Pan Head  
Drive : Philips  
Thread : Saw  
Packing : Retail

S.No.	Dimension	Size
1	Ø3.0 x 12	12/5
2	Ø3.0 x 16	16/5
3	Ø3.5 x 12	12/6
4	Ø3.5 x 16	16/6
5	Ø3.5 x 20	20/6
6	Ø4.0 x 16	16/8
7	Ø4.0 x 20	20/8
8	Ø4.0 x 25	25/8
9	Ø4.0 x 30	30/8
10	Ø4.0 x 35	35/8
11	Ø4.0 x 40	40/8
12	Ø4.0 x 45	45/8
13	Ø4.0 x 50	50/8
14	Ø4.5 x 16	16/9
15	Ø4.5 x 20	20/9
16	Ø5.0 x 50	50/10
17	Ø6.0 x 35	35/12
18	Ø6.0 x 50	50/12

### Zinc Pan Head Saw Thread Pozi Drive Screw



Material : Carbon Steel  
Finish : Zinc Coated  
Head : Pan Head  
Drive : Pozi  
Thread : Saw  
Packing : Retail

Article No.	PU	MRP/100 Pcs
916938100	1000	69
916938200	1000	71
916938300	1000	72
916938400	1000	75
916938500	1000	83
913799900	1000	82
-	-	-
914028200	1000	102
916938600	500	131
916938700	500	148
916938800	500	162
916938900	200	178
916939000	200	195
913800000	500	108
913802100	500	118
916939100	200	295
916939200	200	338
916939300	200	437

### Zinc Pan Head Regular Thread Pozi Drive Screw



Material : Steel  
Finish : Zinc Coated  
Head : Pan Head  
Drive : Pozi Drive  
Thread : Regular  
Packing : Retail

S.No.	Dimension	Size
1	Ø3.5 x 12	12/6
2	Ø3.5 x 16	16/6
3	Ø4 x 16	16/8
4	Ø4 x 20	20/8
5	Ø4 x 25	25/8
6	Ø4 x 30	30/8

### Black Pan Head Regular Thread Pozi Drive Screw



Material : Steel  
Finish : Blackodised  
Head : Pan Head  
Drive : Pozi  
Thread : Regular  
Packing : Retail

Article No.	PU	MRP/100 Pcs
541222040	1000	62
541222050	1000	77
541222120	1000	94
541222130	1000	102
541222140	1000	113
541222150	500	127

# Self Drilling Screw With Rib & with Washer

**hepo**

Self Drilling Screw with Rib			Hexagonal head Self Drilling Screw with Washer					
S.No.	Dimension	Size	Article No.	PU	MRP/100 Pcs	Article No.	PU	MRP/100 Pcs
1	Ø3.5 x 13	13/6	926108200	1000	85	-	-	-
2	Ø3.5 x 16	16/6	926108300	1000	92	-	-	-
3	Ø3.5 x 19	19/6	926108400	1000	99	-	-	-
4	Ø3.5 x 25	25/6	926108600	1000	110	-	-	-
5	Ø3.5 x 32	32/6	926108700	1000	135	-	-	-
6	Ø4.2 x 13	13/8	926109100	1000	102	-	-	-
7	Ø4.2 X 16	16/8	926109200	1000	113	927816800	200	165
8	Ø4.2 X 19	19/8	926109300	1000	115	927816900	200	168
9	Ø4.2 X 25	25/8	926109400	1000	137	927817000	200	187
10	Ø4.2 x 32	32/8	926109500	500	168	-	-	-
11	Ø4.2 x 40	40/8	926109700	500	208	-	-	-
12	Ø4.2 x 50	50/8	926120800	500	240	-	-	-
13	Ø4.8 X 19	19/10	-	-	-	927817100	200	227
14	Ø4.8 X 25	25/10	-	-	-	927817200	200	245
15	Ø4.8 X 32	32/10	-	-	-	927817300	200	282
16	Ø4.8 X 38	38/10	-	-	-	927817400	200	297
17	Ø4.8 x 50	50/10	926121200	300	350	-	-	-
18	Ø4.8 X 55	55/10	-	-	-	927817700	200	385
19	Ø4.8 x 70	70/10	926121400	350	470	-	-	-
20	Ø4.8 X 75	75/10	-	-	-	927817900	100	455
21	Ø4.8 x100	100/10	926121500	200	670	-	-	-
22	Ø5.5 X 25	25/12	-	-	-	927818100	200	295
23	Ø5.5 X 32	32/12	-	-	-	927818200	200	335
24	Ø5.5 X 40	40/12	-	-	-	927818500	200	380
25	Ø5.5 X 45	45/12	-	-	-	927818600	200	405
26	Ø5.5 X 76	76/12	-	-	-	927819100	100	600

# Handle Fixing Screw

## Drywall & Truss Head Screws

**hepo**

### Handle Fixing Screw



**Material** : Carbon Steel  
**Finish** : Zinc  
**Head** : Pan Head  
**Drive** : Cross recessed  
**Thread** : M4  
**Packing** : Retail

S.No.	Dimension	Size
1	M4 x 22	22/8
2	M4 x 24	24/8
3	M4 x 26	26/8
4	M4 x 28	28/8
5	M4 x 30	30/8
6	M4 x 32	32/8
7	M4 x 36	36/8
8	M4 x 38	38/8
9	M4 x 40	40/8
10	M4 x 50	50/8

### Drywall Screws



**Material** : Steel  
**Finish** : Black  
**Head** : Phillips Drive  
**Drive** : Pozi  
**Thread** : Fine Thread  
**Packing** : Retail

S.No.	Dimension	Size
1	3.5x20	20/6
2	3.5x25	25/6
3	3.5x30	30/6
4	3.5x35	35/6
5	3.5x40	40/6
6	3.5x45	45/6
7	3.5x50	50/6

### Truss Head screws



**Material** : Steel  
**Finish** : Black  
**Head** : Truss Head  
**Drive** : Philips  
**Thread** : Regular  
**Packing** : Retail

S.No.	Dimension	Size
1	Ø4.0 x 13	13/8
2	Ø4.0 x 16	16/8
3	Ø4.0 x 20	20/8
4	Ø4.0 x 25	25/8
5	Ø4.0 x 30	30/8
6	Ø4.0 x 40	40/8
7	Ø4.0 x 50	50/8
8	Ø5.0 x 50	50/10

Article No.	PU	MRP/100 Pcs
928060300	1000	65
928060400	1000	67
928060500	1000	85
928060600	1000	101
928060700	1000	117
928060800	500	151
928060900	500	185
928061000	500	292


Drive Bit - 65 mm (Both Side) Pozi Drive



Material : Steel hardened  
Finish : Black  
Drive : Pozi Drive

S.No.	Description	Suitable for	Article No.	Unit	PU	MRP/Pc
1	PZD - 1 Screwdrive bits H1/4*65mm PZ1	≤ 3 mm dia	925467100	Pc	10	55
2	PZD - 2 Screwdrive bits H1/4*65mm PZ2	3.5 - 5 mm dia	925467200	Pc	10	55
3	PZD - 3 Screwdrive bits H1/4*65mm PZ3	≥ 5 mm dia	925467300	Pc	10	55

Drive Bit - 65mm (Both Side) Phillips Drive



Material : Steel hardened  
Finish : Black  
Drive : Phillips Drive

S.No.	Description	Suitable for	Article No.	Unit	PU	MRP/Pc
1	PHD - 2 Screw Drive Bits H1 / 4*65mm PH2	3.5 - 5 mm dia	927324600	Pc	10	55

Screw Driver



Material : Steel hardened  
Drive : Pozi Drive

S.No.	Description	Suitable for	Dimension	Article No.	Unit	PU	MRP/Pc
1	Screws Driver	3.5 - 5 mm dia	PZ 2	919326000	Pc	1	200

# Order Number Index



Order no.	Page						
9284697	5	9322081	11	9303980	17	9320017	26
9284698	5	9322082	11	9303991	17	9320018	26
9284809	5	9322083	11	9303992	17	9320019	26
9284810	5	9322084	11	9303994	17	9320020	26
9284811	5	9322085	11	9280378	18	9315515	28
9284812	5	9322086	11	9280377	18	9304139	28
9284813	5	9322087	11	9280371	18	9304140	28
9284814	5	9322455	13	9280369	18	9282630	28
9290745	6	9322469	13	9280370	18	9282631	28
9290746	6	9322476	13	9280372	18	9282633	28
9290747	6	9280319	16	9280373	19	9296534	28
9312221	7	9280320	16	9280376	19	9319824	28
9312222	7	9280351	16	9280374	19	5211089	31
9312223	7	9280354	16	9280375	19	521110808	31
9290750	7	9280355	16	9287295	21	521110809	31
9290751	7	9280356	16	9291595	21	521110810	31
9290752	7	9280359	16	9299249	22	5211090	31
9294814	7	9280360	16	9299283	22	521110811	31
9294815	7	9280361	16	9299284	22	521110812	31
9297879	8	9280364	16	9320383	24	521110813	31
9298666	10	9280365	16	9320384	24	5211117	31
9298668	10	9280366	16	9320385	24	521110814	31
9298669	10	9280352	16	9299178	24	521110815	31
9298670	10	9280357	16	9299179	24	521110816	31
9298701	10	9280362	16	9289456	25	5211118	31
9298702	10	9280367	16	9289457	25	521110817	31
9298703	10	9280353	16	9289458	25	521110818	31
9300364	10	9303976	16	9289469	25	521110819	31
9300365	10	9280358	16	9289470	25	5211082	31
9300366	10	9303977	16	9289471	25	521110820	31
9300367	10	9280363	16	9289472	25	521110821	31
9300368	10	9303978	16	9289473	25	521110822	31
9300369	10	9280368	16	9289474	25	5211091	31
9300370	10	9303979	16	9289475	25	521110823	31
9293951	10	9292096	17	9289476	25	521110824	31
9293903	10	9292097	17	9289477	25	521110825	31
9293904	10	9292098	17	9289478	25	9283487	31
9293905	10	9292100	17	9289479	25	9302229	31
9293906	10	9292101	17	9289481	25	9302230	31
9295964	10	9292102	17	9289482	25	9306110	31

# Order Number Index



Order no.	Page						
9306161	31	521110841	33	521110868	34	9304875	39
9306163	31	521110842	33	521110869	34	9289732	39
9306164	31	521110843	33	521110870	34	9290708	40
9306165	31	5211105	33	1180122	36	9290706	40
9306167	31	521110844	33	1180121	36	9102465	40
9288842	32	521110845	33	1180167	36	9290707	40
9307853	32	521110846	33	1180166	36	9302837	40
9307854	32	9212563	33	1161173	36	9302840	40
9310252	32	9212564	33	1161167	36	9296712	41
9288844	32	521110847	33	9220976	36	9296713	41
9307856	32	521110848	33	9220978	36	9296714	41
9307857	32	521110849	33	9220975	36	9296715	41
9310253	32	521110850	33	9220977	36	9296716	41
9288848	32	521110851	33	9220980	36	9296717	41
9113913	32	521110852	33	9220982	36	9296718	41
9283491	32	9212565	33	9220979	36	9296719	41
9283495	32	9212566	33	9220981	36	9296720	41
9303247	32	521110853	33	9297998	36	9296721	41
5211094	32	521110854	33	9300407	36	9290695	41
521110826	32	521110855	33	9300394	36	9290696	41
521110827	32	521110856	33	9300395	36	9290698	41
521110828	32	521110857	33	9300396	36	9290702	41
5211095	32	521110858	33	9300397	36	9312049	41
521110829	32	9212567	34	9300398	36	9312111	41
521110830	32	521110859	34	9300399	36	9312112	41
521110831	32	521110860	34	9300400	36	9312113	41
5211106	33	521110861	34	9300411	36	9138921	42
521110832	33	9212568	34	9300412	36	9138922	42
521110833	33	521110862	34	9300408	36	9138923	42
521110834	33	521110863	34	9300409	36	9138924	42
5211113	33	521110864	34	9310024	36	9138925	42
521110835	33	9220600	34	5211053	37	9138926	42
521110836	33	5211109	34	5211054	37	9309958	43
521110837	33	9293678	34	5211055	37	9309961	43
5211093	33	9293699	34	9290887	39	9309962	43
521110838	33	5211096	34	9299651	39	9309963	43
521110839	33	521110865	34	9308957	39	9309964	43
521110840	33	521110866	34	9289656	39	9309965	43
9308603	33	521110867	34	9299653	39	9309966	43
5211104	33	5211097	34	9299654	39	9309967	43

# Order Number Index



Order no.	Page						
9309968	43	9291324	47	928814800	51	928910000	52
9312758	43	9291325	47	928814900	51	928910100	52
9309969	43	9291326	47	928815000	51	928910200	52
9312759	43	9291327	47	928815100	51	928910300	52
9309970	43	9291328	47	928815200	51	928910400	52
9309981	43	9291329	47	929129500	51	928910600	52
9309982	43	9291330	47	928815300	51	928910700	52
9309983	43	9291331	47	928815400	51	928910800	52
9309984	43	9291332	47	928815500	51	928911000	52
9312760	43	9291333	47	929129600	51	928911200	52
9312761	43	9291334	47	929129700	51	928911400	52
9312762	43	9291335	47	929129800	51	928911600	52
9309985	43	9291336	47	929129900	51	928911700	52
9309986	43	9291337	47	916238200	51	928911800	52
9309987	43	9291338	47	915445200	51	928911900	52
9309988	43	9291339	47	916238300	51	928912000	52
9309989	43	9291340	47	916238400	51	928912100	52
9309990	43	9291341	47	916238500	51	928912200	52
9309991	43	9291362	47	916238600	51	916936900	52
9309992	43	9291364	47	916238800	51	916237800	52
9309993	43	9291365	47	915445300	51	916937000	52
9309994	43	9291366	47	915445400	51	914809200	52
9309995	43	9291367	47	915445500	51	913798000	52
9309996	43	9291368	47	915445600	51	915382000	52
9309997	43	9291369	47	916238900	51	916237900	52
9309998	43	9291370	47	927714600	51	916238000	52
9278616	45	9291371	47	927714700	51	916937100	52
9278617	45	9291372	47	915445900	51	916238100	52
9278618	45	9291342	47	916939400	51	916937200	52
9278619	45	9291343	47	915446101	51	913799200	52
9278620	45	9291344	47	931859600	51	913799100	52
9278621	45	9291345	47	931859700	51	913799300	52
9268550	45	9291346	47	931859800	51	914027200	52
9268395	45	928814100	51	931859900	51	914027400	52
9268396	45	928814200	51	928903800	52	914027500	52
9277146	45	928814300	51	928908900	52	914027600	52
9277147	45	928814400	51	928909400	52	916937300	52
9322688	46	928814500	51	928909500	52	914809300	52
9291322	47	928814600	51	928909600	52	915382100	52
9291323	47	928814700	51	928909800	52	915382200	52

# Order Number Index



Order no.	Page						
916937600	52	928912500	53	926120800	54	928060800	55
916937800	52	928912600	53	926121200	54	928060900	55
916938000	52	916938100	53	926121400	54	928061000	55
541112040	52	916938200	53	926121500	54	925467100	56
541112050	52	916938300	53	927816800	54	925467200	56
541112060	52	916938400	53	927816900	54	925467300	56
541112070	52	916938500	53	927817000	54	927324600	56
541112080	52	913799900	53	927817100	54	919326000	56
541112090	52	914028200	53	927817200	54		
541112120	52	916938600	53	927817300	54		
541112130	52	916938700	53	927817400	54		
541112140	52	916938800	53	927817700	54		
541112150	52	916938900	53	927817900	54		
541112160	52	916939000	53	927818100	54		
541112170	52	913800000	53	927818200	54		
541112190	52	913802100	53	927818500	54		
541112180	52	916939100	53	927818600	54		
541112230	52	916939200	53	927819100	54		
541112240	52	916939300	53	71549	55		
541112250	52	541122050	53	71555	55		
541212030	52	541122120	53	71556	55		
541212040	52	541122140	53	71557	55		
541212050	52	541122150	53	71558	55		
541212060	52	541222040	53	71559	55		
541212070	52	541222050	53	71561	55		
541212080	52	541222120	53	71562	55		
541212090	52	541222130	53	71563	55		
541212120	52	541222140	53	9184222	55		
541212130	52	541222150	53	926247900	55		
541212140	52	926108200	54	926248000	55		
541212150	52	926108300	54	926251100	55		
541212160	52	926108400	54	926251200	55		
541212170	52	926108600	54	926251300	55		
541212180	52	926108700	54	926251400	55		
541212190	52	926109100	54	926251500	55		
541212230	52	926109200	54	928060300	55		
541212240	52	926109300	54	928060400	55		
541212250	52	926109400	54	928060500	55		
928912300	53	926109500	54	928060600	55		
928912400	53	926109700	54	928060700	55		



**Contact Us**

Ahmedabad	9664813232
Bangalore	7338183871
Bhubaneshwar	8657421935
Chandigarh	7011881821
Chennai	7338886881
Cochin	9745329938
Ghaziabad	9910117185
Gorakhpur	9559999198
Guwahati	7637917269
Hissar	8219836479
Hubli	8197188193
Hyderabad	8976836871
Indore	8765193816
Jaipur	8657512894
Kanpur	8657514175
Kolkata	7986871950
Lucknow	9152010586
Ludhiana	8284855338
Mumbai	7383509737
Nagpur	7004804286
New Delhi	8287257534
Patiala	9136016414
Pune	8976836869
Ranchi	8097464013
Vijaywada	8688558638

**Registered Office:**

Hepo India Private Limited  
A-26/4, 1st floor,  
Mohan Co-operative Industrial Estate,  
New Delhi - 110 044  
Phone: +91 11 4889 4000, 4889 4005

**Head Office:**

Hepo India Private Limited  
402, 4th floor, Durolite House,  
Opp. SAB TV, New Link Road,  
Andheri (West), Mumbai - 400 053  
Phone: +91 22 2674 3289/3356/4089

**Enquiry & Customer Services**

Toll Free : 1800 209 2096 (office hours)  
[customer\\_services@hepoindia.com](mailto:customer_services@hepoindia.com)  
[www.hepoindia.com](http://www.hepoindia.com)

**Follow Hepo India:**

