10

Anaesthesia

Anästhesie · Anestesia · Anestesia

CHAPTER	PAGES	MANUFACTURER	CERTIFICATIONS
10	01 – 15	Smith Instruments	ISO 13485 · CE Mark



Flexible Tip Fiber Optic (F.O.) Laryngoscope

DE Flexible Spitze Fiber Optic (F. O.) Laryngoskop

PT Laringoscópio de Fibra Optica com Ponta Flexível (F.O.)

ES Laringoscopio flexible de punta de fibra (F.O.)



Fiber Optic Handle




3 mm FIBER OPTIC LIGHT

Flexible Tip Fiber Optic (F.O.) Laryngoscope Blade
FIBER OPTIC LIGHT

This Flexible Tip Blade is a Macintosh Laryngoscope Blade with a tip which is adjustable through 90°. A lever controls the tip angle during intubation to lift the epiglottis, giving a clear view of the vocal cords. 5000 individual micro-fibers in 3 mm Fiber Optic tube improved light transmission and longer life.


- Outstanding light intensity with LED illumination through extra strong fiber bundle.
- Swiveling blade tip facilitates difficult intubation.
- Reduced likelihood of damage to teeth and soft tissues.
- Reduce the force required to visualize the Larynx.
- 303/304 type high grade Stainless Steel with Satin Finish.
- Fully autoclavable and easier to clean.
- Fiber Optic handle Requires 2 X C size batteries.
- According to ISO 7376 Standard.



Back view



Front view




Flexible Tip Fiber Optic (F.O.) Laryngoscope Blade			
Size	Blade	Length	
	Reference no.	a {mm}	b {mm}
1	**10-100-01**	93	19
2	**10-100-02**	112	19
3	**10-100-03**	132	22
4	**10-100-04**	155	24

Flexible Tip Conventional Laryngoscope

DE Flexible Spitze Herkömmliches Laryngoskop **PT** Laringoscópio Convencional com Ponta Flexível **ES** Laringoscopio convencional de punta flexible



Conventional Handle



LED LAMP

Flexible Tip Conventional Laryngoscope Blade
LED LAMP

The Flexible Tip is a Macintosh Laryngoscope Blade with a tip which is adjustable through 90°. A lever controls the tip angle during intubation to lift the epiglottis, giving a clear view of the vocal cords.


- Outstanding Light Intensity with LED Illumination.
- Swivelling blade tip facilitates difficult intubation.
- Reduced likelihood of damage to teeth and soft tissue.
- Rounded tip and smooth edges.
- 303/304 surgical stainless steel with satin finish.
- Fully autoclavable and easier to clean.
- Conventional handle Requires 2 X C size batteries.
- According to ISO 7376 Standard.



Back view



Front view



Flexible Tip Conventional Laryngoscope Blade			
Size	Blade	Length	
	Reference no.	a {mm}	b {mm}
1	**10-104-01**	93	19
2	**10-104-02**	112	19
3	**10-104-03**	132	22
4	**10-104-04**	155	24

Macintosh, Mega Light, Fiber Optic (F.O.) Laryngoscope


DE Macintosh, Mega Light, faseroptisches (F.O.) Laryngoskop


PT Macintosh, Mega Light, laringoscópio de fibra óptica (F.O.)

ES Laringoscopio Macintosh, Mega Light, fibra óptica (F.O.)



Fiber Optic Handle







Fiber Optic (F.O.) Laryngoscope Blade
MEGA LIGHT

Macintosh Mega Light Laryngoscope blade with 4 x 6 mm and up to 6500 individual micro-fibers for improved light transmission and longer life.

- 303/304 type high grade Stainless Steel with Satin Finish.
- Smooth shape avoids sharp edges and cavities for easy cleaning and sterilizing.
- Integrated Fiber Optics for the best possible illumination.
- Compatible with all standard Fiber Optic handles.
- Fully autoclavable and easier to clean.
- Fiber Optic handle with LED light.
- According to ISO 7376 standard.

Power Source


- All our Fiber Optic handles are powered by
  Standard battery handle: 2 " C " size
  Pediatric battery handle: 2 " AA " size
  Stubby battery handle: 2 " AA " size











Fiber Optic (F.O.) Laryngoscope Blade. (Mega Blade)			
Size	Blade	Length	
	Reference no.	a {mm}	b {mm}
1	**10-108-01**	97	18
2	**10-108-02**	114	18
3	**10-108-03**	137	19
4	**10-108-04**	157	22

Fiber Optic (F.O.) Laryngoscope Sets. (Mega Blade)	
Reference no.	Description
10-108-10	2 Blades + 1 Handle in Plastic Box.
10-108-20	3 Blades + 1 Handle in Plastic Box.
10-108-30	4 Blades + 1 Handle in Plastic Box.

Macintosh Fiber Optic (F.O.) Laryngoscope

DE Macintosh Fiber Optic (F.O.) Laryngoskop PT Laringoscópio de Fibra Optica Macintosh (F.O.) ES Laringoscopio de fibra óptica Macintosh (F.O.)



Fiber Optic Handle











1



2



3



4

Fiber Optic (F.O.) Laryngoscope Blade


INTERCHANGEABLE LIGHT CONDUCTOR

Macintosh Fiber Optic laryngoscope blade with 4mm F.O light conductor, up to 6500 individual micro-fibers for improved light transmission and longer life.

- Blade with Removable light conductor which is simple to remove and refit without any tool.
- Integrated Fiber optic for the best Possible Illumination.
- 303/304 type high grade Stainless Steel with Satin Finish.
- Smooth shape avoids sharp edges.
- Fully autoclavable and easier to clean.
- Compatible with all Standard Fiber optic handles.
- Fiber optic Handle with LED light.
- According to ISO 7376 Standard.

Power Source

- All our Fiber Optic handles are powered by
  Standard battery handle: 2 " C " size
  Pediatric battery handle: 2 " AA " size
  Stubby battery handle: 2 " AA " size



Macintosh Fiber Optic (F.O.) Laryngoscope Blades. (Interchangeable)			
Size	Blade	Length	
	Reference no.	a {mm}	b {mm}
1	**10-112-01**	102	18
2	**10-112-02**	115	18
3	**10-112-03**	137	21
4	**10-112-04**	157	21

Macintosh Fiber Optic (F.O.) Laryngoscope Sets. (Interchangeable)	
Reference no.	Description
10-112-10	2 Blades + 1 Handle in Plastic Box.
10-112-20	3 Blades + 1 Handle in Plastic Box.
10-112-30	4 Blades + 1 Handle in Plastic Box.

Flexible Tip Fiber Optic (F.O.) Laryngoscope

DE Flexible Spitze Fiber Optic (F. O.) Laryngoskop

PT Laringoscópio de Fibra Optica com Ponta Flexível (F.O.)

ES Laringoscopio flexible de punta de fibra (F.O.)



Fiber Optic Handle









Fiber Optic (F.O.) Laryngoscope Blade


INTERCHANGEABLE LIGHT CONDUCTOR


Miller Fiber Optic laryngoscope blade with 4mm F.O light conductor, up to 6500 individual micro-fibers for improved light transmission and longer life.

- Blade with Removable light conductor which is simple to remove and refit without any tool.
- Integrated Fiber optic for the best Possible Illumination.
- 303/304 type high grade Stainless Steel with Satin Finish.
- Smooth shape avoids sharp edges.
- Fully autoclavable and easier to clean.
- Compatible with all Standard Fiber optic handles.
- Fiber optic Handle with LED light.
- According to ISO 7376 Standard.

Power Source

- All our Fiber Optic handles are powered by
  Standard battery handle: 2 " C " size
  Pediatric battery handle: 2 " AA " size
  Stubby battery handle: 2 " AA " size





Miller Fiber Optic (F.O.) Laryngoscope Blades. (Interchangeable)			
Size	Blade	Length	
	Reference no.	a {mm}	b {mm}
00	**10-116-00**	70	12
0	**10-116-0**	78	12
1	**10-116-01**	105	12
2	**10-116-02**	155	13
3	**10-116-03**	195	13
4	**10-116-04**	204	15


Miller Fiber Optic (F.O.) Laryngoscope Sets. (Interchangeable)	
Reference no.	Description
10-116-10	3 Blades + 1 Handle in Plastic Box.
10-116-20	4 Blades + 1 Handle in Plastic Box.
10-116-30	5 Blades + 1 Handle in Plastic Box.

Macintosh Conventional Laryngoscope

DE Macintosh Herkömmliches Laryngoskop PT Laringoscópio Convencional Macintosh ES Laringoscopio convencional Macintosh




Conventional Handle












Conventional Laryngoscope Blade
LED BULB

Macintosh Conventional Laryngoscope Blade with LED Bulb.
The light bulb in the blade can easily be changed.

- Outstanding light intensity with LED illumination.
- 303/304 type high grade Stainless Steel.
- Satin finish laryngoscope blade reduces glare, ensures safer intubations
- Smooth knurled Handle provides grip without risk of tearing gloves.
- Fully autoclavable and easier to clean.
- According to ISO 7376 Standard.

Power Source

- All our Conventional handles are powered by
  Standard battery handle: 2 " C " size
  Pediatric battery handle: 2 " AA " size
  Stubby battery handle: 2 " AA " size



Macintosh Conventional Laryngoscope Blades.			
Size	Blade	Length	
	Reference no.	a {mm}	b {mm}
0	**10-120-0**	82	17
1	**10-120-01**	95	19
2	**10-120-02**	114	19
3	**10-120-03**	134	22
4	**10-120-04**	157	24
5	**10-120-05**	177	24


Macintosh Conventional Laryngoscope Sets.	
Reference no.	Description
10-120-10	3 Blades + 1 Handle in Plastic Box.
10-120-20	4 Blades + 1 Handle in Plastic Box.
10-120-30	5 Blades + 1 Handle in Plastic Box.

Miller Conventional Laryngoscope

DE Miller Herkömmliches Laryngoskop **PT** Laringoscópio Convencional de Miller **ES** Laringoscopio convencional Miller



Conventional Handle









Conventional Laryngoscope Blade
LED BULB


Miller Conventional Laryngoscope Blade with LED Bulb.
The light bulb in the blade can easily be changed.

- Outstanding light intensity with LED illumination.
- 303/304 type high grade Stainless Steel.
- Satin finish laryngoscope blade reduces glare, ensures safer intubations
- Smooth knurled Handle provides grip without risk of tearing gloves.
- Fully autoclavable and easier to clean.
- According to ISO 7376 Standard.

Power Source

- All our Conventional handles are powered by
  Standard battery handle: 2 " C " size
  Pediatric battery handle: 2 " AA " size
  Stubby battery handle: 2 " AA " size





Miller Conventional Laryngoscope Blades.			
Size	Blade	Length	
	Reference no.	a {mm}	b {mm}
00	**10-124-0**	70	12
0	**10-124-01**	78	12
1	**10-124-02**	105	12
2	**10-124-03**	155	13
3	**10-124-04**	195	13
4	**10-124-05**	204	15

Miller Conventional Laryngoscope Sets.	
Reference no.	Description
10-124-10	3 Blades + 1 Handle in Plastic Box.
10-124-20	4 Blades + 1 Handle in Plastic Box.
10-124-30	5 Blades + 1 Handle in Plastic Box.

Macintosh Disposable Fiber Optic (F.O.) Laryngoscope


DE Macintosh Einweg-Glasfaserkabel (F.O.) Laryngoskop

PT Laringoscópio de Fibra Óptica Descartável Macintosh (F.O.)

ES Laringoscopio de fibra óptica desechable Macintosh (F.O.)



Disposable
Fiber Optic Handle









Fiber Optic (F.O.) Laryngoscope Blade

BLACK JACKET LIT LIGHT

Plastic Heel

Disposable Macintosh Laryngoscope blade with 4 mm plastic end lit Fiber Optic, it is processed from plastic Fiber Optic. We coat a plastic PVC jacket to protect inner fiber, working well keep it longer life and get more brightness black jacketed from Illuminator.

:- Blade made of 304 type non-magnet stainless steel with plastic heel.
:- Smooth shape avoids sharp edges and cavities.
:- Integrated Fiber Optics for the best possible illumination.
:- Compatible with all standard Fiber Optic handles.
:- Disposable fiber Optic handle, made of silver, with LED light.
:- According to ISO 7376 standard.

Power Source

:- Watch-size lithium batteries are pre-installed for quick single use, and are easily removed for separate disposal. These Fiber Optic disposable handles will illuminate blades for up to 5 hours.


Available Colors: Blue, Yellow, Black, Green











Macintosh Disposable Fiber Optic (F.O.) Laryngoscope Blade.			
Size	Blade	Length	
	Reference no.	a {mm}	b {mm}
1	**10-128-01**	102	18
2	**10-128-02**	115	18
3	**10-128-03**	137	21
4	**10-128-04**	157	21


Macintosh Disposable Fiber Optic (F.O.) Laryngoscope Sets.	
Reference no.	Description
10-128-10	2 Blades + 1 Handle in Plastic Box.
10-128-20	3 Blades + 1 Handle in Plastic Box.
10-128-30	4 Blades + 1 Handle in Plastic Box.

Miller Disposable Fiber Optic (F.O.) Laryngoscope

DE Miller Einweg-Glasfaserkabel (F.O.) Laryngoskop

PT Laringoscópio de Fibra Optica Descartável Miller (F.O.)

ES Laringoscopio Desechable de Fibra Óptica Miller (F.O.)











Disposable
Fiber Optic Handle

Fiber Optic (F.O.) Laryngoscope Blade

BLACK JACKET LIT LIGHT

Plastic Heel

Disposable Miller Laryngoscope blade with 4 mm plastic end lit Fiber Optic, it is processed from plastic Fiber Optic. We coat a plastic PVC jacket to protect inner fiber, working well keep it longer life and get more brightness black jacketed from Illuminator.

- Blade made of 304 type non-magnet stainless steel with plastic heel.
- Smooth shape avoids sharp edges and cavities.
- Integrated Fiber Optics for the best possible illumination.
- Compatible with all standard Fiber Optic handles.
- Disposable fiber Optic handle, made of silver, with LED light.
- According to ISO 7376 standard.

Power Source

- Watch-size lithium batteries are pre-installed for quick single use, and are easily removed for separate disposal. These Fiber Optic disposable handles will illuminate blades for up to 5 hours.

Available Colors: Blue, Yellow, Black, Green
















Miller Disposable Fiber Optic (F.O.) Laryngoscope Blade.			
Size	Blade	Length	
	Reference no.	a {mm}	b {mm}
00	**10-132-00**	66	11
0	**10-132-0**	76	11
1	**10-132-01**	104	11
2	**10-132-02**	155	14
3	**10-132-03**	195	14
4	**10-132-04**	205	14

Miller Disposable Fiber Optic (F.O.) Laryngoscope Sets.	
Reference no.	Description
10-132-10	3 Blades + 1 Handle in Plastic Box.
10-132-20	4 Blades + 1 Handle in Plastic Box.
10-132-30	5 Blades + 1 Handle in Plastic Box.

Disposable Fiber Optic (F.O.) Laryngoscope


DE Einweg-Glasfaserkabel (F.O.) Laryngoskop

PT Laringoscópio de Fibra Óptica Descartável (F.O.)

ES Laringoscopio desechable de fibra óptica (F.O.)




Disposable
Fiber Optic Handle









Disposable Fiber Optic (F.O.) Laryngoscope Blade

F.O ACRYLIC ROD

Silver Heel

Macintosh Single-Use Fiber Optic Blade with 5mm diameter acrylic rod for improved light transmission.

- Blade made of 304 type non-magnet stainless steel with silver heel.
- Smooth shape avoids sharp edges and cavities.
- Fiber Optic handle, made of silver, with LED light.
- Compatible with all standard Fiber Optic handles.
- According to ISO 7376 standard.

Power Source

- Watch-size lithium batteries are pre-installed for quick single use, and are easily removed for separate disposal. These Fiber Optic disposable handles will illuminate blades for up to 5 hours.



1




2



3



4



Macintosh Disposable Fiber Optic (F.O.) Laryngoscope Blade.			
Size	Blade	Length	
	Reference no.	a {mm}	b {mm}
1	**10-136-01**	102	18
2	**10-136-02**	115	18
3	**10-136-03**	137	21
4	**10-136-04**	157	21


Macintosh Disposable Fiber Optic (F.O.) Laryngoscope Sets.	
Reference no.	Description
10-136-10	2 Blades + 1 Handle in Plastic Box.
10-136-20	3 Blades + 1 Handle in Plastic Box.
10-136-30	4 Blades + 1 Handle in Plastic Box.

Disposable Fiber Optic (F.O.) Laryngoscope

DE Einweg-Glasfaser (F.O.) Laryngoskop **PT** fibra óptica descartável (F.O.) Laringoscópio **ES** Laringoscopio desechable de fibra óptica (F.O.)




Disposable
Fiber Optic Handle











Disposable Fiber Optic (F.O.) Laryngoscope Blade

F.O ACRYLIC ROD


Plastic Heel

Macintosh Single-Use Fiber Optic Blade with 5mm diameter acrylic rod for improved light transmission.

:- Blade made of 304 type non-magnet stainless steel with plastic heel.
:- Smooth shape avoids sharp edges and cavities.
:- Fiber Optic handle, made of silver, with LED light.
:- Compatible with all standard Fiber Optic handles.
:- According to ISO 7376 standard.

Power Source

:- Watch-size lithium batteries are pre-installed for quick single use, and are easily removed for separate disposal. These Fiber Optic disposable handles will illuminate blades for up to 5 hours.



Macintosh Disposable Fiber Optic (F.O.) Laryngoscope Blade.			
Size	Blade	Length	
	Reference no.	a {mm}	b {mm}
1	**10-140-01**	102	18
2	**10-140-02**	115	18
3	**10-140-03**	137	21
4	**10-140-04**	157	21

Macintosh Disposable Fiber Optic (F.O.) Laryngoscope Sets.	
Reference no.	Description
10-140-10	2 Blades + 1 Handle in Plastic Box.
10-140-20	3 Blades + 1 Handle in Plastic Box.
10-140-30	4 Blades + 1 Handle in Plastic Box.

Fiber Optic (F.O.) Laryngoscope Handles

DE Fiber Optik (F.O.) Laryngoskop Griffe

PT Cabos para laringoscópio de fibra óptica (F.O.)

ES Mangos de laringoscopio de fibra óptica (F.O.)




Fiber Optic (F.O.) Laryngoscope Handles

:- Complies with ISO 7376 Green standard.
:- Premium Handles & LED lamp have a lifetime warranty.
:- Low power use prolongs battery life.
:- Cool, white illumination improves view of larynx.
:- Knurled Finish for secure & positive grip.
:- Batteries not included.

Fiber Optic Laryngoscope Handles		
Reference no.	Size	Batteries
10-144-10	Large	2 x " D "
10-144-20	Medium/Standard	2 x " C "
10-144-30	Small/Pen light	2 x " AA "
10-144-40	Stubby	2 x " AA "
10-144-50	Micro	Lithium 123

Conventional Laryngoscope Handles

DE Herkömmliche Laryngoskopgriffe **PT** Pegas de laringoscópio convencionais **ES** Mangos de laringoscopio convencionales



Conventional Laryngoscope Handles


:- Complies with ISO 7376 Green standard.
:- Premium Handles have a lifetime warranty.
:- Low power use prolongs battery life.
:- Cool, white illumination improves view of larynx.
:- Knurled Finish for secure & positive grip.
:- Batteries not included.

Conventional Laryngoscope Handles		
Reference no.	Size	Batteries
10-148-10	Large	2 x " D "
10-148-20	Medium/Standard	2 x " C "
10-148-30	Small/Pen light	2 x " AA "
10-148-40	Stubby	2 x " AA "
10-148-50	Micro	Lithium 123

Disposable Laryngoscope Handles

DE Einweg-Laryngoskopgriffe **PT** Alças de laringoscópio descartáveis **ES** Mangos de laringoscopio desechables

Fiber Optic



Conventional



Disposable Fiber Optic (F.O.) Laryngoscope Handles

:- Made of silver, available with & without powder coating.
:- With LED bulb.
:- Low power use prolongs battery life.
:- Cool, white illumination improves view of larynx.
:- Knurled Finish for secure & positive grip.
:- Batteries not included.
:- Complies with ISO 7376 Green standard.

Disposable Fiber Optic Laryngoscope Handles		
Reference no.	Size	Batteries
10-152-10	Standard	3 X Lithium " 123 "
10-152-20	Standard	3 X Lithium " 123 "
10-152-30	Standard	3 X Lithium " 123 "

Disposable Conventional Laryngoscope Handles

:- Made of silver, available with & without powder coating.
:- Low power use prolongs battery life.
:- Knurled Finish for secure & positive grip.
:- Batteries not included.
:- Complies with ISO 7376 Green standard.

Disposable Conventional Laryngoscope Handles		
Reference no.	Size	Batteries
10-156-10	Standard	2 X Lithium " 123 "
10-156-20	Standard	2 X Lithium " 123 "
10-156-30	Standard	2 X Lithium " 123 "


Available Colors: Blue, Yellow, Black, Green

Catheter Introducing Forceps

DE Katheter, der Pinzetten vorstellt

PT Fórceps de introdução de cateter


ES Catéter que introduce fórceps



10-170-15
15.5 cm
For babies

10-170-20
15.5 cm
For children

10-170-25
20 cm
For adults



Magil
10-170-15 - 10-170-25

SMITH INSTRUMENTS

Precision surgical and dental instruments, made to last a career.

HEAD OFFICE

Smith Instruments Inc.
13251 Overcup Oak Ct, Apt 201, Herndon, VA 20171, USA

CONTACT

info@smithinstruments.net
www.smithinstruments.net

CERTIFICATIONS

ISO 9001:2015
ISO 13485:2016 · CE