

# QA Final Test Report

*QuickBite — Online Food Delivery Web Application*

Overall Coverage: 93.8% • Pass Rate: 70.5% • Open Defects: 15  
Prepared by: QA Engineer | Document: QA\_Final\_Test\_Report.pdf

## 1. Executive Summary

---

Testing of QuickBite was carried out against 18 documented requirements, broken down into 20 test scenarios and 65 individual test cases. 61 of 65 test cases were executed (93.8% coverage), resulting in a 70.5% pass rate. 18 defects were logged, of which 3 are Critical and 6 are High severity. 15 defects remain open as of this report; 3 have been verified and closed.

**The application is functionally usable end-to-end, but 9 Critical/High severity defects — concentrated in authentication, payment validation, and data-integrity flows — should be resolved and retested before a production release.**

## 2. Scope

---

### In Scope

- Web application — customer-facing flows only (desktop + mobile web)
- Registration, Login, Logout, Forgot Password
- Search, Filters & Sorting, Restaurant/Menu Details
- Cart, Checkout, Payment (sandbox gateway), Order Confirmation
- Order Tracking & History, Notifications, Address Book, Promo Codes
- Basic black-box security checks and responsive UI checks

### Out of Scope

- Restaurant partner dashboard / back-office
- Delivery driver mobile app
- Native iOS/Android apps
- Load, stress, and performance testing
- Full penetration testing / automated exploitation
- Third-party payment gateway's own PCI-DSS compliance testing

## 3. Testing Approach

---

Testing combined scripted test-case execution against documented requirements with exploratory testing to surface edge cases not explicitly captured in acceptance criteria. The following testing types were applied:

- Functional Testing
- UI Testing
- Usability Testing
- Compatibility Testing
- Positive & Negative Testing
- Boundary Value Analysis
- Equivalence Partitioning
- Validation Testing
- Regression Testing
- Basic Security Testing
- Responsive/Cross-device Testing

## Environment & Coverage

Staging environment — <https://staging.quickbite-demo.app>, API v1.4, seeded test database, sandbox payment gateway.  
Browsers: Chrome (latest), Firefox (latest), Edge (latest), Safari (latest) on macOS; Chrome on Android; Safari on iOS.  
Devices: Desktop (1920x1080, 1366x768), Tablet (768px, iPad viewport), Mobile (375px, 414px).

## 4. Test Execution

|                       |       |
|-----------------------|-------|
| Total Test Cases      | 65    |
| Executed              | 61    |
| Passed                | 43    |
| Failed                | 18    |
| Blocked               | 2     |
| Not Executed          | 2     |
| Pass Rate             | 70.5% |
| Fail Rate             | 29.5% |
| Overall Test Coverage | 93.8% |

Test cases that failed clustered around: account security controls (lockout, session, injection handling), payment/checkout edge-case validation, and cart quantity boundaries — see Section 5 for defect detail.

## 5. Defect Summary

| Severity | Count |
|----------|-------|
| Critical | 3     |
| High     | 6     |
| Medium   | 7     |
| Low      | 2     |

**Open defects: 15 | Closed defects: 3 | Total defects: 18**

Full defect detail — reproduction steps, evidence, and lifecycle status — is documented in [Software\\_Testing\\_Bug\\_Report.pdf](#).

## 6. Traceability Matrix

Requirement → Test Scenario → Test Cases → Defects. This confirms every requirement has test coverage and shows exactly which defects trace back to which requirement.

| Requirement                  | Test Scenario(s) | Test Cases (Pass/Fail/Blocked/NE)                            | Linked Bugs |
|------------------------------|------------------|--------------------------------------------------------------|-------------|
| REQ-001<br>User Registration | TS-001           | 4 cases (TC-001, TC-002, TC-003, TC-004)<br>P:3 F:1 B:0 NE:0 | BUG-001     |
| REQ-002<br>User Login        | TS-002           | 4 cases (TC-005, TC-006, TC-007, TC-008)<br>P:3 F:1 B:0 NE:0 | BUG-002     |
| REQ-003                      | TS-003           | 2 cases (TC-009, TC-010)                                     | BUG-003     |

| Requirement                                            | Test Scenario(s) | Test Cases (Pass/Fail/Blocked/NE)                                                    | Linked Bugs      |
|--------------------------------------------------------|------------------|--------------------------------------------------------------------------------------|------------------|
| User Logout                                            |                  | P:1 F:1 B:0 NE:0                                                                     |                  |
| REQ-004<br>Forgot / Reset Password                     | TS-004           | 3 cases (TC-011, TC-012, TC-013)<br>P:2 F:1 B:0 NE:0                                 | BUG-004          |
| REQ-005<br>User Profile Management                     | TS-005           | 3 cases (TC-014, TC-015, TC-016)<br>P:2 F:1 B:0 NE:0                                 | BUG-005          |
| REQ-006<br>Restaurant Search                           | TS-006           | 4 cases (TC-017, TC-018, TC-019, TC-020)<br>P:3 F:1 B:0 NE:0                         | BUG-006          |
| REQ-007<br>Filtering & Sorting Results                 | TS-007           | 4 cases (TC-021, TC-022, TC-023, TC-024)<br>P:3 F:1 B:0 NE:0                         | BUG-007          |
| REQ-008<br>Restaurant & Menu Details                   | TS-008           | 3 cases (TC-025, TC-026, TC-027)<br>P:2 F:0 B:1 NE:0                                 | —                |
| REQ-009<br>Cart Management                             | TS-009, TS-010   | 7 cases (TC-028, TC-029, TC-030, TC-031, TC-032, TC-033, TC-034)<br>P:5 F:2 B:0 NE:0 | BUG-008, BUG-009 |
| REQ-010<br>Checkout Process                            | TS-011, TS-018   | 6 cases (TC-035, TC-036, TC-037, TC-038, TC-057, TC-059)<br>P:4 F:1 B:0 NE:1         | BUG-010          |
| REQ-011<br>Payment Processing                          | TS-012           | 5 cases (TC-039, TC-040, TC-041, TC-042, TC-058)<br>P:3 F:2 B:0 NE:0                 | BUG-011, BUG-016 |
| REQ-012<br>Order Confirmation                          | TS-013           | 2 cases (TC-043, TC-044)<br>P:1 F:0 B:1 NE:0                                         | —                |
| REQ-013<br>Order Tracking & History                    | TS-014           | 3 cases (TC-045, TC-046, TC-047)<br>P:2 F:1 B:0 NE:0                                 | BUG-012          |
| REQ-014<br>Notifications                               | TS-015           | 3 cases (TC-048, TC-049, TC-050)<br>P:2 F:1 B:0 NE:0                                 | BUG-013          |
| REQ-015<br>Address Management                          | TS-016           | 3 cases (TC-051, TC-052, TC-053)<br>P:2 F:1 B:0 NE:0                                 | BUG-014          |
| REQ-016<br>Promo Code / Discount Validation            | TS-017           | 3 cases (TC-054, TC-055, TC-056)<br>P:2 F:1 B:0 NE:0                                 | BUG-015          |
| REQ-017<br>Security — Authentication & Data Protection | TS-019           | 3 cases (TC-060, TC-061, TC-062)<br>P:2 F:1 B:0 NE:0                                 | BUG-017          |
| REQ-018<br>Responsive UI Across Devices                | TS-020           | 3 cases (TC-063, TC-064, TC-065)<br>P:1 F:1 B:0 NE:1                                 | BUG-018          |

## Coverage Confirmation

- Total Requirements: 18
- Total Test Scenarios: 20
- Total Test Cases: 65
- Requirements with at least one linked defect: 16 of 18
- Overall Test Coverage: 93.8%

## 7. Risks

---

- Authentication is not rate-limited (BUG-002), leaving the login endpoint exposed to brute-force attempts — Critical, recommend blocking release until fixed.
- A payment-validation gap allows an expired card to be authorized (BUG-011) — Critical financial/compliance risk.
- Unsanitized input on the login field returns a raw server error (BUG-017) — Critical, indicates a broader input-validation gap that should trigger a wider security review beyond this test cycle's scope.
- Two test cases remain Blocked due to environment/service gaps (menu-availability endpoint, staging email service) and should be re-run before sign-off.
- Two test cases were deferred (Not Executed) — consistent validation-message audit and keyboard accessibility — and are not yet covered by this cycle's Pass/Fail figures.

## 8. Recommendations

---

- Fix and retest all 3 Critical defects (BUG-002, BUG-011, BUG-017) before any production release.
- Prioritize the 6 High severity defects next, particularly the two touching data integrity and session/security (BUG-003, BUG-004, BUG-008, BUG-009, BUG-012, BUG-014).
- Re-run the 2 Blocked test cases once the menu-availability endpoint and staging email service are restored.
- Schedule the deferred accessibility pass (keyboard-only navigation) and the cross-form validation-consistency review as a follow-up cycle.
- Introduce automated regression coverage for the login, cart, and checkout flows to catch recurrences of BUG-002/008/009/010 earlier in future releases.

## 9. Final Testing Summary

---

This cycle delivered 65 documented, traceable test cases against 18 requirements, achieving 93.8% execution coverage and a 70.5% pass rate. 18 defects were logged with full reproduction detail and lifecycle tracking, of which 3 are already verified closed. The application is not yet release-ready due to 3 unresolved Critical defects; once these and the High severity items are fixed and retested, the product will be in a strong position for release sign-off.