

**SOFTWARE TESTING DELIVERABLE — DOCUMENT 1 OF 3**

# Test Cases

*QuickBite — Online Food Delivery Web Application*

18 Requirements • 20 Test Scenarios • 65 Test Cases

Prepared by: QA Engineer | Document: Software\_Testing\_Test\_Cases.pdf

# 1. Project Overview

---

## Project Description

QuickBite is a web-based food delivery platform that connects customers with local restaurants. Users browse restaurants, filter and search menus, build an order, pay online or via cash on delivery, and track delivery status in real time.

## Business Objective

Increase local restaurant order volume by providing a fast, trustworthy, and easy-to-use ordering experience that reduces cart abandonment and payment failures.

## Target Users

Customers ordering food for delivery (primary), restaurant partners managing menus (secondary, out of scope for this cycle), and delivery drivers (secondary, out of scope).

## Main Features

- Account registration, login, logout, and password recovery
- Restaurant search, filtering, and sorting
- Restaurant and menu browsing
- Cart management (add / update / remove items)
- Checkout with address selection
- Online payment and Cash on Delivery
- Order confirmation, live tracking, and order history
- Push notifications
- Saved address book
- Promo code / discount application

## Testing Scope

- Web application — customer-facing flows only (desktop + mobile web)
- Registration, Login, Logout, Forgot Password
- Search, Filters & Sorting, Restaurant/Menu Details
- Cart, Checkout, Payment (sandbox gateway), Order Confirmation
- Order Tracking & History, Notifications, Address Book, Promo Codes
- Basic black-box security checks and responsive UI checks

## Out of Scope

- Restaurant partner dashboard / back-office
- Delivery driver mobile app
- Native iOS/Android apps
- Load, stress, and performance testing
- Full penetration testing / automated exploitation
- Third-party payment gateway's own PCI-DSS compliance testing

## Assumptions

- A dedicated staging environment with seeded restaurant and menu data is available.

- The payment gateway is integrated in sandbox/test mode; no real transactions are processed.
- Test accounts and test payment cards are provided by the development team.
- Email/SMS notification services are stubbed or available in staging for verification.

## Testing Types Used

Functional Testing · UI Testing · Usability Testing · Compatibility Testing · Positive & Negative Testing · Boundary Value Analysis · Equivalence Partitioning · Validation Testing · Regression Testing · Basic Security Testing · Responsive/Cross-device Testing

## Testing Environment

Staging environment — <https://staging.quickbite-demo.app>, API v1.4, seeded test database, sandbox payment gateway.

## Browser Coverage

Chrome (latest), Firefox (latest), Edge (latest), Safari (latest) on macOS; Chrome on Android; Safari on iOS.

## Device Coverage

Desktop (1920x1080, 1366x768), Tablet (768px, iPad viewport), Mobile (375px, 414px).

## Entry Criteria

- Requirements and acceptance criteria are documented and reviewed.
- Staging build is deployed and smoke-tested by development.
- Test data (accounts, restaurants, payment sandbox) is available.
- Test cases are written and reviewed.

## Exit Criteria

- All planned test cases have been executed (Not Executed count is minimal and justified).
- No open Critical severity defects remain unresolved.
- At least 95% of High severity defects are fixed and retested.
- Test summary report and traceability matrix are published to stakeholders.

## 2. Requirements

---

Each requirement below is written to be directly testable and is traced by ID through every scenario, test case, and defect in this project.

### REQ-001 — User Registration (Priority: High)

The system shall allow a new user to create an account using email, password, and basic profile details.

|                            |                                                                                                                         |
|----------------------------|-------------------------------------------------------------------------------------------------------------------------|
| <b>Business Rules</b>      | Email must be unique and valid; password must meet minimum complexity (8+ chars, letter + number).                      |
| <b>Acceptance Criteria</b> | Given valid unique details, when the user submits registration, then an account is created and a confirmation is shown. |

### REQ-002 — User Login (Priority: High)

The system shall authenticate a registered user using email and password.

|                       |                                                                                       |
|-----------------------|---------------------------------------------------------------------------------------|
| <b>Business Rules</b> | Account is locked or throttled after 5 consecutive failed attempts within 15 minutes. |
|-----------------------|---------------------------------------------------------------------------------------|

|                            |                                                                                                                        |
|----------------------------|------------------------------------------------------------------------------------------------------------------------|
| <b>Acceptance Criteria</b> | Given valid credentials, when the user logs in, then they are redirected to the home/dashboard with an active session. |
|----------------------------|------------------------------------------------------------------------------------------------------------------------|

### REQ-003 — User Logout (Priority: Medium)

The system shall allow an authenticated user to end their session securely.

|                            |                                                                                                                             |
|----------------------------|-----------------------------------------------------------------------------------------------------------------------------|
| <b>Business Rules</b>      | Session token must be invalidated server-side on logout; protected pages must not be accessible via cached views afterward. |
| <b>Acceptance Criteria</b> | Given an active session, when the user logs out, then the session is terminated and protected pages redirect to login.      |

### REQ-004 — Forgot / Reset Password (Priority: High)

The system shall allow a user to reset a forgotten password via a time-limited emailed link.

|                            |                                                                                                                          |
|----------------------------|--------------------------------------------------------------------------------------------------------------------------|
| <b>Business Rules</b>      | Reset link expires after 30 minutes and is single-use; the system must not reveal whether an email is registered.        |
| <b>Acceptance Criteria</b> | Given a valid, unexpired reset link, when the user sets a new password, then they can log in with the new password only. |

### REQ-005 — User Profile Management (Priority: Medium)

The system shall allow a user to view and update personal details and profile picture.

|                            |                                                                                                                           |
|----------------------------|---------------------------------------------------------------------------------------------------------------------------|
| <b>Business Rules</b>      | Profile picture upload restricted to image formats only (jpg, png) and max 5MB.                                           |
| <b>Acceptance Criteria</b> | Given valid new details, when the user saves the profile, then the updated data persists and is reflected across the app. |

### REQ-006 — Restaurant Search (Priority: High)

The system shall allow a user to search for restaurants by name or cuisine.

|                            |                                                                                                                                                      |
|----------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Business Rules</b>      | Search must sanitize input and return results within 2 seconds for up to 10,000 restaurants.                                                         |
| <b>Acceptance Criteria</b> | Given a valid search term, when the user searches, then matching restaurants are displayed; irrelevant/no matches show an empty state, not an error. |

### REQ-007 — Filtering & Sorting Results (Priority: Medium)

The system shall allow a user to filter restaurant results by price, rating, and cuisine, and sort by relevance, rating, or delivery time.

|                            |                                                                                                                        |
|----------------------------|------------------------------------------------------------------------------------------------------------------------|
| <b>Business Rules</b>      | Multiple filters must apply cumulatively (AND logic), not replace one another.                                         |
| <b>Acceptance Criteria</b> | Given multiple filters selected, when applied together, then only restaurants matching all selected filters are shown. |

### REQ-008 — Restaurant & Menu Details (Priority: High)

The system shall display a restaurant's menu, item prices, and availability status.

|                       |                                                                                       |
|-----------------------|---------------------------------------------------------------------------------------|
| <b>Business Rules</b> | Closed restaurants must be visibly marked and ordering must be disabled; out-of-stock |
|-----------------------|---------------------------------------------------------------------------------------|

|                            |                                                                                                                                           |
|----------------------------|-------------------------------------------------------------------------------------------------------------------------------------------|
|                            | items must be marked unavailable.                                                                                                         |
| <b>Acceptance Criteria</b> | Given a restaurant is closed or an item is unavailable, when viewed, then the UI clearly indicates this and blocks ordering of that item. |

### REQ-009 — Cart Management (Priority: High)

The system shall allow a user to add, update quantity, and remove items in a cart, restricted to one restaurant at a time.

|                            |                                                                                                                       |
|----------------------------|-----------------------------------------------------------------------------------------------------------------------|
| <b>Business Rules</b>      | Quantity must be a positive integer within a defined maximum (e.g., 10 per item); out-of-stock items cannot be added. |
| <b>Acceptance Criteria</b> | Given items in the cart, when quantity is changed to 0, then the item is removed and totals recalculate correctly.    |

### REQ-010 — Checkout Process (Priority: High)

The system shall allow a user to review the order, select a delivery address, and proceed to payment.

|                            |                                                                                                                   |
|----------------------------|-------------------------------------------------------------------------------------------------------------------|
| <b>Business Rules</b>      | A delivery address and a minimum order value (configurable, e.g., \$5) are required before checkout can proceed.  |
| <b>Acceptance Criteria</b> | Given a valid address and order above the minimum, when checkout is submitted, then the user proceeds to payment. |

### REQ-011 — Payment Processing (Priority: High)

The system shall process payment via card (sandbox gateway) or Cash on Delivery.

|                            |                                                                                                                                                                          |
|----------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Business Rules</b>      | Card must pass validity checks (format, expiry, CVV) before being accepted by the gateway.                                                                               |
| <b>Acceptance Criteria</b> | Given valid card details, when payment is submitted, then the transaction is authorized and the order proceeds; invalid/expired cards are rejected with a clear message. |

### REQ-012 — Order Confirmation (Priority: Medium)

The system shall display an order confirmation and notify the user upon successful order placement.

|                            |                                                                                                                                          |
|----------------------------|------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Business Rules</b>      | Confirmation must show order ID, items, total, and estimated delivery time.                                                              |
| <b>Acceptance Criteria</b> | Given a successful order, when confirmed, then the confirmation page and a notification/email are triggered with matching order details. |

### REQ-013 — Order Tracking & History (Priority: Medium)

The system shall allow a user to view past orders and track the live status of an active order.

|                            |                                                                                                                                                                              |
|----------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Business Rules</b>      | Order status must update in near real time as the order progresses (Placed → Preparing → Out for Delivery → Delivered).                                                      |
| <b>Acceptance Criteria</b> | Given an active order, when its status changes on the backend, then the tracking view reflects the new status without requiring a manual refresh delay beyond a few seconds. |

### REQ-014 — Notifications (Priority: Low)

The system shall notify users of order status changes and, optionally, promotions.

|                            |                                                                                                                    |
|----------------------------|--------------------------------------------------------------------------------------------------------------------|
| <b>Business Rules</b>      | Users who opt out of promotional notifications must not receive further promotional pushes.                        |
| <b>Acceptance Criteria</b> | Given a user has opted out of promotions, when a promotional campaign is sent, then that user does not receive it. |

### REQ-015 — Address Management (Priority: Medium)

The system shall allow a user to add, edit, set default, and delete saved delivery addresses.

|                            |                                                                                                                                   |
|----------------------------|-----------------------------------------------------------------------------------------------------------------------------------|
| <b>Business Rules</b>      | An address linked to an active, undelivered order cannot be deleted.                                                              |
| <b>Acceptance Criteria</b> | Given an address is linked to an active order, when deletion is attempted, then the system blocks it with an explanatory message. |

### REQ-016 — Promo Code / Discount Validation (Priority: Medium)

The system shall allow a user to apply a promo code at checkout if it is valid, active, and its conditions are met.

|                            |                                                                                                                                   |
|----------------------------|-----------------------------------------------------------------------------------------------------------------------------------|
| <b>Business Rules</b>      | A promo code with a minimum order requirement must not apply if the cart total is below that minimum.                             |
| <b>Acceptance Criteria</b> | Given a promo code below its minimum order requirement, when applied, then the system rejects it and the discount is not applied. |

### REQ-017 — Security — Authentication & Data Protection (Priority: High)

The system shall protect user input, sessions, and credentials against common web vulnerabilities (NFR).

|                            |                                                                                                                                                                          |
|----------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Business Rules</b>      | All user input must be validated and sanitized server-side; sessions must expire after inactivity; passwords must never appear in logs, responses, or plaintext storage. |
| <b>Acceptance Criteria</b> | Given malicious or malformed input, when submitted, then the system rejects it safely without exposing internal errors or executing unintended logic.                    |

### REQ-018 — Responsive UI Across Devices (Priority: Medium)

The system shall render correctly and remain usable across desktop, tablet, and mobile viewports (NFR).

|                            |                                                                                                                                               |
|----------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Business Rules</b>      | No critical action (e.g., checkout button) may be hidden, cut off, or overlapped at supported breakpoints.                                    |
| <b>Acceptance Criteria</b> | Given any supported viewport width, when a core page is loaded, then all primary actions are visible and usable without horizontal scrolling. |

## 3. Test Scenarios

High-level scenarios covering every module in scope, each mapped to its source requirement.

| TS ID  | Requirement | Module           | Scenario Title    |
|--------|-------------|------------------|-------------------|
| TS-001 | REQ-001     | Registration     | User Registration |
| TS-002 | REQ-002     | Login            | User Login        |
| TS-003 | REQ-003     | Logout           | User Logout       |
| TS-004 | REQ-004     | Account Recovery | Forgot Password   |

| TS ID  | Requirement | Module             | Scenario Title                 |
|--------|-------------|--------------------|--------------------------------|
| TS-005 | REQ-005     | Profile            | User Profile Management        |
| TS-006 | REQ-006     | Search             | Restaurant Search              |
| TS-007 | REQ-007     | Filters            | Filtering & Sorting            |
| TS-008 | REQ-008     | Restaurant Details | Restaurant & Menu Details      |
| TS-009 | REQ-009     | Cart               | Add to Cart                    |
| TS-010 | REQ-009     | Cart               | Update Cart                    |
| TS-011 | REQ-010     | Checkout           | Checkout Process               |
| TS-012 | REQ-011     | Payment            | Payment Processing             |
| TS-013 | REQ-012     | Order Confirmation | Order Confirmation             |
| TS-014 | REQ-013     | Order Tracking     | Order Tracking & History       |
| TS-015 | REQ-014     | Notifications      | Notifications                  |
| TS-016 | REQ-015     | Address Book       | Address Management             |
| TS-017 | REQ-016     | Promotions         | Promo Code Validation          |
| TS-018 | REQ-010     | Error Handling     | Error Handling (cross-cutting) |
| TS-019 | REQ-017     | Security           | Basic Security Checks          |
| TS-020 | REQ-018     | UI/Responsiveness  | Responsive UI                  |

## 4. Test Cases

Full test case suite — 65 cases across 20 scenarios, covering positive, negative, boundary, validation, usability, compatibility, and basic security testing.

### TS-001 — User Registration (Registration · REQ-001)

| TC ID / Req               | Title & Steps                                                                                                                                                                                            | Test Data / Expected Result                                                                                                                                | P / S / Type                                                            | Status      |
|---------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|-------------|
| <b>TC-001<br/>REQ-001</b> | Register with valid unique details<br><br>Precondition: User is on the Registration page.<br><br>Steps:<br>1. Fill all required fields with valid data.<br>2. Click Create Account.                      | Test Data: Email: newuser01@test.com /<br>Pass: Qatest#2024<br><br>Expected:<br>Account is created; success message shown; user redirected to login/home.  | Priority: High<br>Severity: Medium<br>Type:<br>Functional /<br>Positive | <b>Pass</b> |
| <b>TC-002<br/>REQ-001</b> | Register with an already-used email<br><br>Precondition: An account already exists with test@quickbite.com.<br><br>Steps:<br>1. Enter the existing email with other valid fields.<br>2. Submit the form. | Test Data: Existing email:<br>test@quickbite.com<br><br>Expected:<br>System rejects with 'Email already registered' message; no duplicate account created. | Priority: High<br>Severity: Medium<br>Type:<br>Functional /<br>Negative | <b>Pass</b> |
| <b>TC-003<br/>REQ-001</b> | Register with a weak password<br><br>Precondition: User is on the Registration                                                                                                                           | Test Data: Password: 123<br><br>Expected:                                                                                                                  | Priority: High<br>Severity: Medium<br>Type: Negative /                  | <b>Fail</b> |

| TC ID / Req               | Title & Steps                                                                                                                                                                                 | Test Data / Expected Result                                                                                                                                                                                                            | P / S / Type                                                     | Status      |
|---------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------|-------------|
|                           | page.<br><br>Steps:<br>1. Fill valid email/name.<br>2. Enter password '123'.<br>3. Submit.                                                                                                    | System should reject the password as not meeting complexity rules.<br><br>Actual:<br>Password '123' is accepted and the account is created; no complexity check is enforced.<br><br>Note: Violates REQ-001 business rule. See BUG-001. | Validation                                                       |             |
| <b>TC-004<br/>REQ-001</b> | Submit registration with phone number empty<br><br>Precondition: User is on the Registration page; phone is a required field.<br><br>Steps:<br>1. Fill all fields except phone.<br>2. Submit. | Test Data: Phone field left blank<br><br>Expected:<br>Form is blocked with an inline 'Phone is required' message; no account created.                                                                                                  | Priority: Medium<br>Severity: Low<br>Type: Negative / Validation | <b>Pass</b> |

## TS-002 — User Login (Login · REQ-002)

| TC ID / Req               | Title & Steps                                                                                                                                                                                                         | Test Data / Expected Result                                                                                                                                                                                                                                                                                                                                                      | P / S / Type                                                      | Status      |
|---------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------|-------------|
| <b>TC-005<br/>REQ-002</b> | Login with valid credentials<br><br>Precondition: A registered, active account exists.<br><br>Steps:<br>1. Enter valid email and password.<br>2. Click Login.                                                         | Test Data: test@quickbite.com / Qatest#2024<br><br>Expected:<br>User is authenticated and redirected to the home page with an active session.                                                                                                                                                                                                                                    | Priority: High<br>Severity: Medium<br>Type: Functional / Positive | <b>Pass</b> |
| <b>TC-006<br/>REQ-002</b> | Login with an incorrect password<br><br>Precondition: A registered account exists.<br><br>Steps:<br>1. Enter valid email, incorrect password.<br>2. Click Login.                                                      | Test Data: test@quickbite.com / WrongPass1<br><br>Expected:<br>Generic 'Invalid email or password' error shown; no account-existence hint.                                                                                                                                                                                                                                       | Priority: High<br>Severity: Medium<br>Type: Negative              | <b>Pass</b> |
| <b>TC-007<br/>REQ-002</b> | Account lockout after 5 failed attempts<br><br>Precondition: A registered account exists.<br><br>Steps:<br>1. Attempt login with wrong password 5 times in a row.<br>2. Attempt a 6th time with the correct password. | Test Data: test@quickbite.com / 5x incorrect passwords<br><br>Expected:<br>Account is locked/throttled after the 5th attempt; the 6th (correct) attempt is also blocked with a lockout message.<br><br>Actual:<br>No lockout is triggered; unlimited login attempts are allowed with the correct password succeeding on any attempt.<br><br>Note: Brute-force risk. See BUG-002. | Priority: High<br>Severity: High<br>Type: Security / Negative     | <b>Fail</b> |

| TC ID / Req               | Title & Steps                                                                                                                                            | Test Data / Expected Result                                                                                               | P / S / Type                                                     | Status      |
|---------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------|-------------|
| <b>TC-008<br/>REQ-002</b> | Submit login form with both fields empty<br><br>Precondition: User is on the Login page.<br><br>Steps:<br>1. Leave both fields empty.<br>2. Click Login. | Test Data: Email: " / Password: "<br><br>Expected:<br>Inline validation blocks submission; no request sent to the server. | Priority: Medium<br>Severity: Low<br>Type: Negative / Validation | <b>Pass</b> |

## TS-003 — User Logout (Logout · REQ-003)

| TC ID / Req               | Title & Steps                                                                                                                                                          | Test Data / Expected Result                                                                                                                                                                                                                                                                         | P / S / Type                                                     | Status      |
|---------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------|-------------|
| <b>TC-009<br/>REQ-003</b> | Logout from an active session<br><br>Precondition: User is logged in.<br><br>Steps:<br>1. Click the Logout button/menu item.                                           | Test Data: N/A<br><br>Expected:<br>Session ends; user is redirected to the login page.                                                                                                                                                                                                              | Priority: Medium<br>Severity: Low<br>Type: Functional / Positive | <b>Pass</b> |
| <b>TC-010<br/>REQ-003</b> | Access a protected page via browser Back after logout<br><br>Precondition: User has just logged out.<br><br>Steps:<br>1. Log out.<br>2. Click the browser Back button. | Test Data: N/A<br><br>Expected:<br>The cached protected page must not be accessible; user is redirected to login.<br><br>Actual:<br>The previous page is shown from browser cache with the user's data still visible until a manual refresh.<br><br>Note: Session/cache-control issue. See BUG-003. | Priority: High<br>Severity: High<br>Type: Security / Negative    | <b>Fail</b> |

## TS-004 — Forgot Password (Account Recovery · REQ-004)

| TC ID / Req               | Title & Steps                                                                                                                                                        | Test Data / Expected Result                                                                                                                           | P / S / Type                                                        | Status      |
|---------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------|-------------|
| <b>TC-011<br/>REQ-004</b> | Request password reset with a registered email<br><br>Precondition: User is on the Forgot Password page.<br><br>Steps:<br>1. Enter a registered email.<br>2. Submit. | Test Data: test@quickbite.com<br><br>Expected:<br>A generic confirmation message is shown; a reset email is sent.                                     | Priority: Medium<br>Severity: Medium<br>Type: Functional / Positive | <b>Pass</b> |
| <b>TC-012<br/>REQ-004</b> | Request password reset with an unregistered email<br><br>Precondition: User is on the Forgot Password page.<br><br>Steps:                                            | Test Data: notarealuser@test.com<br><br>Expected:<br>The same generic confirmation message is shown (no user enumeration); no email is actually sent. | Priority: Medium<br>Severity: Medium<br>Type: Security / Negative   | <b>Pass</b> |

| TC ID / Req               | Title & Steps                                                                                                                                                                                                                                                                                         | Test Data / Expected Result                                                                                                                                                                                                                                        | P / S / Type                                                           | Status      |
|---------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------|
|                           | 1. Enter an unregistered email.<br>2. Submit.                                                                                                                                                                                                                                                         |                                                                                                                                                                                                                                                                    |                                                                        |             |
| <b>TC-013<br/>REQ-004</b> | <p>Use a reset link after its expiry window</p> <p>Precondition: A reset link was requested more than 30 minutes ago.</p> <p>Steps:</p> <ol style="list-style-type: none"> <li>Wait past the 30-minute expiry (or use a pre-expired token).</li> <li>Open the link and set a new password.</li> </ol> | <p>Test Data: Expired reset token</p> <p>Expected:<br/>Link is rejected as expired; user must request a new one.</p> <p>Actual:<br/>The expired link still allows setting a new password successfully.</p> <p>Note: Session/token validation gap. See BUG-004.</p> | <p>Priority: High<br/>Severity: High<br/>Type: Security / Negative</p> | <b>Fail</b> |

## TS-005 — User Profile Management (Profile · REQ-005)

| TC ID / Req               | Title & Steps                                                                                                                                                                                                                           | Test Data / Expected Result                                                                                                                                                                                                                                                     | P / S / Type                                                                 | Status      |
|---------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------|-------------|
| <b>TC-014<br/>REQ-005</b> | <p>Update name and phone number</p> <p>Precondition: User is logged in and on the Profile page.</p> <p>Steps:</p> <ol style="list-style-type: none"> <li>Edit name and phone fields.</li> <li>Click Save.</li> </ol>                    | <p>Test Data: New name / new phone</p> <p>Expected:<br/>Updated details are saved and reflected immediately in the UI.</p>                                                                                                                                                      | <p>Priority: Medium<br/>Severity: Low<br/>Type: Functional / Positive</p>    | <b>Pass</b> |
| <b>TC-015<br/>REQ-005</b> | <p>Upload a profile picture in an unsupported format</p> <p>Precondition: User is on the Profile page.</p> <p>Steps:</p> <ol style="list-style-type: none"> <li>Choose an .exe file as the profile picture.</li> <li>Upload.</li> </ol> | <p>Test Data: File: avatar.exe</p> <p>Expected:<br/>Upload is rejected with a 'Supported formats: JPG, PNG' message.</p> <p>Actual:<br/>The file is accepted by the client without a format check; the server call is made with the invalid file.</p> <p>Note: See BUG-005.</p> | <p>Priority: Medium<br/>Severity: Medium<br/>Type: Negative / Validation</p> | <b>Fail</b> |
| <b>TC-016<br/>REQ-005</b> | <p>Change password from profile settings</p> <p>Precondition: User is logged in.</p> <p>Steps:</p> <ol style="list-style-type: none"> <li>Enter current password and a valid new password.</li> <li>Save.</li> </ol>                    | <p>Test Data: Current + new valid password</p> <p>Expected:<br/>Password is updated; user can log in only with the new password afterward.</p>                                                                                                                                  | <p>Priority: Medium<br/>Severity: Medium<br/>Type: Functional / Positive</p> | <b>Pass</b> |

## TS-006 — Restaurant Search (Search · REQ-006)

| TC ID / Req               | Title & Steps                                                                                                                                                                                                                             | Test Data / Expected Result                                                                                                                                                                                                                                                                                      | P / S / Type                                                                     | Status      |
|---------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------|-------------|
| <b>TC-017<br/>REQ-006</b> | <p>Search for a restaurant by valid name</p> <p>Precondition: User is on the Home/Search page.</p> <p>Steps:</p> <ol style="list-style-type: none"> <li>1. Enter a valid, existing restaurant name.</li> <li>2. Submit search.</li> </ol> | <p>Test Data: 'Pizza Palace'</p> <p>Expected:</p> <p>Matching restaurant(s) are displayed within 2 seconds.</p>                                                                                                                                                                                                  | <p>Priority: High</p> <p>Severity: Medium</p> <p>Type: Functional / Positive</p> | <b>Pass</b> |
| <b>TC-018<br/>REQ-006</b> | <p>Search with no matching results</p> <p>Precondition: User is on the Search page.</p> <p>Steps:</p> <ol style="list-style-type: none"> <li>1. Enter a term with no matches.</li> <li>2. Submit.</li> </ol>                              | <p>Test Data: 'zzzznotarestaurant'</p> <p>Expected:</p> <p>An empty-state message ('No restaurants found') is shown; no error.</p>                                                                                                                                                                               | <p>Priority: Medium</p> <p>Severity: Low</p> <p>Type: Functional / Negative</p>  | <b>Pass</b> |
| <b>TC-019<br/>REQ-006</b> | <p>Search using special/meta characters</p> <p>Precondition: User is on the Search page.</p> <p>Steps:</p> <ol style="list-style-type: none"> <li>1. Enter a string containing SQL meta-characters.</li> <li>2. Submit search.</li> </ol> | <p>Test Data: '%' OR '1'=1</p> <p>Expected:</p> <p>Input is sanitized; an empty-state or filtered result is shown, no server error.</p> <p>Actual:</p> <p>Server returns a generic error page; response time spikes, suggesting the raw input reaches the query layer unsanitized.</p> <p>Note: See BUG-006.</p> | <p>Priority: High</p> <p>Severity: High</p> <p>Type: Security / Negative</p>     | <b>Fail</b> |
| <b>TC-020<br/>REQ-006</b> | <p>Submit an empty search query</p> <p>Precondition: User is on the Search page.</p> <p>Steps:</p> <ol style="list-style-type: none"> <li>1. Leave the search field empty.</li> <li>2. Press Enter/Search.</li> </ol>                     | <p>Test Data: "</p> <p>Expected:</p> <p>Default/full restaurant listing is shown, or a prompt to enter a term; no error.</p>                                                                                                                                                                                     | <p>Priority: Low</p> <p>Severity: Low</p> <p>Type: Negative / Validation</p>     | <b>Pass</b> |

## TS-007 — Filtering & Sorting (Filters · REQ-007)

| TC ID / Req               | Title & Steps                                                                                                                                                                                                         | Test Data / Expected Result                                                                                       | P / S / Type                                                                    | Status      |
|---------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------|-------------|
| <b>TC-021<br/>REQ-007</b> | <p>Filter results by price range</p> <p>Precondition: User has an unfiltered restaurant list.</p> <p>Steps:</p> <ol style="list-style-type: none"> <li>1. Select the '\$' price filter.</li> <li>2. Apply.</li> </ol> | <p>Test Data: Price: \$ (low)</p> <p>Expected:</p> <p>Only restaurants in the selected price range are shown.</p> | <p>Priority: Medium</p> <p>Severity: Low</p> <p>Type: Functional / Positive</p> | <b>Pass</b> |
| <b>TC-022<br/>REQ-007</b> | <p>Filter results by minimum rating</p>                                                                                                                                                                               | <p>Test Data: Rating: 4★ and above</p>                                                                            | <p>Priority: Medium</p> <p>Severity: Low</p> <p>Type:</p>                       | <b>Pass</b> |

| TC ID / Req               | Title & Steps                                                                                                                                                               | Test Data / Expected Result                                                                                                                                                                                                                                                                       | P / S / Type                                                        | Status      |
|---------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------|-------------|
|                           | Precondition: User has an unfiltered restaurant list.<br><br>Steps:<br>1. Select '4★ & up'.<br>2. Apply.                                                                    | Expected:<br>Only restaurants rated 4 stars or higher are shown.                                                                                                                                                                                                                                  | Functional / Positive                                               |             |
| <b>TC-023<br/>REQ-007</b> | Combine price, rating, and cuisine filters<br><br>Precondition: User has an unfiltered restaurant list.<br><br>Steps:<br>1. Select all three filters together.<br>2. Apply. | Test Data: Price:\$\$, Rating:4★+, Cuisine: Italian<br><br>Expected:<br>Only restaurants matching all three filters simultaneously (AND logic) are shown.<br><br>Actual:<br>Only the most recently selected filter is applied; earlier selections are silently dropped.<br><br>Note: See BUG-007. | Priority: Medium<br>Severity: Medium<br>Type: Functional / Negative | <b>Fail</b> |
| <b>TC-024<br/>REQ-007</b> | Sort results by delivery time<br><br>Precondition: User has an unfiltered restaurant list.<br><br>Steps:<br>1. Select 'Sort by delivery time'.                              | Test Data: Sort: Delivery time (fastest first)<br><br>Expected:<br>List re-orders ascending by estimated delivery time.                                                                                                                                                                           | Priority: Low<br>Severity: Low<br>Type: Functional / Positive       | <b>Pass</b> |

## TS-008 — Restaurant & Menu Details (Restaurant Details · REQ-008)

| TC ID / Req               | Title & Steps                                                                                                                                               | Test Data / Expected Result                                                                                    | P / S / Type                                                        | Status         |
|---------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------|----------------|
| <b>TC-025<br/>REQ-008</b> | View the full menu of an open restaurant<br><br>Precondition: Restaurant is currently open.<br><br>Steps:<br>1. Open a restaurant that is currently active. | Test Data: N/A<br><br>Expected:<br>Full menu with prices and images is displayed; items are orderable.         | Priority: Medium<br>Severity: Low<br>Type: Functional / Positive    | <b>Pass</b>    |
| <b>TC-026<br/>REQ-008</b> | View a currently closed restaurant<br><br>Precondition: Restaurant is outside operating hours.<br><br>Steps:<br>1. Open a restaurant marked as closed.      | Test Data: N/A<br><br>Expected:<br>A 'Closed' badge is shown; Add to Cart is disabled for all items.           | Priority: Medium<br>Severity: Medium<br>Type: Functional / Positive | <b>Pass</b>    |
| <b>TC-027<br/>REQ-008</b> | View an item marked unavailable/out of stock<br><br>Precondition: Menu API test endpoint is required.                                                       | Test Data: N/A<br><br>Expected:<br>Item is visibly greyed out / marked 'Unavailable'; cannot be added to cart. | Priority: Medium<br>Severity: Medium<br>Type: Functional / Positive | <b>Blocked</b> |

| TC ID / Req | Title & Steps                                                  | Test Data / Expected Result                                                                                                                 | P / S / Type | Status |
|-------------|----------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------|--------------|--------|
|             | Steps:<br>1. Open a restaurant with a known out-of-stock item. | Actual:<br><br>Note: Blocked — the menu-availability test endpoint is down in the staging environment; re-run once environment is restored. |              |        |

## TS-009 — Add to Cart (Cart · REQ-009)

| TC ID / Req               | Title & Steps                                                                                                                                                                                                               | Test Data / Expected Result                                                                                                                                                                                                           | P / S / Type                                                        | Status      |
|---------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------|-------------|
| <b>TC-028<br/>REQ-009</b> | Add a single item to an empty cart<br><br>Precondition: Cart is empty.<br><br>Steps:<br>1. Open a restaurant.<br>2. Click Add to Cart on one item.                                                                          | Test Data: 1x Margherita Pizza<br><br>Expected:<br>Item appears in the cart with quantity 1 and correct price.                                                                                                                        | Priority: High<br>Severity: Medium<br>Type: Functional / Positive   | <b>Pass</b> |
| <b>TC-029<br/>REQ-009</b> | Add an item from a different restaurant while cart has items<br><br>Precondition: Cart already has items from Restaurant A.<br><br>Steps:<br>1. With items from Restaurant A in cart, open Restaurant B.<br>2. Add an item. | Test Data: Item from Restaurant B<br><br>Expected:<br>A warning prompts the user to clear the current cart or cancel, per the one-restaurant-per-cart rule.                                                                           | Priority: Medium<br>Severity: Medium<br>Type: Functional / Positive | <b>Pass</b> |
| <b>TC-030<br/>REQ-009</b> | Add an out-of-stock item to the cart<br><br>Precondition: Item is marked unavailable in the backend.<br><br>Steps:<br>1. Attempt to add a known out-of-stock item directly (e.g., via a stale page state).<br>2. Confirm.   | Test Data: Out-of-stock item ID<br><br>Expected:<br>Add action is blocked with an 'Item unavailable' message.<br><br>Actual:<br>The item is added to the cart successfully and included in the order total.<br><br>Note: See BUG-008. | Priority: High<br>Severity: High<br>Type: Functional / Negative     | <b>Fail</b> |
| <b>TC-031<br/>REQ-009</b> | Add an item at the maximum allowed quantity (boundary)<br><br>Precondition: Max quantity per item is 10.<br><br>Steps:<br>1. Add an item and set quantity to exactly 10.                                                    | Test Data: Quantity: 10<br><br>Expected:<br>Item is added at quantity 10; attempting 11 is blocked with a max-limit message.                                                                                                          | Priority: Low<br>Severity: Low<br>Type: Boundary Value              | <b>Pass</b> |

## TS-010 — Update Cart (Cart · REQ-009)

| TC ID / Req               | Title & Steps                                                                                                                                                                                                                                  | Test Data / Expected Result                                                                                                                                                                                                                                                            | P / S / Type                                                                    | Status      |
|---------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------|-------------|
| <b>TC-032<br/>REQ-009</b> | <p>Increase item quantity in the cart</p> <p>Precondition: Cart has 1 item at quantity 1.</p> <p>Steps:</p> <ol style="list-style-type: none"> <li>Click the '+' quantity control.</li> </ol>                                                  | <p>Test Data: Quantity: 1 → 2</p> <p>Expected:</p> <p>Quantity becomes 2; line total and cart total update correctly.</p>                                                                                                                                                              | <p>Priority: Medium</p> <p>Severity: Low</p> <p>Type: Functional / Positive</p> | <b>Pass</b> |
| <b>TC-033<br/>REQ-009</b> | <p>Decrease quantity to 0 removes the item</p> <p>Precondition: Cart has 1 item at quantity 1.</p> <p>Steps:</p> <ol style="list-style-type: none"> <li>Click '-' until quantity reaches 0.</li> </ol>                                         | <p>Test Data: Quantity: 1 → 0</p> <p>Expected:</p> <p>Item is removed from the cart; totals recalculate.</p>                                                                                                                                                                           | <p>Priority: Medium</p> <p>Severity: Low</p> <p>Type: Functional / Positive</p> | <b>Pass</b> |
| <b>TC-034<br/>REQ-009</b> | <p>Enter a negative quantity manually</p> <p>Precondition: Cart has an item with an editable quantity field.</p> <p>Steps:</p> <ol style="list-style-type: none"> <li>Type '-3' directly into the quantity field.</li> <li>Confirm.</li> </ol> | <p>Test Data: Quantity: -3</p> <p>Expected:</p> <p>Input is rejected/clamped to a valid minimum (0 or 1); no negative totals possible.</p> <p>Actual:</p> <p>Negative quantity is accepted, producing a negative line total and an incorrect cart total.</p> <p>Note: See BUG-009.</p> | <p>Priority: Medium</p> <p>Severity: High</p> <p>Type: Boundary / Negative</p>  | <b>Fail</b> |

## TS-011 — Checkout Process (Checkout · REQ-010)

| TC ID / Req               | Title & Steps                                                                                                                                                                                                                                                                         | Test Data / Expected Result                                                                                                        | P / S / Type                                                                     | Status      |
|---------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------|-------------|
| <b>TC-035<br/>REQ-010</b> | <p>Complete checkout with a valid address and items above minimum</p> <p>Precondition: Cart has items above the minimum order value.</p> <p>Steps:</p> <ol style="list-style-type: none"> <li>Proceed to checkout.</li> <li>Confirm address.</li> <li>Continue to payment.</li> </ol> | <p>Test Data: Saved address selected</p> <p>Expected:</p> <p>User proceeds to the payment step with an accurate order summary.</p> | <p>Priority: High</p> <p>Severity: Medium</p> <p>Type: Functional / Positive</p> | <b>Pass</b> |
| <b>TC-036<br/>REQ-010</b> | <p>Attempt checkout with no delivery address selected</p> <p>Precondition: Cart has items; no address selected.</p> <p>Steps:</p> <ol style="list-style-type: none"> <li>Proceed to checkout without selecting an address.</li> </ol>                                                 | <p>Test Data: N/A</p> <p>Expected:</p> <p>Checkout is blocked with 'Please select a delivery address.'</p>                         | <p>Priority: High</p> <p>Severity: Medium</p> <p>Type: Negative / Validation</p> | <b>Pass</b> |

| TC ID / Req               | Title & Steps                                                                                                                                                                                                                                                                   | Test Data / Expected Result                                                                                                                                                                                                                                         | P / S / Type                                                                       | Status      |
|---------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------|-------------|
|                           | 2. Click Continue.                                                                                                                                                                                                                                                              |                                                                                                                                                                                                                                                                     |                                                                                    |             |
| <b>TC-037<br/>REQ-010</b> | <p>Attempt checkout below the minimum order value</p> <p>Precondition: Cart total is below the configured minimum (e.g., \$3 &lt; \$5 minimum).</p> <p>Steps:</p> <ol style="list-style-type: none"> <li>1. Proceed to checkout with a cart total under the minimum.</li> </ol> | <p>Test Data: Cart total: \$3.00</p> <p>Expected:</p> <p>Checkout is blocked with a message stating the minimum order value.</p> <p>Actual:</p> <p>Checkout proceeds to payment despite the total being below the configured minimum.</p> <p>Note: See BUG-010.</p> | <p>Priority: Medium</p> <p>Severity: Medium</p> <p>Type: Negative / Validation</p> | <b>Fail</b> |
| <b>TC-038<br/>REQ-010</b> | <p>Attempt checkout with an invalid phone number format</p> <p>Precondition: Cart has items; address selected.</p> <p>Steps:</p> <ol style="list-style-type: none"> <li>1. Enter an invalid phone format in the contact field.</li> <li>2. Continue.</li> </ol>                 | <p>Test Data: Phone: 'abc123'</p> <p>Expected:</p> <p>Field-level validation blocks submission with a clear format hint.</p>                                                                                                                                        | <p>Priority: Medium</p> <p>Severity: Low</p> <p>Type: Negative / Validation</p>    | <b>Pass</b> |

## TS-012 — Payment Processing (Payment · REQ-011)

| TC ID / Req               | Title & Steps                                                                                                                                                                                                                  | Test Data / Expected Result                                                                                                                                                                                                                   | P / S / Type                                                                       | Status      |
|---------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------|-------------|
| <b>TC-039<br/>REQ-011</b> | <p>Pay with valid sandbox card details</p> <p>Precondition: User is at the payment step.</p> <p>Steps:</p> <ol style="list-style-type: none"> <li>1. Enter valid sandbox card details.</li> <li>2. Submit payment.</li> </ol>  | <p>Test Data: 4242 4242 4242 4242, valid expiry/CVV</p> <p>Expected:</p> <p>Payment is authorized; order proceeds to confirmation.</p>                                                                                                        | <p>Priority: High</p> <p>Severity: Medium</p> <p>Type: Functional / Positive</p>   | <b>Pass</b> |
| <b>TC-040<br/>REQ-011</b> | <p>Pay with an invalid card number</p> <p>Precondition: User is at the payment step.</p> <p>Steps:</p> <ol style="list-style-type: none"> <li>1. Enter a card number that fails the Luhn check.</li> <li>2. Submit.</li> </ol> | <p>Test Data: 1234 5678 9012 3456</p> <p>Expected:</p> <p>Payment is rejected client-side with 'Invalid card number.'</p>                                                                                                                     | <p>Priority: High</p> <p>Severity: Medium</p> <p>Type: Negative / Validation</p>   | <b>Pass</b> |
| <b>TC-041<br/>REQ-011</b> | <p>Pay with an expired card</p> <p>Precondition: User is at the payment step.</p> <p>Steps:</p> <ol style="list-style-type: none"> <li>1. Enter a card with an expiry date in the past.</li> <li>2. Submit.</li> </ol>         | <p>Test Data: Expiry: 01/20 (past date)</p> <p>Expected:</p> <p>Payment is rejected with 'Card expired' before reaching the gateway.</p> <p>Actual:</p> <p>The sandbox gateway authorizes the transaction despite the expired date; order</p> | <p>Priority: High</p> <p>Severity: Critical</p> <p>Type: Negative / Validation</p> | <b>Fail</b> |

| TC ID / Req               | Title & Steps                                                                                                                                                       | Test Data / Expected Result                                                                                       | P / S / Type                                                              | Status      |
|---------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------|-------------|
|                           |                                                                                                                                                                     | is created.<br><br>Note: Financial risk. See BUG-011.                                                             |                                                                           |             |
| <b>TC-042<br/>REQ-011</b> | Select Cash on Delivery as the payment method<br><br>Precondition: User is at the payment step.<br><br>Steps:<br>1. Select 'Cash on Delivery'.<br>2. Confirm order. | Test Data: N/A<br><br>Expected:<br>Order is placed without card details;<br>confirmation shows 'Pay on delivery.' | Priority: Medium<br>Severity: Medium<br>Type:<br>Functional /<br>Positive | <b>Pass</b> |

### TS-013 — Order Confirmation (Order Confirmation · REQ-012)

| TC ID / Req               | Title & Steps                                                                                                                                                                                             | Test Data / Expected Result                                                                                                                                                                                                                                                     | P / S / Type                                                              | Status         |
|---------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------|----------------|
| <b>TC-043<br/>REQ-012</b> | Verify confirmation page details match the cart<br><br>Precondition: Order was just placed successfully.<br><br>Steps:<br>1. Complete an order.<br>2. Review the confirmation page.                       | Test Data: N/A<br><br>Expected:<br>Order ID, items, quantities, total, and estimated delivery time match what was ordered.                                                                                                                                                      | Priority: Medium<br>Severity: Medium<br>Type:<br>Functional /<br>Positive | <b>Pass</b>    |
| <b>TC-044<br/>REQ-012</b> | Verify a confirmation notification/email is triggered<br><br>Precondition: Order was just placed successfully.<br><br>Steps:<br>1. Complete an order.<br>2. Check the notification center / test mailbox. | Test Data: N/A<br><br>Expected:<br>A notification and/or email is received with matching order details within a reasonable time.<br><br>Actual:<br><br>Note: Blocked — staging email/notification service is not configured for this test cycle; to be retested once available. | Priority: Medium<br>Severity: Low<br>Type:<br>Functional /<br>Positive    | <b>Blocked</b> |

### TS-014 — Order Tracking & History (Order Tracking · REQ-013)

| TC ID / Req               | Title & Steps                                                                                                                           | Test Data / Expected Result                                                                                    | P / S / Type                                                           | Status      |
|---------------------------|-----------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------|
| <b>TC-045<br/>REQ-013</b> | View the list of past orders<br><br>Precondition: User has at least one completed order.<br><br>Steps:<br>1. Navigate to Order History. | Test Data: N/A<br><br>Expected:<br>All past orders are listed with correct status and date, most recent first. | Priority: Medium<br>Severity: Low<br>Type:<br>Functional /<br>Positive | <b>Pass</b> |
| <b>TC-046</b>             | Track a live order's status in real time                                                                                                | Test Data: N/A                                                                                                 | Priority: Medium                                                       | <b>Fail</b> |

| TC ID / Req           | Title & Steps                                                                                                                                                                                                                                                                                               | Test Data / Expected Result                                                                                                                                                                                                                                                   | P / S / Type                                                                 | Status      |
|-----------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------|-------------|
| <b>REQ-013</b>        | <p>Precondition: An active order exists and its backend status is updated by the driver app.</p> <p>Steps:</p> <ol style="list-style-type: none"> <li>1. Open the live order tracking view.</li> <li>2. Update the order's backend status to 'Delivered.'</li> <li>3. Observe the tracking view.</li> </ol> | <p>Expected:</p> <p>Tracking view updates to 'Delivered' within a few seconds without manual refresh.</p> <p>Actual:</p> <p>Tracking view remains stuck on 'Preparing' even after the backend status changes and a manual refresh is performed.</p> <p>Note: See BUG-012.</p> | <p>Severity: High</p> <p>Type: Functional / Negative</p>                     |             |
| <b>TC-047 REQ-013</b> | <p>Reorder a previous order with one click</p> <p>Precondition: User has at least one past order.</p> <p>Steps:</p> <ol style="list-style-type: none"> <li>1. Open Order History.</li> <li>2. Click 'Reorder' on a past order.</li> </ol>                                                                   | <p>Test Data: N/A</p> <p>Expected:</p> <p>The same items are added to a new cart, respecting current availability and pricing.</p>                                                                                                                                            | <p>Priority: Low</p> <p>Severity: Low</p> <p>Type: Functional / Positive</p> | <b>Pass</b> |

## TS-015 — Notifications (Notifications · REQ-014)

| TC ID / Req           | Title & Steps                                                                                                                                                                                                                                                                                      | Test Data / Expected Result                                                                                                                                                                                                                     | P / S / Type                                                                       | Status      |
|-----------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------|-------------|
| <b>TC-048 REQ-014</b> | <p>Receive a push notification on order status change</p> <p>Precondition: User has notifications enabled.</p> <p>Steps:</p> <ol style="list-style-type: none"> <li>1. Place an order.</li> <li>2. Change its backend status.</li> </ol>                                                           | <p>Test Data: N/A</p> <p>Expected:</p> <p>A push notification is received matching the new status.</p>                                                                                                                                          | <p>Priority: Medium</p> <p>Severity: Medium</p> <p>Type: Functional / Positive</p> | <b>Pass</b> |
| <b>TC-049 REQ-014</b> | <p>Opt out of promotional notifications</p> <p>Precondition: User has opted out of promotional notifications in settings.</p> <p>Steps:</p> <ol style="list-style-type: none"> <li>1. Disable 'Promotional notifications' in settings.</li> <li>2. Trigger a test promotional campaign.</li> </ol> | <p>Test Data: N/A</p> <p>Expected:</p> <p>User does not receive the promotional notification.</p> <p>Actual:</p> <p>The user still receives promotional notifications after opting out.</p> <p>Note: Compliance/trust concern. See BUG-013.</p> | <p>Priority: Low</p> <p>Severity: Low</p> <p>Type: Functional / Negative</p>       | <b>Fail</b> |
| <b>TC-050 REQ-014</b> | <p>Notification badge count matches unread notifications</p> <p>Precondition: User has 3 unread notifications.</p>                                                                                                                                                                                 | <p>Test Data: 3 unread notifications</p> <p>Expected:</p> <p>Badge shows '3'; count decreases as notifications are read.</p>                                                                                                                    | <p>Priority: Low</p> <p>Severity: Low</p> <p>Type: Functional / Positive</p>       | <b>Pass</b> |

| TC ID / Req | Title & Steps                                                                                          | Test Data / Expected Result | P / S / Type | Status |
|-------------|--------------------------------------------------------------------------------------------------------|-----------------------------|--------------|--------|
|             | Steps:<br>1. Trigger 3 notifications without opening the notification center.<br>2. Observe the badge. |                             |              |        |

## TS-016 — Address Management (Address Book · REQ-015)

| TC ID / Req               | Title & Steps                                                                                                                                                                                           | Test Data / Expected Result                                                                                                                                                                                                        | P / S / Type                                                          | Status      |
|---------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------|-------------|
| <b>TC-051<br/>REQ-015</b> | Add a new delivery address<br><br>Precondition: User is on the Address Book page.<br><br>Steps:<br>1. Click Add Address.<br>2. Fill and save valid details.                                             | Test Data: Valid new address<br><br>Expected:<br>New address is saved and appears in the address list.                                                                                                                             | Priority: Medium<br>Severity: Low<br>Type:<br>Functional / Positive   | <b>Pass</b> |
| <b>TC-052<br/>REQ-015</b> | Set an address as default<br><br>Precondition: User has 2+ saved addresses.<br><br>Steps:<br>1. Select an address.<br>2. Click 'Set as default.'                                                        | Test Data: N/A<br><br>Expected:<br>Selected address is marked default and pre-selected at future checkouts.                                                                                                                        | Priority: Low<br>Severity: Low<br>Type:<br>Functional / Positive      | <b>Pass</b> |
| <b>TC-053<br/>REQ-015</b> | Delete an address linked to an active order<br><br>Precondition: An active, undelivered order uses this address.<br><br>Steps:<br>1. Attempt to delete the address currently linked to an active order. | Test Data: N/A<br><br>Expected:<br>Deletion is blocked with an explanatory message.<br><br>Actual:<br>The address is deleted successfully and the linked active order's delivery details become invalid.<br><br>Note: See BUG-014. | Priority: Medium<br>Severity: High<br>Type: Negative / Data Integrity | <b>Fail</b> |

## TS-017 — Promo Code Validation (Promotions · REQ-016)

| TC ID / Req               | Title & Steps                                                                                                                                                                    | Test Data / Expected Result                                                                                    | P / S / Type                                                           | Status      |
|---------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------|
| <b>TC-054<br/>REQ-016</b> | Apply a valid, active promo code<br><br>Precondition: Cart total meets the promo's minimum order requirement.<br><br>Steps:<br>1. Enter the promo code at checkout.<br>2. Apply. | Test Data: Code: WELCOME10<br><br>Expected:<br>Discount is applied correctly and reflected in the order total. | Priority: Medium<br>Severity: Medium<br>Type:<br>Functional / Positive | <b>Pass</b> |
| <b>TC-055<br/>REQ-016</b> | Apply an expired promo code                                                                                                                                                      | Test Data: Code: SUMMER23 (expired)                                                                            | Priority: Medium                                                       | <b>Pass</b> |

| TC ID / Req           | Title & Steps                                                                                                                                                                                                                                                                                  | Test Data / Expected Result                                                                                                                                                                                                                                                | P / S / Type                                                                       | Status      |
|-----------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------|-------------|
|                       | <p>Precondition: Promo code's expiry date has passed.</p> <p>Steps:</p> <ol style="list-style-type: none"> <li>1. Enter the expired code.</li> <li>2. Apply.</li> </ol>                                                                                                                        | <p>Expected:</p> <p>Code is rejected with 'This promo code has expired.'</p>                                                                                                                                                                                               | <p>Severity: Medium</p> <p>Type: Negative / Validation</p>                         |             |
| <b>TC-056 REQ-016</b> | <p>Apply a promo code below its minimum order requirement</p> <p>Precondition: Cart total is below the code's minimum (e.g., \$8 &lt; \$15 minimum).</p> <p>Steps:</p> <ol style="list-style-type: none"> <li>1. Enter the code with an insufficient cart total.</li> <li>2. Apply.</li> </ol> | <p>Test Data: Code: SAVE15, cart: \$8</p> <p>Expected:</p> <p>Code is rejected with the minimum order requirement stated.</p> <p>Actual:</p> <p>Discount is applied despite the cart total being below the required minimum.</p> <p>Note: Financial risk. See BUG-015.</p> | <p>Priority: Medium</p> <p>Severity: Medium</p> <p>Type: Negative / Validation</p> | <b>Fail</b> |

## TS-018 — Error Handling (cross-cutting) (Error Handling · REQ-010)

| TC ID / Req           | Title & Steps                                                                                                                                                                                                                                                                  | Test Data / Expected Result                                                                                                                                                                                                                                                                           | P / S / Type                                                                        | Status              |
|-----------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|---------------------|
| <b>TC-057 REQ-010</b> | <p>Simulate a network failure during checkout submission</p> <p>Precondition: Network can be throttled/disconnected mid-request.</p> <p>Steps:</p> <ol style="list-style-type: none"> <li>1. Start checkout submission.</li> <li>2. Disconnect network mid-request.</li> </ol> | <p>Test Data: N/A</p> <p>Expected:</p> <p>A friendly 'Connection lost, please try again' message is shown; no duplicate order is created.</p>                                                                                                                                                         | <p>Priority: Medium</p> <p>Severity: Medium</p> <p>Type: Negative / Reliability</p> | <b>Pass</b>         |
| <b>TC-058 REQ-011</b> | <p>Trigger a server-side error (HTTP 500)</p> <p>Precondition: A backend condition can force a 500 response (e.g., malformed payload).</p> <p>Steps:</p> <ol style="list-style-type: none"> <li>1. Submit a request known to trigger a server error.</li> </ol>                | <p>Test Data: Malformed payment payload</p> <p>Expected:</p> <p>A generic, user-friendly error page is shown; no internal details are exposed.</p> <p>Actual:</p> <p>The raw error page includes a partial stack trace and internal file paths.</p> <p>Note: Information disclosure. See BUG-016.</p> | <p>Priority: High</p> <p>Severity: Medium</p> <p>Type: Security / Negative</p>      | <b>Fail</b>         |
| <b>TC-059 REQ-010</b> | <p>Verify validation messages are consistent across all forms</p> <p>Precondition: All major forms (registration, checkout, profile, address) are accessible.</p> <p>Steps:</p>                                                                                                | <p>Test Data: N/A</p> <p>Expected:</p> <p>All forms use a consistent style, tone, and placement for validation messages.</p> <p>Note: Deferred to the next test cycle due to time constraints in this pass.</p>                                                                                       | <p>Priority: Low</p> <p>Severity: Low</p> <p>Type: Usability</p>                    | <b>Not Executed</b> |

| TC ID / Req | Title & Steps                                                                          | Test Data / Expected Result | P / S / Type | Status |
|-------------|----------------------------------------------------------------------------------------|-----------------------------|--------------|--------|
|             | 1. Trigger a validation error on each major form.<br>2. Compare message style/wording. |                             |              |        |

## TS-019 — Basic Security Checks (Security · REQ-017)

| TC ID / Req               | Title & Steps                                                                                                                                                                                                                       | Test Data / Expected Result                                                                                                                                                                                                                                                                        | P / S / Type                                                      | Status      |
|---------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------|-------------|
| <b>TC-060<br/>REQ-017</b> | Attempt an SQL injection payload in the login email field<br><br>Precondition: User is on the Login page.<br><br>Steps:<br>1. Enter the payload in the Email field.<br>2. Submit with any password.                                 | Test Data: admin'--<br><br>Expected:<br>Input is rejected/escaped safely; login fails with a generic invalid-credentials message.<br><br>Actual:<br>Request reaches the backend unsanitized and returns a 500 error exposing part of the query.<br><br>Note: Critical injection risk. See BUG-017. | Priority: High<br>Severity: Critical<br>Type: Security / Negative | <b>Fail</b> |
| <b>TC-061<br/>REQ-017</b> | Verify session expires after prolonged inactivity<br><br>Precondition: User is logged in.<br><br>Steps:<br>1. Log in.<br>2. Leave the session idle past the configured timeout.<br>3. Attempt an action.                            | Test Data: Idle for the configured timeout period<br><br>Expected:<br>Session has expired; user is prompted to log in again.                                                                                                                                                                       | Priority: Medium<br>Severity: Medium<br>Type: Security / Positive | <b>Pass</b> |
| <b>TC-062<br/>REQ-017</b> | Verify the password field is masked and not cached in plaintext<br><br>Precondition: User is on the Login/Registration page.<br><br>Steps:<br>1. Type a password.<br>2. Inspect the field type and browser autofill/cache behavior. | Test Data: N/A<br><br>Expected:<br>Field is masked (type=password); no plaintext password is stored in browser autofill history for shared devices setting.                                                                                                                                        | Priority: Medium<br>Severity: Medium<br>Type: Security / Positive | <b>Pass</b> |

## TS-020 — Responsive UI (UI/Responsiveness · REQ-018)

| TC ID / Req               | Title & Steps                                                                   | Test Data / Expected Result                                                                                               | P / S / Type                                                  | Status      |
|---------------------------|---------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------|-------------|
| <b>TC-063<br/>REQ-018</b> | Verify layout on mobile viewport (375px)<br><br>Precondition: N/A<br><br>Steps: | Test Data: Viewport: 375x812<br><br>Expected:<br>Layout adapts correctly; no horizontal scrolling; all actions reachable. | Priority: Medium<br>Severity: Low<br>Type: UI / Compatibility | <b>Pass</b> |

| TC ID / Req               | Title & Steps                                                                                                                                             | Test Data / Expected Result                                                                                                                                                                                                                                  | P / S / Type                                                  | Status              |
|---------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------|---------------------|
|                           | 1. Load key pages (home, cart, checkout) at 375px width.                                                                                                  |                                                                                                                                                                                                                                                              |                                                               |                     |
| <b>TC-064<br/>REQ-018</b> | Verify layout on tablet viewport (768px)<br><br>Precondition: N/A<br><br>Steps:<br>1. Load the Checkout page at 768px width.                              | Test Data: Viewport: 768x1024<br><br>Expected:<br>Checkout button and all fields are fully visible and usable.<br><br>Actual:<br>The checkout submit button is partially cut off / overlapped by the order summary panel at 768px.<br><br>Note: See BUG-018. | Priority: Medium<br>Severity: Low<br>Type: UI / Compatibility | <b>Fail</b>         |
| <b>TC-065<br/>REQ-018</b> | Verify keyboard-only navigation through checkout<br><br>Precondition: N/A<br><br>Steps:<br>1. Using Tab/Shift+Tab/Enter only, complete the checkout flow. | Test Data: N/A<br><br>Expected:<br>All fields and buttons are reachable and operable via keyboard, with visible focus states.<br><br>Note: Deferred — a dedicated accessibility testing pass is scheduled separately.                                        | Priority: Low<br>Severity: Low<br>Type: Accessibility         | <b>Not Executed</b> |

## 5. Test Execution Summary

---

All figures below are computed directly from the executed test case data in Section 4 — not estimated.

|                                |       |
|--------------------------------|-------|
| <b>Total Test Cases</b>        | 65    |
| <b>Executed (Pass + Fail)</b>  | 61    |
| <b>Passed</b>                  | 43    |
| <b>Failed</b>                  | 18    |
| <b>Blocked</b>                 | 2     |
| <b>Not Executed</b>            | 2     |
| <b>Pass Rate (of executed)</b> | 70.5% |
| <b>Fail Rate (of executed)</b> | 29.5% |
| <b>Overall Test Coverage</b>   | 93.8% |