

4]

0s



```
import pandas as pd
import numpy as np
from datetime import datetime

def generate_synthetic_data(output_path: str = "data/synthetic_ads.csv"):
    np.random.seed(42)

    dates = pd.date_range(end=datetime.today(), periods=30)
    campaigns = ["Brand_US", "Brand_IN", "Remarketing", "New_Users"]
    channels = ["Google", "Meta", "Display"]
    countries = ["US", "IN"]

    rows = []

    for date in dates:
        for campaign in campaigns:
            impressions = np.random.randint(2000, 15000)
            ctr = np.random.uniform(0.01, 0.05)
            clicks = int(impressions * ctr)
            cpc = np.random.uniform(3, 20)
            spend = clicks * cpc
            conv_rate = np.random.uniform(0.02, 0.08)
            conversions = int(clicks * conv_rate)
            revenue_per_conv = np.random.uniform(150, 600)
            revenue = conversions * revenue_per_conv

            rows.append([
                date.date(),
```





Automated_Report (1).pptx

712 KB • Done



RAM
Disk





```
df = pd.merge(ads, ft, on="date", how="left")
```

```
total_spend = df["spend"].sum()
```

```
total_revenue = df["revenue"].sum()
```

```
total_impressions = df["impressions"].sum()
```

```
total_clicks = df["clicks"].sum()
```

```
total_conversions = df["conversions"].sum()
```

```
summary = {
```

```
    "total_spend": float(total_spend),
```

```
    "total_revenue": float(total_revenue),
```

```
    "total_impressions": int(total_impressions),
```

```
    "total_clicks": int(total_clicks),
```

```
    "total_conversions": int(total_conversions),
```

```
    "roas": float(total_revenue / total_spend) if total_spend > 0 else 0.0,
```

```
    "ctr": float(total_clicks / total_impressions) if total_impressions > 0
```

```
    "cvr": float(total_conversions / total_clicks) if total_clicks > 0 else
```

```
    "avg_foot_traffic": float(df["foot_traffic"].mean()),
```

```
    "spend_vs_foot_corr": float(df["spend"].corr(df["foot_traffic"]))
```

```
    if df["foot_traffic"].notna().any() else 0.0,
```

```
}
```

```
top_campaigns = (
```

```
    df.groupby("campaign")[["spend", "revenue", "impressions", "clicks"]]
```

```
    .sum()
```

```
    .reset_index()
```

```
    .sort_values("spend", ascending=False)
```

```
    .head(5)
```

```
)
```

14]
0s



```

        impressions,
        clicks,
        round(spend, 2),
        conversions,
        round(revenue, 2),
    ]

df = pd.DataFrame(
    rows,
    columns=[
        "date",
        "campaign",
        "channel",
        "country",
        "impressions",
        "clicks",
        "spend",
        "conversions",
        "revenue",
    ],
)

df.to_csv(output_path, index=False)
print(f"Synthetic data generated at {output_path}")

generate_synthetic_data()
import pandas as pd
import numpy as np

def generate_foot_traffic(path="data/foot_traffic.csv"):

```

```
14] def generate_foot_traffic(path="data/foot_traffic.csv"):
    ads = pd.read_csv("data/synthetic_ads.csv", parse_dates=["date"])
    unique_dates = ads["date"].unique()

    rows = []
    for d in unique_dates:
        foot_traffic = np.random.randint(800, 5000)
        rows.append([d, foot_traffic])

    df = pd.DataFrame(rows, columns=["date", "foot_traffic"])
    df.to_csv(path, index=False)
    print(f"Foot traffic data generated at {path}")

generate_foot_traffic()
```

... Synthetic data generated at data/synthetic_ads.csv
Foot traffic data generated at data/foot_traffic.csv

```
[9] def analyze_data(ads_path: str):
    ads = pd.read_csv(ads_path, parse_dates=["date"])
    ft = pd.read_csv("data/foot_traffic.csv", parse_dates=["date"])

    # Merge digital + physical data
    df = pd.merge(ads, ft, on="date", how="left")
```

```
prs.save(output_path)
print(f"PPT generated at {output_path}")

build_ppt(insights_text, analytics_payload)
```

... PPT generated at output/Automated_Report.pptx

```
from google.colab import files

files.download("output/Automated_Report.pptx")
```

...