

Reproductive Health

1. Which of the following embryonic stage is transferred into uterus in the intrauterine transfer (IUT) to complete its further development?

(1) Zygote
(2) Upto 8 blastomeres
(3) More than 8 blastomeres
(4) Transient 3 celled stage

2. Given below are two statements; one is labelled as Assertion (A) and the other is labelled as Reason(R) .

Assertion (A):- Saheli, which is non-steroidal oral contraceptive pills.

Reason (R):- It is a once a week pill with very few side effects and high contraceptive value

Choose the correct answer from the given options :

(1) Both Assertion & Reason are True & the Reason is a correct explanation of the Assertion.
(2) Both Assertion & Reason are True but Reason is not a correct explanation of the Assertion.
(3) Assertion is True but the Reason is False.
(4) Both Assertion & Reason are False.

3. Match Column-I with Column-II and choose the correct option from the codes given below.

Column I		Column II	
a.	Coitus interruptus	(1)	Avoid intercourse during ovulation
b.	Lactational amenorrhea	(2)	Avoid insemination into vagina
c.	Periodic abstinence	(3)	Ovum is not available for fertilisation

a b c

(1) 3 1 2
(2) 1 3 2
(3) 3 2 1
(4) 2 3 1

4. Consider the following statements:

a. In India, family planning program was initiated in 1982.

b. Reproductive and Child Health Care (RCH) program is an improved version of family planning programs.

Select the correct option

(1) (a) is true, (b) is false
(2) Both (a) and (b) are false
(3) (a) is false, (b) is true
(4) Both (a) and (b) are true

5. Which of the following is a specialised technique to form an embryo in laboratory in which the sperm is directly injected into the ovum?

a. ICSI
b. IUI
c. IUT
d. IVF

(1) a only
(2) a & b only
(3) a, b & c only
(4) a, b, c & d only


6. Copper releasing IUDs, like CuT, Cu7, Multiload 375 act by

(1) Decreasing phagocytosis of sperms within the uterus
(2) Suppressing the sperm motility and fertilising capacity of sperms
(3) Making the uterus unsuitable for implantation and cervix hostile to the sperms
(4) Inhibition of motility and secretory activity of fallopian tube

7. The most important component of the oral contraceptive pill is:

(1) Growth hormone
(2) Thyroxine
(3) Luteinizing hormone
(4) Progesterone

8. Which of the following family planning method provides additional benefit of protecting the user from contracting STDs and AIDS?



9. Given below are two statements :

Statement I : Hapatitis B and genital herpes Infections are completely curable if detected early and treated properly.

Statement-II S.T.D. can cause complications a like pelvic in flammatory diseases (PID), abortion still birth, ec topic pregnancies infertility or even cancer of re productive tract.

Choose the correct answer from the option given below:

- (1) Both Statement I and Statement II are incorrect
(2) Statement I is correct but Statement II is incorrect
(3) Statement I is incorrect but Statement II is correct
(4) Both Statement I and Statement II are correct

10. In which year Indian government had legalized the MTP ?

- (1) 1973
(2) 1970
(3) 1971
(4) 1917

11. Pills are very effective oral contraceptive method because

- (1) It inhibit ovulation
(2) Alter the quality of cervical mucus to prevent/retard entry of sperms
(3) Inhibit implantation
(4) All of these

12. Which is an incorrect statement :

- (a) ZIFT technique is unuseful for the women who cannot produce ovum
(b) Low sperm count can be tackled by artificial insimination
(c) MTPs are relatively safe during the third trimester
(d) Reproductive health only concerns physical health

- (1) a and b
(2) b and c
(3) Only c
(4) a, c and d

13. Consider the given two statements:

Assertion: Coitus interruptus is one of the natural methods of contraception and has high failure rate.

Reason: Pre-ejaculatory emission containing few number of sperms or failure to withdraw penis before ejaculation may happen during coitus interruptus.

Choose the correct answer from the option given below

- (1) Both Assertion & Reason are true and the reason is the correct explanation of the assertion
(2) Both Assertion & Reason are true but the reason is not the correct explanation of the assertion
(3) Assertion is true statement but Reason is false
(4) Both Assertion and Reason are false statements


14. Which contraceptive method inhibit ovulation and implantation as well as alter the quality of cervical mucus to prevent/ retard entry of sperm?

- (1) Copper T
(2) Oral contraceptives
(3) Condoms
(4) cervical cap

15. Tubectomy method of population control is performed on

- (1) Both males and females
(2) Males only
(3) Females only
(4) Only pregnant female

16. In the given figure which marked number (1, 2, 3, 4) is operated for terminal contraception.



- (1) 1
(2) 2
(3) 3
(4) 4

17. Under what circumstances, the growth of population declines?

- a. Increased number of people in reproductive age.
b. Decreased infant mortality rate.
c. Increased maternal mortality rate.

Select the most appropriate option.

- (1) (a), (b), (c) are correct
(2) (a) and (b) are correct
(3) Only (c) is correct
(4) Only (b) is correct

18. Sometimes women wish to postpone the menstrual bleeding for few days to participate in some competitive sports or religious functions. Which of the following pills should be taken by her?

- (1) She should take pills containing FSH and LH
(2) Progesterone like drugs can be started 3-4 days before the expected date
(3) Human chorionic gonadotropin (HCG), must be taken till 3-4 days after the expected date
(4) She should take only estrogen pills for 14 days after the expected date

19. What is the popular name of IVF :

- (1) Amniocentesis
(2) Tubectomy
(3) Test tube baby
(4) All

20. Given below are two statements : one is labelled as Assertion (A) and the other is labelled as Reason (R)

Assertion : In all ART, fertilisation occurs outside the female's body.

Reason : Infertile couples cannot produce gametes.

Choose the correct answer from the given options

- (1) Both A and R are true and R is the correct explanation of A.
(2) Both A and R are true but R is not correct explanation of A
(3) A is true but R is false
(4) A and R are false

21. Match the following and choose the correct answer

Column I		Column II	
a.	Periodic abstinence	(i)	Saheli
b.	IMR	(ii)	Related to the mother
c.	MMR	(iii)	Related to infant
d.	PILL	(iv)	Natural method

- (1) a-iv, b-iii, c-ii, d-i
(2) a-iv, b-iii, c-i, d-ii
(3) a-i, b-iii, c-ii, d-iv
(4) a-iii, b-iv, c-ii, d-i


22. Select the incorrect statement.

- (1) Natural methods of contraception are riskier but reliable.
(2) The act of breastfeeding interrupt ovulation during menstrual cycle.
(3) The chances of conception are higher during the ovulation period.
(4) Natural methods of contraception do not interfere with the sexual drive of an individual

23. During the menstrual cycle, which is called the fertile period

- (1) Day 19 to 28 of the menstrual cycle
(2) Day 5 to 9 of the menstrual cycle
(3) Day 10 to 17 of the menstrual cycle
(4) Day 1 to 7 of the menstrual cycle

24. The given diagram shows the uterine tubes of four women (P, Q, R and S).



In which two women is fertilization impossible at present?

- (1) P and Q
- (2) Q and R
- (3) R and S
- (4) S and P

25. Select the hormone-releasing Intra Uterine Devices.

- (1) Multiload 375, Progestasert
- (2) Progestasert, LNG-20
- (3) Lippes Loop, Multiload 375
- (4) Vaults, LNG-20

26. Consider the following statements :

- (a) Natural method of contraception is a traditional method to prevent pregnancy.
- (b) The basic principle of natural method of contraception is to avoid the contact between ovum and sperms.

Select the correct option.

- (1) a is true, b is false
- (2) a is false, b is true
- (3) Both a and b are true
- (4) Both a and b are false

27. In artificial insemination technique, the semen is collected

- (1) Only from the husband and is artificially introduced into vagina
- (2) Only from healthy donor and is artificially introduced into vagina
- (3) Either from the husband or from a healthy donor and is artificially introduced only into vagina
- (4) Either from the husband or a healthy donor is artificially introduced into the vagina or into the uterus

28. Given below are two statements :

Assertion (A) : Condoms, diaphragms, cervical caps and vaults are barriers.

Reason (R) : They prevents conception by blocking the entry of sperm in to female genital tract.

- (1) Both (A) and (R) are true but (R) is not the correct explanation of (A)
- (2) (A) is true but (R) is false
- (3) (A) is false but (R) is true
- (4) Both (A) and (R) are true and (R) is the correct explanation of (A)

29. Better awareness about sex related matters, increased number of medically assisted deliveries and better post natal care lead to :

- (1) Decreased maternal mortality rate
- (2) Decreased infant mortality rate
- (3) Better detection of STDs
- (4) All

30. Select the correct match from following table.

Column I		Column II	
A.	Syphilis	(i)	Human papilloma virus
B.	Chancroid	(ii)	Chlamydia trachomatis
C.	Genital warts	(iii)	Herpes simplex virus
D.	Trichomoniasis	(iv)	Haemophilus ducrei
		(v)	Trichomonas vaginalis
		(vi)	Treponema pallidum

- (1) a(vi), b(iv), c(iii), d(ii)
- (2) a(iv), b(iii), c(i), d(ii)
- (3) a(vi), b(iv), c(i), d(iii)
- (4) a(vi), b(iv), c(i), d(v)

31. In which one of the following procedure sperm is directly injected into an ovum to form a zygote :

- (1) GIFT
- (2) ZIFT
- (3) ICSI
- (4) IUI

32. Find the incorrect statement

- (1) Except AIDS and syphilis, all other STDs are completely curable
- (2) Misoprostol and mifepristone is an effective combination for MTP performed upto 1st trimester
- (3) Infertility is the failure to conceive even after 1-2 years of regular unprotected sex
- (4) Chlamydia is obligate intracellular parasite

33. Which of the following IUD is not a hormone releasing IUD?

- (1) Progestasert
- (2) LNG-20
- (3) Levonorgestrol IUD
- (4) Nonoxynol-9

34. In what way awareness can be created among the people about the reproduction related aspects?

- (a) Through audio-visual and print media advertisements.
- (b) Creating fear among adolescents about sexual practices.
- (c) Introduction of sex education at school.

Select the most appropriate option:

- (1) (a), (b) and (c) are correct
- (2) (b) and (c) are correct
- (3) (a) and (b) are correct
- (4) (a) and (c) are correct

35. Which of the following is a wrong match between the type of contraception and its function?

Contraceptive Method		Function
1.	Contraceptive pills	Suppress the secretions of gonadotropins
2.	IUDs	Inhibit the implantation
3.	Natural methods	Avoid chances of ovum & sperm meeting
4.	Sterilisation	Inhibits gamete formation

36. Given below are two statements :

Assertion : Amniocentesis helps to detect foetal disorders during early pregnancy.

Reason : Jaundice can be prevented in foetus by amniocentesis.

Choose the correct answer from the options

- (1) Both assertion and reason are true and the reason is the correct explanation of assertion.
- (2) Both assertion and reason are true but the reason is not the correct explanation of assertion.
- (3) Assertion is true but reason is false.
- (4) Both assertion and reason are false.

37. Ectopic pregnancies are referred to as

- (1) Pregnancies terminated due to hormonal imbalance
- (2) Pregnancies with genetic abnormality
- (3) Implantation of embryo at site other than uterus
- (4) Implantation of defective embryo in the uterus

38. The consequences of delayed treatment of STIs include

- (1) ectopic pregnancy
- (2) still births
- (3) pelvic inflammatory diseases
- (4) uncontrolled growth of cells

Select the most appropriate option.

- (1) (1) and (2) are correct
- (2) (3) and (4) are correct
- (3) (1), (2), (3) and (4) are correct
- (4) (1), (2) and (3) are correct

39. Multiload 375 device contains :

- (1) Zn
- (2) Cu
- (3) Cu & progesterone
- (4) Fe

40. The barrier method of contraception.

- (a) Can be used by males only
- (b) Prevents physical meeting of sperm and ovum
- (c) Are used at the time of coitus

Select the most appropriate option.

- (1) (a) and (c) are correct
- (2) (a), (b) and (c) are correct
- (3) (b) and (c) are correct
- (4) Only (b) is correct.

41. The given figure shows one of the elements releasing intrauterine device. Select the option which shows the correct identification of the device and its feature :-



- (1) CuT; suppress sperm motility and its fertilizing capacity.
(2) CuT; make uterus unsuitable for the attachment of blastocysts.
(3) Lippes loop; protect the users from contracting AIDS and STDs.
(4) LNG-20; acts as spermicidal means and decrease the contraceptive efficiency.

42. Mark the correct statement

- (1) Castration (removal of gonads) can be considered as reversible contraception option
(2) Sterilisation is an ideal contraceptive device for female/male who want to delay pregnancy and or space children
(3) MTP are considered relatively safe upto 20th week of pregnancy and is primarily meant for decreasing the population
(4) Saheli (centchroman) is a non-steroidal drug developed by CDRI and prevents implantation

43. Consider the following statements.

- (a) 'One child norm' is a threat to population growth rate of India.
(b) Statutory raising of marriageable age of males and females check the population growth rate.

Select the correct option from the codes given below.

- (1) a is true, b is false
(2) Both a and b are true
(3) a is false, b is true
(4) Both a and b are false (4) a, b, c, d & e

44. Given below are two statements :

Assertion: In all ART, fertilisation occurs outside the female's body.

Reason: Infertile couples cannot produce gametes.

Choose the correct answer from the given options :

- (1) Both assertion and reason are true and the reason is the correct explanation of assertion.
(2) Both assertion and reason are true but the reason is not the correct explanation of assertion
(3) Assertion is true but reason is false
(4) Both assertion and reason are false.

45. Select the correct statement regarding MTP.

- (a) It is carried out up to third trimester of pregnancy.
(b) It is always surgical.
(c) It is widely used as a method of contraception.
(d) It requires the assistance of registered medical practitioner.

Select the most appropriate option

- (1) (a) and (b) are correct
(2) Only (d) is correct
(3) (b) and (d) are correct
(4) (a), (c) and (d) are correct

46. A pregnant lady was suffering from a STI and various tests confirmed that her baby has also contracted the disease. The pregnant lady must be suffering from

- (1) Genital herpes
(2) Trichomoniasis
(3) Chlamydia
(4) Hepatitis B

47. Consider the following statements :

- (a) AIDS and Hepatitis B are STIs which are caused by virus.
(b) Gonorrhoea and syphilis are caused by bacteria.

Select the correct option.

- (1) a is true, b is false
(2) a is false, b is true
(3) Both a and b are false
(4) Both a and b are true

48. Given below are two statements :

Assertion : After vasectomy, sperms are not found in the semen or ejaculate.

Reason : Vas deferens is cut and tied in vasectomy.

Choose the correct answer from the given options :

- (1) Both assertion and reason are true and the reason is the correct explanation of assertion.
- (2) Both assertion and reason are true but the reason is not the correct explanation of assertion.
- (3) Assertion is true but reason is false.
- (4) Both assertion and reason are false.

49. Which of the following statement is incorrect regarding implants?

- (1) They are used by both males and females.
- (2) These are placed under the skin.
- (3) They contain progestogens or combinations of pills.
- (4) They are effective for longer period as compared to pills.

50. Match column I with column II and select the correct option from the codes given below.

Column I		Column II	
a.	Non-medicated IUD	(i)	LNG-20
b.	Hormone releasing IUDs	(ii)	Multiload 375
c.	Copper releasing IUDs	(iii)	Lippes loop
		(iv)	Progestasert

- (1) a(iii), b(i, iv), c(ii)
- (2) a(iii), b(ii, iv), c(i)
- (3) a(ii, iii), b(i), c(iv)
- (4) a(iii), b(i), c(ii, iv)

SEEP PAHUJA
BIOLOGY
KEEP WALKING

Answer Key

1. 3
2. 3
3. 4
4. 3
5. 1
6. 2
7. 4
8. 3
9. 3
10. 3
11. 4
12. 4
13. 1
14. 2
15. 3
16. 1
17. 3
18. 2
19. 3
20. 4
21. 1
22. 1
23. 3
24. 3
25. 2
26. 3
27. 4
28. 4
29. 4
30. 4
31. 3
32. 1
33. 4
34. 4
35. 4
36. 3
37. 3
38. 4
39. 2
40. 3
41. 1
42. 4
43. 3
44. 4
45. 2
46. 4
47. 4
48. 1
49. 1
50. 1

