

Q1. Give below are two statements :

{ NEET - 2023 }

Statement I:	Endarch and exarch are the terms often used for describing the position of secondary xylem in the plant body.
Statement II:	Exarch condition is the most common feature of the root system.

In the light of the above statements, choose the correct answer from the options given below:

1. Statement I is incorrect but Statement II is true.
2. Both Statement I and Statement II are true.
3. Both Statement I and Statement II are false.
4. Statement I is correct but Statement II is false.

Q2. Identify the correct statements:

{ NEET - 2023 }

A.	Lenticels are the lens-shaped openings permitting the exchange of gases.
B.	Bark formed early in the season is called hard bark.
C.	Bark is a technical term that refers to all tissues exterior to vascular cambium.
D.	Bark refers to periderm and secondary phloem.
E.	Phellogen is single- layered in thickness.

Choose the correct answer from the options given below:

1.	B and C only	2.	B, C and E only
3.	A and D only	4.	A, B and D only



{ NEET - 2023 }

Q4. Consider the following tissues in the stellar region of a stem showing secondary growth.

{ NEET - 2023 }

- Arrange these in the correct sequence of their position from pith towards cortex.

Q5. Read the following statements about the vascular bundles:

{ NEET - 2022 }

Choose the correct answer from the options given below:

- Q6.** In old trees the greater part of secondary xylem is dark brown and resistant to insect attack due to : { NEET - 2022 }

1.	Epiblema	2.	Cortex
3.	Endodermis	4.	Pericycle

Q10. The type of tissue commonly found in the fruit wall of nuts is : { NEET - 2022 }

1.	Parenchyma	2.	Collenchyma
3.	Sclerenchyma	4.	Sclereid

Q11. Match List-I with List-II.

{ NEET - 2021 }

List -I	List-II
(a) Lenticels	(i) Phellogen
(b) Cork cambium	(ii) Suberin deposition
(c) Secondary cortex	(iii) Exchange of gases
(d) Cork	(iv) Phelloderm

Choose the correct answer from the options given below:

- (a) (b) (c) (d)
- (ii) (iii) (iv) (i)
 - (iv) (ii) (i) (iii)
 - (iv) (i) (iii) (ii)
 - (iii) (i) (iv) (ii)

Q12. The transverse section of a plant shows following anatomical features: { NEET - 2020 }

a.	Large number of scattered vascular bundles surrounded by bundle sheath.
----	---



b.	Large conspicuous parenchymatous ground tissue.
c.	Vascular bundles conjoint and closed.
d.	Phloem parenchyma absent.

Q15. Grass leaves curl inwards during very dry weather. Select the most appropriate reason from the following : { NEET - 2020 }

1. Tyloses in vessels
2. Closure of stomata
3. Flaccidity of bulliform cells
4. Shrinkage of air spaces in spongy mesophyll

Q16. Phloem in gymnosperms lacks:

{ NEET - 2020 }

1. Both sieve tubes and companion cells
2. Albuminous cells and sieve cells
3. Sieve tubes only
4. Companion cells only

Q17. In the dicot root, the vascular cambium originates from:

{ NEET - 2020 }

1.	Tissue located below the phloem bundles and a portion of pericycle tissue above protoxylem
2.	Cortical region
3.	Parenchyma between endodermis and pericycle
4.	Intrafascicular and interfascicular tissue in a ring

Q18. Stomata in grass leaves are:

{ NEET - 2018 }

1. Dumb-bell shaped
2. Kidney shaped
3. Rectangular
4. Barrel-shaped

Q19. Casparian strips occur in?

{ NEET - 2018 }

1. Epidermis
2. Pericycle



Q24. Specialised epidermal cells surrounding the guard cells are called ? { NEET - 2016 }

1. subsidiary cells
2. bulliform cells
3. lenticels
4. complementary cells

Q25. Specialised epidermal cells surrounding the guard cells are called? { NEET - 2016 }

1. subsidiary cells
2. bulliform cells
3. lenticels
4. complementary cells

Q26. Read the different components from I to IV in the list given below and tell the correct order of the components with reference to their arrangement from the outer side to the inner side in a woody dicot stem. { NEET - 2015 }

I.	Secondary Cortex
II.	Wood
III.	Secondary phloem
IV.	Phellem

The correct order is:

1.	III, IV, II, I	2.	I, II, IV, III
3.	IV, I, III, II	4.	IV, III, I, II

Q27. Vascular bundles in monocotyledons are considered closed because: { NEET - 2015 }

1.	a bundle sheath surrounds each bundle
----	---------------------------------------



1. Many xylem bundles
2. Inconspicuous annual rings
3. Relatively thicker periderm
4. More abundant secondary xylem

Q38. Ground tissue includes:

{AIPMT - 2011}

1. all tissues except epidermis and vascular bundles
2. epidermis and cortex
3. all tissues internal to endodermis
4. all tissues external to endodermis

Q39. Inland plants, the guard cells differ from other epidermal cells in having:

{AIPMT - 2011}

1. mitochondria
2. endoplasmic reticulum
3. chloroplasts
4. cytoskeleton

Q40. The cork cambium, cork and secondary cortex are collectively called:

{AIPMT - 2011}

1. phellogen
2. periderm
3. phellem
4. phelloderm

Q41. Some vascular bundles are described as open because these:

{AIPMT - 2011}

1.	are not surrounded by pericycle
2.	are surrounded by pericycle but no endodermis
3.	are capable of producing secondary xylem and phloem
4.	possess conjunctive tissue between xylem and phloem




Q42. The chief water conducting elements of xylem in gymnosperms are: {AIPMT - 2010}

1. vessels
2. fibres
3. transfusion tissue
4. tracheids

Q43. Transport of food material in higher plants takes place through: {AIPMT - 2010}

1. Transfusion tissue
2. Tracheids
3. Sieve elements
4. Companion cells

Q44. Given below is the diagram of a stomatal apparatus. In which of the following, all the four parts labelled as A, B, C and D are correctly identified: {AIPMT - 2010}



	A	B	C	D
1.	Guard cell	Stomatal aperture	Subsidiary Cell	Epidermal Cell
2.	Epidermal Cell	Guard Cell	Stomatal aperture	Subsidiary cell
3.	Epidermal Cell	Subsidiary Cell	Stomatal aperture	Guard Cell



4.	Subsidiary Cell	Epidermal Cell	Guard Cell	Stomatal aperture
----	-----------------	----------------	------------	-------------------

ANSWER KEY

- | | | | | |
|---------|---------|---------|---------|---------|
| 1. (1) | 11. (4) | 21. (2) | 31. (2) | 41. (3) |
| 2. (3) | 12. (4) | 22. (1) | 32. (1) | 42. (4) |
| 3. (1) | 13. (4) | 23. (3) | 33. (2) | 43. (3) |
| 4. (1) | 14. (1) | 24. (1) | 34. (3) | 44. (3) |
| 5. (4) | 15. (3) | 25. (1) | 35. (2) | |
| 6. (2) | 16. (1) | 26. (3) | 36. (4) | |
| 7. (4) | 17. (1) | 27. (2) | 37. (1) | |
| 8. (4) | 18. (1) | 28. (2) | 38. (1) | |
| 9. (4) | 19. (4) | 29. (3) | 39. (3) | |
| 10. (4) | 20. (1) | 30. (2) | 40. (2) | |

