

Q1. Which hormone promotes internode/petiole elongation in deep water rice? (NEET - 2023)

1.	2, 4-D	2.	GA ₃
3.	Kinetin	4.	Ethylene

Q2. In tissue culture experiments, leaf mesophyll cells are put in a culture medium to form callus. This phenomenon may be called as _____ (NEET - 2023)

1.	Senescence	2.	Differentiation
3.	Dedifferentiation	4.	Development

Q3. Spraying of which of the following phytohormone on juvenile conifers helps in hastening the maturity period, that leads to early seed production? (NEET - 2023)

1.	Abscisic Acid	2.	Indole-3-butyric Acid
3.	Gibberellic Acid	4.	Zeatin

Q4. The phenomenon which is influenced by auxin and also played a major role in its discovery is: **(NEET - 2023)**

1. Phototropism
2. Root initiation
3. Gravitropism
4. Apical Dominance

Q5. Match List - I with List - II (NEET - 2023)

	List - I		List - II
(A)	Auxin	(I)	Promotes female flower formation in cucumber
(B)	Gibberellin	(II)	Overcoming apical dominance
(C)	Cytokinin	(III)	Increase in the length of grape stalks
(D)	Ethylene	(IV)	Promotes flowering in pineapple



Options :	(A)	(B)	(C)	(D)
1.	II	I	IV	III
2.	IV	III	II	I
3.	I	III	IV	II
4.	III	II	I	IV

(NEET - 2023)

1.	Phase of cell elongation of plant cells is characterized by increased vacuolation.
2.	Cells in the meristematic phase of growth exhibit abundant plasmodesmatal connections
3.	Plant growth is generally determinate
4.	Plant growth is measurable

1. Maize
2. Cotton
3. Coriander
4. Buttercup

1. kill dicotyledonous weeds in the fields
2. speed up the malting process
3. promote root growth and root hair formation to increase the absorption surface
4. help overcome apical dominance

Q9. Production of Cucumber has increased manifold in recent years. Application of which of the following phytohormones has resulted in this increased yield as the hormone is known to produce female flowers in plants? **(NEET - 2022)**

(NEET - 2022)

- (NEET - 2022)

- (NEET - 2021)

- (NEET - 2021)

(NEET - 2021)

- GARIMA GOEL BIOLOGY

(NEET - 2020)

1. Absciscic acid
2. Phenolic acid
3. Para-ascorbic acid
4. Gibberellic acid

Q20. Name the plant growth regulator which upon spraying on sugarcane crop, increases the length of stem, thus increasing the yield of sugarcane crop. (NEET - 2020)

1. Gibberellin
2. Ethylene
3. Absciscic acid
4. Cytokinin

Q21. Who coined the term 'Kinetin'?

1. Skoog and Miller
2. Darwin
3. Went
4. Kurosawa

Q22. Inhibitory substances in dormant seeds cannot be removed by subjecting seeds to:

1. Gibberellic acid
2. Nitrate
3. Ascorbic acid
4. Chilling conditions

Q23. Match the following concerning the activity/function and the phytohormone involved:

Column I		Column II	
(a)	Fruit ripener	(i)	Absciscic acid

Q26. Removal of shoot tips is a very useful technique to boost the production of tea leaves. This is because: (NEET - 2019)

1.	Gibberellins prevent bolting and are inactivated.
2.	Auxins prevent leaf drop at early stages.
3.	Effect of auxins is removed and the growth of lateral buds is enhanced.
4.	Gibberellins delay the senescence of leaves

Q27. In order to increase the yield of sugarcane crops, which of the following plant growth regulators should be sprayed? (NEET - 2019)

1.	Ethylene	2.	Auxins
3.	Gibberellins	4.	Cytokinins

Q28. Auxin can be bioassayed by? (NEET - 2015)

1. Avena coleoptiles curvature
2. Hydroponics
3. Potometer
4. Lettuce hypocotyl elongation

Q29. What causes a green plant exposed to the light on only one side, to bend toward the source of light as it grows? (NEET - 2015)

1.	Green plants need light to perform photosynthesis
2.	Green plants seek light because they are phototropic
3.	Light stimulates plant cells on the lighted side to grow faster



- | | |
|----|---|
| 4. | Auxin accumulates on the shaded side, stimulating greater cell elongation there |
|----|---|

Q30. The typical growth curve in plants is: **(NEET - 2015)**

1. sigmoid
2. linear
3. stair-steps shaped
4. parabolic

Q31. Dr. F. Went noted that if coleoptile tips were removed and placed on agar for one hour, the agar would produce a bending when placed on one side of freshly - cut coleoptile stumps. What is the significance of this experiment? **(AIPMT - 2014)**

1.	It made possible the isolation and exact identification of auxin.
2.	It is the basis for the quantitative determination of small amounts of growth-promoting substances.
3.	It supports the hypothesis that IAA is auxin.
4.	It demonstrates the polar movements of auxins.

Q32. A few normal seedlings of a tomato were kept in a dark room. After a few days, they were found to have become white-coloured like albinos, Which of the following terms will you use to describe them? **(AIPMT - 2014)**

1. Mutated
2. Embolised
3. Etiolated
4. Defoliated

Q33. Which one of the following growth regulators is known as the stress hormone?

(AIPMT - 2014)



1. Absciscic acid
2. Ethylene
3. GA₃
4. Indole acetic acid

Q34. During seed germination its stored food is mobilized by: (AIPMT - 2013)

1. Cytokinin
2. ABA
3. Gibberellin
4. Ethylene

Q35. The pineapple which under natural conditions is difficult to blossom has been made to produce fruits throughout the year by application of: (NEET - 2013)

1. NAA, 2, 4- D
2. GA₃
3. Cytokinin
4. IAA, IBA

Q36. Through their effect on plant growth regulators, what do the temperature and light control in the plants? (AIPMT - 2012)

1. Flowering
2. Closure of stomata
3. Fruit elongation
4. Apical dominance

Q37. Vernalisation stimulates flowering in: (AIPMT - 2012)

1. Turmeric
2. Carrot
3. Ginger
4. Zaminkand



ANSWER KEY

1. (4)	11. (3)	21. (1)	31. (2)
2. (3)	12. (3)	22. (3)	32. (3)
3. (3)	13. (2)	23. (3)	33. (1)
4. (1)	14. (2)	24. (2)	34. (3)
5. (2)	15. (3)	25. (1)	35. (1)
6. (3)	16. (1)	26. (3)	36. (1)
7. (1)	17. (1)	27. (3)	37. (2)
8. (3)	18. (2)	28. (1)	
9. (4)	19. (4)	29. (4)	
10. (4)	20. (1)	30. (1)	

