



Seep Pahuja  
Biology Educator  
(NEET UG)




seep.pahuja



Seep Pahuja Biology - Official Unacademy

LAST 10 YEARS

# NEET PYQ



## Chapter 5 : Morphology of Flowering Plants

1. Which of the following is an example of a zygomorphic flower? [NEET-2025]

- (1) Petunia
- (2) Datura
- (3) Pea
- (4) Chilli

2. Given below are two statements: [NEET-2025]

Statement I: In a floral formula  $\oplus$  stands for zygomorphic nature of the flower, and  $\underline{G}$  stands for inferior ovary.

Statement II: In a floral formula  $\oplus$  stands for actinomorphic nature of the flower and  $\underline{G}$  stands for superior ovary.

In the light of the above statements, choose the correct answer from the options given below:

- (1) Both Statement I and Statement II are correct
- (2) Both Statement I and Statement II are incorrect
- (3) Statement I is correct but Statement II is incorrect
- (4) Statement I is incorrect but Statement II is correct

3. Match List-I with List-II : [Re-NEET-2024]

List-I

List-II

- |                          |            |
|--------------------------|------------|
| A. vexillary aestivation | I. Brinjal |
| B. Epipetalous stamens   | II. Peach  |
| C. Epiphyllous stamens   | III. Pea   |
| D. Perigynous flower     | IV. Lily   |

Choose the correct answer from the options given below :

- (1) A-III, B-I, C-IV, D-II
- (2) A-III, B-IV, C-I, D-II
- (3) A-III, B-II, C-I, D-IV
- (4) A-II, B-I, C-IV, D-III

4. Match List-I with List-II:

[Re-NEET-2024]

| List-I        | List-II         |
|---------------|-----------------|
| A. China rose | I. Free central |
| B. Mustard    | II. Basal       |
| C. Primrose   | III. Axile      |
| D. Marigold   | IV. Parietal    |

Choose the correct answer from the options given below :

- (1) A-IV, B-III, C-II, D-I
- (2) A-II, B-III, C-IV, D-I
- (3) A-III, B-IV, C-I, D-II
- (4) A-III, B-IV, C-II, D-I

5. Which of the following examples show monocarpellary, unilocular ovary with many ovules? [Re-NEET-2024]

- A. Sesbania
- B. Brinjal
- C. Indigofera
- D. Tobacco
- E. Asparagus

Choose the correct answer from the options given below :

- (1) B and E only
- (2) C, D and E only
- (3) A, B and D only
- (4) A and C only


6. The part marked as 'x' in the given figure is

[Re-NEET-2024]




- (1) Endosperm
- (2) Thalamus
- (3) Endocarp
- (4) Mesocarp

7. Identify the type of flowers based on the position of calyx, corolla and androecium with respect to the ovary from the given figures (a) and (b) [NEET-2024]



- (1) (a) Epigynous; (b) Hypogynous  
 (2) (a) Hypogynous; (b) Epigynous  
 (3) (a) Perigynous; (b) Epigynous  
 (4) (a) Perigynous; (b) Perigynous
8. Which of the following is an example of actinomorphic flower? [NEET-2024]
- (1) Datura  
 (2) Cassia  
 (3) Pisum  
 (4) Sesbania
9. Identify the part of the seed from the given figure which is destined to form root when the seed germinates. [NEET-2024]



- (1) A  
 (2) B  
 (3) C  
 (4) D
10. Match List I with List II [NEET-2024]

| List I           | List II        |
|------------------|----------------|
| A. Monoadelphous | I. Citrus      |
| B. Diadelphous   | II. Pea        |
| C. Polyadelphous | III. Lily      |
| D. Epiphyllous   | IV. China-rose |

Choose the correct answer from the options given below:

- (1) A-IV, B-II, C-I, D-III  
 (2) A-IV, B-I, C-II, D-III  
 (3) A-I, B-II, C-IV, D-III  
 (4) A-III, B-I, C-IV, D-II

11. Match List I with List II

[NEET-2024]

| List I    | List II                   |
|-----------|---------------------------|
| A. Rose   | I. Twisted aestivation    |
| B. Pea    | II. Perigynous flower     |
| C. Cotton | III. Drupe                |
| D. Mango  | IV. Marginal placentation |

Choose the correct answer from the options given below :

- (1) A-II, B-IV, C-I, D-III
- (2) A-I, B-II, C-III, D-IV
- (3) A-IV, B-III, C-II, D-I
- (4) A-II, B-III, C-IV, D-I

12. In Calotropis, aestivation is :

[NEET-2023-MANIPUR]

- (1) Imbricate
- (2) Twisted
- (3) Valvate
- (4) Vexillary

13. In a pea flower, five petals are arranged in a specialized manner with one posterior, two lateral and two anterior. These are named as \_\_\_\_\_ and \_\_\_\_\_ respectively.

[NEET-2023-MANIPUR]

- (1) Keel, Standard and Carina
- (2) Standard, Wings and Keel
- (3) Keel, Wings and Standard
- (4) Vexillum, Keel and Standard

14. Match the following :

[NEET-2023-MANIPUR]

| Type of flower  | Example       |
|-----------------|---------------|
| (A) Zygomorphic | (I) Mustard   |
| (B) Hypogynous  | (II) Plum     |
| (C) Perigynous  | (III) Cassia  |
| (D) Epigynous   | (IV) Cucumber |

Select the correct option :

- (1) (A)-(IV), (B)-(I), (C)-(III), (D)-(II)
- (2) (A)-(III), (B)-(I), (C)-(II), (D)-(IV)
- (3) (A)-(I), (B)-(II), (C)-(IV), (D)-(III)
- (4) (A)-(I), (B)-(II), (C)-(III), (D)-(IV)

15. Family Fabaceae differs from Solanaceae and Liliaceae. With respect to the stamens, pick out the characteristics specific to family Fabaceae but not found in Solanaceae or Liliaceae. [NEET-2023]

- (1) Diadelphous and Ditheous anthers
- (2) Polyadelphous and epipetalous stamens
- (3) Monoadelphous and Monotheous anthers
- (4) Epiphyllous and Ditheous anthers

16. Axile placentation is observed in [NEET-2023]

- (1) Mustard, Cucumber and Primrose
- (2) China rose, Beans and Lupin
- (3) Tomato, Dianthus and Pea
- (4) China rose, Petunia and Lemon

17. Identify the correct set of statements:- [NEET-2022]

- (a) The leaflets are modified into pointed hard thorns in Citrus and Bougainvillea
- (b) Axillary buds form slender and spirally coiled tendrils in cucumber and pumpkin
- (c) Stem is flattened and fleshy in Opuntia and modified to perform the function of leaves
- (d) Rhizophora shows vertically upward growing roots that help to get oxygen for respiration
- (e) Subaerially growing stems in grasses and strawberry help in vegetative propagation

Choose the correct answer from the options given below:

- (1) (a) and (d) Only
- (2) (b), (c), (d) and (e) Only
- (3) (a), (b), (d) and (e) Only
- (4) (b) and (c) Only

18. The flowers are Zygomorphic in:- [NEET-2022]

- (a) Mustard
- (b) Gulmohar
- (c) Cassia
- (d) Datura
- (e) Chilly


Choose the correct answer from the options given below:

- (1) (b), (c) Only
- (2) (d), (e) Only
- (3) (c), (d), (e) Only
- (4) (a), (b), (c) Only

19. Which one of the following plants shows vexillary aestivation and diadelphous stamens ? [NEET-2022]

- (1) *Pisum sativum*
- (2) *Allium cepa*
- (3) *Solanum nigrum*
- (4) *Colchicum autumnale*

20. The Floral Diagram represents which one of the following families ? [Re-NEET-2022]



- (1) Fabaceae
- (2) Brassicaceae
- (3) Solanaceae
- (4) Liliaceae

21. Match List - I with List - II :- [Re-NEET-2022]

| List - I      | List - II      |
|---------------|----------------|
| (a) Imbricate | (i) Calotropis |
| (b) Valvate   | (ii) Cassia    |
| (c) Vexillary | (iii) Cotton   |
| (d) Twisted   | (iv) Bean      |

Choose the correct answer from the options given below :

- (1) (a) - (ii), (b) - (i), (c) - (iii), (d) - (iv)
- (2) (a) - (ii), (b) - (i), (c) - (iv), (d) - (iii)
- (3) (a) - (ii), (b) - (iv), (c) - (iii), (d) - (i)
- (4) (a) - (i), (b) - (iii), (c) - (iv), (d) - (ii)

22. Diadelphous stamens are found in:- [NEET-2021]

- (1) China rose
- (2) Citrus
- (3) Pea
- (4) China rose and Citrus

23. Ray florets have :- [NEET-2020]

- (1) Half inferior ovary
- (2) Inferior ovary
- (3) Superior ovary
- (4) Hypogynous ovary

24. The roots that originate from the base of the stem are :- [NEET-2020]
- (1) Lateral roots (2) Fibrous roots  
(3) Primary roots (4) Prop roots
25. The ovary is half inferior in :- [NEET-2020]
- (1) Plum (2) Brinjal  
(3) Mustard (4) Sunflower
26. In some plants thalamus contributes to fruit formation. Such fruits are termed as :- [NEET-2020(COVID-19)]
- (1) False fruits (2) Aggregate fruits  
(3) True fruits (4) Parthenocarpic fruit
27. Correct position of floral parts over thalamus in mustard plant is :- [NEET-2020(COVID-19)]
- (1) Gynoecium occupies the highest position, while the other parts are situated below it.  
(2) Margin of the thalamus grows upward, enclosing the ovary completely, and other parts arise below the ovary.  
(3) Gynoecium is present in the centre and other parts cover it partially.  
(4) Gynoecium is situated in the centre, and other parts of the flower are located at the rim of the thalamus, at the same level.
28. Vegetative propagule in Agave is termed as:- [NEET-2020(COVID-19)]
- (1) Rhizome  
(2) Bulbil  
(3) Offset  
(4) Eye
29. Identify the correct features of Mango and Coconut fruits:- [NEET-2020(COVID-19)]
- (i) In both fruit is a drupe  
(ii) Endocarp is edible in both  
(iii) Mesocarp in Coconut is fibrous, and in Mango it is fleshy  
(iv) In both, fruit develops from monocarpellary ovary
- Select the correct option from below :
- (1) (i), (iii) and (iv) only  
(2) (i), (ii) and (iii) only  
(3) (i) and (iv) only  
(4) (i) and (ii) only
30. Placentation, in which ovules develop on the inner wall of the ovary or in peripheral part, is: [NEET-2019]
- (1) Basal (2) Axile  
(3) Parietal (4) Free central

31. Which of the following shows whorled phyllotaxy ? [NEET-2019(Odisha)]

- (1) Mustard
- (2) China rose
- (3) Alstonia
- (4) Calotropis

32. Bicarpellary ovary with obliquely placed septum is seen in :- [NEET-2019(Odisha)]

- (1) Brassica
- (2) Aloe
- (3) Solanum
- (4) Sesbania

33. Match the placental types (column-I) with their examples (column-II):- [NEET-2019(Odisha)]

| Column-I         | Column-II       |
|------------------|-----------------|
| (a) Basal        | (i) Mustard     |
| (b) Axile        | (ii) China rose |
| (c) Parietal     | (iii) Dianthus  |
| (d) Free central | (iv) Sunflower  |

Choose the correct answer from the following options:

- (1) (a)-(ii), (b)-(iii), (c)-(iv), (d)-(i)
- (2) (a)-(i), (b)-(ii), (c)-(iii), (d)-(iv)
- (3) (a)-(iv), (b)-(ii), (c)-(i), (d)-(iii)
- (4) (a)-(iii), (b)-(iv), (c)-(i), (d)-(ii)

34. Offsets are produced by:- [NEET-2018]

- (1) Meiotic divisions
- (2) Mitotic divisions
- (3) Parthenocarpy
- (4) Parthenogenesis

35. Pneumatophores occur in :- [NEET-2018]

- (1) Halophytes
- (2) Free-floating hydrophytes
- (3) Carnivorous plants
- (4) Submerged hydrophytes

36. Sweet potato is a modified :- [NEET-2018]

- |              |                       |
|--------------|-----------------------|
| (1) Stem     | (2) Adventitious root |
| (3) Tap root | (4) Rhizome           |



37. Coconut fruit is a :- [NEET-2017]  
(1) Berry (2) Nut  
(3) Capsule (4) Drupe
38. In Bougainvillea thorns are the modifications of :- [NEET-2017]  
(1) Adventitious root (2) Stem  
(3) Leaf (4) Stipules
39. Root hairs develop from the region of :- [NEET-2017]  
(1) Elongation (2) root cap  
(3) Meristematic activity (4) Maturation
40. The morphological nature of the edible part of coconut is:- [NEET-2017]  
(1) Cotyledon (2) Endosperm  
(3) Pericarp (4) Perisperm
41. The standard petal of a papilionaceous corolla is also called :- [NEET-I 2016]  
(1) Carina (2) Pappus  
(3) Vexillum (4) Corona
42. Tricarpellary syncarpous gynoecium is found in flowers of :- [NEET-I 2016]  
(1) Liliaceae (2) Solanaceae  
(3) Fabaceae (4) Poaceae
43. Which of the following is not a stem modification? [NEET-I 2016]  
(1) Pitcher of Nepenthes (2) Thorns of citrus  
(3) Tendrils of cucumber (4) Flattened structures of Opuntia
44. Cotyledon of maize grain is called :- [NEET-I 2016]  
(1) plumule (2) coleorhiza  
(3) coleoptile (4) scutellum
45. Stems modified into flat green organs performing the functions of leaves are known as :- [NEET-I 2016]  
(1) Cladodes (2) Phyllodes  
(3) Phylloclades (4) Scales
46. The term 'polyadelphous' is related to :- [NEET-II 2016]  
(1) Corolla (2) Calyx  
(3) Gynoecium (4) Androecium
47. How many plants among Indigofera, Sesbania, Salvia, Allium, Aloe, mustard, groundnut, radish, gram and turnip have stamens with different lengths in their flowers ? [NEET-II 2016]  
(1) Five (2) Six  
(3) Three (4) Four

48. Radial symmetry is found in the flowers of:-

[NEET-II 2016]

- (1) Pisum
- (2) Cassia
- (3) Brassica
- (4) Trifolium

49. Free-central placentation is found in :-

[NEET-II 2016]

- (1) Brassica
- (2) Citrus
- (3) Dianthus
- (4) Argemone

# ANSWER KEY

1. (3)
2. (4)
3. (1)
4. (3)
5. (4)
6. (2)
7. (4)
8. (1)
9. (3)
- 10.(1)
- 11.(1)
- 12.(3)
- 13.(2)
- 14.(2)
- 15.(1)
- 16.(4)
- 17.(2)
- 18.(1)
- 19.(1)
- 20.(2)
- 21.(2)
- 22.(3)
- 23.(2)
- 24.(2)
- 25.(1)
- 26.(1)
- 27.(1)
- 28.(2)
- 29.(1)
- 30.(3)
- 31.(3)
- 32.(3)
- 33.(3)
- 34.(2)
- 35.(1)

36.(2)

37.(4)

38.(2)

39.(4)

40.(2)

41.(3)

42.(1)

43.(1)

44.(4)

45.(3)

46.(4)

47.(4)

48.(3)

49.(3)

SEEPP PAKHUA