

Q1. Family Fabaceae differs from Solanaceae and Liliaceae. With respect to the stamens, pick out the characteristics specific to family Fabaceae but not found in Solanaceae or Liliaceae. {NEET - 2023}

1.	Epiphyllous and Ditheous anthers
2.	Diadelphous and Ditheous anthers
3.	Polyadelphous and epipetalous stamens
4.	Monadelphous and Monotheous anthers

Q2. Axile placentation is observed in:

{ NEET - 2023 }

1. China rose, Petunia and Lemon
2. Mustard, Cucumber and Primrose
3. China rose, Beans and Lupin
4. Tomato, Dianthus and Pea

Q3. Given below are two statements. One is labelled as Assertion (A) and the other is labelled as Reason (R):

{ NEET - 2023 }

Assertion (A):	A flower is defined as modified shoot wherein the shoot apical meristem changes to floral meristem.
Reason (R):	Internode of the shoot gets condensed to produce different floral appendages laterally at successive nodes instead of leaves.

In the light of the above statements, choose the correct answer from the options given below:

1.	(A) is False but (R) is True.
2.	Both (A) and (R) are True and (R) is the correct explanation of (A).
3.	Both (A) and (R) are True but (R) is not the correct explanation of (A).
4.	(A) is True but (R) is False.



Q4. In *Calotropis*, aestivation is:

{ NEET - 2023 }

1.	Valvate	2.	Vexillary
3.	Imbricate	4.	Twisted

Q5. In a pea flower, five petals are arranged in a specialized manner with one posterior, two lateral and two anterior. These are named as _____, _____ and _____ respectively.

{ NEET - 2023 }

1. Keel, Wings and standard
2. Vexillum, Keel and standard
3. Keel, Standard and Carina
4. Standard, Wings and Keel

Q6. Match List - I with List - II

{ NEET - 2023 }

	Type of flower		Example
(A)	Zygomorphic	(I)	Mustard
(B)	Hypogynous	(II)	Plum
(C)	Perigynous	(III)	Cassia
(D)	Epigynous	(IV)	Cucumber

Choose the correct answer from the options given below:

Options :	(A)	(B)	(C)	(D)
1.	I	II	IV	III
2.	I	II	III	IV
3.	IV	I	III	II
4.	III	I	II	IV

Q7. The flowers are Zygomorphic in:

{ NEET - 2022 }

- a. Mustard
- b. Gulmohar
- c. Cassia
- d. Datura
- e. Chilly



Choose the correct answer from the options given below:

1. c, d, e only
2. a, b, c only
3. b, c only
4. d, e only

Q8. Identify the correct set of statements:

{ NEET - 2022 }

a.	The leaflets are modified into pointed hard thorns in <i>Citrus</i> and <i>Bougainvillea</i> .
b.	Axillary buds form slender and spirally coiled tendrils in cucumber and pumpkin.
c.	Stem is flattened and fleshy in <i>Opuntia</i> and modified to perform the function of leaves.
d.	<i>Rhizophora</i> shows vertically upward growing roots that help to get oxygen for respiration.
e.	Subaerially growing stems in grasses and strawberry help in vegetative propagation.

Choose the correct answer from the options given below:

1. (a), (b), (d), and (e) only
2. (b), (c) only
3. (a), (d) only
4. (b), (c), (d) and (e) only

Q9. Which one of the following plants shows vexillary aestivation and diadelphous stamens?

{ NEET - 2022 }

1. *Solanum nigrum*
2. *Colchicum autumnale*
3. *Pisum sativum*
4. *Allium cepa*

Q10. Identify the correct statements related to the androecium in the flower. { NEET - 2022 }

a.	The sterile stamens are called staminodes
----	---



b.	When stamens are attached to petals they are called epipetalous
c.	Monadelphous is seen in China-rose
d.	Polyadelphous is seen in Pea
e.	Variation in the length of anther filaments is seen in Mustard

Choose the correct answer from the options given below:

1. (a), (c), (d) and (e) only
2. (a), (b), (c) and (e) only
3. (a), (b) and (c) only
4. (b), (c) and (d) only

Q11. Choose the mismatched pair of leaf character with its example: { NEET - 2022 }

1. Palmately compound - *Alstonia*
2. Alternate Phyllotaxy - China-rose
3. Leaf tendril - Pea
4. Opposite phyllotaxy - *Calotropis*

Q12. Which of the following plants possesses the placentation of ovules borne on central axis with no septa? { NEET - 2022 }

1. Lemon
2. Pea
3. China-rose
4. *Primrose*

Q13. The Floral Diagram represents which one of the following families? { NEET - 2022 }



Q14. Match List-I with List-II { NEET - 2022 }

Choose the correct answer from the options given below:

 [GARIMAGOEL007](#)

Solanaceae	

	(a)	(b)	(c)	(d)
1.	(ii)	(iii)	(iv)	(i)
2.	(iv)	(ii)	(i)	(iii)
3.	(iii)	(iv)	(ii)	(i)
4.	(i)	(ii)	(iii)	(iv)

{ NEET - 2020 }

- { NEET - 2020 }

- { NEET - 2020 }

- 

Q21. Correct position of floral parts over thalamus in the mustard plant is: { NEET - 2020 }

1.	Gynoecium occupies the highest position, while the other parts are situated below it.
2.	Margin of the thalamus grows upward, enclosing the ovary completely, and other parts arise below the ovary.
3.	Gynoecium is present in the center and other parts cover it partially.
4.	Gynoecium is situated in the center, and other parts of the flower are located at the rim of the thalamus, at the same level

1. $\% \text{ } \text{C}_{1+2+(2)}^{\text{A}_{(9)+1} \text{G}_1}$
2. $\oplus \text{ } \text{K}_{(5)}^{\text{C}_{(5)} \text{A}_5 \text{G}_{(2)}}$
3. $\text{Br} \oplus \text{ } \text{P}_{(3+3)}^{\text{A}_{3+3} \text{G}_{(3)}}$
4. $\oplus \text{ } \text{K}_{(5)}^{\text{C}_{(5)} \text{A}_5 \text{G}_{(2)}}$

(i)	In both, fruit is a drupe
-----	---------------------------

(ii)	Endocarp is edible in both
(iii)	Mesocarp in Coconut is fibrous, and in Mango, it is fleshy
(iv)	In both, the fruit develops from the monocarpellary ovary

Select the correct option from below:

1. (i), (iii) and (iv) only
2. (i), (ii) and (iii) only
3. (i) and (iv) only
4. (i) and (ii) only

Q24. Placentation, in which ovules develop on the inner wall of the ovary or in peripheral part, is:

{ NEET - 2019 }

1. Free central
2. basal
3. Axile
4. Parietal

Q25. Which of the following shows whorled phyllotaxy ?

{ NEET - 2019 }

1. Mustard
2. China rose
3. *Alstonia*
4. *Calotropis*

Q26. Bicarpellary ovary with obliquely placed septum is seen in: { NEET - 2019 }

1. Brassica
2. *Aloe*
3. Solanum



4. *Sesbania*

Q27. Match the placental types (column-I) with their examples (column-II) { NEET - 2019 }

Column I		Column II	
(a)	Basal	(i)	Mustard
(b)	Axile	(ii)	China rose
(c)	Parietal	(iii)	<i>Dianthus</i>
(d)	Free central	(iv)	-Sunflower

Choose the correct answer from the following options:

Options:	(a)	(b)	(c)	(d)
1.	(ii)	(iii)	(iv)	(i)
2.	(i)	(ii)	(iii)	(iv)
3.	(iv)	(ii)	(i)	(iii)
4.	(iii)	(iv)	(i)	(ii)

Q28. Pneumatophores occur in:

1. Halophytes
2. Free-floating hydrophytes
3. Carnivorous plants
4. Submerged hydrophytes

{ NEET - 2018 }

Q29. Sweet potato is a modified:

1. Stem
2. Adventitious root

{ NEET - 2018 }



3. Taproot
4. Rhizome

Q30. Plants, which produce characteristic pneumatophores and show vivipary belong to

{ NEET - 2018 }

- (1) mesophytes
- (2) halophytes
- (3) psammophytes
- (4) hydrophytes

Q31. Coconut fruit is a:

{ NEET - 2017 }

1. Berry
2. Nut
3. Capsule
4. Drupe

Q32. In *Bougainvillea* thorns are the modifications of:

{ NEET - 2017 }

1. Adventitious root
2. Stem
3. Leaf
4. Stipules

Q33. Root hairs develop from the region of:

{ NEET - 2017 }

1. Elongation
2. Root cap
3. Meristematic activity
4. Maturation

Q34. Axile placentation is present in?

1. *Dianthus*
2. Lemon



3. Pea

4. *Argemone*

Q35. The morphological nature of the edible part of coconut is:

1. Cotyledon

2. Endosperm

3. Pericarp

4. Perisperm

Q36. The term 'polyadelphous' is related to

{ NEET - 2016 }

1. gynoeceium

2. androeceium

3. corolla

4. calyx

Q37. Tricarpellary, syncarpous and gynoeceium is found in flowers of

{ NEET - 2016 }

1. Solanaceae

2. Fabaceae

3. Poaceae

4. Liliaceae

Q38. Which of the following is not a stem modification?

{ NEET - 2016 }

1. Thorns of citrus

2. Tendrils of cucumber

3. Flattened structures of *Opuntia*

4. Pitcher of *Nepenthes*

Q39. Proximal end of the filament of stamen is attached to the

{ NEET - 2016 }

(1) connective

(2) placenta

(3) thalamus or petal

(4) anther

Q40. The standard petal of a papilionaceous corolla is also called

{ NEET - 2016 }



- (1) pappus
- (2) vexillum
- (3) corona
- (4) carina

Q41. How many plants among *Indigofera*, *Sesbania*, *Salvia*, *Allium*, *Aloe*, mustard, groundnut, radish, gram and turnip have stamens with different lengths in their flowers? { NEET - 2016 }

1. Three
2. Four
3. Five
4. Six

Q42. Radial symmetry is found in the flowers of? { NEET - 2016 }

1. Brassica
2. *Trifolium*
3. Pisum
4. *Cassia*

Q43. Free-central placentation is found in? { NEET - 2016 }

1. *Dianthus*
2. *Argemone*
3. Brassica
4. *Citrus*

Q44. Tricarpellary, syncarpous is found in flowers of? { NEET - 2016 }

1. Solanaceae
2. Fabaceae
3. Poaceae
4. Liliaceae

Q45. Cotyledon of maize grain is called? { NEET - 2016 }

1. coleorhizae
2. coleoptile

3. scutellum

4. plumule

Q46. Which of the following is not a stem modification?

{ NEET - 2016 }

1. Thorns of citrus

2. Tendrils of cucumber

3. Flattened structure of *Opuntia*

4. Pitcher of *Nepenthes*

Q47. Stems modified into flat green organs performing the functions of leaves are known as?

{ NEET - 2016 }

1. phyllodes

2. phylloclades

3. scales

4. cladodes

Q48. The standard petal of a papilionaceous corolla is also called?

1. pappus

2. vexillum

3. corona

4. carina



ANSWER KEY

1. (2)	11. (1)	21. (1)	31. (4)	41. (2)
2. (1)	12. (4)	22. (3)	32. (2)	42. (1)
3. (2)	13. (2)	23. (1)	33. (4)	43. (1)
4. (1)	14. (2)	24. (4)	34. (2)	44. (4)
5. (4)	15. (3)	25. (3)	35. (2)	45. (3)
6. (4)	16. (1)	26. (3)	36. (2)	46. (4)
7. (3)	17. (3)	27. (3)	37. (4)	47. (2)
8. (4)	18. (4)	28. (1)	38. (4)	48. (2)
9. (3)	19. (4)	29. (2)	39. (3)	
10. (2)	20. (3)	30. (2)	40. (2)	

