

HUMAN REPRODUCTION

SPECIALISED PYQ

{NEET - 2023}

Statement I:	Vas deferens receives a duct from seminal vesicle and opens into urethra as the ejaculatory duct.
Statement II:	The cavity of the cervix is called cervical canal which along with vagina forms birth canal.

In light of the above statements, choose the correct answer from the options given below:

1. Statement I is incorrect but Statement II is true.
2. Both Statement I and Statement II are true.
3. Both Statement I and Statement II are false.
4. Statement I is correct but Statement II is false.

Q2. Which of the following statements are correct regarding female reproductive cycle? {NEET - 2023}

A.	In non-primate mammals cyclical changes during reproduction are called oestrus cycle.
B.	First menstrual cycle begins at puberty and is called menopause.
C.	Lack of menstruation may be indicative of pregnancy.
D.	Cyclic menstruation extends between menarche and menopause.

Choose the most appropriate answer from the options given below:

1.	A, C and D only	2.	A and D only
3.	A and B only	4.	A, B and C only

Q3. Given below are two statements: one is labelled as Assertion (A) and the other is labelled as Reason (R). {NEET - 2023}

Assertion (A):	Endometrium is necessary for implantation of blastocyst.
Reason (R):	In the absence of fertilization, the corpus luteum degenerates that causes disintegration of endometrium.



In the light of the above statements, choose the correct answer from the options given below:

1. Statement I is correct but Statement II is false
2. Statement I is incorrect but Statement II is true
3. Both Statement I and Statement II are true
4. Both Statement I and Statement II are false

Q6. Given below are two statements:

{NEET - 2022}

Statement I:	The release of sperms from the seminiferous tubules is called spermiation.
Statement II:	Spermiogenesis is the process of formation of sperms from spermatogonia.

In the light of the above statements, Choose the most appropriate answer from the option given below :

1. Statement I is incorrect but Statement II is correct.
2. Both Statement I and Statement II are correct.
3. Both Statement I and Statement II are incorrect.
4. Statement I is Correct but Statement II is incorrect.

Q7. Which of the following statements are true for spermatogenesis but do not hold true for Oogenesis?

{NEET - 2022}

(a)	It results in the formation of haploid gametes.
(b)	Differentiation of gamete occurs after the completion of meiosis.
(c)	Meiosis occurs continuously in a mitotically dividing stem cell population.
(d)	It is controlled by the Luteinising hormone (LH) and Follicle Stimulating Hormone (FSH) secreted by the anterior pituitary.
(e)	It is initiated at puberty.

Choose the most appropriate answer from the option given below:

1. (b), (c), and (e) only	2. (c) and (e) only
3. (b) and (c) only	4. (b), (d) and (e) only

Q8. At which state of life the oogenesis process is initiated?

{NEET - 2022}

1. Adult
2. Puberty
3. Embryonic development stage
4. Birth



Q9. How many Y-chromosomes are present in the 2nd polar body in human beings?

{NEET - 2022}

1. 01
2. 00
3. 23
4. 02

Q10. Which of the following hormones are secreted in women only during pregnancy?

{NEET - 2022}

(a)	Relaxin	(b)	Oxytocin
(c)	hCG	(d)	hPL
(e)	Progesterone		

Choose the most appropriate answer from the options given below:

1. (c), (d) and (e) only
2. (b) and (e) only
3. (b), (c) and (d) only
4. (a), (c) and (d) onl

Q11. Arrange the following male sex accessory ducts in the correct sequence for the transport of sperms from the testis:

{NEET - 2022}

- (a) Epididymis
- (b) Ejaculatory duct
- (c) Vasa efferentia
- (d) Rete testis
- (e) Vas deferens

Choose the most appropriate answer from the options given below:

1. (d) , (a) , (c) , (e) , (b)



2. (d) , (c) , (e) , (a) , (b)

3. (d) , (c) , (a) , (e) , (b)

4. (d) , (e) , (a) , (c) , (b)

Q12. Arrange the components of the mammary gland. (from proximal to distal) {NEET - 2022}

a. Mammary duct

b. Lactiferous duct

c. Alveoli

d. Mammary ampulla

e. Mammary tubules

Choose the most appropriate answer from the options given below :

1. (c) → (a) → (d) → (e) → (b)

2. (b) → (c) → (e) → (d) → (a)

3. (c) → (e) → (a) → (d) → (b)

4. (e) → (c) → (d) → (b) → (a)

Q13. How many secondary spermatocytes are required to form 400 million spermatozoa ?

{NEET - 2022}

1. 50 million

2. 100 million

3. 200 million

4. 400 million

Q14. Given below are two statements : one is labelled as Assertion (A) and the other is labelled as Reason (R).

{NEET - 2022}

Assertion (A):

Pregnancy is characterised by metabolic changes in the mother.



4. Corpus luteum

Q18. Meiotic division of the secondary oocyte is completed:

{NEET - 2020}

1. At the time of copulation
2. After zygote formation
3. At the time of fusion of a sperm with an ovum
4. Prior to ovulation

Q19. Which of the following hormone levels will cause release of ovum (ovulation) from the graafian follicle?

{NEET - 2020}

1. High concentration of Progesterone
2. Low concentration of LH
3. Low concentration of FSH
4. High concentration of Estrogen

Q20. Match the following columns and select the correct option.

{NEET - 2020}

	Column-I		Column-II
a.	Placenta	(i)	Androgens
b.	Zona pellucida	(ii)	Human chronic Gonadotropin
c.	Bulbo-urethral glands	(iii)	Layer of the ovum
d.	Leydig cells	(iv)	Lubrication of the Penis

	a	b	c	d
--	---	---	---	---



2.	In spermiogenesis, spermatozoa are formed, while in spermiation, spermatids are formed.
3.	In spermiogenesis, spermatozoa from Sertoli cells are released into the cavity of seminiferous tubules, while in spermiation, spermatozoa are formed.
4.	In spermiogenesis, spermatozoa are formed, while in spermiation, spermatozoa are released from Sertoli cells into the cavity of seminiferous tubules.

Q29. The amnion of mammalian embryo is derived from?

{NEET - 2018}

1. ectoderm and mesoderm
2. endoderm and mesoderm
3. mesoderm and trophoblast
4. ectoderm and endoderm

Q30. Match the items given in Column I with those in Column II and select the correct option given below: {NEET - 2018}

{NEET - 2018}

	Column I		Column II
(a)	Proliferative Phase	(i)	Breakdown of the endometrial lining
(b)	Secretory Phase	(ii)	Follicular Phase
(c)	Menstruation	(iii)	Luteal Phase

Options:	(a)	(b)	(c)
1.	iii	ii	i
2.	i	iii	ii
3.	ii	iii	i
4.	iii	i	ii

Q31. Capacitation occurs in:

{NEET - 2017}

- ## 1. Epididymis

Q35. Which of the following depicts the correct pathway of transport of sperms? {NEET - 2016}

1.	Rete testis → Efferent ductules → Epididymis → Vas deferens
2.	Rete testis → Epididymis → Efferent ductules → Vas deferens
3.	Rete testis → Vas deferens → Efferent ductules → Epididymis
4.	Efferent ductules → Rete testis → Vas deferens → Epididymis

Q36. Match column I with column II and select the correct option using the codes given below:

{NEET - 2016}

Column I	Column II
A. Mons pubis	1. Embryo formation
B. Antrum	2. Sperm
C. Trophoctoderm	3. Female external genitalia
D. Nebenker	4. Graafian follicle

1. A-2 B-4 C-3 D-1
2. A-3 B-4 C-1 D-2
3. A-3 B-1 C-4 D-2
4. A-1 B-4 C-3 D-2

Q37. Several hormones like hCG, hPL, oestrogen, progesterone are produced by:

{NEET - 2016}

1.	ovary	2.	placenta
3.	fallopian tube	4.	pituitary

Q38. Changes in GnRH pulse frequency in females is controlled by circulating levels of:

{NEET - 2016}

1. estrogen and inhibin
2. progesterone only
3. progesterone and inhibin
4. estrogen and progesterone



{NEET - 2016}

Q40. Select the incorrect statement:

{NEET - 2016}

Q41. Fertilisation in humans is practically feasible only if?

{NEET - 2016}

Q42. Which of the following events is not associated with ovulation in human females?

{NEET - 2015}

1. Decrease in Oestradiol
2. Full development of Graafian follicle
3. Release of secondary oocyte
4. LH Surge

Q43. Which of the following layers in an antral follicle is acellular? {NEET - 2015}

1. Granulosa
2. Theca interna
3. Stroma
4. Zona pellucida

Q44. In human females, meiosis-II is not completed until? {NEET - 2015}

1.	Puberty	2.	Fertilization
3.	Uterine implantation	4.	Birth

Q45. Capacitation refers to changes in the: {NEET - 2015}

1. sperm before fertilization
2. ovum before fertilization
3. ovum after fertilization
4. sperm after fertilization

Q46. Which of these is not an important component of the initiation of parturition in humans?

1. Increase in oestrogen and progesterone ratio
2. Synthesis of prostaglandins
3. Release of oxytocin
4. Release of prolactin

Q47. Which of the following cells during gametogenesis is normally diploid? {NEET - 2015}

1. Primary polar body
2. Spermatid
3. Spermatogonia
4. Secondary polar body

Q48. The shared terminal duct of the reproductive and urinary system in the human male is: {AIPMT - 2014}

1. Urethra
2. Ureter
3. Vas deferens
4. Vasa efferentia

Q49. The main function of mammalian corpus luteum is to produce: {AIPMT - 2014}

1. Oestrogen only
2. progesterone
3. human chorionic gonadotropin
4. relaxin only

Q50. Select the correct option describing gonadotropin activity in a normal pregnant female:

{AIPMT - 2014}

1.	High level of FSH and LH stimulates the thickening of endometrium.
2.	High level of FSH and LH facilitate implantation of the embryo
3.	High level of hCG stimulates the synthesis if estrogen and progesterone
4.	High level of hCG stimulates the thickening of the endometrium.

Q51. Menstrual flow occurs due to the lack of: {AIPMT - 2013}



1. FSH
2. Oxytocin
3. Vasopressin
4. Progesterone

ANSWER KEY

1. (2)	11. (3)	21. (2)	31. (3)	41. (1)	51.(4)
2. (1)	12. (3)	22. (2)	32. (1)	42. (1)	
3. (3)	13. (3)	23. (4)	33. (2)	43. (4)	
4. (3)	14. (1)	24. (2)	34. (2)	44. (2)	
5. (2)	15. (4)	25. (3)	35. (1)	45. (1)	
6. (4)	16. (2)	26. (4)	36. (2)	46. (4)	
7. (1)	17. (4)	27. (3)	37. (2)	47. (3)	
8. (3)	18. (3)	28. (4)	38. (4)	48. (1)	
9. (2)	19. (4)	29. (1)	39. (1)	49. (2)	
10. (4)	20. (3)	30. (3)	40. (2)	50.(3)	

