

INTERNAL · BLACKBURNE GAMES FZ LLC

DungeonA Floor 1

Gameplay & Level Design Analysis

Scene Assets/Levels/Dungeon1/DungeonA_Floor01_Blockout.unity

Branch feature/camlookIK

Date 21 August 2026

Scope Six player spawn points · objective & match design · enemy positioning · level design and level art adjustments

Method Live scene interrogation via Unity MCP — floor-slab bounds, collider raycasts, capsule clearance tests, line-of-sight tracing, light census, player-eye POV renders

Executive summary

Floor 1 is a **large, finished-looking, structurally sound dungeon with almost no game in it yet**. The architecture is genuinely good: 32 rooms across a 190 × 175 m footprint, 12 m of vertical range, 47 stair runs, a true loop topology with no dead ends outside the intentional pockets, and a 28 m octagonal hub with six approaches sitting dead centre. That is a competitive extraction map's skeleton and it does not need to be redesigned.

What is missing is everything that turns a space into a match. There were **two** spawn markers for a six-player mode, and one of them stood in empty air. There are two extraction points, and their distance-to-spawn ranges from 51 m to 195 m — a 4× advantage baked into where you happen to start. There is no NavMesh, so no AI can move. There are no enemy or loot spawners of any kind. And the whole Chapel — the room holding the south spawn, an objective, a balcony and the descent to Floor 2 — is currently switched off in the hierarchy, leaving three separate staircases running into a void.

32 ROOMS BUILT	47 STAIR RUNS	12 m VERTICAL RANGE	176 NAVMESH VERTS	0 ENEMY SPAWNERS
--------------------------	-------------------------	-------------------------------	-----------------------------	----------------------------

What this document delivers

1. **Six player spawn points, built and verified in the scene.** Placed this session under Gameplay/Spawns. Every one stands on a real floor collider, has a body-sized capsule of clearance, has at least two exits, and has zero line of sight to the other five. Section 3.
2. **A defined objective and match structure** — a three-tier objective ladder, a rotating extraction schedule, and a 15-minute match shape. Section 4.
3. **An enemy positioning model** keyed to the existing SimpleMobAI ranges and to the map's own stair-and-chokepoint geometry. Section 5.
4. **A prioritised level design and level art work list**, separating the five things that block playtesting from the things that make the map good. Sections 6 and 7.

The one-line verdict

Do not rebuild the level. Instrument it.

The geometry is ahead of the systems by a wide margin. Roughly a week of gameplay-layer work — NavMesh, spawners, extraction logic, objective interactables — would turn this from a walkthrough into a playable match. The level design changes needed are small and local; the level art changes are mostly a lighting-palette correction, not new modelling.

Reading the priorities

Every recommendation in this document carries a priority tag:

- **P0** Blocks playtesting. Nothing can be evaluated until this is fixed.
- **P1** Blocks the mode from being *good*. Needed before external playtests.
- **P2** Polish and depth. Schedule after the first playtest tells you what actually matters.

Current state audit

All figures below were read out of the live scene, not from the design documents. Where the docs and the scene disagree, the scene is reported.

2.1 What exists

LAYER	COUNT	STATE
Rooms	32 real + 4 stubs	All 32 walled, floored, ceilinged and prop-dressed. The four stubs (W2b, W4b, W9b, W21b) have zero walls, zero floors, zero props and are disabled.
Floor slabs	55	Colliders present and correct in all rooms except the Chapel (see 2.2).
Stair runs	47	Every elevation transition bridged. Names encode the connectivity graph, which is genuinely fully looped.
Props	~2,900 transforms	Extremely uneven: hub W16 = 277, Triage W15 = 295, Chapel W28 = 233 — against W14 = 14, W10 = 33, W17 = 34.
Lights	513	None cast shadows (deliberate, per the performance rule). Palette breakdown in 7.1.
Gameplay markers	35	8 objectives, 2 extractions, 1 miniboss, 6 ladders, 5 balconies, 4 locked doors, 3 one-way gates, 6 stair labels — plus the spawns rebuilt this session.
NavMesh	176 verts	Effectively unbaked. A 190 × 175 m dungeon needs orders of magnitude more. No AI can path.
Enemy / loot spawners	0	No scripts, no markers, no data assets. SimpleMobAI exists but has nothing to run on.

2.2 The five blockers

P0-1 The Chapel (W28) is disabled in the hierarchy

Props_Dressing/W28_Chapel has `activeSelf = false`. Because the user moved the Chapel's floor under that group, the room's *entire* geometry — floor, walls, ceiling, 233 props — is switched off. A downward raycast anywhere in the room hits nothing at all. Three staircases (W20→W28, W29→W28, W32→W28) currently climb into open void, and the room holds an objective, a balcony, a locked door, the old south spawn and the Floor 2 descent route. This is a one-checkbox fix and it must happen before anything else is tested.

P0-2 No NavMesh

`NavMesh.CalculateTriangulation()` returns 176 vertices / 228 indices — a fragment, not a floor. Until Floor 1 is baked, every enemy-positioning decision in Section 5 is untestable and `SimpleMobAI` is inert. Bake after P0-1, or the Chapel will be a hole in the mesh too.

P0-3 Spawn A stood in empty space

Spawn_A_IntakeHall sat at (−8, 4.3, 84.8). The northernmost floor geometry on that axis ends at $z \approx 77.2$. The marker was roughly 8 m past the edge of the world, above nothing. It has been renamed `Spawn_A_IntakeHall_LEGACY_VOID` and superseded — see Section 3.

P0-4 Four ghost rooms on live routes

W2b Vestibule, W4b Antechamber, W9b SideWard and W21b StoreEast exist as named, disabled, entirely empty groups. W4b sits on the W1↔W4 corridor and W9b beyond W9's east door. They are either rooms someone intended to build or debris from an earlier layout. Decide and either build or delete them — leaving named empties on live routes will cost someone a debugging afternoon.

P0-5 Documentation has drifted from the scene

AI/GAMEPLAY.md states "4 corner spawns" and "5 extractions". The scene contained two of each, one of them in a void. The room-position markers under Rooms/ also carry wrong Y values throughout and drifted X/Z. Treat floor-slab bounds as the source of truth for room position, not the Rooms/ markers.

Six player spawn points

Built and saved into the scene this session under Gameplay/Spawns. Each spawn is a marker sphere at the established convention height (floor + 6 m, scale 4, spawn blue) carrying a child empty named `SpawnPoint_Ground` at the exact ground position and facing yaw — that child is what a future spawn manager should read.

3.1 Selection rules used

- **Perimeter only.** Every spawn sits on the outer ring, backed against the map edge, facing inward. Nobody starts near the hub.
- **No objective, extraction or boss room.** A spawn room must never contain loot the owner can camp.
- **At least two exits.** Verified against the stair-and-corridor graph. A one-exit spawn is a death trap for whoever spawns there.
- **Verified standing room.** Downward raycast confirms a real floor collider at the exact height, and a 0.55 m-radius × 1.05 m capsule at body height reports zero blockers.
- **Zero line of sight.** All 15 spawn pairs were line-traced at eye height (floor + 1.6 m). All 15 are blocked.

3.2 The six points

ID	ROOM	GROUND POSITION (x, y, z)	YAW	QUADRANT	EXITS	TO HUB
A	W3 Watch Post	-87.00, 0.33, 75.00	144.5°	North-west	W2 (E), W7 (S)	111 m
B	W4 Purification	40.43, -3.67, 73.25	185.5°	North-east	W1 (W), W5 (E), W10 (S)	90 m
C	W23 Isolation	89.00, -7.67, -3.70	253.3°	East	W13 (N), W22 (W), W31 (S, gated)	97 m
D	W32 Servants	49.73, -5.67, -69.00	335.5°	South-east	W30 (N), W28 (W)	88 m
E	W26 Recovery	-88.00, -5.88, -65.00	46.5°	South-west	W25 (N), W29 (E), W27 (S)	101 m
F	W14 Convalescent	-86.00, -5.67, -1.20	90.0°	West	W8 (N), W17 (E), W25 (S)	78 m

3.3 Separation check

Closest pair is **E↔F at 64 m** (both on the western column, with W25 Surgery Theatre between them). Furthest is **A↔D** at 199 m. Hub distance spans 78–111 m, a ±17 % spread — tight enough that no start is a meaningful head start toward the centre.

Why the north and south spines were deliberately left unowned

W1 Intake Cathedral and W28 Chapel are the two obvious "entrance" rooms and both were rejected as spawns. They sit directly on the central nave, which means whoever spawned there would own the fastest lane to the hub. Leaving both unclaimed makes the spine the map's contested high-traffic artery rather than somebody's driveway — and it frees W1, already being redressed with spectator rows, to become a set-piece room.

3.4 Known compromises

- **A and B stand close to room dressing.** W3's council table and W4's alchemy bench are within about a metre of the spawn facing. Playable, but cramped for a spawn-in animation. Fixed by the vestibule work in 6.2.
- **E and F are the weakest rooms on the map visually** — see 7.3. They work as spawns precisely because they are sparse, but they currently read as unlit corridors rather than places.
- **C sits directly above the gated Containment wing.** This is intentional: the player who spawns east starts one locked door away from the greediest room on the floor and can hear it. It is the most interesting spawn on the map and should be watched in playtests for being too strong.

Floor 1 gameplay map



- Player spawn (A–F, new)
- Extraction (existing)
- Extraction (proposed)
- Objective site
- Ward Matron (boss)
- Locked door
- One-way gate
- Stair run
- Corridor
- Disabled (W28)

Room fill encodes elevation: violet-blue is deep (W31 at -11.7 m), warm sand is high (W3 at $+0.3$ m). The number under each room label is its floor height. Drawn from live floor-slab and stair bounds read out of the scene, so what you see is the actual walkable footprint — including the fact that W28 is currently a hole.

Spawn points at player eye height

Rendered from each SpawnPoint_Ground position at floor + 1.75 m along the spawn's facing yaw — what the player sees in the first frame of the match.




A — W3 Watch Post. The strongest spawn narratively: a commander's council chamber with a war table, throne and fireplace. Reads instantly as "you were briefed here". Camera is tight against the throne — back the spawn off 2 m.



B — W4 Purification. Dressed as an alchemy bench. Good identity, but the spawn is nose-to-nose with the props and the collapsed rubble pile beyond blocks the read of the south door.



C — W23 Isolation. Clean, open floor with the west stair visible at the back — the best-composed spawn of the six. Magenta candelabra against green sconces is the palette problem in miniature.



D — W32 Servants. A bunk dormitory — near-perfect spawn fiction. Note the skybox visible through the ceiling at top centre: a real hole in the roof geometry.



E — W26 Recovery. An even rhythm of green sconces around an empty floor. No focal point, no landmark, nothing to orient by. Needs a dressing and lighting pass.



F — W14 Convalescent. The weakest room on the floor: 14 props in a 19 × 17 m hall, almost unlit. Currently unreadable as a place.



For contrast — W16 Grand Infirmary hub. Warm gold, dense two-tier shelving, chandelier, clear focal depth down the nave. This is the quality bar the perimeter rooms are measured against, and the gap is the subject of Section 7.

Objectives & match design

This section is a proposal, not a description — none of it is implemented yet. It is built to use the markers already in the scene wherever possible, so most of it is systems work rather than level work.

4.1 Match shape

Six players, solo queue or three duos, fifteen minutes, one floor. Fifteen minutes is chosen off the map's own geometry: the longest spawn-to-spawn path is roughly 200 m, and at a walking pace with fights that is about four minutes corner to corner. Fifteen gives every player time for roughly three meaningful decisions and one recovery from a bad one.

0:00 – 5:00 · PHASE 1 — DESCENT

Spread out, bank early loot, find out who went which way.

Three Ward Seals light up at 0:30, one per map third. Two extraction sites are open. Enemy density is lowest here.

5:00 – 10:00 · PHASE 2 — CONTEST

The Ward Matron's gate opens; the map's centre of gravity shifts south.

The first two extractions close and a different pair opens, forcing everybody to move. The boss gate unlocks once any three Ward Sigils have been banked *by anyone*.

10:00 – 15:00 · PHASE 3 — COLLAPSE

All five extractions open. Everyone still inside is a target.

Enemy respawn rate doubles. At 15:00 anyone not extracted is lost, with everything they carried.

4.2 The objective ladder

Four tiers, escalating in commitment. A player can win a run at any tier and leave — that optionality is what makes an extraction match tense rather than scripted.

TIER	WHERE	HOW IT PLAYS
1. Ward Seals 3 of 7 per match	The existing objective markers: W2, W5, W9, W18, W19, W21, W28	A 45-second channel. Channelling is loud and throws a light beacon up through the ceiling visible across the map — you are announcing your position to five strangers to get paid. Completing one yields a Ward Sigil plus a loot cache. Randomising which three activate each match kills route memorisation, which is the single biggest thing that flattens a repeated map.
2. Ward Matron W30, boss	Existing Miniboss_WardMatron_W30 marker, behind two locked doors	Her gate opens once any three Sigils have been banked by anyone in the lobby — so the six players cooperate without consenting to it, and the boss room becomes a scheduled collision. She drops the floor's best loot and the Descent Key .
3. Containment W31, optional	Existing Optional_InfectedContainment_W31, gated off the boss room	Pure greed. The deepest room on the floor (–11.7 m), one way in, one way out, high-value gems, an elite guard. Only reachable through the boss arena, so entering means committing after the fight.
4. Opportunistic Everywhere	New chest and gem spawners	Value scales with distance from the nearest spawn multiplied by the number of gates crossed. This is what gives a cautious player a run without forcing them into a Seal channel.

4.3 Extraction — five sites, two open at a time

Today's two extractions produce a start-position lottery: from Spawn B the nearest exit is 51 m; from Spawn F it is 116 m. That is a 2.3× difference in the most important number in the mode. Adding sites alone does not fix it, because it just relocates the lottery. **Rotating which sites are open does.**

ID	SITE	STATUS	CONDITION
----	------	--------	-----------

E1	W6 Waste Disposal (NE)	Exists	Behind the existing LockedDoor_WasteDisposal_W6 — requires the Sluice Lever in W5. Single approach, highly defensible, worth the detour.
E2	South Terminus / Descent (S)	Exists	Always the Phase 3 exit. With the Descent Key it becomes the route to Floor 2 instead of a plain extract.
E3	W12 Kitchen — scullery hatch (E)	New	Open, no condition. The generous early exit.
E4	W29 Mortuary — corpse-cart tunnel (SW)	New	Behind the existing OneWayGate_Mortuary_W29. Thematically ideal: you can get in, but not back out.
E5	W8 Armory — sally port (NW)	New	Open. Serves the north-west, which today has no exit within 140 m.

Extraction ritual. Every site takes a 20-second uninterrupted channel that emits a map-wide audio cue and a light pillar through the roof. Extracting is never quiet. This is what turns the last two minutes of a match into a game rather than a walk.

Enemy positioning

The existing SimpleMobAI uses a 15 m detection radius and a 2.5 m attack radius. Those two numbers drive every placement rule below. Nothing here can be tested until the NavMesh is baked (P0-2).

5.1 Density rings

Density is a function of distance from the nearest spawn, not of room importance. A player should feel the map getting heavier as they commit.

RING	ROOMS	BUDGET	RULE
Ring 0 — safe	The six spawn rooms	0	No enemy within 25 m of a spawn point. With a 15 m detection radius, anything closer means aggro before the player has control.
Ring 1 — perimeter	W1, W2, W5, W7, W10, W11, W13, W17, W24, W27 and the outer corridors	2–3 per room ≈ 28	Patrollers, not guards. They should be walking when first seen, so the player gets to choose the engagement.
Ring 2 — mid / objective	W9, W15, W18, W19, W20, W21, W22, W25, W29, W32	4–5 + 1 elite ≈ 48	Static guards anchored to cover. Objective rooms get their elites on channel start , not on room entry — the danger is the act of taking the Seal, not the room.
Ring 3 — hub & gated	W16, W30, W31, W28	Pack of 6 in the hub, 8 + boss + 4 elites in the gated wing ≈ 20	The hub pack roams and respawns on a 90-second timer so the crossroads is never free real estate.

Floor budget: roughly 95–105 concurrent AI for six players — about 16 per player, which is the right order of magnitude for a fifteen-minute extraction round where combat should be a choice rather than a constant.

5.2 Placement rules

- **Own the stair tops, not the stair bottoms.** With 47 stair runs this map's defining feature is verticality, and a defender at the top of a run fights downhill against an opponent who cannot dodge sideways. Put one mob at the head of every major stair.
- **Corridor mouths, never corridor middles.** Corridors here are about 5.5 m wide — enough to roll in, not enough to circle. A fight that starts inside one is a damage race, which is the least interesting outcome the combat system can produce. Anchor mobs where the corridor opens into the room.
- **Never within 15 m of a blind doorway.** Anything closer aggros through the door before the player can see it, which reads as unfair rather than dangerous.
- **Use the cover that already exists.** The Cathedral's four pillars, the hub's twelve, Triage's two and the nine Cover_Crates are the map's only real cover. Anchor patrols to them so fights happen where cover is.
- **Nothing on the central nave.** Keep the W1→W15→W16→W20→W28 spine walkable so it stays the high-speed contested route. Players should be the danger there.

5.3 Suggested markers

Following the reserved convention already documented for this project:

- Gameplay/Spawners/Enemy_W#_<Archetype>_<n> — with an archetype, a patrol-anchor list and a leash radius per marker
- Gameplay/Loot/Chest_W#_<n> and Gameplay/Loot/Gem_W#_<n> — with a tier field driven by the distance × gate-count formula in 4.2

Level design adjustments

The layout does not need reworking. What it needs is local surgery in about a dozen places, most of it under a day's work each.

6.1 Repairs P0

ITEM	WHAT TO DO	WHY
Re-enable W28 Chapel	Set Props_Dressing/W28_Chapel active. Then move Floor_W28_Chapel back under _Blockout/Floors where every other floor lives.	A disabled dressing group should never be able to delete a room's floor. Restoring the convention makes this class of bug impossible.
Bake the NavMesh	Bake Floor 1 after the Chapel fix. Mark stairs walkable, mark props non-walkable, verify the hub's six approaches connect.	Unblocks every AI decision in Section 5.
Patch the W32 ceiling	A skybox hole is visible from the Spawn D eye-line.	It is in the first frame six players see each match.
Resolve the four stubs	Build or delete W2b, W4b, W9b, W21b.	Named empty groups on live routes are a trap for whoever debugs this next.

6.2 Spawn vestibules P1

All six spawns currently stand inside a dressed room, which reads as "you materialised in someone's kitchen". Each needs a small entry alcove — roughly 6 × 8 m — cut into the map-edge wall behind the spawn, with a sealed or barred outer arch behind the player and a clear sightline to the room's main exit ahead.

This does four things at once: it gives the spawn fiction ("you came in from outside"), it gets the player out of the room's furniture, it gives the spawn-in animation somewhere to play, and it makes a spawn camper visible before they are in range. It is the single highest-value piece of new geometry on this list.

Priority order by need: **B (W4)** and **A (W3)** first — both are jammed against props — then D, C, F, E.

6.3 Extraction sites P1

Three new sites to build (E3 W12 scullery hatch, E4 W29 corpse-cart tunnel, E5 W8 sally port). Each needs the same kit: a terminal alcove, a gate structure matching the existing locked-door language, and clear standing room for a 20-second channel with at least two approach angles so it can be contested rather than simply held.

6.4 Combat space P1

- **Audit the 47 stair runs for cover.** They are this map's signature fights and most of them are currently bare ramps. A single crate or pillar at each stair head changes the fight from a damage race into a positioning problem.
- **Widen or split the southern funnel.** W20 Reliquary is the only route between the hub and the entire south (boss, Chapel, Servants, Mortuary). In Phase 2, when the boss gate opens, every player on the map will be pushed through one 15 × 11.5 m room. Either promote W20 into a proper second crossroads or open a parallel W24→W29 route.
- **Keep the hub open.** W16 has six approaches and twelve pillars — it is already the best-designed combat space on the floor. Add nothing to its centre.

6.5 Vertical layer P2

Six ladder and five balcony markers exist but no balcony geometry does. The overlooks at +4 and +6 in the Chapel, Observation Gallery, Surgery Theatre, Library and Bell Tower would give ranged and ambush positions above the ground loop — the cheapest available way to add tactical depth without touching the floor plan. Build these once the ground game plays well, not before.

Level art adjustments

7.1 The palette has drifted P1

The documented art target is **teal / blue-cyan crystal glow against warm candle gold**. A census of all 513 lights in the scene:

308 GREEN · 60%	141 WARM GOLD · 27%	64 MAGENTA · 12%	0 CYAN · 0%
--------------------	------------------------	---------------------	----------------

The map is **green**. Not teal — green, at 60 % of every light source, from wall sconces that repeat identically in every room. There is not a single cyan light in the dungeon. The warm gold that the reference art is built around survives only in the hub and a handful of finished rooms, which is exactly why the hub screenshot on page 6 looks like a different game from the five spawn shots above it.

Recommendation. Re-colour the wall-sconce lights to the documented amber, and reserve saturated colour for meaning rather than atmosphere:

- **Warm gold** — the default. All sconces, candles, chandeliers, fireplaces. This is what a room looks like when nothing special is happening.
- **Cyan / teal** — crystals, rune circles and **objectives only**. If a player sees cyan, something is interactable. That is a navigation tool, and right now it is being spent on nothing.
- **Magenta / violet** — the Containment and Infected wing only (W30, W31). Currently it is scattered across unrelated rooms, which spends the association for free.
- **Green** — retire as an ambient colour. Keep it for a specific hazard or faction if you want it, but it cannot be both the default and a signal.

7.2 There is no landmark hierarchy P1

Every perimeter room is lit by the same evenly spaced sconce rhythm at the same intensity in the same hue. A player cannot navigate this map by memory, because there is nothing to remember. On a 190 × 175 m map with six spawns, that is a real gameplay problem, not a beauty problem — extraction play depends on knowing where you are relative to where you started.

Recommendation: give each of the six quadrants a signature accent and one tall silhouette landmark visible from its approach corridors. The rooms already carry the fiction — the Watch Post has its war table, the Servants' quarters their bunks, the Isolation ward its stairs. It needs to be legible from the doorway, at distance, in the dark.

7.3 Dressing density is wildly uneven P1

ROOM	PROP TRANSFORMS	READS AS
W15 Triage Hall	295	Finished, dense, excellent
W16 Grand Infirmary (hub)	277	The gold standard
W28 Chapel	233	Finished — but currently switched off
W10 Baths	33	Thin
W17 Physician's Study	34	Thin
W14 Convalescent	14	Empty. A 19 × 17 m hall with nothing in it.

W14 is now Spawn F. A spawn room *should* be lightly dressed — but 14 objects across 320 m² is not restraint, it is absence. Target for the six spawn rooms is **35–60 props**: enough to establish identity and give cover, not enough to obstruct.

7.4 The dark floor is too dark P2

The W14 and W26 eye-height renders are close to unreadable. Ambient is flat at RGB 0.35/0.36/0.40, which should be adequate, so the loss is happening downstream — likely stale lightmaps in rooms that were rebuilt after their last bake. Re-bake, then set a minimum surface-read threshold and check every room against it from the doorway, not from the scene view.

7.5 Objective legibility P1

If Ward Seals are going to drive the match, they have to be findable. Each of the seven objective sites needs an emissive hero object at the room's focal point, readable from every doorway, plus a vertical light shaft on activation that clears the ceiling. That shaft is both the reward signal and the risk — it is how the other five players know where you are.

Build order

Sequenced so that each stage produces something testable rather than something merely finished.

Stage 1 — Make it playable P0

- 1. Re-enable W28 Chapel and move its floor back under _Blockout/Floors.
- 2. Bake the Floor 1 NavMesh.
- 3. Patch the W32 ceiling hole; resolve the four stub rooms.
- 4. ✓ Six spawn points placed and verified — done this session.

Exit criterion: a player can walk from every spawn to every other spawn without falling through the world, and a test mob can path across the floor.

Stage 2 — Make it a match P1

- 1. Spawn manager reading the six SpawnPoint_Ground transforms; assign without repetition.
- 2. Extraction volumes with the 20-second channel, the audio cue and the light pillar. Two sites is enough to test the feel — build E3 and E4 first.
- 3. Enemy spawner markers and the ring density model from Section 5.
- 4. Ward Seal interactable: channel, beacon, Sigil reward.
- 5. Loot spawners on the distance × gate-count formula.

Exit criterion: six players can complete a full fifteen-minute round with a winner and losers.

Stage 3 — Make it good P1

- 1. Spawn vestibules, starting with B and A.
- 2. Palette correction: sconces to gold, cyan reserved for interactables, magenta confined to the Containment wing.
- 3. Dress the six spawn rooms to 35–60 props, W14 and W26 first.
- 4. Landmark pass: one silhouette per quadrant.
- 5. Extraction rotation schedule and the three-phase timer.
- 6. Remaining extraction sites; boss gate logic.

Exit criterion: a playtester who has never seen the map can say where they are without opening a map.

Stage 4 — Depth P2

- 1. Balcony and ladder geometry for the vertical layer.
- 2. Stair-head cover audit across all 47 runs.
- 3. Southern funnel relief at W20.
- 4. Containment wing as a full risk pocket; Descent to Floor 2.

What was changed in the scene today

CHANGE	DETAIL
6 spawn markers added	Under Gameplay/Spawns, each with a SpawnPoint_Ground child at the exact ground position and facing yaw.
2 legacy markers renamed	Spawn_A_IntakeHall → ..._LEGACY_VOID (it stood in empty space) and Spawn_B_Entrance → ..._LEGACY. Neither was deleted; both are superseded.
7 POV renders captured	Assets/Screenshots/POV_Spawn [A–F]_*.png and POV_Hub_W16_from_north.png.

No geometry, dressing, lighting or existing gameplay marker was moved, resized or deleted. Scene saved; console clean of new errors.