TASK 4: COMPLEX MASKING, CORROSION PROTECTION AND SEAM SEALER CONTROL

Vehicle Damage Paint Technician Level 3 | Block 3 | v1.1

TIME	EVIDENCE	PROGRAMME POINT
60 minutes	**Practical | Knowledge | Documentation**	**Weeks 29-42**

Your task

A repaired vehicle section requires complex masking and protection before refinish work continues. You must mask vulnerable areas, identify corrosion protection requirements and document seam sealer or stone chip considerations.

What you must do

1. Confirm the repair area and identify surfaces needing protection or product reinstatement.
2. Mask shuts, trims, adjacent panels and apertures using suitable materials.
3. Review product data for seam sealer, stone chip or corrosion protection where required.
4. Check masking edges, overspray risk, access and contamination controls before handover.
5. Record the completed work, product references and any further action required.

What good evidence looks like

SAFE SETUP

Suitable PPE, a prepared work area and controlled vehicle, component or equipment.

CORRECT METHOD

A logical sequence using the relevant procedure and technical information.

ACCURATE EVIDENCE

Actual readings, findings and actions recorded clearly and precisely.

SOUND DECISIONS

Appropriate recommendations, referral or authorisation supported by evidence.

You will need

- Vehicle section, repaired panel or training shell
- Masking paper, film, tape, foam and trim protection materials
- Seam sealer, stone chip or corrosion protection data sheets
- Inspection lamp, PPE and extraction/ventilation controls
- Job card and evidence capture device

SOW ALIGNMENT

Block 3 - Fillers, Primers, Masking and Corrosion Protection
Duties: D1-D6, D8, D9 KSB evidence focus: K1-K4, K6-K9, S1-S5, B1, B2, B6
Task reference: Block_3_Task_4_Complex_Masking_Corrosion_Protection_and_Seam_Sealer_Control

Apprentice, location and vehicle details

Apprentice name

Date

TASK COMPLETED AT ○ APPRENTICE'S WORKPLACE ○ TRAINING CENTRE

Vehicle make

Model

Registration

Mileage

Panel / repair area

VIN / chassis number

Measurements and technical checks

Masking method used		Apertures protected	
Seam sealer required		Stone chip required	
Corrosion product		Product data checked	
Overspray risk checked		QA outcome	

Masking materials, seam sealer data, corrosion protection data or QA references

Task evidence

PPE and precautions used

Safety-critical findings and immediate action

Work completed, findings and recommendations

Knowledge check

1. Why is complex masking important before refinish material is applied?

2. What could happen if seam sealer is not reinstated correctly?

Knowledge check - continued

3. (a) Why must corrosion protection be considered after panel repair? (b) How can poor masking cause customer complaints or rework?

4. Why should product data be checked before applying stone chip or sealer?

5. (a) What checks should be made before releasing the vehicle section for painting? (b) What photographic evidence would support this task?

Assessor/Workplace Mentor observation

- ☐ Mask apertures, shuts, adjacent panels and vulnerable trims effectively.
- ☐ Use technical data to select suitable product and application approach.
- ☐ Record material choices, masking method and QA findings clearly.
- ☐ Identify corrosion protection, seam sealer and stone chip requirements.
- ☐ Reduce overspray, contamination and rework risk through methodical preparation.

Assessor/Workplace Mentor observation notes

Decision and feedback

Decision - select one

◯ **PASS** ◯ **REFER**

Evidence reference

Feedback and action required

Sign-off

Signatures confirm that this is the apprentice's own work and that the evidence and decision are accurate.

Apprentice name

Assessor/Workplace Mentor name

Apprentice signature

Assessor/Workplace Mentor signature

PIN (if applicable)

Date

Vehicle Damage Paint L3

Task answer continuation | Form accessibility revision 12 November 2026

Use this page when an answer will not fit visibly in its original box.
Reference the question and write "See continuation page" in the original answer.
Keep each response within the visible space. Add another copy of this page if needed.

Apprentice name

Block / task / page number

Question / section reference

Continued answer

Question / section reference

Continued answer

Continuation evidence must be reviewed with the original task and referenced at sign-off.