

Product Compliance Statement

September 14, 2023

Molex is committed to managing the use of chemical substances in accordance with governmental regulations, industry standards, and customer-specific requirements in order to protect the environment. For each part listed, this document provides:

- **EU REACH SVHC Content.** Substances of Very High Concerns (SVHCs) are declared if above 0.1% of the article per Regulation (EC) No. 1907/2006 and its subsequent amendments. The Candidate List of SVHCs is continually updated at <https://echa.europa.eu/candidate-list-table>.

Molex's sole liability for incorrectly certifying a product shall be either replacement of the Molex product or, alternatively and in the sole discretion of Molex, return of the purchase price paid for the relevant Molex product.

For additional information regarding Molex's environmental initiatives and further explanation of this information, please visit www.molex.com



Haim Eliyahu
Director, Global Product Stewardship

Table A

Molex P/N	Part Description	REACH SVHC
0050579708	SL Crimp Housing, Single Row, Version N, TPA with Positive Latch, 8 Circuits, Black	Not Contained per - D(2023)3788-DC (14 Jun 2023)
0457503111	Mini-Fit Plus Crimp Terminal, 16 AWG, Reel, Copper (Cu) Alloy, Tin (Sn)	Not Contained per - D(2023)3788-DC (14 Jun 2023)
0436450800	Micro-Fit 3.0 Receptacle Housing, Single Row, 8 Circuits, UL 94V-0, Black	Not Contained per - D(2023)3788-DC (14 Jun 2023)
0467652301	0.40mm Pitch Micro HDMI Connector, Right-Angle Receptacle, Surface Mount, Hybrid Type Mount, with Pick-and-Place Polyimide Tape, 19 Circuits, Lead-Free	Not Contained per - D(2023)3788-DC (14 Jun 2023)
0430251000	Micro-Fit 3.0 Receptacle Housing, Dual Row, 10 Circuits, UL 94V-0, Low-Halogen, Black	Not Contained per - D(2022)9120-DC (17 Jan 2023)
0039012101	Mini-Fit Jr. Plug Housing, Dual Row, 10 Circuits, UL 94V-2, with Panel Mounting Ears, Natural	Not Contained per - D(2022)9120-DC (17 Jan 2023)
0559591430	2.00mm Pitch MicroClasp Wire-to-Board Header, Dual Row, Right Angle, 14 Circuits	Not Contained per - D(2022)9120-DC (17 Jan 2023)
0022032061	KK 254 Wire-to-Board Header, Single Row, Vertical, 6 Circuits, PA Polyamide Nylon, Tin (Sn) Plating	Not Contained per - D(2023)3788-DC (14 Jun 2023)
0039299146	Mini-Fit Jr. Vertical Header, 4.20mm Pitch, Dual Row, 14 Circuits, with Snap-in Plastic Peg PCB Lock, Tin, Natural	Not Contained per - D(2023)3788-DC (14 Jun 2023)
0526102033	Easy-On FFC/FPC Connector, 1.00mm Pitch, Slider Series, Vertical, 5.75mm Height, 20 Circuits, Tin-Silver-Bismuth Plating	Not Contained per - D(2023)3788-DC (14 Jun 2023)
0513530800	2.00mm Pitch MicroClasp Wire-to-Board Receptacle Housing, Positive Lock, Dual Row, 8 Circuits, White	Not Contained per - D(2022)9120-DC (17 Jan 2023)
0039012065	Mini-Fit Jr. Receptacle Housing, Dual Row, 6 Circuits, UL 94V-0, Natural	Not Contained per - D(2023)3788-DC (14 Jun 2023)
1062681021		Not Reviewed
0150200061	0.50mm Pitch Premo-Flex FFC Jumper, Same Side Contacts (Type A), 152.00mm Cable Length, Gold (Au) Plating, 6 Circuits	Not Contained per - D(2023)3788-DC (14 Jun 2023)

Table A

Molex P/N	Part Description	REACH SVHC
5024304012	SlimStack Board-to-Board Plug, 0.40mm Pitch, Surface Mount, Dual Row, Vertical Stacking, 1.00mm Stacking Height, with Solder Tabs, 40 Circuits	Not Contained per - D(2023)3788-DC (14 Jun 2023)
1722536011	Ultra-Fit Tangless Crimp Terminal, Female, 0.38µm Gold (Au) Plating, 16-18 AWG	Not Contained per - D(2023)3788-DC (14 Jun 2023)
0430300001	Micro-Fit 3.0 Crimp Terminal, Female, with Tin (Sn) Plated Phosphor Bronze Contact, 20-24 AWG, Reel	Not Contained per - D(2023)3788-DC (14 Jun 2023)
0874270842	Mini-Fit Jr. Header, 4.20mm Pitch, Vertical, without Flange, 8 Circuits, Tin (Sn) over Nickel (Ni) Plating, Bulk Packaging	Not Contained per - D(2022)9120-DC (17 Jan 2023)
0782141001	Impact 4 Pair, Vertical Power Receptacle, Press-Fit, LCP, Glass Filled UL94-V0, Black, Lead-Free	Not Contained per - D(2023)3788-DC (14 Jun 2023)
0428160612	10.00mm Pitch Mini-Fit Sr. Receptacle Housing, Single Row, 6 Circuit, Black	Not Contained per - D(2022)9120-DC (17 Jan 2023)
0834249014	1.27mm Pitch Commercial Micro-D, Cable Receptacle Kit, 25 Circuits	Missing Compliance Data
0467651301	0.40mm Pitch Micro HDMI Connector, Right-Angle Receptacle, Surface Mount, with Through Hole Shell Tabs and Pick-and-Place Polyimide Tape, 19 Circuits, Lead-Free	Not Contained per - D(2023)3788-DC (14 Jun 2023)
0446470001	0.65mm Pitch IEEE 1394b-2002 Shielded I/O PCB Bilingual Socket, Right-Angle, Surface Mount	Not Contained per - D(2023)3788-DC (14 Jun 2023)
0436500316	Micro-Fit 3.0 Vertical Header, 3.00mm Pitch, Single Row, 3 Circuits, with PCB Polarizing Peg, Gold, Glow-Wire Capable, Black	Not Contained per - D(2023)3788-DC (14 Jun 2023)
1726480102	Mini-Fit Jr. Header, Single Row, Right-Angle, with Snap-in Plastic Peg PCB Lock, 2 Circuits, PA Polyamide Nylon 6/6, 94V-2, Tin (Sn) Plating, Glow-Wire Capable	Not Contained per - D(2023)3788-DC (14 Jun 2023)
0901200762	2.54mm Pitch C-Grid III Header, Single Row, Vertical, 2 Circuits, 0.38µm Gold (Au) Selective Plating	Not Contained per - D(2023)3788-DC (14 Jun 2023)
0757053103	GbX I-Trac Vertical Header Module, 1.85mm by 3.70mm Pitch, Left Guide, Right Open, 11 Rows, 10 Columns, 220 Circuits, Mating Pin Length 4.70mm	Not Contained per - D(2023)3788-DC (14 Jun 2023)

Table A

Molex P/N	Part Description	REACH SVHC
1062681067		Contained per - D(2022)4187-DC (10 June 2022)
1062681065		Contained per - D(2022)4187-DC (10 June 2022)
0747500040	QSFP+ Cage Assembly with Heat Sink, 2 Rear Legs with EMI Spring Fingers, Press-Fit Pins	Not Contained per - D(2023)3788-DC (14 Jun 2023)
0436500228	Micro-Fit 3.0 Vertical Header, 3.00mm Pitch, Single Row, 2 Circuits, with PCB Polarizing Peg, Gold, Glow-Wire Capable, Black	Not Contained per - D(2023)3788-DC (14 Jun 2023)
0430451002	Micro-Fit 3.0 Right-Angle Header, 3.00mm Pitch, Dual Row, 10 Circuits, with Snap-in Plastic Peg PCB Lock, Gold, Glow-Wire Capable, Black	Not Contained per - D(2022)9120-DC (17 Jan 2023)
0545501171	0.50mm Pitch Easy-On FFC/FPC Connector, 1.20mm Height, Right-Angle, Surface Mount, ZIF, Top Contact Style, 11 Circuits, Gold (Au) Contact Plating	Not Contained per - D(2023)3788-DC (14 Jun 2023)
0559591630	2.00mm Pitch MicroClasp Wire-to-Board Header, Dual Row, Right Angle, 16 Circuits	Not Contained per - D(2023)3788-DC (14 Jun 2023)
0428150012	Mini-Fit Sr. Crimp Terminal, Female, 10-12 AWG, Gold (Au)	Not Contained per - D(2023)3788-DC (14 Jun 2023)
0701070002	SL Wire-to-Wire Crimp Housing, Single Row, Version A, without Mounting Ears, 3 Circuits, Black	Not Contained per - D(2023)3788-DC (14 Jun 2023)
0538850208	0.50mm Pitch SlimStack Plug, Surface Mount, Dual Row, Vertical, 2.50mm Stack Height, without Solder Tab, 20 Circuits	Not Contained per - D(2022)9120-DC (17 Jan 2023)
1837041061	SFP+ 10G 850nm 300m C STD S0479 MX	Contained per - D(2021)10043-DC (17 Jan 2022)
1062681005	CIRCL RCPTCL W/LNSD MT-4XLC MM 50 JMPR	Product not active
0430450402	Micro-Fit 3.0 Right-Angle Header, 3.00mm Pitch, Dual Row, 4 Circuits, with Snap-in Plastic Peg PCB Lock, Gold, Glow-Wire Capable, Black	Not Contained per - D(2023)3788-DC (14 Jun 2023)
0430250400	Micro-Fit 3.0 Receptacle Housing, Dual Row, 4 Circuits, UL 94V-0, Low-Halogen, Black	Not Contained per - D(2023)3788-DC (14 Jun 2023)

Table A

Molex P/N	Part Description	REACH SVHC
0039000219	Mini-Fit Male Crimp Terminal, Phosphor Bronze, Gold (Au), 18-24 AWG, Reel	Not Contained per - D(2022)9120-DC (17 Jan 2023)
0457501211	Mini-Fit Plus Crimp Terminal, 18-20 AWG, Reel, Copper (Cu) Alloy, Gold (Au) Selective	Not Contained per - D(2022)9120-DC (17 Jan 2023)
5011892010	1.00mm Pitch, Pico-Clasp Low-Halogen Receptacle Crimp Housing, Dual Row, Inner Positive Lock, 20 Circuits, White	Not Contained per - D(2023)3788-DC (14 Jun 2023)
0039000430	Mini-Fit Male Crimp Terminal, Brass, Gold (Au) Contact Plating, Lead-free, 18-24 AWG, Reel	Not Contained per - D(2023)3788-DC (14 Jun 2023)
1061141110	EMI MPO Adapter, Simplex, Metal Body, Flange Mounting Style, Shutter, No EMI Gasket, Laser Warning installed on adapter	Not Contained per - D(2022)9120-DC (17 Jan 2023)
0436450500	Micro-Fit 3.0 Receptacle Housing, Single Row, 5 Circuits, UL 94V-0, Black	Not Contained per - D(2022)9120-DC (17 Jan 2023)
0039013022	Mini-Fit Jr. Receptacle Housing, Dual Row, 2 Circuits, UL 94V-2, Natural	Not Contained per - D(2023)3788-DC (14 Jun 2023)
1054500101	Universal Serial Bus (USB) Shielded I/O Receptacle, Type C, Right-Angle, Top Mount, Surface Mount, Gold (Au) Flash over 0.76µm Palladium Nickel Plating	Not Contained per - D(2023)3788-DC (14 Jun 2023)
0500798000	1.25mm Pitch, PicoBlade Female Crimp Terminal, Tin (Sn) Plating, 26-28 AWG, Reel	Not Contained per - D(2023)3788-DC (14 Jun 2023)
0830410005	Jackpost for Commercial Micro-D PCB Mount Plugs, 2-56 UNC-2B Internal Thread	Not Contained per - D(2023)3788-DC (14 Jun 2023)
0430300004	Micro-Fit 3.0 Crimp Terminal, Female, with Tin (Sn) Plated Phosphor Bronze Contact, 26-30 AWG, Reel	Not Contained per - D(2023)3788-DC (14 Jun 2023)
0039013023	Mini-Fit Jr. Plug Housing, Dual Row, 2 Circuits, UL 94V-2, without Panel Mounting Ears, Natural	Not Contained per - D(2022)9120-DC (17 Jan 2023)
0755860011	0.80mm Pitch, iPass I/O Surface Mount Receptacle, Right-Angle, External Application, 38 Circuit, 0.76µm Gold (Au), Supports QSFP14 / FDR	Not Contained per - D(2023)3788-DC (14 Jun 2023)

Table A

Molex P/N	Part Description	REACH SVHC
0526101033	Easy-On FFC/FPC Connector, 1.00mm Pitch, Slider Series, Vertical, 5.75mm Height, 10 Circuits, Tin-Silver-Bismuth Plating	Not Contained per - D(2023)3788-DC (14 Jun 2023)
0513533200	2.00mm Pitch MicroClasp Wire-to-Board Receptacle Housing, Positive Lock, Dual Row, 32 Circuits, White	Not Contained per - D(2023)3788-DC (14 Jun 2023)
0039289048	Mini-Fit Jr. Vertical Header, 4.20mm Pitch, Dual Row, 4 Circuits, with Snap-in Plastic Peg PCB Lock, Gold, Natural	Not Contained per - D(2023)3788-DC (14 Jun 2023)
0039012085	Mini-Fit Jr. Receptacle Housing, Dual Row, 8 Circuits, UL 94V-0, Natural	Not Contained per - D(2023)3788-DC (14 Jun 2023)
0150201506		Contained per - D(2023)3788-DC (14 Jun 2023)
0436500326	Micro-Fit 3.0 Vertical Header, 3.00mm Pitch, Single Row, 3 Circuits, with Solder Tab, Gold, Glow-Wire Capable, Black, Tape and Reel	Not Contained per - D(2023)3788-DC (14 Jun 2023)
1053132303	Nano-Fit Right-Angle Header, Through Hole, 2.50mm Pitch, Single Row, 3 Circuits, 0.76µm Gold (Au) Plating, Natural, Glow-Wire Capable, Tray	Not Contained per - D(2023)3788-DC (14 Jun 2023)
0430451013	Micro-Fit 3.0 Vertical Header, 3.00mm Pitch, Dual Row, 10 Circuits, with PCB Polarizing Peg, Gold, Glow-Wire Capable, Black	Not Contained per - D(2023)3788-DC (14 Jun 2023)
0430450213	Micro-Fit 3.0 Vertical Header, 3.00mm Pitch, Dual Row, 2 Circuits, with PCB Polarizing Peg, Gold, Glow-Wire Capable, Black	Not Contained per - D(2023)3788-DC (14 Jun 2023)
0430451422	Micro-Fit 3.0 Right-Angle Header, 3.00mm Pitch, Dual Row, 14 Circuits, with PCB Press-fit Metal Retention Clip, Gold, Glow-Wire Capable, Black	Not Contained per - D(2023)3788-DC (14 Jun 2023)
0460123141	Mini-Fit Plus Crimp Terminal, 16 AWG, Reel, Tin (Sn) Plating	Not Contained per - D(2023)3788-DC (14 Jun 2023)
0430250200	Micro-Fit 3.0 Receptacle Housing, Dual Row, 2 Circuits, UL 94V-0, Low-Halogen, Black	Not Contained per - D(2023)3788-DC (14 Jun 2023)
0874380643	1.50mm Pitch, Pico-SPOX PCB Header, Single Row, Right-Angle, Surface Mount, Tin over Nickel Plating, Friction Lock, 6 Circuits, Tape and Reel, Beige	Not Contained per - D(2022)9120-DC (17 Jan 2023)

Table A

Molex P/N	Part Description	REACH SVHC
1200860475	Nano-Change (M8) Single-Ended Cordset, 5 Poles, Female (Straight) to Pigtail, 0.25mm ² PUR/PVC Cable, 5.0m (16.40') Length, PUR Cable Preferred Version in Europe	Contained per - D(2022)9120-DC (17 Jan 2023)
0430250400	Micro-Fit 3.0 Receptacle Housing, Dual Row, 4 Circuits, UL 94V-0, Low-Halogen, Black	Not Contained per - D(2023)3788-DC (14 Jun 2023)
0190020005	Avikrimp Fully Insulated Quick Disconnect, Female, for 18-22 AWG Wire, Box	Not Contained per - D(2022)9120-DC (17 Jan 2023)
0901190121	C-Grid III Female Crimp Terminal, 26-28 AWG, Reel, 0.38µm Selective Gold (Au)	Not Contained per - D(2023)3788-DC (14 Jun 2023)
0874271002	Mini-Fit Jr. Header, 4.20mm Pitch, Right-Angle, without Flange, 10 Circuits, Tin (Sn) over Nickel (Ni) Plating	Not Contained per - D(2022)9120-DC (17 Jan 2023)
0736701590		Not Contained per - D(2023)3788-DC (14 Jun 2023)
0522070833	Easy-On FFC/FPC Connector, 1.00mm Pitch, Slider Series, Right-Angle, Top Contact, 2.70mm Height, 8 Circuits, Tin-Silver-Bismuth Plating	Not Contained per - D(2023)3788-DC (14 Jun 2023)
1060770026		Not Contained per - D(2023)3788-DC (14 Jun 2023)
0436400301	Micro-Fit 3.0 Plug Housing, Single Row, 3 Circuits, UL 94V-0, Low-Halogen, Black	Not Contained per - D(2023)3788-DC (14 Jun 2023)
0039301062	Mini-Fit Jr. Header, Dual Row, Right-Angle, with Snap-in Plastic Peg PCB Lock, 6 Circuits, PA Polyamide Nylon 6/6 94V-0, 0.76µm Select Gold (Au) Plating	Not Contained per - D(2022)9120-DC (17 Jan 2023)
0018121222	3.18mm Diameter HCS-125 Pin and Socket Crimp Terminal, Series 2047, Female, with Tin (Sn) Plated Brass Contact, 16-18 AWG, Bag	Not Contained per - D(2023)3788-DC (14 Jun 2023)
0511101451	2.00mm Pitch, Milli-Grid Receptacle Housing, 14 Circuits, with Center Polarization Key, with Locking Ramp, Lead-Free	Not Contained per - D(2023)3788-DC (14 Jun 2023)
5016471000	2.00mm Pitch, iGrid Female Crimp Terminal, Tin (Sn) Plating, 22-26 AWG, Reel	Not Contained per - D(2023)3788-DC (14 Jun 2023)

Table A

Molex P/N	Part Description	REACH SVHC
0679105700		Not Contained per - D(2023)3788-DC (14 Jun 2023)
0016020077	SL Crimp Terminal, Series 70021, Male, with 0.38µm Selective Gold (Au) Plated Contact, 24-30 AWG, Reel	Not Contained per - D(2022)9120-DC (17 Jan 2023)
0039289068	Mini-Fit Jr. Vertical Header, 4.20mm Pitch, Dual Row, 6 Circuits, with Snap-in Plastic Peg PCB Lock, Gold, Natural	Not Contained per - D(2022)9120-DC (17 Jan 2023)
1060770085		Not Reviewed
1062681108		Not Reviewed
1062681103		Not Contained per - D(2022)9120-DC (17 Jan 2023)
1001930027		Not Contained per -ED/71/2019 (16 July 2019)
0430200400	Micro-Fit 3.0 Plug Housing, Dual Row, 4 Circuits, UL 94V-0, Panel Mount Ears, Low-Halogen, Black	Not Contained per - D(2023)3788-DC (14 Jun 2023)
1707290001	iPass+ zHD Vertical Internal Connector Assembly, 1x1, Through Hole, 0.76µm Gold (Au) Plating	Not Contained per - D(2023)3788-DC (14 Jun 2023)
0428202224	10.00mm Pitch Mini-Fit Sr. Header, Single Row, Right-Angle, 2.36mm PCB Thickness, Silver (Ag) Plating, 2 Circuits	Not Contained per - D(2022)9120-DC (17 Jan 2023)
0428206223	10.00mm Pitch Mini-Fit Sr. Header, Single Row, Right-Angle, 2.36mm PCB Thickness, 0.76µm Gold (Au) Selective Plating, 6 Circuits	Not Contained per - D(2023)3788-DC (14 Jun 2023)
0545501471	0.50mm Pitch Easy-On FFC/FPC Connector, 1.20mm Height, Right-Angle, Surface Mount, ZIF, Top Contact Style, 14 Circuits, Gold (Au) Contact Plating	Not Contained per - D(2022)9120-DC (17 Jan 2023)
0436500600	Micro-Fit 3.0 Right-Angle Header, 3.00mm Pitch, Single Row, 6 Circuits, with Snap-in Plastic Peg PCB Lock, Tin, Glow-Wire Capable, Black	Not Contained per - D(2022)9120-DC (17 Jan 2023)
0022284110	KK 254 Breakaway Header, Vertical, 11 Circuits, Tin (Sn) Plating, Mating Pin Length 6.09mm	Not Contained per - D(2023)3788-DC (14 Jun 2023)
0559590830	2.00mm Pitch MicroClasp Wire-to-Board Header, Dual Row, Right Angle, 8 Circuits	Not Contained per - D(2023)3788-DC (14 Jun 2023)

Table A

Molex P/N	Part Description	REACH SVHC
0430251800	Micro-Fit 3.0 Receptacle Housing, Dual Row, 18 Circuits, UL 94V-0, Low-Halogen, Black	Not Contained per - D(2022)9120-DC (17 Jan 2023)
0039014060	Mini-Fit Jr. Receptacle Housing, Single Row, 6 Circuits, UL 94V-2, Natural	Not Contained per - D(2023)3788-DC (14 Jun 2023)
0436400201	Micro-Fit 3.0 Plug Housing, Single Row, 2 Circuits, UL 94V-0, Low-Halogen, Black	Not Contained per - D(2022)9120-DC (17 Jan 2023)
5031481890	1.50mm Pitch, CLIK-Mate PCB Receptacle, Dual Row, Surface Mount, Right-Angle, Tin Plating, Positive Lock, 18 Circuits, Natural	Not Contained per - D(2023)3788-DC (14 Jun 2023)
0436400208	Micro-Fit 3.0 Plug Housing, Single Row, 2 Circuits, UL 94V-0, Panel Mount Ears, Low-Halogen Since Inception, Black	Not Contained per - D(2022)9120-DC (17 Jan 2023)
0430200800	Micro-Fit 3.0 Plug Housing, Dual Row, 8 Circuits, UL 94V-0, Panel Mount Ears, Low-Halogen, Black	Not Contained per - D(2023)3788-DC (14 Jun 2023)
0039012065	Mini-Fit Jr. Receptacle Housing, Dual Row, 6 Circuits, UL 94V-0, Natural	Not Contained per - D(2023)3788-DC (14 Jun 2023)
0039014021	Mini-Fit Jr. Receptacle Housing, Single Row, 2 Circuits, UL 94V-0, Natural	Not Contained per - D(2023)3788-DC (14 Jun 2023)
0510670400	Mighty-SPOX Wire-to-Wire and Wire-to-Board Housing, 3.50mm Pitch, Positive Lock, 4 Circuits, Natural	Not Contained per - D(2022)9120-DC (17 Jan 2023)
0039000041	Mini-Fit Male Crimp Terminal, Tin (Sn) over Copper (Cu) Plated Brass Contact, 18-24 AWG, Bag	Not Contained per - D(2023)3788-DC (14 Jun 2023)
1062681102		Not Reviewed
5016452820	2.00mm Pitch, iGrid PCB Header, Dual Row, Vertical, Through Hole, Tin (Sn) Plating, Positive Lock, 28 Circuits, Tray, 3.20mm PC Tail Length, Natural, with PCB Locator	Not Contained per - D(2023)3788-DC (14 Jun 2023)
0878336020	2.00mm Pitch, Milli-Grid PCB Header, Dual Row, Right-Angle, Through Hole, 12 Circuits, 0.38µm Gold (Au) Plating, without PCB Locator, without Locking Window, Center Polarization Slot, Tube	Not Contained per - D(2023)3788-DC (14 Jun 2023)
0559592030	2.00mm Pitch MicroClasp Wire-to-Board Header, Dual Row, Right Angle, 20 Circuits	Not Contained per - D(2022)9120-DC (17 Jan 2023)

Table A

Molex P/N	Part Description	REACH SVHC
1726480106	Mini-Fit Jr. Header, Single Row, Right-Angle, with Snap-in Plastic Peg PCB Lock, 6 Circuits, PA Polyamide Nylon 6/6, 94V-2, Tin (Sn) Plating, Glow-Wire Capable	Not Contained per - D(2023)3788-DC (14 Jun 2023)
0008500113	KK 254 Crimp Terminal, 22-30 AWG, Hot Tin (Sn) Dip Plating	Not Contained per - D(2023)3788-DC (14 Jun 2023)
5011935000	1.00mm Pitch, Pico-Clasp Female Crimp Terminal, Gold Plating 0.76µm, 28-32 AWG, Reel	Not Contained per - D(2023)3788-DC (14 Jun 2023)
0462350002	Micro-Fit RMF Reduced Mating Force, Crimp Terminal, Female, with 0.76µm Selective Gold (Au) over Nickel (Ni), 20-24 AWG, without Lubricant	Not Contained per - D(2022)9120-DC (17 Jan 2023)
0768230321	Mega-Fit Crimp Terminal, Female, Tin (Sn) Plating, 14 and 16 AWG, Reel	Not Contained per - D(2023)3788-DC (14 Jun 2023)
1722643002	Ultra-Fit Tangless Terminal Position Assurance (TPA), 3.50mm Pitch, 2 Circuits, Black	Not Contained per - D(2023)3788-DC (14 Jun 2023)
1062681093		Not Reviewed
0016020082	SL Crimp Terminal, Series 70058, Female, 24-30 AWG, with 0.38µm Selective Gold (Au) Plated Contact, Reel	Not Contained per - D(2023)3788-DC (14 Jun 2023)
0039000220	Mini-Fit Male Crimp Terminal, Phosphor Bronze, Gold (Au), 18-24 AWG, Bag	Not Contained per - D(2022)9120-DC (17 Jan 2023)
0039000221	Mini-Fit Male Crimp Terminal, Phosphor Bronze, Gold (Au), 22-28 AWG, Reel	Not Contained per - D(2022)9120-DC (17 Jan 2023)
0050579402	SL Crimp Housing, Single Row, Version G, Positive Latch, 2 Circuits, Black	Not Contained per - D(2023)3788-DC (14 Jun 2023)
0039000434	Mini-Fit Female Crimp Terminal, Selective Gold (Au) and Selective Tin (Sn) over Nickel (Ni), 22-28 AWG, Reel	Not Contained per - D(2023)3788-DC (14 Jun 2023)
0559170830	2.00mm Pitch MicroClasp Wire-to-Board Header, Dual Row, Vertical, 8 Circuits, without PCB Locator	Not Contained per - D(2023)3788-DC (14 Jun 2023)
0050375073	2.50mm Pitch, Mini-SPOX Receptacle Crimp Housing, Single Row, Friction Lock, 7 Circuits, Natural	Not Contained per - D(2022)9120-DC (17 Jan 2023)

Table A

Molex P/N	Part Description	REACH SVHC
0039000077	Mini-Fit Female Crimp Terminal, Tin (Sn) over Copper (Cu) Plated Brass, 16, 18+22, 20+20, 20+22 AWG, Reel	Not Contained per - D(2023)3788-DC (14 Jun 2023)
0460123241	Mini-Fit Plus Crimp Terminal, 16 AWG, Reel, 0.76µm Selective Gold (Au) Plating	Not Contained per - D(2022)9120-DC (17 Jan 2023)
0191930148	VersaKrimp Ring Tongue Terminal for 8 AWG Wire, Stud Size 8 (M4), Mylar Tape Carrier	Not Contained per - D(2023)3788-DC (14 Jun 2023)
0039000430	Mini-Fit Male Crimp Terminal, Brass, Gold (Au) Contact Plating, Lead-free, 18-24 AWG, Reel	Not Contained per - D(2023)3788-DC (14 Jun 2023)
0039000039	Mini-Fit Female Crimp Terminal, Tin (Sn) over Copper (Cu) Plated Brass, 18-24 AWG, Bag	Not Contained Per - D(2021)10043-DC (17 Jan 2022)
0016020081	SL Crimp Terminal, Series 70021, Male, with 0.38µm Selective Gold (Au) Plated Contact, 22-24 AWG, Reel	Not Contained per - D(2022)9120-DC (17 Jan 2023)
0039000433	Mini-Fit Male Crimp Terminal, Brass, Gold (Au) Contact Plating, Lead-free, 22-28 AWG, Loose	Not Contained per - D(2023)3788-DC (14 Jun 2023)
0430310002	Micro-Fit 3.0 Crimp Terminal, Male, with 0.38µm Select Gold (Au) Plated Phosphor Bronze Contact, 20-24 AWG, Reel	Not Contained per - D(2022)9120-DC (17 Jan 2023)
0830009502	Commercial Micro-D Socket Terminal, 5,000 per Reel	Not Contained per - D(2022)9120-DC (17 Jan 2023)
0457501212	Mini-Fit Plus Crimp Terminal, 18-20 AWG, Bag, Copper (Cu) Alloy, Gold (Au) Selective	Not Contained per - D(2023)3788-DC (14 Jun 2023)
0460123241	Mini-Fit Plus Crimp Terminal, 16 AWG, Reel, 0.76µm Selective Gold (Au) Plating	Not Contained per - D(2022)9120-DC (17 Jan 2023)
0190020002	Avikrimp Fully Insulated Quick Disconnect, Female, for 18-22 AWG Wire, Mylar Tape	Not Contained per - D(2023)3788-DC (14 Jun 2023)
0476591101	HDMI Receptacle, Vertical, 8.50mm Mounted Height, Surface Mount, 0.38µm Gold (Au) Plating, with Cap, 19 Circuits, Tape and Reel, Lead-Free	Not Contained per - D(2023)3788-DC (14 Jun 2023)

Table A

Molex P/N	Part Description	REACH SVHC
0430300007	Micro-Fit 3.0 Crimp Terminal, Female, with Tin (Sn) Plated Phosphor Bronze Contact, 20-24 AWG, Bag	Not Contained per - D(2022)9120-DC (17 Jan 2023)
0502128000	2.00mm Pitch, Micro-Latch Female Crimp Terminal, Tin (Sn) Plating, 24-30 AWG, Reel	Not Contained per - D(2023)3788-DC (14 Jun 2023)
0747503040	QSFP+ 1X1 CG ASY HS 2RL W/SS TAB TYP SF	Not Contained per - D(2023)3788-DC (14 Jun 2023)
0522071085	Easy-On FFC/FPC Connector, 1.00mm Pitch, Slider Series, Right-Angle, Top Contact, 2.70mm Height, 10 Circuits, Tin-Bismuth Plating	Not Contained per - D(2023)3788-DC (14 Jun 2023)
2089875681	MOLEX P/N NOT RECOGNIZED	-
1054110104	Mega-Fit Plug Housing, Dual Row, 4 Circuit, UL 94V-0, Glow-Wire Capable, Free Hanging	Not Contained per - D(2022)9120-DC (17 Jan 2023)
1722583104	Ultra-Fit Tangless Receptacle Housing, 3.50mm Pitch, Dual Row, 4 Circuits, Black, Glow-Wire Capable	Not Contained per - D(2023)3788-DC (14 Jun 2023)
0559171810	2.00mm Pitch MicroClasp Wire-to-Board Header, Dual Row, Vertical, 18 Circuits, with PCB Locator	Not Contained per - D(2022)9120-DC (17 Jan 2023)
0430450229	Micro-Fit 3.0 Vertical Header, 3.00mm Pitch, Dual Row, 2 Circuits, with PCB Polarizing Peg, Gold, Glow-Wire Capable, Black	Not Contained per - D(2022)9120-DC (17 Jan 2023)
5034801400	Easy-On FFC/FPC Connector, 0.50mm Pitch, FBH1 Series, Right-Angle, Dual Contact, 1.00mm Height, 14 Circuits, Gold over Nickel Plating	Not Contained per - D(2022)9120-DC (17 Jan 2023)
5013300600	1.00mm Pitch, Pico-Clasp Low-Halogen Receptacle Crimp Housing, Single Row, Inner Positive Lock, 6 Circuits, White	Not Contained per - D(2023)3788-DC (14 Jun 2023)
1064134612		Not Reviewed
0430310005	Micro-Fit 3.0 Crimp Terminal, Male, with 0.38µm Select Gold (Au) Plated Phosphor Bronze Contact, 26-30 AWG, Reel	Not Contained per - D(2022)9120-DC (17 Jan 2023)
0039288100	Mini-Fit Jr. Vertical Header, 4.20mm Pitch, Dual Row, 10 Circuits, without Snap-in Plastic Peg PCB Lock, Tin, Natural	Not Contained per - D(2022)9120-DC (17 Jan 2023)
5050700622	SlimStack Board-to-Board Plug, 0.35mm Pitch, SSB RP Series, 0.60 or 0.70mm Mated Height, 2.00mm Mated Width, 6 Circuits, Armor Nail, 0.15mm Fitting Nail Width	Not Contained per - D(2023)3788-DC (14 Jun 2023)

Table A

Molex P/N	Part Description	REACH SVHC
1731120063	FCT Metal Dust Cap for Size 1 Male D-sub, 4-40 UNC Thread Screws	Contained per - D(2023)3788-DC (14 Jun 2023)
5024302012	SlimStack Board-to-Board Plug, 0.40mm Pitch, Surface Mount, Dual Row, Vertical Stacking, 1.00mm Stacking Height, with Solder Tabs, 20 Circuits	Not Contained per - D(2023)3788-DC (14 Jun 2023)
0042000060	MOLEX P/N NOT RECOGNIZED	-
0042000032	MOLEX P/N NOT RECOGNIZED	-
0042000134	MOLEX P/N NOT RECOGNIZED	-
0042000140	MOLEX P/N NOT RECOGNIZED	-
5050700622	SlimStack Board-to-Board Plug, 0.35mm Pitch, SSB RP Series, 0.60 or 0.70mm Mated Height, 2.00mm Mated Width, 6 Circuits, Armor Nail, 0.15mm Fitting Nail Width	Not Contained per - D(2023)3788-DC (14 Jun 2023)
0074500031	MOLEX P/N NOT RECOGNIZED	-
0079000100	MOLEX P/N NOT RECOGNIZED	-
0071001307	MOLEX P/N NOT RECOGNIZED	-
0041000159	MOLEX P/N NOT RECOGNIZED	-
0041000148	MOLEX P/N NOT RECOGNIZED	-
0074500040	MOLEX P/N NOT RECOGNIZED	-
0001138199	MOLEX P/N NOT RECOGNIZED	-
0039000040	Mini-Fit Male Crimp Terminal, Tin (Sn) over Copper (Cu) Plated Brass Contact, 18-24, 22+22 AWG, Reel	Not Contained per - D(2023)3788-DC (14 Jun 2023)
1051330011	Micro-USB B Receptacle, Vertical, Surface Mount, 6.70mm Height, 2.30mm Solder Tabs, Lead-Free	Not Contained per - D(2023)3788-DC (14 Jun 2023)
0022012027	KK 254 Crimp Housing, Friction Ramp, 2 Circuits, Natural	Not Contained per - D(2023)3788-DC (14 Jun 2023)
0430300008	Micro-Fit 3.0 Crimp Terminal, Female, with Select Gold (Au) Plated Phosphor Bronze Contact, 20-24 AWG, Bag	Not Contained per - D(2022)9120-DC (17 Jan 2023)
5008730806	1.10mm Pitch microSD Memory Card Connector, Normal Mount Surface Mount	Not Contained per - D(2023)3788-DC (14 Jun 2023)
0430452012	Micro-Fit 3.0 Vertical Header, 3.00mm Pitch, Dual Row, 20 Circuits, with PCB Polarizing Peg, Tin, Glow-Wire Capable, Black	Not Contained per - D(2022)9120-DC (17 Jan 2023)

Table A

Molex P/N	Part Description	REACH SVHC
0022232051	KK 254 Solid Header, Vertical, with Friction Lock, 5 Circuits, Tin (Sn) Plating	Not Contained per - D(2022)9120-DC (17 Jan 2023)
0430252000	Micro-Fit 3.0 Receptacle Housing, Dual Row, 20 Circuits, UL 94V-0, Low-Halogen, Black	Not Contained per - D(2023)3788-DC (14 Jun 2023)
0878321020	2.00mm Pitch, Milli-Grid PCB Header, Dual Row, Vertical, Surface Mount, Shrouded, Lead-Free, 10 Circuits, 0.38µm Gold (Au) Plating, without Locking Window, with Center Polarization Slot, with PCB Locator, Tube	Not Contained per - D(2022)9120-DC (17 Jan 2023)
0467650001	0.40mm Pitch Micro HDMI Connector, Right-Angle Receptacle, Surface Mount, with Pick-and-Place Polyimide Tape, 19 Circuits, Lead-Free	Not Contained per - D(2023)3788-DC (14 Jun 2023)
0022552102	2.54mm Pitch SL Crimp Housing, Dual Row, Version B, Polarized, 10 Circuits, Black	Not Contained per - D(2023)3788-DC (14 Jun 2023)
0022013047	KK 254 Crimp Housing, Friction Ramp with Polarizing Ribs, 4 Circuits, Natural	Not Contained per - D(2023)3788-DC (14 Jun 2023)
0039013045	Mini-Fit Jr. Receptacle Housing, Dual Row, 4 Circuits, UL 94V-2, Black	Not Contained per - D(2023)3788-DC (14 Jun 2023)
0016020088	SL Crimp Terminal, Series 70058, Female, 22-24 AWG, with 0.76µm Selective Gold (Au) Plated Contact, Reel	Not Contained per - D(2023)3788-DC (14 Jun 2023)
0430300003	Micro-Fit 3.0 Crimp Terminal, Female, with Select Gold (Au) Plated Phosphor Bronze Contact, 20-24 AWG, Reel	Not Contained per - D(2023)3788-DC (14 Jun 2023)
0039012040	Mini-Fit Jr. Receptacle Housing, Dual Row, 4 Circuits, UL 94V-2, Natural	Not Contained per - D(2023)3788-DC (14 Jun 2023)
0022272031	KK 254 Wire-to-Board Header, Vertical, with Friction Lock, 3 Circuits, Tin (Sn) Plating	Not Contained per - D(2023)3788-DC (14 Jun 2023)
0731000114	50 Ohms, SMA Right-Angle PCB Jack Receptacle, Brass Body, Gold Plated, Tray	Contained per - D(2022)9120-DC (17 Jan 2023)
1051620001	1.10mm Pitch microSD Card Header with Detect Pin, Height 1.45mm, Lead-Free, Gold (Au) Plated 0.76µm	Not Contained per - D(2022)9120-DC (17 Jan 2023)

Table A

Molex P/N	Part Description	REACH SVHC
0713085404	2.54mm Pitch C-Grid Breakaway Header, Surface Mount, Dual Row, Vertical, 4 Circuits, 1.50µm Minimum Bright Tin (Sn) Over Nickel (Ni) Plating, without PCB Locator Pegs	Not Contained per - D(2022)9120-DC (17 Jan 2023)
0436500201	Micro-Fit 3.0 Right-Angle Header, 3.00mm Pitch, Single Row, 2 Circuits, with Snap-in Plastic Peg PCB Lock, Gold, Glow-Wire Capable, Black	Not Contained per - D(2023)3788-DC (14 Jun 2023)
0731000114	50 Ohms, SMA Right-Angle PCB Jack Receptacle, Brass Body, Gold Plated, Tray	Contained per - D(2022)9120-DC (17 Jan 2023)
0022053031	KK 254 Solid Header, Right-Angle, with Friction Lock, 3 Circuits, Tin (Sn) Plating	Not Contained per - D(2023)3788-DC (14 Jun 2023)
0393299046	MOLEX P/N NOT RECOGNIZED	-
0010897202	2.54mm Pitch C-Grid Breakaway Header, Dual Row, Vertical, High Temperature, 20 Circuits, 0.38µm Gold (Au) Selective Plating, Tin (Sn) PC Tail Plating, 2.72mm PC Tail	Not Contained per - D(2023)3788-DC (14 Jun 2023)
0009652029	SPOX and KK 396 Wire-to-Board Header, Vertical, with Friction Lock, with Void, 2 Circuits	Not Contained per - D(2023)3788-DC (14 Jun 2023)
0022284030	KK 254 Breakaway Header, Vertical, 3 Circuits, Tin (Sn) Plating, Mating Pin Length 6.09mm	Not Contained per - D(2022)9120-DC (17 Jan 2023)
0022284040	KK 254 Breakaway Header, Vertical, 4 Circuits, Tin (Sn) Plating, Mating Pin Length 6.09mm	Not Contained per - D(2022)9120-DC (17 Jan 2023)
0900750035	Modular Plug, Short Body, 6/4	Not Contained per - D(2022)9120-DC (17 Jan 2023)
0430450412	Micro-Fit 3.0 Vertical Header, 3.00mm Pitch, Dual Row, 4 Circuits, with PCB Polarizing Peg, Tin, Glow-Wire Capable, Black	Not Contained per - D(2023)3788-DC (14 Jun 2023)
0039288020	Mini-Fit Jr. Vertical Header, 4.20mm Pitch, Dual Row, 2 Circuits, without Snap-in Plastic Peg PCB Lock, Tin, Natural	Not Contained per - D(2022)9120-DC (17 Jan 2023)
1720650008	Mega-Fit Vertical Header, Through Hole, 5.70mm Pitch, Dual Row, 8 Circuits, 0.38µm Gold (Au) Plating, Glow-Wire Capable, Black	Not Contained per - D(2023)3788-DC (14 Jun 2023)
0430450828	Micro-Fit 3.0 Vertical Header, 3.00mm Pitch, Dual Row, 8 Circuits, with PCB Polarizing Peg, Gold, Glow-Wire Capable, Black	Not Contained per - D(2022)9120-DC (17 Jan 2023)

Table A

Molex P/N	Part Description	REACH SVHC
0430250800	Micro-Fit 3.0 Receptacle Housing, Dual Row, 8 Circuits, UL 94V-0, Low-Halogen, Black	Not Contained per - D(2023)3788-DC (14 Jun 2023)
0430250400	Micro-Fit 3.0 Receptacle Housing, Dual Row, 4 Circuits, UL 94V-0, Low-Halogen, Black	Not Contained per - D(2023)3788-DC (14 Jun 2023)