**ICPSR 33242** 

# HIV Stigma in a Population of Adults Age 50 and Over in the Pacific Northwest, 2003-2005

Charles A. Emlet University of Washington-Tacoma

Codebook

Inter-university Consortium for Political and Social Research P.O. Box 1248 Ann Arbor, Michigan 48106 www.icpsr.umich.edu

## **Terms of Use**

The terms of use for this study can be found at: http://www.icpsr.umich.edu/icpsrweb/ICPSR/studies/33242/terms

## **Information about Copyrighted Content**

Some instruments administered as part of this study may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

## NOTICE WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

#### **ICPSR PROCESSING NOTES FOR #33242**

HIV Stigma in a Population of Adults Age 50 and Over in the Pacific Northwest, 2003-2005

- 1) For confidentiality reasons, ICPSR recoded selected variables in the public-use data file; the variable level question text indicates whether recoding was employed for a given variable. Researchers interested in obtaining the restricted-use version of the data file containing the non-recoded versions of the variables should consult the study home page for further instruction.
- 2) Due to a limitation in STATA, variable labels in the STATA data file (.dta) will not exceed 80 total characters. Please consult the STATA dictionary file (.dct) for complete variable labels.
- 3) The calculations used to create the values in the variables SUB1M, SUB2M, SUB3M, and SUB4M are not documented. In addition, five values in each variable were not calculated and have been set to missing.

## **ICPSR 33242**

## HIV Stigma in a Population of Adults Age 50 and Over in the Pacific Northwest, 2003-2005

## Variable Description and Frequencies

Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

Summary statistics (minimum, maximum, mean, median, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.

## HIV Stigma in a Population of Adults Age 50 and Over in the Pacific Northwest, 2003-2005

Variable Groups			
Variable Groups Cont	aining Variables		
	Variable Group Name	Variable Group Label	Page
	VG1F1	CASE IDENTIFICATION VARIABLE	2
	VG2F1	DEMOGRAPHIC VARIABLES	2
	VG3F1	HIV STIGMA SCALE VARIABLES	2
	VG4F1	CES-D SCALE VARIABLES	4
VG1F1	CASE IDENTIFICATION	ON VARIABLE	
	Variables within this V	'ariable Group	
	Variable	Variable Label	Page
	CASEID	Subject ID	5
/G2F1	DEMOGRAPHIC VAR	RIABLES	
	Variables within this V		
	Variable Variable	Variable Label	Page
	AGE	Age	5
	SEX	Sex of respondent	5
	ETHNIC2	Ethnicity (dichotomous)	5
	MARITAL	Marital/Partner Status	6
	<u>COHAB</u>	Length of cohabitation with spouse/partner - years	6
	<u>LIVARR</u>	Living arrangements	6
	DEGREE	Highest degree	7
	<b>EMPLOY</b>	Current employment status	7
	INCOME	Current monthly income	7
	MEDICAID	Medicaid in past month	8
	<u>HIVRISK</u>	HIV exposure	8
	<u>HIVSTATUS</u>	HIV status	8
/G3F1	HIV STIGMA SCALE	VARIABLES	
	Variables within this V	ariable Group	
	Variable	Variable Label	Page
	STIGMA1	In many areas of my life, no one knows that I have HIV (2)	8
	STIGMA2	I feel guilty because I have HIV (3)	9
	STIGMA3	People's attitudes about HIV make me feel worse about myself (3)	10
	STIGMA4	Telling someone I have HIV is risky (2,4)	10
	STIGMA5	People with HIV lose their jobs when their employers find out (4)	11
	STIGMA6	I work hard to keep my HIV a secret (2,3)	11
	STIGMA7	I feel I am not as good a person as others because I have HIV (3)	12
	STIGMA8	I never feel ashamed of having HIV (3)	13

Variables within thi	is Variable Group	
Variable	Variable Label	Page
STIGMA9	People with HIV are treated like outcasts (4)	13
STIGMA10	Most people believe that a person who has HIV is dirty (4)	14
STIGMA11	It is easier to avoid new friendships than worry about telling someone that I have HIV (2,3,4)	15
STIGMA12	Having HIV makes me feel unclean (3)	15
STIGMA13	Since learning I have HIV, I feel set apart and isolated from the rest of the world (1,3,4)	16
STIGMA14	Most people think that a person with HIV is disgusting (4)	16
STIGMA15	Having HIV makes me feel that I'm a bad person (3)	17
STIGMA16	Most people with HIV are rejected when others find out (1,4)	18
STIGMA17	I am very careful who I tell that I have HIV (2)	18
STIGMA18	Some people who know I have HIV have grown more distant (1)	19
STIGMA19	Since learning I have HIV, I worry about people discriminating against me (2,4)	19
STIGMA20	Most people are uncomfortable around someone with HIV (4)	20
STIGMA21	I never feel the need to hide the fact that I have HIV (2)	21
STIGMA22	I worry that people may judge me when they learn that I have HIV (2,4)	21
STIMGA23	Having HIV in my body is disgusting to me (3)	22
STIGMA24	I have been hurt by how people reacted to learning I have HIV (1)	23
STIGMA25	I worry that people who know I have HIV will tell others (2)	23
STIGMA26	I regret having told some people that I have HIV (1)	24
STIGMA27	As a rule, telling others that I have HIV has been a mistake (1,3,4)	24
STIGMA28	Some people avoid touching me once they know I have HIV (1,4)	25
STIGMA29	People I care about stopped calling after learning I have HIV (1)	26
STIGMA30	People have told me that getting HIV is what I deserve for how I lived my life (1,4)	26
STIGMA31	Some people close to me are afraid others will reject them if it becomes known that I have HIV (1)	27
STIGMA32	People don't want me around their children once they know I have HIV (1,4)	27
STIGMA33	People have physically backed away from me when they learn I have ${\rm HIV}$ (1,4)	28
STIGMA34	Some people act as though it's my fault I have HIV (1,4)	29
STIGMA35	I have stopped socializing with some people because of their reactions to my having HIV (1)	29
STIGMA36	I have lost friends by telling them I have HIV (1)	30
STIGMA37	I have told people close to me to keep the fact that I have HIV a secret (2)	31
STIGMA38	People who know I have HIV tend to ignore my good points (1,3,4)	31
STIMGA39	People seem afraid of me once they learn I have HIV (1,3,4)	32
STIGMA40	When people learn you have HIV, they look for flaws in your character (1,4)	32

Variables within this Variable Group			
Variable	Variable Label	Page	
SUB1	Personalized stigma subscale score	33	
SUB1M	Personalized stigma subscale means	33	
SUB1IDX	Personalized stigma subscale index score	34	
SUB2	Disclosure subscale score	34	
SUB2M	Disclosure subscale means	35	
SUB2IDX	Disclosure subscale index score	35	
SUB3	Negative self-image subscale score	35	
SUB3M	Negative self-image subscale means	36	
SUB3IDX	Negative self-image subscale index score	36	
SUB4	Public attitudes subscale score	37	
SUB4M	Public attitudes subscale means	37	
SUB4IDX	Public attitudes subscale index score	37	
TOTSTIG	Total Stigma Scale score	38	

## VG4F1 CES-D SCALE VARIABLES

Variables within this Variable Group				
Variable	Variable Label	Page		
CESD1	During the past week, I was bothered by things that usually don't bother me	38		
CESD2	During the past week, I did not feel like eating; my appetite was poor	39		
CESD3	During the past week, I felt that I could not shake off the blues even with help from my family or friends	39		
CESD4	During the past week, I felt I was just as good as other people	40		
CESD5	During the past week, I had trouble keeping my mind on what I was doing	40		
CESD6	During the past week, I felt depressed	41		
CESD7	During the past week, I felt that everything I did was an effort	41		
CESD8	During the past week, I felt hopeful about the future	42		
CESD9	During the past week, I thought my life had been a failure	42		
CESD10	During the past week, I felt fearful	43		
CESD11	During the past week, my sleep was restless	43		
CESD12	During the past week, I was happy	44		
CESD13	During the past week, I talked less than usual	44		
CESD14	During the past week, I felt lonely	45		
CESD15	During the past week, people were unfriendly	45		
CESD16	During the past week, I enjoyed life	46		
CESD17	During the past week, I had crying spells	46		
CESD18	During the past week, I felt sad	47		
CESD19	During the past week, I felt that people dislike me	47		
CESD20	During the past week, I could not get "going"	48		
TOTCESD	Total CES-D Scale score	48		

CASEID Subject ID

Location: 1-2 (width: 2; decimal: 0)

Variable Type: numeric

Question: Subject ID - Case Identification number.

Based upon 25 valid cases out of 25 total cases.

AGE Age

Location: 3-4 (width: 2; decimal: 0)

Variable Type: numeric

Question:

Age of respondent at time of interview.

Collapsed variable to protect respondent confidentiality.

Value	Label	Unweighted Frequency	%	Valid %
1	50-54 years old	12	48.0 %	48.0%
2	55-59 years old	7	28.0 %	28.0%
3	60+ years old	6	24.0 %	24.0%

Based upon 25 valid cases out of 25 total cases.

SEX Sex of respondent

Location: 5-5 (width: 1; decimal: 0)

Variable Type: numeric

Question: Sex of respondent.

Value	Label	Unweighted Frequency	%	Valid %
1	Female	8	32.0 %	32.0%
2	Male	17	68.0 %	68.0%

Based upon 25 valid cases out of 25 total cases.

ETHNIC2 Ethnicity (dichotomous)

Location: 6-6 (width: 1; decimal: 0)

Variable Type: numeric

Question:

Respondent's ethnicity.

Collapsed variable to protect respondent confidentiality.

Value	Label	Unweighted Frequency	%	Valid %
0	White	15	60.0 %	60.0%
1	Non-White	10	40.0 %	40.0%

Based upon 25 valid cases out of 25 total cases.

MARITAL Marital/Partner Status

Location: 7-7 (width: 1; decimal: 0)

Variable Type: numeric

Question: Marital or partner status at time of interview.

Value	Label	Unweighted Frequency	%	Valid %
0	Never married	5	20.0 %	20.0%
1	Married	3	12.0 %	12.0%
2	Separated	1	4.0 %	4.0%
3	Divorced	9	36.0 %	36.0%
4	Widowed	2	8.0 %	8.0%
5	Cohabitating	5	20.0 %	20.0%

Based upon 25 valid cases out of 25 total cases.

COHAB Length of cohabitation with spouse/partner - years

Location: 8-11 (width: 4; decimal: 1)

Variable Type: numeric Range of Missing Values (M): -9.0

Question:

Length of cohabitation with respondent's spouse or partner at time of interview.

Collapsed variable to protect respondent confidentiality.

Value	Label	Unweighted Frequency	%	Valid %
1.0	1 month - 5 years	3	12.0 %	37.5%
2.0	6 years - 20 years	2	8.0 %	25.0%
3.0	21+ years	3	12.0 %	37.5%
-9.0 (M)	Not applicable	17	68.0 %	-

Based upon 8 valid cases out of 25 total cases.

LIVARR Living arrangements

Location: 12-13 (width: 2; decimal: 0)

Variable Type: numeric Range of Missing Values (M): -9

Question: Living arrangements of respondent at time of interview.

Value	Label	Unweighted Frequency	%	Valid %
0	Lives alone	13	52.0 %	54.2%
1	Lives with family	4	16.0 %	16.7%
2	Lives with partner/spouse	7	28.0 %	29.2%
3	No permanent address	0	0.0 %	-
4	Other	0	0.0 %	-

Value		Unweighted Frequency	%	Valid %
-9 (M)	Missing	1	4.0 %	-

Based upon 24 valid cases out of 25 total cases.

DEGREE Highest degree

Location: 14-14 (width: 1; decimal: 0)

Variable Type: numeric

Question: Highest degree respondent obtained prior to interview.

Value	Label	Unweighted Frequency	%	Valid %
0	No degree	6	24.0 %	24.0%
1	High school	15	60.0 %	60.0%
2	Bachelor's Degree	3	12.0 %	12.0%
3	M.S. or M.A.	0	0.0 %	-
4	Doctorate Degree	1	4.0 %	4.0%

Based upon 25 valid cases out of 25 total cases.

#### EMPLOY Current employment status

Location: 15-15 (width: 1; decimal: 0)

Variable Type: numeric

Question: Current employment status of respondent at time of interview.

Value	Label	Unweighted Frequency	%	Valid %
0	Unemployed	1	4.0 %	4.0%
1	Retired due to disability	2	8.0 %	8.0%
2	Retired due to age	16	64.0 %	64.0%
3	Working part-time	3	12.0 %	12.0%
4	Working full-time	3	12.0 %	12.0%

Based upon 25 valid cases out of 25 total cases.

## INCOME Current monthly income

Location: 16-17 (width: 2; decimal: 0)

Variable Type: numeric Range of Missing Values (M): -9

Question: Best estimate of respondent's monthly income at time of interview.

Value	Label	Unweighted Frequency	%	Valid %
1	Less than \$400	0	0.0 %	-
2	\$400 to 799	5	20.0 %	23.8%
3	\$800 to 1199	10	40.0 %	47.6%
4	\$1200 to 1599	3	12.0 %	14.3%

Value	Label	Unweighted Frequency	%	Valid %
5	\$1600 to 1999	1	4.0 %	4.8%
6	\$2000 and over	2	8.0 %	9.5%
-9 (M)	Missing	4	16.0 %	-

Based upon 21 valid cases out of 25 total cases.

MEDICAID Medicaid in past month

Location: 18-18 (width: 1; decimal: 0)

Variable Type: numeric

Question: From time of interview: Did respondent recieve Medicaid in the past month?

Value	Label	Unweighted Frequency	%	Valid %
0	No	10	40.0 %	40.0%
1	Yes	15	60.0 %	60.0%

Based upon 25 valid cases out of 25 total cases.

HIVRISK HIV exposure

Location: 19-19 (width: 1; decimal: 0)

Variable Type: numeric

Question: Respondent's HIV risk exposure factors

Value	Label	Unweighted Frequency	%	Valid %
0	Men who have sex with men (MSM)	9	36.0 %	36.0%
1	Heterosexual	9	36.0 %	36.0%
2	Intravenous drug use (IVDU)	4	16.0 %	16.0%
3	Blood transfusion	1	4.0 %	4.0%
4	Do not know	2	8.0 %	8.0%

Based upon 25 valid cases out of 25 total cases.

HIVSTATUS HIV status

Location: 20-20 (width: 1; decimal: 0)

Variable Type: numeric

Question: Respondent's HIV status (HIV+ or AIDS) at time of interview

Value	Label	Unweighted Frequency	%	Valid %
0	HIV	6	24.0 %	24.0%
1	AIDS	19	76.0 %	76.0%

Based upon 25 valid cases out of 25 total cases.

STIGMA1 In many areas of my life, no one knows that I have HIV (2)

Location: 21-21 (width: 1; decimal: 0)

Variable Type:

numeric

Question:

HIV Stigma Scale

This study asks about some of the social and emotional aspects of having HIV. For most of the questions, just circle the letters or numbers that go with your answer. There are no right or wrong answers. Feel free to write in comments as you go through the questions.

This first set of questions asks about some of your experiences, feelings, and opinions as to how people with HIV feel and how they are treated. Please do your best to answer each question.

For each item, circle your answer: Strongly disagree (SD), disagree (D), agree (A), or strongly agree (SA).

In many areas of my life, no one knows that I have HIV.

Question corresponds to subscale 2: Disclosure subscale

Items are scored as follows: Strongly disagree = 1; Disagree = 2; Agree = 3; Strongly agree = 4.

Value	Label	Unweighted Frequency	%	Valid %
1	Strongly disagree	3	12.0 %	12.0%
2	Disagree	7	28.0 %	28.0%
3	Agree	6	24.0 %	24.0%
4	Strongly agree	9	36.0 %	36.0%

Based upon 25 valid cases out of 25 total cases.

#### STIGMA2

#### I feel guilty because I have HIV (3)

Location:

22-22 (width: 1; decimal: 0)

Variable Type:

numeric

Question:

HIV Stigma Scale

This study asks about some of the social and emotional aspects of having HIV. For most of the questions, just circle the letters or numbers that go with your answer. There are no right or wrong answers. Feel free to write in comments as you go through the questions.

This first set of questions asks about some of your experiences, feelings, and opinions as to how people with HIV feel and how they are treated. Please do your best to answer each question.

For each item, circle your answer: Strongly disagree (SD), disagree (D), agree (A), or strongly agree (SA).

I feel guilty because I have HIV.

Question corresponds to subscale 3: Negative self-image subscale

Items are scored as follows: Strongly disagree = 1; Disagree = 2; Agree = 3; Strongly agree = 4.

Value	Label	Unweighted Frequency	%	Valid %
1	Strongly disagree	10	40.0 %	40.0%
2	Disagree	9	36.0 %	36.0%
3	Agree	6	24.0 %	24.0%
4	Strongly agree	0	0.0 %	-

Based upon 25 valid cases out of 25 total cases.

#### STIGMA3 People's attitudes about HIV make me feel worse about myself (3)

Location: 23-23 (width: 1; decimal: 0)

Variable Type: numeric

Question:

HIV Stigma Scale

This study asks about some of the social and emotional aspects of having HIV. For most of the questions, just circle the letters or numbers that go with your answer. There are no right or wrong answers. Feel free to write in comments as you go through the questions.

This first set of questions asks about some of your experiences, feelings, and opinions as to how people with HIV feel and how they are treated. Please do your best to answer each question.

For each item, circle your answer: Strongly disagree (SD), disagree (D), agree (A), or strongly agree (SA).

People's attitudes about HIV make me feel worse about myself.

Question corresponds to subscale 3: Negative self-image subscale

Items are scored as follows: Strongly disagree = 1; Disagree = 2; Agree = 3; Strongly agree = 4.

Value	Label	Unweighted Frequency	%	Valid %
1	Strongly disagree	7	28.0 %	28.0%
2	Disagree	10	40.0 %	40.0%
3	Agree	6	24.0 %	24.0%
4	Strongly agree	2	8.0 %	8.0%

Based upon 25 valid cases out of 25 total cases.

#### STIGMA4 Telling someone I have HIV is risky (2,4)

Location: 24-24 (width: 1; decimal: 0)

Variable Type: numeric

Question:

HIV Stigma Scale

This study asks about some of the social and emotional aspects of having HIV. For most of the questions, just circle the letters or numbers that go with your answer. There are no right or wrong answers. Feel free to write in comments as you go through the questions.

This first set of questions asks about some of your experiences, feelings, and opinions as to how

people with HIV feel and how they are treated. Please do your best to answer each question.

For each item, circle your answer: Strongly disagree (SD), disagree (D), agree (A), or strongly agree (SA).

Telling someone I have HIV is risky.

Question corresponds to subscales 2 & 4: Disclosure subscale and Public attitudes subscale

Items are scored as follows: Strongly disagree = 1; Disagree = 2; Agree = 3; Strongly agree = 4.

Value	Label	Unweighted Frequency	%	Valid %
1	Strongly disagree	4	16.0 %	16.0%
2	Disagree	6	24.0 %	24.0%
3	Agree	5	20.0 %	20.0%
4	Strongly agree	10	40.0 %	40.0%

Based upon 25 valid cases out of 25 total cases.

#### STIGMA5

#### People with HIV lose their jobs when their employers find out (4)

Location: 25-25 (width: 1; decimal: 0)

Variable Type: numeric

Question:

HIV Stigma Scale

This study asks about some of the social and emotional aspects of having HIV. For most of the questions, just circle the letters or numbers that go with your answer. There are no right or wrong answers. Feel free to write in comments as you go through the questions.

This first set of questions asks about some of your experiences, feelings, and opinions as to how people with HIV feel and how they are treated. Please do your best to answer each question.

For each item, circle your answer: Strongly disagree (SD), disagree (D), agree (A), or strongly agree (SA).

People with HIV lose their jobs when their employers find out.

Question corresponds to subscale 4: Public attitudes subscale

Items are scored as follows: Strongly disagree = 1; Disagree = 2; Agree = 3; Strongly agree = 4.

Value	Label	Unweighted Frequency	%	Valid %
1	Strongly disagree	3	12.0 %	12.0%
2	Disagree	8	32.0 %	32.0%
3	Agree	11	44.0 %	44.0%
4	Strongly agree	3	12.0 %	12.0%

Based upon 25 valid cases out of 25 total cases.

#### STIGMA6

I work hard to keep my HIV a secret (2,3)

Location: 26-26 (width: 1; decimal: 0)

Variable Type: numeric

Question:

HIV Stigma Scale

This study asks about some of the social and emotional aspects of having HIV. For most of the questions, just circle the letters or numbers that go with your answer. There are no right or wrong answers. Feel free to write in comments as you go through the questions.

This first set of questions asks about some of your experiences, feelings, and opinions as to how people with HIV feel and how they are treated. Please do your best to answer each question.

For each item, circle your answer: Strongly disagree (SD), disagree (D), agree (A), or strongly agree (SA).

I work hard to keep my HIV a secret.

Question corresponds to subscales 2 & 3: Disclosure subscale and Negative self-image subscale

Items are scored as follows: Strongly disagree = 1; Disagree = 2; Agree = 3; Strongly agree = 4.

Value	Label	Unweighted Frequency	%	Valid %
1	Strongly disagree	5	20.0 %	20.0%
2	Disagree	9	36.0 %	36.0%
3	Agree	5	20.0 %	20.0%
4	Strongly agree	6	24.0 %	24.0%

Based upon 25 valid cases out of 25 total cases.

#### STIGMA7 I feel I am not as good a person as others because I have HIV (3)

Location: 27-27 (width: 1; decimal: 0)

Variable Type: numeric

Question:

HIV Stigma Scale

This study asks about some of the social and emotional aspects of having HIV. For most of the questions, just circle the letters or numbers that go with your answer. There are no right or wrong answers. Feel free to write in comments as you go through the questions.

This first set of questions asks about some of your experiences, feelings, and opinions as to how people with HIV feel and how they are treated. Please do your best to answer each question.

For each item, circle your answer: Strongly disagree (SD), disagree (D), agree (A), or strongly agree (SA).

I feel I am not as good a person as others because I have HIV.

Question corresponds to subscale 3: Negative self-image subscale

Items are scored as follows: Strongly disagree = 1; Disagree = 2; Agree = 3; Strongly agree = 4.

Value	Label	Unweighted Frequency	%	Valid %
1	Strongly disagree	8	32.0 %	32.0%
2	Disagree	13	52.0 %	52.0%
3	Agree	3	12.0 %	12.0%
4	Strongly agree	1	4.0 %	4.0%

Based upon 25 valid cases out of 25 total cases.

#### STIGMA8 I never feel ashamed of having HIV (3)

Location: 28-28 (width: 1; decimal: 0)

Variable Type: numeric

Question:

HIV Stigma Scale

This study asks about some of the social and emotional aspects of having HIV. For most of the questions, just circle the letters or numbers that go with your answer. There are no right or wrong answers. Feel free to write in comments as you go through the questions.

This first set of questions asks about some of your experiences, feelings, and opinions as to how people with HIV feel and how they are treated. Please do your best to answer each question.

For each item, circle your answer: Strongly disagree (SD), disagree (D), agree (A), or strongly agree (SA).

I never feel ashamed of having HIV.

Question corresponds to subscale 3: Negative self-image subscale

Items are scored as follows: Strongly disagree = 1; Disagree = 2; Agree = 3; Strongly agree = 4.

Item is reverse-scored

Value	Label	Unweighted Frequency	%	Valid %
1	Strongly agree	5	20.0 %	20.0%
2	Agree	10	40.0 %	40.0%
3	Disagree	7	28.0 %	28.0%
4	Strongly disagree	3	12.0 %	12.0%

Based upon 25 valid cases out of 25 total cases.

#### STIGMA9 People with HIV are treated like outcasts (4)

Location: 29-29 (width: 1; decimal: 0)

Variable Type: numeric

Question:

HIV Stigma Scale

This study asks about some of the social and emotional aspects of having HIV. For most of the questions, just circle the letters or numbers that go with your answer. There are no right or wrong answers. Feel free to write in comments as you go through the questions.

This first set of questions asks about some of your experiences, feelings, and opinions as to how people with HIV feel and how they are treated. Please do your best to answer each question.

For each item, circle your answer: Strongly disagree (SD), disagree (D), agree (A), or strongly agree (SA).

People with HIV are treated like outcasts.

Question corresponds to subscale 4: Public attitudes subscale

Items are scored as follows: Strongly disagree = 1; Disagree = 2; Agree = 3; Strongly agree = 4.

Value	Label	Unweighted Frequency	%	Valid %
1	Strongly disagree	2	8.0 %	8.0%
2	Disagree	11	44.0 %	44.0%
3	Agree	8	32.0 %	32.0%
4	Strongly agree	4	16.0 %	16.0%

Based upon 25 valid cases out of 25 total cases.

#### STIGMA10

#### Most people believe that a person who has HIV is dirty (4)

Location: 30-30 (width: 1; decimal: 0)

Variable Type: numeric

Question:

HIV Stigma Scale

This study asks about some of the social and emotional aspects of having HIV. For most of the questions, just circle the letters or numbers that go with your answer. There are no right or wrong answers. Feel free to write in comments as you go through the questions.

This first set of questions asks about some of your experiences, feelings, and opinions as to how people with HIV feel and how they are treated. Please do your best to answer each question.

For each item, circle your answer: Strongly disagree (SD), disagree (D), agree (A), or strongly agree (SA).

Most people believe that a person who has HIV is dirty.

Question corresponds to subscale 4: Public attitudes subscale

Items are scored as follows: Strongly disagree = 1; Disagree = 2; Agree = 3; Strongly agree = 4.

Value	Label	Unweighted Frequency	%	Valid %
1	Strongly disagree	3	12.0 %	12.0%
2	Disagree	9	36.0 %	36.0%
3	Agree	11	44.0 %	44.0%
4	Strongly agree	2	8.0 %	8.0%

Based upon 25 valid cases out of 25 total cases.

STIGMA11 It is easier to avoid new friendships than worry about telling someone that I have HIV (2,3,4)

Location: 31-31 (width: 1; decimal: 0)

Variable Type: numeric

Question:

HIV Stigma Scale

This study asks about some of the social and emotional aspects of having HIV. For most of the questions, just circle the letters or numbers that go with your answer. There are no right or wrong answers. Feel free to write in comments as you go through the questions.

This first set of questions asks about some of your experiences, feelings, and opinions as to how people with HIV feel and how they are treated. Please do your best to answer each question.

For each item, circle your answer: Strongly disagree (SD), disagree (D), agree (A), or strongly agree (SA).

It is easier to avoid new friendships than worry about telling someone that I have HIV.

Question corresponds to subscales 2, 3, & 4: Disclosure subscale, Negative self-image subscale, and Public attitudes subscale

Items are scored as follows: Strongly disagree = 1; Disagree = 2; Agree = 3; Strongly agree = 4.

Value	Label	Unweighted Frequency	%	Valid %
1	Strongly disagree	3	12.0 %	12.0%
2	Disagree	8	32.0 %	32.0%
3	Agree	12	48.0 %	48.0%
4	Strongly agree	2	8.0 %	8.0%

Based upon 25 valid cases out of 25 total cases.

#### STIGMA12 Having HIV makes me feel unclean (3)

Location: 32-32 (width: 1; decimal: 0)

Variable Type: numeric

Question:

HIV Stigma Scale

This study asks about some of the social and emotional aspects of having HIV. For most of the questions, just circle the letters or numbers that go with your answer. There are no right or wrong answers. Feel free to write in comments as you go through the questions.

This first set of questions asks about some of your experiences, feelings, and opinions as to how people with HIV feel and how they are treated. Please do your best to answer each question.

For each item, circle your answer: Strongly disagree (SD), disagree (D), agree (A), or strongly agree (SA).

Having HIV makes me feel unclean.

Question corresponds to subscale 3: Negative self-image subscale

Items are scored as follows: Strongly disagree = 1; Disagree = 2; Agree = 3; Strongly agree = 4.

Value	Label	Unweighted Frequency	%	Valid %
1	Strongly disagree	8	32.0 %	32.0%
2	Disagree	15	60.0 %	60.0%
3	Agree	1	4.0 %	4.0%
4	Strongly agree	1	4.0 %	4.0%

Based upon 25 valid cases out of 25 total cases.

#### STIGMA13 Since learning I have HIV, I feel set apart and isolated from the rest of the world (1,3,4)

Location: 33-33 (width: 1; decimal: 0)

Variable Type: numeric

Question:

HIV Stigma Scale

This study asks about some of the social and emotional aspects of having HIV. For most of the questions, just circle the letters or numbers that go with your answer. There are no right or wrong answers. Feel free to write in comments as you go through the questions.

This first set of questions asks about some of your experiences, feelings, and opinions as to how people with HIV feel and how they are treated. Please do your best to answer each question.

For each item, circle your answer: Strongly disagree (SD), disagree (D), agree (A), or strongly agree (SA).

Since learning I have HIV, I feel set apart and isolated from the rest of the world.

Question corresponds to subscales 1, 3, & 4: Personalized stigma subscale, Negative self-image subscale, and Public attitudes subscale

Items are scored as follows: Strongly disagree = 1; Disagree = 2; Agree = 3; Strongly agree = 4.

Value	Label	Unweighted Frequency	%	Valid %
1	Strongly disagree	5	20.0 %	20.0%
2	Disagree	14	56.0 %	56.0%
3	Agree	4	16.0 %	16.0%
4	Strongly agree	2	8.0 %	8.0%

Based upon 25 valid cases out of 25 total cases.

#### STIGMA14 Most people think that a person with HIV is disgusting (4)

Location: 34-34 (width: 1; decimal: 0)

Variable Type: numeric

Question:

HIV Stigma Scale

This study asks about some of the social and emotional aspects of having HIV. For most of the

questions, just circle the letters or numbers that go with your answer. There are no right or wrong answers. Feel free to write in comments as you go through the questions.

This first set of questions asks about some of your experiences, feelings, and opinions as to how people with HIV feel and how they are treated. Please do your best to answer each question.

For each item, circle your answer: Strongly disagree (SD), disagree (D), agree (A), or strongly agree (SA).

Most people think that a person with HIV is disgusting.

Question corresponds to subscale 4: Public attitudes subscale

Items are scored as follows: Strongly disagree = 1; Disagree = 2; Agree = 3; Strongly agree = 4.

Value	Label	Unweighted Frequency	%	Valid %
1	Strongly disagree	1	4.0 %	4.0%
2	Disagree	13	52.0 %	52.0%
3	Agree	7	28.0 %	28.0%
4	Strongly agree	4	16.0 %	16.0%

Based upon 25 valid cases out of 25 total cases.

#### STIGMA15

#### Having HIV makes me feel that I'm a bad person (3)

Location:

35-35 (width: 1; decimal: 0)

Variable Type:

numeric

Question:

HIV Stigma Scale

This study asks about some of the social and emotional aspects of having HIV. For most of the questions, just circle the letters or numbers that go with your answer. There are no right or wrong answers. Feel free to write in comments as you go through the questions.

This first set of questions asks about some of your experiences, feelings, and opinions as to how people with HIV feel and how they are treated. Please do your best to answer each question.

For each item, circle your answer: Strongly disagree (SD), disagree (D), agree (A), or strongly agree (SA).

Having HIV makes me feel that I'm a bad person.

Question corresponds to subscale 3: Negative self-image subscale

Items are scored as follows: Strongly disagree = 1; Disagree = 2; Agree = 3; Strongly agree = 4.

Value	Label	Unweighted Frequency	%	Valid %
1	Strongly disagree	8	32.0 %	32.0%
2	Disagree	16	64.0 %	64.0%
3	Agree	1	4.0 %	4.0%

Value	Label	Unweighted Frequency	%	Valid %
4	Strongly agree	0	0.0 %	-

Based upon 25 valid cases out of 25 total cases.

#### STIGMA16 Most people with HIV are rejected when others find out (1,4)

Location: 36-36 (width: 1; decimal: 0)

Variable Type: numeric

Question:

HIV Stigma Scale

This study asks about some of the social and emotional aspects of having HIV. For most of the questions, just circle the letters or numbers that go with your answer. There are no right or wrong answers. Feel free to write in comments as you go through the questions.

This first set of questions asks about some of your experiences, feelings, and opinions as to how people with HIV feel and how they are treated. Please do your best to answer each question.

For each item, circle your answer: Strongly disagree (SD), disagree (D), agree (A), or strongly agree (SA).

Most people with HIV are rejected when others find out.

Question corresponds to subscales 1 & 4: Personalized stigma subscale and Public attitudes subscale

Items are scored as follows: Strongly disagree = 1; Disagree = 2; Agree = 3; Strongly agree = 4.

Value	Label	Unweighted Frequency	%	Valid %
1	Strongly disagree	2	8.0 %	8.0%
2	Disagree	10	40.0 %	40.0%
3	Agree	9	36.0 %	36.0%
4	Strongly agree	4	16.0 %	16.0%

Based upon 25 valid cases out of 25 total cases.

#### STIGMA17 I am very careful who I tell that I have HIV (2)

Location: 37-37 (width: 1; decimal: 0)

Variable Type: numeric

Question:

HIV Stigma Scale

This study asks about some of the social and emotional aspects of having HIV. For most of the questions, just circle the letters or numbers that go with your answer. There are no right or wrong answers. Feel free to write in comments as you go through the questions.

This first set of questions asks about some of your experiences, feelings, and opinions as to how people with HIV feel and how they are treated. Please do your best to answer each question.

For each item, circle your answer: Strongly disagree (SD), disagree (D), agree (A), or

strongly agree (SA).

I am very careful who I tell that I have HIV.

Question corresponds to subscale 2: Disclosure subscale

Items are scored as follows: Strongly disagree = 1; Disagree = 2; Agree = 3; Strongly agree = 4.

Value	Label	Unweighted Frequency	%	Valid %
1	Strongly disagree	1	4.0 %	4.0%
2	Disagree	5	20.0 %	20.0%
3	Agree	11	44.0 %	44.0%
4	Strongly agree	8	32.0 %	32.0%

Based upon 25 valid cases out of 25 total cases.

#### STIGMA18

#### Some people who know I have HIV have grown more distant (1)

Location: 38-38 (width: 1; decimal: 0)

Variable Type: numeric

Question:

HIV Stigma Scale

This study asks about some of the social and emotional aspects of having HIV. For most of the questions, just circle the letters or numbers that go with your answer. There are no right or wrong answers. Feel free to write in comments as you go through the questions.

This first set of questions asks about some of your experiences, feelings, and opinions as to how people with HIV feel and how they are treated. Please do your best to answer each question.

For each item, circle your answer: Strongly disagree (SD), disagree (D), agree (A), or strongly agree (SA).

Some people who know I have HIV have grown more distant.

Question corresponds to subscale 1: Personalized stigma subscale

Items are scored as follows: Strongly disagree = 1; Disagree = 2; Agree = 3; Strongly agree = 4.

Value	Label	Unweighted Frequency	%	Valid %
1	Strongly disagree	3	12.0 %	12.0%
2	Disagree	9	36.0 %	36.0%
3	Agree	11	44.0 %	44.0%
4	Strongly agree	2	8.0 %	8.0%

Based upon 25 valid cases out of 25 total cases.

#### STIGMA19

#### Since learning I have HIV, I worry about people discriminating against me (2,4)

Location: 39-39 (width: 1; decimal: 0)

Variable Type: numeric

Question:

HIV Stigma Scale

This study asks about some of the social and emotional aspects of having HIV. For most of the questions, just circle the letters or numbers that go with your answer. There are no right or wrong answers. Feel free to write in comments as you go through the questions.

This first set of questions asks about some of your experiences, feelings, and opinions as to how people with HIV feel and how they are treated. Please do your best to answer each question.

For each item, circle your answer: Strongly disagree (SD), disagree (D), agree (A), or strongly agree (SA).

Since learning I have HIV, I worry about people discriminating against me.

Question corresponds to subscales 2 & 4: Disclosure subscale and Public attitudes subscale

Items are scored as follows: Strongly disagree = 1; Disagree = 2; Agree = 3; Strongly agree = 4.

Value	Label	Unweighted Frequency	%	Valid %
1	Strongly disagree	3	12.0 %	12.0%
2	Disagree	12	48.0 %	48.0%
3	Agree	9	36.0 %	36.0%
4	Strongly agree	1	4.0 %	4.0%

Based upon 25 valid cases out of 25 total cases.

#### STIGMA20

#### Most people are uncomfortable around someone with HIV (4)

Location: 40-40 (width: 1; decimal: 0)

Variable Type: numeric

Question:

HIV Stigma Scale

This study asks about some of the social and emotional aspects of having HIV. For most of the questions, just circle the letters or numbers that go with your answer. There are no right or wrong answers. Feel free to write in comments as you go through the questions.

This first set of questions asks about some of your experiences, feelings, and opinions as to how people with HIV feel and how they are treated. Please do your best to answer each question.

For each item, circle your answer: Strongly disagree (SD), disagree (D), agree (A), or strongly agree (SA).

Most people are uncomfortable around someone with HIV.

Question corresponds to subscale 4: Public attitudes subscale

Items are scored as follows: Strongly disagree = 1; Disagree = 2; Agree = 3; Strongly agree = 4.

Value	Label	Unweighted Frequency	%	Valid %
1	Strongly disagree	0	0.0 %	-

Value	Label	Unweighted Frequency	%	Valid %
2	Disagree	8	32.0 %	32.0%
3	Agree	16	64.0 %	64.0%
4	Strongly agree	1	4.0 %	4.0%

Based upon 25 valid cases out of 25 total cases.

#### STIGMA21 I never feel the need to hide the fact that I have HIV (2)

Location: 41-41 (width: 1; decimal: 0)

Variable Type: numeric

Question:

HIV Stigma Scale

This study asks about some of the social and emotional aspects of having HIV. For most of the questions, just circle the letters or numbers that go with your answer. There are no right or wrong answers. Feel free to write in comments as you go through the questions.

This first set of questions asks about some of your experiences, feelings, and opinions as to how people with HIV feel and how they are treated. Please do your best to answer each question.

For each item, circle your answer: Strongly disagree (SD), disagree (D), agree (A), or strongly agree (SA).

I never feel the need to hide the fact that I have HIV.

Question corresponds to subscale 2: Disclosure subscale

Items are scored as follows: Strongly disagree = 1; Disagree = 2; Agree = 3; Strongly agree = 4.

Item is reverse-scored

Value	Label	Unweighted Frequency	%	Valid %
1	Strongly agree	4	16.0 %	16.0%
2	Agree	4	16.0 %	16.0%
3	Disagree	13	52.0 %	52.0%
4	Strongly disagree	4	16.0 %	16.0%

Based upon 25 valid cases out of 25 total cases.

#### STIGMA22 I worry that people may judge me when they learn that I have HIV (2,4)

Location: 42-42 (width: 1; decimal: 0)

Variable Type: numeric

Question:

HIV Stigma Scale

This study asks about some of the social and emotional aspects of having HIV. For most of the questions, just circle the letters or numbers that go with your answer. There are no right or wrong answers. Feel free to write in comments as you go through the questions.

This first set of questions asks about some of your experiences, feelings, and opinions as to how people with HIV feel and how they are treated. Please do your best to answer each question.

For each item, circle your answer: Strongly disagree (SD), disagree (D), agree (A), or strongly agree (SA).

I worry that people may judge me when they learn that I have HIV.

Question corresponds to subscales 2 & 4: Disclosure subscale and Public attitudes subscale

Items are scored as follows: Strongly disagree = 1; Disagree = 2; Agree = 3; Strongly agree = 4.

Value	Label	Unweighted Frequency	%	Valid %
1	Strongly disagree	2	8.0 %	8.0%
2	Disagree	9	36.0 %	36.0%
3	Agree	8	32.0 %	32.0%
4	Strongly agree	6	24.0 %	24.0%

Based upon 25 valid cases out of 25 total cases.

#### STIMGA23

#### Having HIV in my body is disgusting to me (3)

Location: 43-43 (width: 1; decimal: 0)

Variable Type: numeric

Question:

HIV Stigma Scale

This study asks about some of the social and emotional aspects of having HIV. For most of the questions, just circle the letters or numbers that go with your answer. There are no right or wrong answers. Feel free to write in comments as you go through the questions.

This first set of questions asks about some of your experiences, feelings, and opinions as to how people with HIV feel and how they are treated. Please do your best to answer each question.

For each item, circle your answer: Strongly disagree (SD), disagree (D), agree (A), or strongly agree (SA).

Having HIV in my body is disgusting to me.

Question corresponds to subscale 3: Negative self-image subscale

Items are scored as follows: Strongly disagree = 1; Disagree = 2; Agree = 3; Strongly agree = 4.

Value	Label	Unweighted Frequency	%	Valid %
1	Strongly disagree	7	28.0 %	28.0%
2	Disagree	13	52.0 %	52.0%
3	Agree	4	16.0 %	16.0%
4	Strongly agree	1	4.0 %	4.0%

Based upon 25 valid cases out of 25 total cases.

STIGMA24 I have been hurt by how people reacted to learning I have HIV (1)

Location: 44-44 (width: 1; decimal: 0)

Variable Type: numeric

Question:

HIV Stigma Scale

This study asks about some of the social and emotional aspects of having HIV. For most of the questions, just circle the letters or numbers that go with your answer. There are no right or wrong answers. Feel free to write in comments as you go through the questions.

Many of the items in the next section assume that you have told other people that you have HIV, or that others know. This may not be true for you. If the item refers to something that has not actually happened you, please imagine yourself in that situation. Then give your answer ("strongly disagree," "disagree," "agree," "strongly agree") based on how you think you would feel or how you think others would react to you.

I have been hurt by how people reacted to learning I have HIV.

Question corresponds to subscale 1: Personalized stigma subscale

Items are scored as follows: Strongly disagree = 1; Disagree = 2; Agree = 3; Strongly agree = 4.

Value	Label	Unweighted Frequency	%	Valid %
1	Strongly disagree	3	12.0 %	12.0%
2	Disagree	8	32.0 %	32.0%
3	Agree	12	48.0 %	48.0%
4	Strongly agree	2	8.0 %	8.0%

Based upon 25 valid cases out of 25 total cases.

#### STIGMA25 I worry that people who know I have HIV will tell others (2)

Location: 45-45 (width: 1; decimal: 0)

Variable Type: numeric

Question:

HIV Stigma Scale

This study asks about some of the social and emotional aspects of having HIV. For most of the questions, just circle the letters or numbers that go with your answer. There are no right or wrong answers. Feel free to write in comments as you go through the questions.

Many of the items in the next section assume that you have told other people that you have HIV, or that others know. This may not be true for you. If the item refers to something that has not actually happened you, please imagine yourself in that situation. Then give your answer ("strongly disagree," "disagree," "agree," "strongly agree") based on how you think you would feel or how you think others would react to you.

I worry that people who know I have HIV will tell others.

Question corresponds to subscale 2: Disclosure subscale

Items are scored as follows: Strongly disagree = 1; Disagree = 2; Agree = 3; Strongly agree = 4.

Value	Label	Unweighted Frequency	%	Valid %
1	Strongly disagree	3	12.0 %	12.0%
2	Disagree	7	28.0 %	28.0%
3	Agree	12	48.0 %	48.0%
4	Strongly agree	3	12.0 %	12.0%

Based upon 25 valid cases out of 25 total cases.

#### STIGMA26 I regret having told some people that I have HIV (1)

Location: 46-46 (width: 1; decimal: 0)

Variable Type: numeric

Question:

HIV Stigma Scale

This study asks about some of the social and emotional aspects of having HIV. For most of the questions, just circle the letters or numbers that go with your answer. There are no right or wrong answers. Feel free to write in comments as you go through the questions.

Many of the items in the next section assume that you have told other people that you have HIV, or that others know. This may not be true for you. If the item refers to something that has not actually happened you, please imagine yourself in that situation. Then give your answer ("strongly disagree," "disagree," "agree," "strongly agree") based on how you think you would feel or how you think others would react to you.

I regret having told some people that I have HIV.

Question corresponds to subscale 1: Personalized stigma subscale

Items are scored as follows: Strongly disagree = 1; Disagree = 2; Agree = 3; Strongly agree = 4.

Value	Label	Unweighted Frequency	%	Valid %
1	Strongly disagree	3	12.0 %	12.0%
2	Disagree	12	48.0 %	48.0%
3	Agree	7	28.0 %	28.0%
4	Strongly agree	3	12.0 %	12.0%

Based upon 25 valid cases out of 25 total cases.

#### STIGMA27 As a rule, telling others that I have HIV has been a mistake (1,3,4)

Location: 47-47 (width: 1; decimal: 0)

Variable Type: numeric

Question:

HIV Stigma Scale

This study asks about some of the social and emotional aspects of having HIV. For most of the questions, just circle the letters or numbers that go with your answer. There are no right or

wrong answers. Feel free to write in comments as you go through the questions.

Many of the items in the next section assume that you have told other people that you have HIV, or that others know. This may not be true for you. If the item refers to something that has not actually happened you, please imagine yourself in that situation. Then give your answer ("strongly disagree," "disagree," "agree," "strongly agree") based on how you think you would feel or how you think others would react to you.

As a rule, telling others that I have HIV has been a mistake.

Question corresponds to subscales 1, 3, & 4: Personalized stigma subscale, Negative self-image subscale, and Public attitudes subscale

Items are scored as follows: Strongly disagree = 1; Disagree = 2; Agree = 3; Strongly agree = 4.

Value	Label	Unweighted Frequency	%	Valid %
1	Strongly disagree	3	12.0 %	12.0%
2	Disagree	12	48.0 %	48.0%
3	Agree	8	32.0 %	32.0%
4	Strongly agree	2	8.0 %	8.0%

Based upon 25 valid cases out of 25 total cases.

#### STIGMA28

#### Some people avoid touching me once they know I have HIV (1,4)

Location:

48-48 (width: 1; decimal: 0)

Variable Type:

numeric

Question:

HIV Stigma Scale

This study asks about some of the social and emotional aspects of having HIV. For most of the questions, just circle the letters or numbers that go with your answer. There are no right or wrong answers. Feel free to write in comments as you go through the questions.

Many of the items in the next section assume that you have told other people that you have HIV, or that others know. This may not be true for you. If the item refers to something that has not actually happened you, please imagine yourself in that situation. Then give your answer ("strongly disagree," "disagree," "agree," "strongly agree") based on how you think you would feel or how you think others would react to you.

Some people avoid touching me once they know I have HIV.

Question corresponds to subscales 1 & 4: Personalized stigma subscale and Public attitudes subscale

Items are scored as follows: Strongly disagree = 1; Disagree = 2; Agree = 3; Strongly agree = 4.

Value	Label	Unweighted Frequency	%	Valid %
1	Strongly disagree	6	24.0 %	24.0%
2	Disagree	9	36.0 %	36.0%
3	Agree	9	36.0 %	36.0%

Value	Label	Unweighted Frequency	%	Valid %
4	Strongly agree	1	4.0 %	4.0%

Based upon 25 valid cases out of 25 total cases.

#### STIGMA29

#### People I care about stopped calling after learning I have HIV (1)

Location: 49-49 (width: 1; decimal: 0)

Variable Type: numeric

Question:

HIV Stigma Scale

This study asks about some of the social and emotional aspects of having HIV. For most of the questions, just circle the letters or numbers that go with your answer. There are no right or wrong answers. Feel free to write in comments as you go through the questions.

Many of the items in the next section assume that you have told other people that you have HIV, or that others know. This may not be true for you. If the item refers to something that has not actually happened you, please imagine yourself in that situation. Then give your answer ("strongly disagree," "disagree," "agree," "strongly agree") based on how you think you would feel or how you think others would react to you.

People I care about stopped calling after learning I have HIV.

Question corresponds to subscale 1: Personalized stigma subscale

Items are scored as follows: Strongly disagree = 1; Disagree = 2; Agree = 3; Strongly agree = 4.

Value	Label	Unweighted Frequency	%	Valid %
1	Strongly disagree	8	32.0 %	32.0%
2	Disagree	9	36.0 %	36.0%
3	Agree	6	24.0 %	24.0%
4	Strongly agree	2	8.0 %	8.0%

Based upon 25 valid cases out of 25 total cases.

#### STIGMA30

#### People have told me that getting HIV is what I deserve for how I lived my life (1,4)

Location: 50-50 (width: 1; decimal: 0)

Variable Type: numeric

Question:

HIV Stigma Scale

This study asks about some of the social and emotional aspects of having HIV. For most of the questions, just circle the letters or numbers that go with your answer. There are no right or wrong answers. Feel free to write in comments as you go through the questions.

Many of the items in the next section assume that you have told other people that you have HIV, or that others know. This may not be true for you. If the item refers to something that has not actually happened you, please imagine yourself in that situation. Then give your answer ("strongly disagree," "disagree," "agree," "strongly agree") based on how you think you would feel or how you think others would react to you.

People have told me that getting HIV is what I deserve for how I lived my life.

Question corresponds to subscales 1 & 4: Personalized stigma subscale and Public attitudes subscale

Items are scored as follows: Strongly disagree = 1; Disagree = 2; Agree = 3; Strongly agree = 4.

Value	Label	Unweighted Frequency	%	Valid %
1	Strongly disagree	8	32.0 %	32.0%
2	Disagree	10	40.0 %	40.0%
3	Agree	6	24.0 %	24.0%
4	Strongly agree	1	4.0 %	4.0%

Based upon 25 valid cases out of 25 total cases.

#### STIGMA31

## Some people close to me are afraid others will reject them if it becomes known that I have HIV (1)

51-51 (width: 1; decimal: 0)

Variable Type:

numeric

Question:

Location:

HIV Stigma Scale

This study asks about some of the social and emotional aspects of having HIV. For most of the questions, just circle the letters or numbers that go with your answer. There are no right or wrong answers. Feel free to write in comments as you go through the questions.

Many of the items in the next section assume that you have told other people that you have HIV, or that others know. This may not be true for you. If the item refers to something that has not actually happened you, please imagine yourself in that situation. Then give your answer ("strongly disagree," "disagree," "agree," "strongly agree") based on how you think you would feel or how you think others would react to you.

Some people close to me are afraid others will reject them if it becomes known that I have HIV.

Question corresponds to subscale 1: Personalized stigma subscale

Items are scored as follows: Strongly disagree = 1; Disagree = 2; Agree = 3; Strongly agree = 4.

Value	Label	Unweighted Frequency	%	Valid %
1	Strongly disagree	8	32.0 %	32.0%
2	Disagree	10	40.0 %	40.0%
3	Agree	6	24.0 %	24.0%
4	Strongly agree	1	4.0 %	4.0%

Based upon 25 valid cases out of 25 total cases.

#### STIGMA32

#### People don't want me around their children once they know I have HIV (1,4)

Location:

52-52 (width: 1; decimal: 0)

Variable Type:

numeric

Question:

HIV Stigma Scale

This study asks about some of the social and emotional aspects of having HIV. For most of the questions, just circle the letters or numbers that go with your answer. There are no right or wrong answers. Feel free to write in comments as you go through the questions.

Many of the items in the next section assume that you have told other people that you have HIV, or that others know. This may not be true for you. If the item refers to something that has not actually happened you, please imagine yourself in that situation. Then give your answer ("strongly disagree," "disagree," "agree," "strongly agree") based on how you think you would feel or how you think others would react to you.

People don't want me around their children once they know I have HIV.

Question corresponds to subscales 1 & 4: Personalized stigma subscale and Public attitudes subscale

Items are scored as follows: Strongly disagree = 1; Disagree = 2; Agree = 3; Strongly agree = 4.

Value	Label	Unweighted Frequency	%	Valid %
1	Strongly disagree	6	24.0 %	24.0%
2	Disagree	11	44.0 %	44.0%
3	Agree	7	28.0 %	28.0%
4	Strongly agree	1	4.0 %	4.0%

Based upon 25 valid cases out of 25 total cases.

#### STIGMA33

#### People have physically backed away from me when they learn I have HIV (1,4)

Location:

53-53 (width: 1; decimal: 0)

Variable Type:

numeric

Question:

HIV Stigma Scale

This study asks about some of the social and emotional aspects of having HIV. For most of the questions, just circle the letters or numbers that go with your answer. There are no right or wrong answers. Feel free to write in comments as you go through the questions.

Many of the items in the next section assume that you have told other people that you have HIV, or that others know. This may not be true for you. If the item refers to something that has not actually happened you, please imagine yourself in that situation. Then give your answer ("strongly disagree," "disagree," "agree," "strongly agree") based on how you think you would feel or how you think others would react to you.

People have physically backed away from me when they learn I have HIV.

Question corresponds to subscales 1 & 4: Personalized stigma subscale and Public attitudes subscale

Items are scored as follows: Strongly disagree = 1; Disagree = 2; Agree = 3; Strongly agree = 4.

Value	Label	Unweighted Frequency	%	Valid %
1	Strongly disagree	6	24.0 %	24.0%
2	Disagree	9	36.0 %	36.0%
3	Agree	7	28.0 %	28.0%
4	Strongly agree	3	12.0 %	12.0%

Based upon 25 valid cases out of 25 total cases.

#### STIGMA34 Some people act as though it's my fault I have HIV (1,4)

Location: 54-54 (width: 1; decimal: 0)

Variable Type: numeric

Question:

HIV Stigma Scale

This study asks about some of the social and emotional aspects of having HIV. For most of the questions, just circle the letters or numbers that go with your answer. There are no right or wrong answers. Feel free to write in comments as you go through the questions.

Many of the items in the next section assume that you have told other people that you have HIV, or that others know. This may not be true for you. If the item refers to something that has not actually happened you, please imagine yourself in that situation. Then give your answer ("strongly disagree," "disagree," "agree," "strongly agree") based on how you think you would feel or how you think others would react to you.

Some people act as though it's my fault I have HIV.

Question corresponds to subscales 1 & 4: Personalized stigma subscale and Public attitudes subscale

Items are scored as follows: Strongly disagree = 1; Disagree = 2; Agree = 3; Strongly agree = 4.

Value	Label	Unweighted Frequency	%	Valid %
1	Strongly disagree	2	8.0 %	8.0%
2	Disagree	8	32.0 %	32.0%
3	Agree	12	48.0 %	48.0%
4	Strongly agree	3	12.0 %	12.0%

Based upon 25 valid cases out of 25 total cases.

#### STIGMA35 I have stopped socializing with some people because of their reactions to my having HIV (1)

Location: 55-55 (width: 1; decimal: 0)

Variable Type: numeric

Question:

HIV Stigma Scale

This study asks about some of the social and emotional aspects of having HIV. For most of the questions, just circle the letters or numbers that go with your answer. There are no right or wrong answers. Feel free to write in comments as you go through the questions.

Many of the items in the next section assume that you have told other people that you have HIV, or that others know. This may not be true for you. If the item refers to something that has not actually happened you, please imagine yourself in that situation. Then give your answer ("strongly disagree," "disagree," "agree," "strongly agree") based on how you think you would feel or how you think others would react to you.

I have stopped socializing with some people because of their reactions to my having HIV.

Question corresponds to subscale 1: Personalized stigma subscale

Items are scored as follows: Strongly disagree = 1; Disagree = 2; Agree = 3; Strongly agree = 4.

Value	Label	Unweighted Frequency	%	Valid %
1	Strongly disagree	3	12.0 %	12.0%
2	Disagree	8	32.0 %	32.0%
3	Agree	11	44.0 %	44.0%
4	Strongly agree	3	12.0 %	12.0%

Based upon 25 valid cases out of 25 total cases.

#### STIGMA36

#### I have lost friends by telling them I have HIV (1)

Location: 56-56 (width: 1; decimal: 0)

Variable Type: numeric

Question:

HIV Stigma Scale

This study asks about some of the social and emotional aspects of having HIV. For most of the questions, just circle the letters or numbers that go with your answer. There are no right or wrong answers. Feel free to write in comments as you go through the questions.

Many of the items in the next section assume that you have told other people that you have HIV, or that others know. This may not be true for you. If the item refers to something that has not actually happened you, please imagine yourself in that situation. Then give your answer ("strongly disagree," "disagree," "agree," "strongly agree") based on how you think you would feel or how you think others would react to you.

I have lost friends by telling them I have HIV.

Question corresponds to subscale 1: Personalized stigma subscale

Items are scored as follows: Strongly disagree = 1; Disagree = 2; Agree = 3; Strongly agree = 4.

Value	Label	Unweighted Frequency	%	Valid %
1	Strongly disagree	4	16.0 %	16.0%
2	Disagree	8	32.0 %	32.0%
3	Agree	11	44.0 %	44.0%
4	Strongly agree	2	8.0 %	8.0%

Based upon 25 valid cases out of 25 total cases.

STIGMA37 I have told people close to me to keep the fact that I have HIV a secret (2)

Location: 57-57 (width: 1; decimal: 0)

Variable Type: numeric

Question:

HIV Stigma Scale

This study asks about some of the social and emotional aspects of having HIV. For most of the questions, just circle the letters or numbers that go with your answer. There are no right or wrong answers. Feel free to write in comments as you go through the questions.

Many of the items in the next section assume that you have told other people that you have HIV, or that others know. This may not be true for you. If the item refers to something that has not actually happened you, please imagine yourself in that situation. Then give your answer ("strongly disagree," "disagree," "agree," "strongly agree") based on how you think you would feel or how you think others would react to you.

I have told people close to me to keep the fact that I have HIV a secret.

Question corresponds to subscale 2: Disclosure subscale

Items are scored as follows: Strongly disagree = 1; Disagree = 2; Agree = 3; Strongly agree = 4.

Value	Label	Unweighted Frequency	%	Valid %
1	Strongly disagree	6	24.0 %	24.0%
2	Disagree	9	36.0 %	36.0%
3	Agree	6	24.0 %	24.0%
4	Strongly agree	4	16.0 %	16.0%

Based upon 25 valid cases out of 25 total cases.

#### STIGMA38 People who know I have HIV tend to ignore my good points (1,3,4)

Location: 58-58 (width: 1; decimal: 0)

Variable Type: numeric

Question:

HIV Stigma Scale

This study asks about some of the social and emotional aspects of having HIV. For most of the questions, just circle the letters or numbers that go with your answer. There are no right or wrong answers. Feel free to write in comments as you go through the questions.

Many of the items in the next section assume that you have told other people that you have HIV, or that others know. This may not be true for you. If the item refers to something that has not actually happened you, please imagine yourself in that situation. Then give your answer ("strongly disagree," "disagree," "agree," "strongly agree") based on how you think you would feel or how you think others would react to you.

People who know I have HIV tend to ignore my good points.

Question corresponds to subscales 1, 3, & 4: Personalized stigma subscale, Negative self-image subscale, and Public attitudes subscale

Items are scored as follows: Strongly disagree = 1; Disagree = 2; Agree = 3; Strongly agree = 4.

Value	Label	Unweighted Frequency	%	Valid %
1	Strongly disagree	6	24.0 %	24.0%
2	Disagree	13	52.0 %	52.0%
3	Agree	4	16.0 %	16.0%
4	Strongly agree	2	8.0 %	8.0%

Based upon 25 valid cases out of 25 total cases.

#### STIMGA39 People seem afraid of me once they learn I have HIV (1,3,4)

Location: 59-59 (width: 1; decimal: 0)

Variable Type: numeric

Question:

HIV Stigma Scale

This study asks about some of the social and emotional aspects of having HIV. For most of the questions, just circle the letters or numbers that go with your answer. There are no right or wrong answers. Feel free to write in comments as you go through the questions.

Many of the items in the next section assume that you have told other people that you have HIV, or that others know. This may not be true for you. If the item refers to something that has not actually happened you, please imagine yourself in that situation. Then give your answer ("strongly disagree," "disagree," "agree," "strongly agree") based on how you think you would feel or how you think others would react to you.

People seem afraid of me once they learn I have HIV.

Question corresponds to subscales 1, 3, & 4: Personalized stigma subscale, Negative self-image subscale, and Public attitudes subscale

Items are scored as follows: Strongly disagree = 1; Disagree = 2; Agree = 3; Strongly agree = 4.

Value	Label	Unweighted Frequency	%	Valid %
1	Strongly disagree	5	20.0 %	20.0%
2	Disagree	11	44.0 %	44.0%
3	Agree	8	32.0 %	32.0%
4	Strongly agree	1	4.0 %	4.0%

Based upon 25 valid cases out of 25 total cases.

#### STIGMA40 When people learn you have HIV, they look for flaws in your character (1,4)

Location: 60-60 (width: 1; decimal: 0)

Variable Type: numeric

Question:

HIV Stigma Scale

This study asks about some of the social and emotional aspects of having HIV. For most of the

questions, just circle the letters or numbers that go with your answer. There are no right or wrong answers. Feel free to write in comments as you go through the questions.

Many of the items in the next section assume that you have told other people that you have HIV, or that others know. This may not be true for you. If the item refers to something that has not actually happened you, please imagine yourself in that situation. Then give your answer ("strongly disagree," "disagree," "agree," "strongly agree") based on how you think you would feel or how you think others would react to you.

When people learn you have HIV, they look for flaws in your character.

Question corresponds to subscales 1 & 4: Personalized stigma subscale and Public attitudes subscale

Items are scored as follows: Strongly disagree = 1; Disagree = 2; Agree = 3; Strongly agree = 4.

Value	Label	Unweighted Frequency	%	Valid %
1	Strongly disagree	1	4.0 %	4.0%
2	Disagree	14	56.0 %	56.0%
3	Agree	10	40.0 %	40.0%
4	Strongly agree	0	0.0 %	-

Based upon 25 valid cases out of 25 total cases.

#### SUB1 Personalized stigma subscale score

Location: 61-62 (width: 2; decimal: 0)

Variable Type: numeric

Question:

HIV Stigma Scale

Each scale or subscale's score is calculated by simply adding up the raw values of the items belonging to that scale or subscale. For the Personalized stigma subscale, scores can range from 18 to 72.

Based upon 25 valid cases out of 25 total cases.

Mean: 41.44Median: 41.00Minimum: 19.00Maximum: 64.00

• Standard Deviation: 11.90

#### SUB1M Personalized stigma subscale means

Location: 63-71 (width: 9; decimal: 6)

Variable Type: numeric
Range of Missing Values (M): -9.000000

Question:

HIV Stigma Scale

Derivation of values present in this variable unknown given current documentation. Values for 5 cases were not calculated.

Based upon 20 valid cases out of 25 total cases.

Mean: 37.527778
Median: 38.611111
Mode: 39.111111
Minimum: 18.055556
Maximum: 61.166667

• Standard Deviation: 11.152576

#### **SUB1IDX**

#### Personalized stigma subscale index score

Location: 72-79 (width: 8; decimal: 6)

Variable Type: numeric

Question:

HIV Stigma Scale

The Personalized stigma subscale index score was calculated in the following manner:

Index scores were calculated by anchoring each item's rating scale at zero, then dividing the subject's subscale total by the range of possible scores for that subscale, which

allows for the comparison across subscales.

Based upon 25 valid cases out of 25 total cases.

Mean: 0.575556Median: 0.569444Minimum: 0.263889Maximum: 0.888889

• Standard Deviation: 0.165217

#### SUB2

#### Disclosure subscale score

Location: 80-81 (width: 2; decimal: 0)

Variable Type: numeric

Question:

HIV Stigma Scale

Each scale or subscale's score is calculated by simply adding up the raw values of the items belonging to that scale or subscale. For the Disclosure subscale, scores can range

from 10 to 40.

Based upon 25 valid cases out of 25 total cases.

Mean: 26.36Median: 26.00

Minimum: 12.00Maximum: 40.00

Standard Deviation: 7.63

SUB2M	Disclosure subscale means

Location: 82-85 (width: 4; decimal: 1)

Variable Type: numeric Range of Missing Values (M): -9.0

Question:

HIV Stigma Scale

Derivation of values present in this variable unknown given current documentation.

Values for 5 cases were not calculated.

Based upon 20 valid cases out of 25 total cases.

Mean: 23.22Median: 23.15Mode: 27.30Minimum: 11.10Maximum: 36.40

Standard Deviation: 7.10

#### SUB2IDX Disclosure subscale index score

Location: 86-90 (width: 5; decimal: 3)

Variable Type: numeric

Question:

HIV Stigma Scale

The Disclosure subscale index score was calculated in the following manner:

Index scores were calculated by anchoring each item's rating scale at zero, then dividing the subject's subscale total by the range of possible scores for that subscale,

which allows for the comparison across subscales.

Based upon 25 valid cases out of 25 total cases.

Mean: 0.659Median: 0.650Minimum: 0.300Maximum: 1.000

Standard Deviation: 0.191

#### SUB3 Negative self-image subscale score

Location: 91-92 (width: 2; decimal: 0)

Variable Type: numeric

Question:

HIV Stigma Scale

Each scale or subscale's score is calculated by simply adding up the raw values of the items belonging to that scale or subscale. For the Negative self-image subscale, scores can range from 13 to 52.

Based upon 25 valid cases out of 25 total cases.

Mean: 27.40Median: 27.00Mode: 32.00Minimum: 14.00Maximum: 46.00

· Standard Deviation: 7.88

#### SUB3M Negative self-image subscale means

Location: 93-101 (width: 9; decimal: 6)

Variable Type: numeric Range of Missing Values (M): -9.000000

Question:

HIV Stigma Scale

Derivation of values present in this variable unknown given current documentation.

Values for 5 cases were not calculated.

Based upon 20 valid cases out of 25 total cases.

Mean: 24.411538Median: 24.153846Minimum: 13.076923Maximum: 43.230769

• Standard Deviation: 7.775392

#### SUB3IDX Negative self-image subscale index score

Location: 102-109 (width: 8; decimal: 6)

Variable Type: numeric

Question:

HIV Stigma Scale

The Negative self-image subscale index score was calculated in the following manner:

Index scores were calculated by anchoring each item's rating scale at zero, then dividing

the subject's subscale total by the range of possible scores for that subscale,

which allows for the comparison across subscales.

Based upon 25 valid cases out of 25 total cases.

Mean: 0.526923
Median: 0.519231
Mode: 0.615385
Minimum: 0.269231
Maximum: 0.884615

• Standard Deviation: 0.151627

#### SUB4 Public attitudes subscale score

Location: 110-111 (width: 2; decimal: 0)

Variable Type: numeric

Question:

HIV Stigma Scale

Each scale or subscale's score is calculated by simply adding up the raw values of the items belonging to that scale or subscale. For the Public attitudes subscale, scores can range

from 20 to 80.

Based upon 25 valid cases out of 25 total cases.

Mean: 48.24Median: 46.00Mode: 50.00Minimum: 26.00Maximum: 74.00

· Standard Deviation: 11.77

#### SUB4M Public attitudes subscale means

Location: 112-116 (width: 5; decimal: 2)

Variable Type: numeric Range of Missing Values (M): -9.00

Question:

HIV Stigma Scale

Derivation of values present in this variable unknown given current documentation.

Values for 5 cases were not calculated.

Based upon 20 valid cases out of 25 total cases.

Mean: 44.21Median: 41.10Mode: 39.10Minimum: 25.05Maximum: 71.15

Standard Deviation: 11.53

## SUB4IDX Public

#### Public attitudes subscale index score

Location: 117-122 (width: 6; decimal: 4)

Variable Type: numeric

Question:

HIV Stigma Scale

The Public attitudes subscale index score was calculated in the following manner:

Index scores were calculated by anchoring each item's rating scale at zero, then dividing

the subject's subscale total by the range of possible scores for that subscale,

which allows for the comparison across subscales.

Based upon 25 valid cases out of 25 total cases.

 Mean: 0.6030 Median: 0.5750 Mode: 0.6250 Minimum: 0.3250 Maximum: 0.9250

Standard Deviation: 0.1471

#### **TOTSTIG Total Stigma Scale score**

Location: 123-125 (width: 3; decimal: 0)

Variable Type: numeric

Question:

HIV Stigma Scale

Each scale or subscale's score is calculated by simply adding up the raw values of the items belonging to that scale or subscale. For the total HIV Stigma Scale, scores can

range from 40 to 160 [1 x 40 items to 4 x 40 items].

Based upon 25 valid cases out of 25 total cases.

Mean: 94.32 Median: 97.00 Minimum: 54.00 Maximum: 141.00

Standard Deviation: 23.12

#### CESD1 During the past week, I was bothered by things that usually don't bother me

Location: 126-126 (width: 1; decimal: 0)

Variable Type: numeric

Question:

Center for Epidemiologic Studies Depression Scale (CES-D), NIMH

Below is a list of the ways that you might have felt or behaved. Please tell me, how often have you

felt this way during the past week.

I was bothered by things that usually don't bother me.

Scoring: Zero for "Rarely or none of the time," 1 for "Some or a little of the time," 2 for "Occasionally or a moderate amount of time," 3 for "Most or all of the time."

Value	Label	Unweighted Frequency	%	Valid %
0	Rarely or none of the time (less than 1 day)	18	72.0 %	72.0%
1	Some or a little of the time (1-2 days)	3	12.0 %	12.0%
2	Occasionally or a moderate amount of time (3-4 days)	2	8.0 %	8.0%
3	Most or all of the time (5-7 days)	2	8.0 %	8.0%

Based upon 25 valid cases out of 25 total cases.

#### CESD2 During the past week, I did not feel like eating; my appetite was poor

Location: 127-127 (width: 1; decimal: 0)

Variable Type: numeric

Question:

Center for Epidemiologic Studies Depression Scale (CES-D), NIMH

Below is a list of the ways that you might have felt or behaved. Please tell me, how often have you felt this way during the past week.

I did not feel like eating; my appetite was poor.

Scoring: Zero for "Rarely or none of the time," 1 for "Some or a little of the time," 2 for "Occasionally or a moderate amount of time," 3 for "Most or all of the time."

Value	Label	Unweighted Frequency	%	Valid %
0	Rarely or none of the time (less than 1 day)	14	56.0 %	56.0%
1	Some or a little of the time (1-2 days)	2	8.0 %	8.0%
2	Occasionally or a moderate amount of time (3-4 days)	5	20.0 %	20.0%
3	Most or all of the time (5-7 days)	4	16.0 %	16.0%

Based upon 25 valid cases out of 25 total cases.

CESD3	During the past week, I felt that I could not shake off the blues even with help from my family
	or friends

Location: 128-128 (width: 1; decimal: 0)

Variable Type: numeric

Question:

Center for Epidemiologic Studies Depression Scale (CES-D), NIMH

Below is a list of the ways that you might have felt or behaved. Please tell me, how often have you felt this way during the past week.

I felt that I could not shake off the blues even with help from my family or friends.

Scoring: Zero for "Rarely or none of the time," 1 for "Some or a little of the time," 2 for "Occasionally or a moderate amount of time," 3 for "Most or all of the time."

Value	Label	Unweighted Frequency	%	Valid %
0	Rarely or none of the time (less than 1 day)	12	48.0 %	48.0%
1	Some or a little of the time (1-2 days)	8	32.0 %	32.0%
2	Occasionally or a moderate amount of time (3-4 days)	3	12.0 %	12.0%
3	Most or all of the time (5-7 days)	2	8.0 %	8.0%

Based upon 25 valid cases out of 25 total cases.

## CESD4 During the past week, I felt I was just as good as other people

Location: 129-129 (width: 1; decimal: 0)

Variable Type: numeric

Question:

Center for Epidemiologic Studies Depression Scale (CES-D), NIMH

Below is a list of the ways that you might have felt or behaved. Please tell me, how often have you felt this way during the past week.

I felt I was just as good as other people.

Scoring: Zero for "Rarely or none of the time," 1 for "Some or a little of the time," 2 for "Occasionally or a moderate amount of time," 3 for "Most or all of the time."

Item is reverse-scored

Value	Label	Unweighted Frequency	%	Valid %
0	Most or all of the time (5-7 days)	16	64.0 %	64.0%
1	Occasionally or a moderate amount of time (3-4 days)	5	20.0 %	20.0%
2	Some or a little of the time (1-2 days)	2	8.0 %	8.0%
3	Rarely or none of the time (less than 1 day)	2	8.0 %	8.0%

Based upon 25 valid cases out of 25 total cases.

#### CESD5 During the past week, I had trouble keeping my mind on what I was doing

Location: 130-130 (width: 1; decimal: 0)

Variable Type: numeric

Question:

Center for Epidemiologic Studies Depression Scale (CES-D), NIMH

Below is a list of the ways that you might have felt or behaved. Please tell me, how often have you felt this way during the past week.

I had trouble keeping my mind on what I was doing.

Scoring: Zero for "Rarely or none of the time," 1 for "Some or a little of the time," 2 for "Occasionally or a moderate amount of time," 3 for "Most or all of the time."

Value	Label	Unweighted Frequency	%	Valid %
0	Rarely or none of the time (less than 1 day)	9	36.0 %	36.0%
1	Some or a little of the time (1-2 days)	8	32.0 %	32.0%
2	Occasionally or a moderate amount of time (3-4 days)	5	20.0 %	20.0%
3	Most or all of the time (5-7 days)	3	12.0 %	12.0%

Based upon 25 valid cases out of 25 total cases.

## CESD6 During the past week, I felt depressed

Location: 131-131 (width: 1; decimal: 0)

Variable Type: numeric

Question:

Center for Epidemiologic Studies Depression Scale (CES-D), NIMH

Below is a list of the ways that you might have felt or behaved. Please tell me, how often have you felt this way during the past week.

I felt depressed.

Scoring: Zero for "Rarely or none of the time," 1 for "Some or a little of the time," 2 for "Occasionally or a moderate amount of time," 3 for "Most or all of the time."

Value	Label	Unweighted Frequency	%	Valid %
0	Rarely or none of the time (less than 1 day)	11	44.0 %	44.0%
1	Some or a little of the time (1-2 days)	9	36.0 %	36.0%
2	Occasionally or a moderate amount of time (3-4 days)	1	4.0 %	4.0%
3	Most or all of the time (5-7 days)	4	16.0 %	16.0%

Based upon 25 valid cases out of 25 total cases.

#### CESD7 During the past week, I felt that everything I did was an effort

Location: 132-132 (width: 1; decimal: 0)

Variable Type: numeric

Question:

Center for Epidemiologic Studies Depression Scale (CES-D), NIMH

Below is a list of the ways that you might have felt or behaved. Please tell me, how often have you felt this way during the past week.

I felt that everything I did was an effort.

Scoring: Zero for "Rarely or none of the time," 1 for "Some or a little of the time," 2 for "Occasionally

or a moderate amount of time," 3 for "Most or all of the time."

Value	Label	Unweighted Frequency	%	Valid %
0	Rarely or none of the time (less than 1 day)	7	28.0 %	28.0%
1	Some or a little of the time (1-2 days)	11	44.0 %	44.0%
2	Occasionally or a moderate amount of time (3-4 days)	2	8.0 %	8.0%
3	Most or all of the time (5-7 days)	5	20.0 %	20.0%

Based upon 25 valid cases out of 25 total cases.

#### CESD8 During the past week, I felt hopeful about the future

Location: 133-133 (width: 1; decimal: 0)

Variable Type: numeric

Question:

Center for Epidemiologic Studies Depression Scale (CES-D), NIMH

Below is a list of the ways that you might have felt or behaved. Please tell me, how often have you felt this way during the past week.

I felt hopeful about the future.

Scoring: Zero for "Rarely or none of the time," 1 for "Some or a little of the time," 2 for "Occasionally or a moderate amount of time," 3 for "Most or all of the time."

Item is reverse-scored

Value	Label	Unweighted Frequency	%	Valid %
0	Most or all of the time (5-7 days)	16	64.0 %	64.0%
1	Occasionally or a moderate amount of time (3-4 days)	5	20.0 %	20.0%
2	Some or a little of the time (1-2 days)	3	12.0 %	12.0%
3	Rarely or none of the time (less than 1 day)	1	4.0 %	4.0%

Based upon 25 valid cases out of 25 total cases.

#### CESD9 During the past week, I thought my life had been a failure

Location: 134-134 (width: 1; decimal: 0)

Variable Type: numeric

Question:

Center for Epidemiologic Studies Depression Scale (CES-D), NIMH

Below is a list of the ways that you might have felt or behaved. Please tell me, how often have you felt this way during the past week.

I thought my life had been a failure.

Scoring: Zero for "Rarely or none of the time," 1 for "Some or a little of the time," 2 for "Occasionally

or a moderate amount of time," 3 for "Most or all of the time."

Value	Label	Unweighted Frequency	%	Valid %
0	Rarely or none of the time (less than 1 day)	19	76.0 %	76.0%
1	Some or a little of the time (1-2 days)	1	4.0 %	4.0%
2	Occasionally or a moderate amount of time (3-4 days)	2	8.0 %	8.0%
3	Most or all of the time (5-7 days)	3	12.0 %	12.0%

Based upon 25 valid cases out of 25 total cases.

#### CESD10 During the past week, I felt fearful

Location: 135-135 (width: 1; decimal: 0)

Variable Type: numeric

Question:

Center for Epidemiologic Studies Depression Scale (CES-D), NIMH

Below is a list of the ways that you might have felt or behaved. Please tell me, how often have you felt this way during the past week.

I felt fearful.

Scoring: Zero for "Rarely or none of the time," 1 for "Some or a little of the time," 2 for "Occasionally or a moderate amount of time," 3 for "Most or all of the time."

Value	Label	Unweighted Frequency	%	Valid %
0	Rarely or none of the time (less than 1 day)	16	64.0 %	64.0%
1	Some or a little of the time (1-2 days)	5	20.0 %	20.0%
2	Occasionally or a moderate amount of time (3-4 days)	1	4.0 %	4.0%
3	Most or all of the time (5-7 days)	3	12.0 %	12.0%

Based upon 25 valid cases out of 25 total cases.

#### CESD11 During the past week, my sleep was restless

Location: 136-136 (width: 1; decimal: 0)

Variable Type: numeric

Question:

Center for Epidemiologic Studies Depression Scale (CES-D), NIMH

Below is a list of the ways that you might have felt or behaved. Please tell me, how often have you felt this way during the past week.

My sleep was restless.

Value	Label	Unweighted Frequency	%	Valid %
0	Rarely or none of the time (less than 1 day)	8	32.0 %	32.0%
1	Some or a little of the time (1-2 days)	4	16.0 %	16.0%
2	Occasionally or a moderate amount of time (3-4 days)	6	24.0 %	24.0%
3	Most or all of the time (5-7 days)	7	28.0 %	28.0%

Based upon 25 valid cases out of 25 total cases.

## CESD12 During the past week, I was happy

Location: 137-137 (width: 1; decimal: 0)

Variable Type: numeric

Question:

Center for Epidemiologic Studies Depression Scale (CES-D), NIMH

Below is a list of the ways that you might have felt or behaved. Please tell me, how often have you felt this way during the past week.

I was happy.

Scoring: Zero for "Rarely or none of the time," 1 for "Some or a little of the time," 2 for "Occasionally or a moderate amount of time," 3 for "Most or all of the time."

Item is reverse-scored

Value	Label	Unweighted Frequency	%	Valid %
0	Most or all of the time (5-7 days)	12	48.0 %	48.0%
1	Occasionally or a moderate amount of time (3-4 days)	5	20.0 %	20.0%
2	Some or a little of the time (1-2 days)	6	24.0 %	24.0%
3	Rarely or none of the time (less than 1 day)	2	8.0 %	8.0%

Based upon 25 valid cases out of 25 total cases.

#### CESD13 During the past week, I talked less than usual

Location: 138-138 (width: 1; decimal: 0)

Variable Type: numeric

Question:

Center for Epidemiologic Studies Depression Scale (CES-D), NIMH

Below is a list of the ways that you might have felt or behaved. Please tell me, how often have you felt this way during the past week.

I talked less than usual.

Value	Label	Unweighted Frequency	%	Valid %
0	Rarely or none of the time (less than 1 day)	13	52.0 %	52.0%
1	Some or a little of the time (1-2 days)	5	20.0 %	20.0%
2	Occasionally or a moderate amount of time (3-4 days)	4	16.0 %	16.0%
3	Most or all of the time (5-7 days)	3	12.0 %	12.0%

Based upon 25 valid cases out of 25 total cases.

## CESD14 During the past week, I felt lonely

Location: 139-139 (width: 1; decimal: 0)

Variable Type: numeric

Question:

Center for Epidemiologic Studies Depression Scale (CES-D), NIMH

Below is a list of the ways that you might have felt or behaved. Please tell me, how often have you felt this way during the past week.

I felt lonely.

Scoring: Zero for "Rarely or none of the time," 1 for "Some or a little of the time," 2 for "Occasionally or a moderate amount of time," 3 for "Most or all of the time."

Value	Label	Unweighted Frequency	%	Valid %
0	Rarely or none of the time (less than 1 day)	12	48.0 %	48.0%
1	Some or a little of the time (1-2 days)	4	16.0 %	16.0%
2	Occasionally or a moderate amount of time (3-4 days)	4	16.0 %	16.0%
3	Most or all of the time (5-7 days)	5	20.0 %	20.0%

Based upon 25 valid cases out of 25 total cases.

#### CESD15 During the past week, people were unfriendly

Location: 140-140 (width: 1; decimal: 0)

Variable Type: numeric

Question:

Center for Epidemiologic Studies Depression Scale (CES-D), NIMH

Below is a list of the ways that you might have felt or behaved. Please tell me, how often have you felt this way during the past week.

People were unfriendly.

Value	Label	Unweighted Frequency	%	Valid %
0	Rarely or none of the time (less than 1 day)	20	80.0 %	80.0%
1	Some or a little of the time (1-2 days)	2	8.0 %	8.0%
2	Occasionally or a moderate amount of time (3-4 days)	1	4.0 %	4.0%
3	Most or all of the time (5-7 days)	2	8.0 %	8.0%

Based upon 25 valid cases out of 25 total cases.

#### CESD16 During the past week, I enjoyed life

Location: 141-141 (width: 1; decimal: 0)

Variable Type: numeric

Question:

Center for Epidemiologic Studies Depression Scale (CES-D), NIMH

Below is a list of the ways that you might have felt or behaved. Please tell me, how often have you felt this way during the past week.

I enjoyed life.

Scoring: Zero for "Rarely or none of the time," 1 for "Some or a little of the time," 2 for "Occasionally or a moderate amount of time," 3 for "Most or all of the time."

Item is reverse-scored

Value	Label	Unweighted Frequency	%	Valid %
0	Most or all of the time (5-7 days)	19	76.0 %	76.0%
1	Occasionally or a moderate amount of time (3-4 days)	3	12.0 %	12.0%
2	Some or a little of the time (1-2 days)	2	8.0 %	8.0%
3	Rarely or none of the time (less than 1 day)	1	4.0 %	4.0%

Based upon 25 valid cases out of 25 total cases.

#### CESD17 During the past week, I had crying spells

Location: 142-142 (width: 1; decimal: 0)

Variable Type: numeric

Question:

Center for Epidemiologic Studies Depression Scale (CES-D), NIMH

Below is a list of the ways that you might have felt or behaved. Please tell me, how often have you felt this way during the past week.

I had crying spells.

Value	Label	Unweighted Frequency	%	Valid %
0	Rarely or none of the time (less than 1 day)	17	68.0 %	68.0%
1	Some or a little of the time (1-2 days)	6	24.0 %	24.0%
2	Occasionally or a moderate amount of time (3-4 days)	0	0.0 %	-
3	Most or all of the time (5-7 days)	2	8.0 %	8.0%

Based upon 25 valid cases out of 25 total cases.

## CESD18 During the past week, I felt sad

Location: 143-143 (width: 1; decimal: 0)

Variable Type: numeric

Question:

Center for Epidemiologic Studies Depression Scale (CES-D), NIMH

Below is a list of the ways that you might have felt or behaved. Please tell me, how often have you felt this way during the past week.

I felt sad.

Scoring: Zero for "Rarely or none of the time," 1 for "Some or a little of the time," 2 for "Occasionally or a moderate amount of time," 3 for "Most or all of the time."

Value	Label	Unweighted Frequency	%	Valid %
0	Rarely or none of the time (less than 1 day)	10	40.0 %	40.0%
1	Some or a little of the time (1-2 days)	11	44.0 %	44.0%
2	Occasionally or a moderate amount of time (3-4 days)	2	8.0 %	8.0%
3	Most or all of the time (5-7 days)	2	8.0 %	8.0%

Based upon 25 valid cases out of 25 total cases.

#### CESD19 During the past week, I felt that people dislike me

Location: 144-144 (width: 1; decimal: 0)

Variable Type: numeric

Question:

Center for Epidemiologic Studies Depression Scale (CES-D), NIMH

Below is a list of the ways that you might have felt or behaved. Please tell me, how often have you felt this way during the past week.

I felt that people dislike me.

Value	Label	Unweighted Frequency	%	Valid %
0	Rarely or none of the time (less than 1 day)	16	64.0 %	64.0%
1	Some or a little of the time (1-2 days)	7	28.0 %	28.0%
2	Occasionally or a moderate amount of time (3-4 days)	0	0.0 %	-
3	Most or all of the time (5-7 days)	2	8.0 %	8.0%

Based upon 25 valid cases out of 25 total cases.

CESD20 During the past week, I could not get "going"

Location: 145-145 (width: 1; decimal: 0)

Variable Type: numeric

Question:

Center for Epidemiologic Studies Depression Scale (CES-D), NIMH

Below is a list of the ways that you might have felt or behaved. Please tell me, how often have you felt this way during the past week.

I could not get "going".

Scoring: Zero for "Rarely or none of the time," 1 for "Some or a little of the time," 2 for "Occasionally or a moderate amount of time," 3 for "Most or all of the time."

Value	Label	Unweighted Frequency	%	Valid %
0	Rarely or none of the time (less than 1 day)	11	44.0 %	44.0%
1	Some or a little of the time (1-2 days)	8	32.0 %	32.0%
2	Occasionally or a moderate amount of time (3-4 days)	3	12.0 %	12.0%
3	Most or all of the time (5-7 days)	3	12.0 %	12.0%

Based upon 25 valid cases out of 25 total cases.

#### TOTCESD Total CES-D Scale score

Location: 146-147 (width: 2; decimal: 0)

Variable Type: numeric

Question:

Center for Epidemiologic Studies Depression Scale (CES-D), NIMH

Possible range of scores is zero to 60, with the higher scores indicating the presence of more symptomatology.

Based upon 25 valid cases out of 25 total cases.

Mean: 15.76Median: 12.00Mode: 12.00Minimum: 0.00

• Maximum: 50.00

• Standard Deviation: 13.73