1.

```
& ~
                                                                                                 0: 🔲 🗎 🖽
   File Edit Selection
       EXPLORER
                                           $ git-prompt.sh X
凸
                             回の智力
                                            $ git-prompt.sh
                                                  if test -f /etc/profile.d/git-sdk.sh
0
      $ aliases.sh
      $ bash_profile.sh
                                                     TITLEPREFIX=SDK-${MSYSTEM#MINGW}
                                                     TITLEPREFIX=$MSYSTEM
      $ lang.sh
      $ perlbin.csh
                                                  if test -f ~/.config/git/git-prompt.sh
      $ perlbin.sh
品
                                                    PS1='\[\033]0;$TITLEPREFIX:$PWD\007\]' # set window title
                                                     PS1="$PS1"\[\033[32m\]'
PS1="$PS1"\\u@\h'
PS1="$PS1"\[\033[35m\]'
PS1="$PS1"\$MSYSTEM'
PS1="$PS1"\[\033[33m\]'
                                                     PS1="$PS1"'\w'
                                                                                   # current working directory
                                                      if test -z "$WINELOADERNOEXEC"
                                                         GIT_EXEC_PATH="$(git --exec-path 2>/dev/null)"
                                                         COMPLETION_PATH="${GIT_EXEC_PATH%/libexec/git-core}"


COMPLETION_PATH="${COMPLETION_PATH%/lib/git-core}"
                                                         COMPLETION_PATH="$COMPLETION_PATH/share/git/completion"
(8)
                                                         if test -f "$COMPLETION_PATH/git-prompt.sh"
     > OUTLINE
                                                             . "$COMPLETION_PATH/git-completion.bash"
     > TIMELINE
                                                              . "$COMPLETION_PATH/git-prompt.sh
 O A 0 ⊗
                                                                            Q Ln 7, Col 1 Tab Size: 4 UTF-8 LF {} Shell
                               ∠ xzy01
                                                                       & ~
                                                                                     □ …
         $ .bash_profile X
          $ .bash_profile
                  # >>> conda initialize >>>
                  if [ -f '/c/Users/xzy01/anaconda3/Scripts/conda.exe' ]; then
                       eval "$('/c/Users/xzy01/anaconda3/Scripts/conda.exe' 'shell.bash' 'hook')
                  # <<< conda initialize <<<
                  PS1="\n$PS1"
           11
 -rw-r--r-- 1 xzy01 197609
                                               20 Feb 23 13:36
                                                                        ntuser.ini
                                                0 Mar 14 17:49
0 Mar 14 17:35
drwxr-xr-x 1 xzy01 197609
drwxr-xr-x 1 xzy01 197609
                                                                         repo/
                                                                         week02/
                                               59 Feb 22 22:39
1rwxrwxrwx 1 xzy01 197609
                                                                          「开始」菜单 -> '/c/Users/xzy01
/AppData/Roaming/Microsoft/Windows/Start Menu'/
(base) xzy01@xzy MINGW64 ~
```

```
conda activate prj2
(prj2)
 zy01@xzy MINGW64 ~
  python --version
 ython 3.9.21
(prj2)
       xzy MINGW64 ~
$ python
Python 3.9.21 (main, Dec 11 2024, 16:35:24) [MSC v.1929 64 bit (AMD64)] on win32
Type "help", "copyright", "credits" or "license" for more information.
>>> import request
Traceback (most recent call last):
File "<stdin>", line 1, in <module>
ModuleNotFoundError: No module named 'request'
>>> import pandas
>>> pandas.__file__
'C:\\Users\\xzy01\\anaconda3\\envs\\prj2\\lib\\site-packages\\pandas\\__init__.p
>>> pandas.__version_
'2.2.3'
>>> import statsmodels
>>> statsmodels.__version_
0.14.4
```

5.

```
conda list
  packages in environment at C:\Users\xzy01\anaconda3\envs\prj2:
                                                                     Build
                                  Version
                                                                              Channel
blas
                                  1.0
                                                                       mk 1
                                  1.4.2
2025.2.25
2022.1.0
2023.1.0
                                                         py39hc99e966_0
bottleneck
                                                              haa95532_0
ca-certificates
                                                         h6049295_2
h59b6b97_46320
h6b88ed4_46358
icc_rt
intel-openmp
mkl
mkl-service
                                  2023.1.0
                                  2.4.0
                                                         py39h827c3e9_2
mkl_fft
mkl_random
                                                         py39h827c3e9_0
                                  1.3.11
                                  1.2.8
                                                         py39hc64d2fc_0
                                  2.10.1
                                                         py39h4cd664f_0
numexpr
                                                         py39h055cbcc_0
py39h65a83cf_0
numpy
                                  2.0.2
                                  2.0.2
numpy-base
                                  3.0.16
24.2
2.2.3
                                                         h3f729d1_0
py39haa95532_0
openss1
packaging
                                                         py39h5da7b33_0
py39haa95532_0
pandas
                                  1.0.1
patsy
                                                         py39haa95532_0
pip
                                  25.0
pybind11-abi
                                                              hd3eb1b0_0
python
                                  3.9.21
                                                              h8205438_1
                                                         py39haa95532_2
pyhd3eb1b0_0
py39haa95532_0
python-dateutil
                                  2.9.0post0
2023.3
2024.1
python-tzdata
pytz
                                                         py39h8640f81_1
py39haa95532_0
pyhd3eb1b0_1
                                  1.13.1
72.1.0
scipy
setuptools
six
                                  1.16.0
                                                         h2bbff1b_0
py39h827c3e9_0
sqlite
                                  3.45.3
                                  0.14.4
statsmodels
                                                              h59b6b97_0
tbb
                                  2021.8.0
                                  2025a
                                                              h04d1e81_0
tzdata
                                  14.42
14.42.34433
                                                              haa95532_4
VC
vs2015_runtime
                                                              he0abc0d_4
                                  0.45.1
                                                         py39haa95532_0
wheel
```

```
xzy01@xzy MINGW64 ~
$ python
Python 3.12.9 | packaged by conda-forge | (main, Mar 4 2025, 22:37:18) [MSC v.1
943 64 bit (AMD64)] on win32
Type "help", "copyright", "credits" or "license" for more information.
>>> import tushare
>>> tushare.__file__
'C:\\Users\\xzy01\\anaconda3\\envs\\prj1\\Lib\\site-packages\\tushare\\__init__.
py'
8. >>>
```



```
DEPLORER

I environmentyml

I main.py

Mresouct

I environmentyml

I import pandas as pd

BFA_SmartLocationDatabase_V3_Jan_2021_Fi...

Massers the question:

Answers the question:

Answers the question:

Answers the def main():

"""

Southure

Pounding

I import pandas as pd

def main():

"""

Answers the question:

Ans
```