vendor lock-in 供应商锁定

若使用微软则全是用二进制保存,所以只能用 word 等软件打开或编辑

锁定了用户, 以期未来选择性获利

\$ls \$pwd 搜索位置 present working directory

```
NTUSER.DAT
ntuser.dat.LOG1
ntuser.dat.LOG2
NTUSER.DAT{9e59994H-3445-11ef-ace0-ce291d9703ff}.TxR.0.regtrans-ms
NTUSER.DAT{9e59994H-3445-11ef-ace0-ce291d9703ff}.TxR.1.regtrans-ms
NTUSER.DAT{9e59994H-3445-11ef-ace0-ce291d9703ff}.TxR.2.regtrans-ms
NTUSER.DAT{9e59994B-3445-11ef-ace0-ce291d9703ff}.TxR.b1f
NTUSER.DAT{9e599945-3445-11ef-ace0-ce291d9703ff}.TxR.b1f
NTUSER.DAT{9e599945-3445-11ef-ace0-ce291d9703ff}.TxB.b1f
NTUSER.DAT{9e599945-3445-11ef-ace0-ce291d9703ff}.TxB.b1f
NTUSER.DAT{9e599945-3445-11ef-ace0-ce291d9703ff}.TxB.b1f
NTUSER.DAT{9e599945-3445-11ef-ace0-ce291d9703ff}.TxB.b1f
NTUSER.DAT{9e599945-3445-11ef-ace0-ce291d9703ff}.TxB.b1f
NTUSER.DAT{9e599945-3445-11ef-ace0-ce291d9703ff}.TxB.b1f
NTUSER.DAT{9e599945-3445-11ef-ace0-ce291d9703ff}.TxB.b1f
NTUSER.DAT{9e599945-3445-11ef-ace0-ce291d9703ff}.TxB.b1f
NTUSER.DAT{9e509945-3445-11ef-ace0-ce291d9703ff}.TxB.b1f
NTUSER.DAT{9e509945-3445-11ef-ace
```

tab 键自动补全

cat 查询

```
31776@□□□□lं□□ MINGW64 ~/Desktop
$ cat abc.txt
hello
```

返回上级目录

```
$ cd ..

$ 1776@□□□□¹□□ MINGW64 ~/Desktop
$ cd ..

$1776@□□□□¹□□ MINGW64 ~

$ ls
「开始」菜单@
AppData/
'Application Data'@
Contacts/
Cookies@
Desktop/
Documents/
Downloads/
Favorites/
Links/
进入手册学习
```

```
man7.org > Linux > man-pages
                                                         Linux/UNIX system programming training
ls(1) — Linux manual page
 NAME | SYNOPSIS | DESCRIPTION | AUTHOR | REPORTING BUGS | COPYRIGHT | SEE ALSO |
 COLOPHON
             Search online pages
LS(1)
                                 User Commands
                                                                           LS(1)
NAME
       ls - list directory contents
                                                                                                                                                                       m
                                                                                                                                                                        文
SYNOPSIS top
       1s [OPTION]... [FILE]...
                                                                                                                                                                        @
                                                                                                                                                                        98
DESCRIPTION top
                                                                                                                                                                       ①
       List information about the FILEs (the current directory by default). Sort entries alphabetically if none of -cftuvSUX nor
       default). Sort entr
--sort is specified.
       \ensuremath{\mathsf{Mandatory}} arguments to long options are mandatory for short options too.
```

cookies 测试

```
♦ MINGW64:/c/Users/31776/coc ×
/c/Users/31776/cookies
total 17K
drwxr-xr-x 1 31776 197609 0 6月 29 2024 ./
drwxr-xr-x 1 31776 197609 0 3月 3 01:29 ../
-rw-r--r- 1 31776 197609 0 6月 29 2024 container.dat
-rw-r--r- 1 31776 197609 91 6月 29 2024 dprecated.cookie
drwxr-xr-x 1 31776 197609 0 6月 29 2024 DNTException/
drwxr-xr-x 1 31776 197609 0 6月 29 2024 LSE/
drwxr-xr-x 1 31776 197609 0 6月 29 2024 Low/
drwxr-xr-x 1 31776 197609 0 6月 29 2024 PrivacIE/
 ls -alhs
otal 17K
total 17K
4.0K drwxr-xr-x 1 31776 197609 0 6月 29 2024 ./
12K drwxr-xr-x 1 31776 197609 0 3月 3 01:29 ../
0 -rw-r-r- 1 31776 197609 0 6月 29 2024 container.dat
1.0K -rw-r-r- 1 31776 197609 91 6月 29 2024 deprecated.cookie
0 drwxr-xr-x 1 31776 197609 0 6月 29 2024 DNTException/
0 drwxr-xr-x 1 31776 197609 0 6月 29 2024 ESE/
0 drwxr-xr-x 1 31776 197609 0 6月 29 2024 Low/
0 drwxr-xr-x 1 31776 197609 0 6月 29 2024 PrivacIE/
store
31776@pppclpp MINGW64 ~/Desktop
$ ls -l store
total 0
31776@□□□□ľ□□ MINGW64 ~/Desktop
$ ls -l storer
ls: cannot access 'storer': No such file or directory
31776@□□□□ľ□□ MINGW64 ~/Desktop
$ ls -l store
total 1
-rw-r--r-- 1 31776 197609 5 3月 18 07:16 abc.txt
31776@□□□□ľ□□ MINGW64 ~/Desktop
$ cp store ../Downloads/
cp: -r not specified; omitting directory 'store'
```

cp mv mkdir rm df 命令使用

31776@□□□□ľ□□ MINGW64 ~/Desktop

```
31776@pppclpp MINGW64 ~/Desktop
$ cp store ../Downloads/
cp: -r not specified; omitting directory 'store'
31776@ppplace MINGW64 ~/Desktop
$ cp -r store ../Downloads/
31776@pppclop MINGW64 ~/Desktop
$ cp -r store ../Downloads/store2
31776@pppclpp MINGW64 ~/Desktop
$ mv ../Downloads/xvz.txt ./
31776@ DD DC MINGW 64 ~/ Desktop
31776@□□□□ľ□□ MINGW64 ~/Desktop
$ mv ../Downloads/store2 ./
31776@□□□□ľ□□ MINGW64 ~/Desktop
$ mkdir myproject
31776@ppplace MINGW64 ~/Desktop
$ ls -alh myproject/
total 4.0K
drwxr-xr-x 1 31776 197609 0 3月 18 10:12 ./
drwxr-xr-x 1 31776 197609 0 3月 18 10:12 .../
31776@ppplace MINGW64 ~/Desktop
$ rm xyz.txt
31776@ppplaction MINGW64 ~/Desktop
$ rm -r myproject/
31776@pppclop MINGW64 ~/Desktop
$ rm store
rm: cannot remove 'store': Is a directory
31776@0000100 MINGW64 ~
$ df
                             Used Available Use% Mounted on
Filesystem
               1K-blocks
D:/Apps/Git
               249560060 45425140 204134920 19% /
               248835068 109385820 139449248 44% /c
31776@□□□□【□□ MINGW64 ~
$ df -h
Filesystem
                Size Used Avail Use% Mounted on
D:/Apps/Git
                238G 44G 195G 19% /
                      105G 133G 44% /c
C:
                238G
```

新建项目

∃ G G	itCode	Q 按下 // 快速开启搜索	+ 新建				
新建项目	需要导入已有项目?						
使用模板	你可以选择一个模板项目来快速新建项目						
仓库类型	● 代码仓 模型仓 数据集仓 Space						
项目名称	講輸入项目名称						
项目路径	KJM04						
项目描述							
请填写项目指	拉						
□ 添加初始化	C README 文件 (包括建议的项目的描述、安装	指南、使用示例、贡献指南等信息)					
	nore 文件 选择 .gitignore 模板	~					
□ 添加 LICENSE 文件 选择 LICENSE 模板 ~							
创建私	□ ② ○ & 私密项目 密项目						
	GitCode	Q 按下 // 快速开启搜索					
使用模板	你可以选择一个模板项目来快速	新建项目					
仓库类型	型 O 代码仓 O 模型仓 O 数据集仓 O Space						
T. 7. 7. 7. 7. 7. 7. 7. 7. 7. 7. 7. 7. 7.	an and the						
项目名称	mywork						
项目路径	KJM04 ~	/ mywork					
项目描述							
我自己的一些代码和数据							
□ 添加初	始化 README 文件 (包括建议的项目	目的描述、安装指南、使用示例、贡献指南等信息)					
□ 添加 .9	gitignore 文件 选择 .gitignore 模板		~				
□ 添加 L	ICENSE 文件 选择 LICENSE 模板		~				
	开项目 ⑦ 💿 🗅 私密项目						
- W 4.							
取消	创建项目						

clone 失败

```
$ mkdir repo

31776@cccctcc MINGW64 ~
$ cd repo

31776@cccctcc MINGW64 ~/repo
$ pwd
/c/Users/31776/repo

$ git clone https://gitcode.com/kJM04/mywork.git
Cloning into 'mywork'...
remote: <a href="https://encoded.com/kJM04/mywork.git">https://encode.com/kJM04/mywork.git</a>
Cloning into 'mywork'...
remote: The password-based authentication of Git has been removed. Please use your personal access token instead of the password. Request-id is 3xQpRHoTLf.
fatal: Authentication failed for 'https://gitcode.com/kJM04/mywork.git/'

解决了 clone 的问题(询问了大模型)

31776@cccctc 的问题(询问了大模型)

$ git clone https://gitcode.com/kJM04/mywork.git
Cloning into 'mywork'...
warning: You appear to have cloned an empty repository.
```

```
31776@pppclipp MINGW64 ~/repo
$ cd mywork/
```

31776@0000100 MINGW64 ~/repo

```
31776@□□□□l̈□□ MINGW64 ~/repo/mywork (main)
$ ls -l
```

drwxr-xr-x 1 31776 197609 0 3月 23 19:38 mywork/

```
31776@□□□□Ü□□ MINGW64 ~/repo/mywork (main)
```

复制演示文件

查询状态

\$ ls -l total 0

total 0

```
31776@===='== MINGW64 ~/repo/mywork (main)
$ cp ~/.gitconfig ./
31776@pppclop MINGW64 ~/repo/mywork (main)
$ ls -al
total 5
                             3月 23 19:43 ./
drwxr-xr-x 1 31776 197609
                           0
drwxr-xr-x 1 31776 197609
                           0
                             3月
                                 23 19:38 ../
drwxr-xr-x 1 31776 197609
                              3月
                                  23 19:38 .git/
                           0
-rw-r--r-- 1 31776 197609 189 3月
                                 23 19:43 .gitconfig
```

提交

推送到平台上

```
31776@cocolo MINGW64 ~/repo/mywork (main)

$ git push
Enumerating objects: 3, done.
Counting objects: 100% (3/3), done.
Delta compression using up to 12 threads
Compressing objects: 100% (2/2), done.
Writing objects: 100% (3/3), 376 bytes | 188.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Start Git Hooks Checking
To https://gitcode.com/KJM04/mywork.git
* [new branch] main -> main
```

上传成功

```
| 大多加文学 | 大多加
```

尝试删除

未修改用户名和邮箱

```
31776@□□□□□t□□ MINGW64 ~/repo/mywork (main)
$ git log
commit 488d766ea896e7c3b391a08ea01c512f1fd7d77f (HEAD -> main, origin/main)
Author: KJM04 <3177658034@qq.com>
Date: Sun Mar 23 19:48:11 2025 -0700

added some files for test

31776@□□□□t□□ MINGW64 ~/repo/mywork (main)
$ git commit -m "在 .gitconfig 里添加了用户名和邮箱"
On branch main
Your branch is up to date with 'origin/main'.
```

更新

```
31776@cccclcc MINGW64 ~/repo/mywork (main)
$ git push
Everything up-to-date

31776@ccccccc MINGW64 ~/repo/mywork (main)
$ git log
commit 488d766ea896e7c3b391a08ea01c512f1fd7d77f (HEAD -> main, origin/main)
Author: KJM04 <3177658034@qq.com>
Date: Sun Mar 23 19:48:11 2025 -0700

added some files for test
```