


1、安装 VS Code (代码编辑器)



2、安装 Git (代码版本管理软件),并修改终端默认配置文件





3、安装 Anaconda (Python 解释器)

```
Create
deactivate
deactivate
debug
Debug the build or test phases of conda recipes.

develop
Install a Python package in 'development mode'. Similar to 'pip install --editable'.

doctor
Display a health report for your environment.

export
Export a given environment
index
Update package index metadata files.

Initialize conda for shell interaction.

inspect
Install a list of packages into a specified conda environment.

list
List install a list of packages in a conda environment.

list
List installed packages in a conda environment.

list
Export
Exp
```

4、确认密钥生成成功

名称	修改日期	类型	大小
id_ed25519	2025/3/7 17:53	文件	1 KB
id_ed25519.pub	2025/3/7 17:53	PUB 文件	1 KB
known_hosts	2025/3/7 18:02	文件	1 KB

5、生成自己设备的 SSH 密钥 (公钥-私钥对),将公钥添加到自己的 GitCode 安全设置里





Administrator@PC-20241018DCUL MINGW64 ~ \$ ssh -T git@gitcode.com
The authenticity of host 'gitcode.com (116.205.2.91)' can't be established.
RSA key fingerprint is SHA256:aTlsy+4ARMC7nWyy5eKIqUkotk8yv7Jd+XXoP4EXj1Y.

This key is not known by any other names.

Are you sure you want to continue connecting (yes/no/[fingerprint])? yes Warning: Permanently added 'gitcode.com' (RSA) to the list of known hosts. remote: Welcome to GitCode, Demian1566

Administrator@PC-20241018DCUL MINGW64 ~

\$ ssh -T git@gitcode.com remote: Welcome to GitCode, Demian1566