先前往 week\04

```
(base)
64777@CC MINGW64 ~
5 cd repo
(base)
64777@CC MINGW64 ~/repo
5 cd week\04
```

```
新建 environment.yml
  ///succ MINOWS4 ~/repo/weekU9 (main)
conda env create -f environment.yml
//suers\AR777\anaconda3\Lib\argparse.py:2006: FutureWarning: 'remote_definition
is deprecated and will be removed in 25.9. Use 'conda env create --File=URL' i
stead.
action(self, namespace, argument_values, option_string)
annels:
conda-forge
defaults
https://repo.anaconda.com/pkgs/main
one
  To activate this environment, use
  To deactivate an active environment, use
      $ conda deactivate
(base)
84777@cc MINGW64 ~/repo/week04 (main)
$ conda activate py312
(py312)
(py312)
84777@Cc MINGW64 ~/repo/week04 (main)
$ canda deactivate
bash: canda: command not found
(py312)
(bys12)
84777@cc MINGW64 ~/repo/week04 (main)
$ conda deactivate
(base)
 ★ 文件(F) 编辑(E) 选择(S) 查看(V) ··· ← → [
                                                                                                                                       )83∨ 0: □ □ □ − □ ×
                                                                    ■ AppDataLocalProgramsMicrosoft U
          资源管理器
                                                   script1.py
                               ∨ REPO
                                                          up > environmentymin name: py312 # 环境名称(可自定义) channels:
- conda-forge # 优先使用 conda-forge 集道(更新更快) defaults dependencies:
  0

∨ myproject

  9
          > 84777
          ▲ 第一周学习笔记.PDF
                                                    o ependencies:
- python=3.12 # 指定 Python 3.12
# 可在此添加其他依赖包,例如:
# - numpy
# - pandas
          > week01
 d
B
          ∨ week02
          .gitignore
          → 第二周学习笔记.pdf★ LICENSE
 8
 Д

    README.md

    gitignore


           AppDataLocalProgramsMicros... U
            = contacts.txt
            = emails.txt
          = environment.yml U

♠ LICENSE

 README.md

          baogao.txt
          = repo
          script1.py
 (8)
 > 大纲
        〉时间线
> $º main* → ⊗ 0 ▲ 0
                                                                                                                                                   行 9, 列 13 空格: 2 UTF-8 CRLF Ini 🔠 🚨
```

新建 contacts.txt



写 main.py,并用 bash 运行代码,并将结果导入 email.txt

