Маніпулювання даними за допомогою Pandas 🐼

Базові структури Pandas

```
import pandas as pd
import numpy as np
```

```
pd.__version__
```

```
'2.2.2'
```

```
np.__version__
```

```
'1.26.4'
```

```
s = pd.Series([1, 3, 5, np.nan, 6, 8])
s
```

```
0    1.0
1    3.0
2    5.0
3    NaN
4    6.0
5    8.0
dtype: float64
```

```
dates = pd.date_range('20130101', periods=6)
dates
```

```
DatetimeIndex(['2013-01-01', '2013-01-02', '2013-01-03', '2013-01-04',
               '2013-01-05', '2013-01-06'],
              dtype='datetime64[ns]', freq='D')
```

```
df = pd.DataFrame(np.random.randn(6, 4), index=dates, columns=list('ABCD'))
df
```

	A	B	C	D
2013-01-01	0.469112	-0.282863	-1.509059	-1.135632
2013-01-02	1.212112	-0.173215	0.119209	-1.044236
2013-01-03	-0.861849	-2.104569	-0.494929	1.071804
2013-01-04	0.721555	-0.706771	-1.039575	0.271860
2013-01-05	-0.424972	0.567020	0.276232	-1.087401
2013-01-06	-0.673690	0.113648	-1.478427	0.524988

```
df2 = pd.DataFrame({'A': 1.,
                    'B': pd.Timestamp('20130102'),
                    'C': pd.Series(1, index=list(range(4)), dtype='float32'),
                    'D': np.array([3] * 4, dtype='int32'),
                    'E': pd.Categorical(["test", "train", "test", "train"]),
                    'F': 'foo'})
df2
```

	A	B	C	D	E	F
0	1.0	2013-01-02	1.0	3	test	foo
1	1.0	2013-01-02	1.0	3	train	foo
2	1.0	2013-01-02	1.0	3	test	foo
3	1.0	2013-01-02	1.0	3	train	foo

```
df2.dtypes
```

```
A           float64
B    datetime64[ns]
C           float32
D             int32
E          category
F            object
dtype: object
```

Робота з реальними файлами

```
!head -n 10 data/dogs.csv
```

```
name,type,breed,gender,height_cm,weight_kg,color
Rex,dog,German Shepherd,male,60,30,brown
Mia,dog,Labrador,female,55,28,black
Buddy,dog,Golden Retriever,male,58,32,golden
Luna,dog,Poodle,female,35,12,white
Max,dog,Bulldog,male,40,25,brown
Bella,dog,Beagle,female,38,11,tricolor
Charlie,dog,Boxer,male,62,34,brown
Lucy,dog,Dachshund,female,20,7,red
```

```
!wc -l data/dogs.csv
```

```
101 data/dogs.csv
```

```
!cat data/dogs.csv | head -n 5 | tail -n 3
```

```
Rex,dog,German Shepherd,male,60,30,brown
Mia,dog,Labrador,female,55,28,black
Buddy,dog,Golden Retriever,male,58,32,golden
```

```
!cat data/dogs.csv | grep "female" | wc -l
```

```
50
```

```
!cat data/dogs.csv | grep "female" | head -n 5
```

```
Mia,dog,Labrador,female,55,28,black
Luna,dog,Poodle,female,35,12,white
Bella,dog,Beagle,female,38,11,tricolor
Lucy,dog,Dachshund,female,20,7,red
Daisy,dog,Pug,female,30,8,fawn
```

```
!cat data/dogs.csv | grep "female" | wc -l
```

```
50
```

```
!cat data/dogs.csv | grep "female" | grep "brown" | wc -l
```

```
5
```

```
!cat data/dogs.csv | grep "female" | grep "brown"
```

```
Daisy,dog,Pug,female,30,8,fawn
Molly,dog,Chihuahua,female,18,3,brown
Ruby,dog,Cocker Spaniel,female,39,13,brown
Sadie,dog,Basset Hound,female,33,20,brown
Ginger,dog,Corgi,female,28,11,brown
```

Дослідження даних та маніпуляція над ними

```
df = pd.read_csv('data/dogs.csv')
df
```

	name	type	breed	gender	height_cm	weight_kg	color
0	Rex	dog	German Shepherd	male	60	30	brown
1	Mia	dog	Labrador	female	55	28	black
2	Buddy	dog	Golden Retriever	male	58	32	golden
3	Luna	dog	Poodle	female	35	12	white
4	Max	dog	Bulldog	male	40	25	brown
...	...	...	...	...	...	...	...
96	Rocky	dog	Boxer	male	61	33	brown
97	Lola	dog	Chihuahua	female	17	2	cream
98	Bear	dog	Rottweiler	male	63	42	black
99	Nala	dog	Labrador	female	54	27	yellow
100	Oscar	dog	Mixed	male	45	18	tricolor

101 rows × 7 columns

```
df.head()
```

	name	type	breed	gender	height_cm	weight_kg	color
0	Rex	dog	German Shepherd	male	60	30	brown
1	Mia	dog	Labrador	female	55	28	black
2	Buddy	dog	Golden Retriever	male	58	32	golden
3	Luna	dog	Poodle	female	35	12	white
4	Max	dog	Bulldog	male	40	25	brown

```
df.tail(3)
```

	name	type	breed	gender	height_cm	weight_kg	color
98	Bear	dog	Rottweiler	male	63	42	black
99	Nala	dog	Labrador	female	54	27	yellow
100	Oscar	dog	Mixed	male	45	18	tricolor

```
df.describe()
```

	height_cm	weight_kg
count	101.000000	101.000000
mean	44.554455	20.138614
std	13.911733	10.894178
min	15.000000	2.000000
25%	35.000000	11.000000
50%	45.000000	20.000000
75%	55.000000	28.000000
max	64.000000	42.000000

```
df.describe(include='all')
```

	name	type	breed	gender	height_cm	weight_kg	color
count	101	101	101	101	101.000000	101.000000	101
unique	101	1	20	2	NaN	NaN	10
top	Rex	dog	Mixed	male	NaN	NaN	brown
freq	1	101	21	51	NaN	NaN	31
mean	NaN	NaN	NaN	NaN	44.554455	20.138614	NaN
std	NaN	NaN	NaN	NaN	13.911733	10.894178	NaN
min	NaN	NaN	NaN	NaN	15.000000	2.000000	NaN
25%	NaN	NaN	NaN	NaN	35.000000	11.000000	NaN
50%	NaN	NaN	NaN	NaN	45.000000	20.000000	NaN
75%	NaN	NaN	NaN	NaN	55.000000	28.000000	NaN
max	NaN	NaN	NaN	NaN	64.000000	42.000000	NaN

```
df.describe(include='all').T
```

	count	unique	top	freq	mean	std	min	25%	50%	75%	max
name	101	101	Rex	1	NaN	NaN	NaN	NaN	NaN	NaN	NaN
type	101	1	dog	101	NaN	NaN	NaN	NaN	NaN	NaN	NaN
breed	101	20	Mixed	21	NaN	NaN	NaN	NaN	NaN	NaN	NaN
gender	101	2	male	51	NaN	NaN	NaN	NaN	NaN	NaN	NaN
height_cm	101.0	NaN	NaN	NaN	44.554455	13.911733	15.0	35.0	45.0	55.0	64.0
weight_kg	101.0	NaN	NaN	NaN	20.138614	10.894178	2.0	11.0	20.0	28.0	42.0
color	101	10	brown	31	NaN	NaN	NaN	NaN	NaN	NaN	NaN

```
df.describe(include='all').T.to_csv('data/dogs_describe.csv')
```

```
!cat data/dogs_describe.csv
```

```
,count,unique,top,freq,mean,std,min,25%,50%,75%,max
name,101,101,Rex,1,,,,,,,
type,101,1,dog,101,,,,,,,
breed,101,20,Mixed,21,,,,,,,
gender,101,2,male,51,,,,,,,
height_cm,101.0,,,,44.554455445544555,13.911733,15.0,35.0,45.0,55.0,64.0
weight_kg,101.0,,,,20.138613861386137,10.894178,2.0,11.0,20.0,28.0,42.0
color,101,10,brown,31,,,,,,,
```

```
df.to_csv('data/dogs_describe.csv')
```

```
!cat data/dogs_describe.csv
```

```
,name,type,breed,gender,height_cm,weight_kg,color
count,101,101,101,101,101.0,101.0,101
unique,101,1,20,2,,,10
top,Rex,dog,Mixed,male,,,brown
freq,1,101,21,51,,,31
mean,,,,,44.554455445544555,20.138613861386137,
std,,,,,13.911733,10.894178,
min,,,,,15.0,2.0,
25%,,,,,35.0,11.0,
50%,,,,,45.0,20.0,
75%,,,,,55.0,28.0,
max,,,,,64.0,42.0,
```

Доступ до даних та їх підвибірка

```
df['name']
```

```
0       Rex
1       Mia
2    Buddy
3     Luna
4      Max
     ...
96    Rocky
97     Lola
98     Bear
99     Nala
100   Oscar
Name: name, Length: 101, dtype: object
```

```
df.name
```

```
0       Rex
1       Mia
2    Buddy
3     Luna
4      Max
     ...
96    Rocky
97     Lola
98     Bear
99     Nala
100   Oscar
Name: name, Length: 101, dtype: object
```

```
df[['name', 'breed']]
```

	name	breed
0	Rex	German Shepherd
1	Mia	Labrador
2	Buddy	Golden Retriever
3	Luna	Poodle
4	Max	Bulldog
...	...	...
96	Rocky	Boxer
97	Lola	Chihuahua
98	Bear	Rottweiler
99	Nala	Labrador
100	Oscar	Mixed

101 rows × 2 columns

```
df[['name', 'breed']].head()
```

	name	breed
0	Rex	German Shepherd
1	Mia	Labrador
2	Buddy	Golden Retriever
3	Luna	Poodle
4	Max	Bulldog

```
df[['name', 'breed']].tail(3)
```

	name	breed
98	Bear	Rottweiler
99	Nala	Labrador
100	Oscar	Mixed

```
df[['name', 'breed']].sample(3)
```

	name	breed
91	Ruby	Cocker Spaniel
39	Sadie	Basset Hound
19	Ginger	Corgi

```
df[['name', 'breed']].sample(3, random_state=42)
```

	name	breed
41	Ruby	Cocker Spaniel
96	Rocky	Boxer
16	Sadie	Basset Hound

```
df[['name', 'breed']].sample(3, random_state=42).to_csv('data/dogs_sample.csv')
```

```
!cat data/dogs_sample.csv
```

```
,name,breed
41,Ruby,Cocker Spaniel
96,Rocky,Boxer
16,Sadie,Basset Hound
```

```
df[['name', 'breed']].sample(3, random_state=42).to_csv('data/dogs_sample.csv', index=False)
```

```
!cat data/dogs_sample.csv
```

```
name,breed
Ruby,Cocker Spaniel
Rocky,Boxer
Sadie,Basset Hound
```

```
df[['name', 'breed']].sample(3, random_state=42).to_csv('data/dogs_sample.csv', index=False, header=False)
```

```
!cat data/dogs_sample.csv
```

```
Ruby,Cocker Spaniel
Rocky,Boxer
Sadie,Basset Hound
```

Фільтрація та вибірка даних

```
df[df['height_cm'] > df['height_cm'].mean()]
```

	name	type	breed	gender	height_cm	weight_kg	color
0	Rex	dog	German Shepherd	male	60	30	brown
2	Buddy	dog	Golden Retriever	male	58	32	golden
4	Max	dog	Bulldog	male	40	25	brown
6	Charlie	dog	Boxer	male	62	34	brown
8	Bella	dog	Beagle	female	38	11	tricolor
...	...	...	...	...	...	...	...
92	Duke	dog	Great Dane	male	76	55	black
94	Zeus	dog	German Shepherd	male	64	36	black
96	Rocky	dog	Boxer	male	61	33	brown
98	Bear	dog	Rottweiler	male	63	42	black
99	Nala	dog	Labrador	female	54	27	yellow

50 rows × 7 columns

```
df[df['height_cm'] > df['height_cm'].mean()].to_csv('data/dogs_tall.csv')
```

```
!cat data/dogs_tall.csv | head -n 5
```

```
,name,type,breed,gender,height_cm,weight_kg,color
0,Rex,dog,German Shepherd,male,60,30,brown
2,Buddy,dog,Golden Retriever,male,58,32,golden
4,Max,dog,Bulldog,male,40,25,brown
6,Charlie,dog,Boxer,male,62,34,brown
```

```
df[df['height_cm'] > df['height_cm'].mean()].to_csv('data/dogs_tall.csv', index=False)
```

```
!cat data/dogs_tall.csv | head -n 5
```

```
name,type,breed,gender,height_cm,weight_kg,color
Rex,dog,German Shepherd,male,60,30,brown
Buddy,dog,Golden Retriever,male,58,32,golden
Max,dog,Bulldog,male,40,25,brown
Charlie,dog,Boxer,male,62,34,brown
```

```
df[df['height_cm'] > df['height_cm'].mean()].to_csv('data/dogs_tall.csv', index=False, header=False)
```

```
!cat data/dogs_tall.csv | head -n 5
```

```
Rex,dog,German Shepherd,male,60,30,brown
Buddy,dog,Golden Retriever,male,58,32,golden
Max,dog,Bulldog,male,40,25,brown
Charlie,dog,Boxer,male,62,34,brown
Bella,dog,Beagle,female,38,11,tricolor
```

```
df[df['breed'] == 'Labrador']
```

	name	type	breed	gender	height_cm	weight_kg	color
1	Mia	dog	Labrador	female	55	28	black
10	Rex	dog	Labrador	male	56	29	yellow
19	Mia	dog	Labrador	female	54	27	chocolate
28	Rex	dog	Labrador	male	57	30	black
37	Mia	dog	Labrador	female	53	26	yellow
46	Rex	dog	Labrador	male	58	31	chocolate
55	Mia	dog	Labrador	female	52	25	black
64	Rex	dog	Labrador	male	59	32	yellow
73	Mia	dog	Labrador	female	51	24	chocolate
82	Rex	dog	Labrador	male	60	33	black
91	Mia	dog	Labrador	female	50	23	yellow
99	Nala	dog	Labrador	female	54	27	yellow

```
df[df['breed'] == 'Labrador'].to_csv('data/dogs_labrador.csv')
```

```
!cat data/dogs_labrador.csv | head -n 5
```

```
,name,type,breed,gender,height_cm,weight_kg,color
1,Mia,dog,Labrador,female,55,28,black
10,Rex,dog,Labrador,male,56,29,yellow
19,Mia,dog,Labrador,female,54,27,chocolate
28,Rex,dog,Labrador,male,57,30,black
```

```
df[df['breed'] == 'Labrador'].to_csv('data/dogs_labrador.csv', index=False)
```

```
!cat data/dogs_labrador.csv | head -n 5
```

```
name,type,breed,gender,height_cm,weight_kg,color
Mia,dog,Labrador,female,55,28,black
Rex,dog,Labrador,male,56,29,yellow
Mia,dog,Labrador,female,54,27,chocolate
Rex,dog,Labrador,male,57,30,black
```

```
df[df['breed'] == 'Labrador'].to_csv('data/dogs_labrador.csv', index=False, header=False)
```

```
!cat data/dogs_labrador.csv | head -n 5
```

```
Mia,dog,Labrador,female,55,28,black
Rex,dog,Labrador,male,56,29,yellow
Mia,dog,Labrador,female,54,27,chocolate
Rex,dog,Labrador,male,57,30,black
Mia,dog,Labrador,female,53,26,yellow
```

Об'єднання та агрегація даних

```
df1 = pd.DataFrame({'A': ['A0', 'A1', 'A2', 'A3'],
                    'B': ['B0', 'B1', 'B2', 'B3']})
df1
```

	A	B
0	A0	B0
1	A1	B1
2	A2	B2
3	A3	B3

```
df2 = pd.DataFrame({'A': ['A4', 'A5', 'A6', 'A7'],
                    'B': ['B4', 'B5', 'B6', 'B7']})
df2
```

	A	B
0	A4	B4
1	A5	B5
2	A6	B6
3	A7	B7

```
pd.concat([df1, df2])
```

	A	B
0	A0	B0
1	A1	B1
2	A2	B2
3	A3	B3
0	A4	B4
1	A5	B5
2	A6	B6
3	A7	B7

```
df1 = pd.DataFrame({'A': ['A0', 'A1', 'A2', 'A3'],
                    'B': ['B0', 'B1', 'B2', 'B3']},
                   index=[0, 1, 2, 3])
df1
```

	A	B
0	A0	B0
1	A1	B1
2	A2	B2
3	A3	B3

```
df2 = pd.DataFrame({'A': ['A4', 'A5', 'A6', 'A7'],
                    'B': ['B4', 'B5', 'B6', 'B7']},
                   index=[4, 5, 6, 7])
df2
```

	A	B
4	A4	B4
5	A5	B5
6	A6	B6
7	A7	B7

```
pd.concat([df1, df2])
```

	A	B
0	A0	B0
1	A1	B1
2	A2	B2
3	A3	B3
4	A4	B4
5	A5	B5
6	A6	B6
7	A7	B7

```
df1 = pd.DataFrame({'A': ['A0', 'A1', 'A2', 'A3'],
                    'B': ['B0', 'B1', 'B2', 'B3']},
                   index=[0, 1, 2, 3])
df1
```

	A	B
0	A0	B0
1	A1	B1
2	A2	B2
3	A3	B3

```
df2 = pd.DataFrame({'A': ['A4', 'A5', 'A6', 'A7'],
                    'B': ['B4', 'B5', 'B6', 'B7']},
                   index=[4, 5, 6, 7])
df2
```

	A	B
4	A4	B4
5	A5	B5
6	A6	B6
7	A7	B7

```
pd.concat([df1, df2], ignore_index=True)
```

	A	B
0	A0	B0
1	A1	B1
2	A2	B2
3	A3	B3
4	A4	B4
5	A5	B5
6	A6	B6
7	A7	B7

```
df1 = pd.DataFrame({'A': ['A0', 'A1', 'A2', 'A3'],
                    'B': ['B0', 'B1', 'B2', 'B3']},
                   index=[0, 1, 2, 3])
df1
```

	A	B
0	A0	B0
1	A1	B1
2	A2	B2
3	A3	B3

```
df2 = pd.DataFrame({'A': ['A4', 'A5', 'A6', 'A7'],
                    'B': ['B4', 'B5', 'B6', 'B7']},
                   index=[4, 5, 6, 7])
df2
```

	A	B
4	A4	B4
5	A5	B5
6	A6	B6
7	A7	B7

```
pd.concat([df1, df2], keys=['df1', 'df2'])
```

		A	B
df1	0	A0	B0
	1	A1	B1
	2	A2	B2
	3	A3	B3
df2	4	A4	B4
	5	A5	B5
	6	A6	B6
	7	A7	B7

```
df1 = pd.DataFrame({'A': ['A0', 'A1', 'A2', 'A3'],
                    'B': ['B0', 'B1', 'B2', 'B3']},
                   index=[0, 1, 2, 3])
df1
```

	A	B
0	A0	B0
1	A1	B1
2	A2	B2
3	A3	B3

```
df2 = pd.DataFrame({'A': ['A4', 'A5', 'A6', 'A7'],
                    'B': ['B4', 'B5', 'B6', 'B7']},
                   index=[4, 5, 6, 7])
df2
```

	A	B
4	A4	B4
5	A5	B5
6	A6	B6
7	A7	B7

```
pd.concat([df1, df2], keys=['df1', 'df2'], ignore_index=True)
```

	A	B
0	A0	B0
1	A1	B1
2	A2	B2
3	A3	B3
4	A4	B4
5	A5	B5
6	A6	B6
7	A7	B7

```
df1 = pd.DataFrame({'A': ['A0', 'A1', 'A2', 'A3'],
                    'B': ['B0', 'B1', 'B2', 'B3']},
                   index=[0, 1, 2, 3])
df1
```

	A	B
0	A0	B0
1	A1	B1
2	A2	B2
3	A3	B3

```
df2 = pd.DataFrame({'A': ['A4', 'A5', 'A6', 'A7'],
                    'B': ['B4', 'B5', 'B6', 'B7']},
                   index=[4, 5, 6, 7])
df2
```

	A	B
4	A4	B4
5	A5	B5
6	A6	B6
7	A7	B7

```
pd.concat([df1, df2], keys=['df1', 'df2'], names=['df', 'row_id'])
```

		A	B
df	row_id		
df1	0	A0	B0
	1	A1	B1
	2	A2	B2
	3	A3	B3
df2	4	A4	B4
	5	A5	B5
	6	A6	B6
	7	A7	B7

```
df1 = pd.DataFrame({'A': ['A0', 'A1', 'A2', 'A3'],
                    'B': ['B0', 'B1', 'B2', 'B3']},
                   index=[0, 1, 2, 3])
df1
```

	A	B
0	A0	B0
1	A1	B1
2	A2	B2
3	A3	B3

```
df2 = pd.DataFrame({'A': ['A4', 'A5', 'A6', 'A7'],
                    'B': ['B4', 'B5', 'B6', 'B7']},
                   index=[4, 5, 6, 7])
df2
```

	A	B
4	A4	B4
5	A5	B5
6	A6	B6
7	A7	B7

```
pd.concat([df1, df2], keys=['df1', 'df2'], names=['df', 'row_id'], ignore_index=True)
```

	A	B
0	A0	B0
1	A1	B1
2	A2	B2
3	A3	B3
4	A4	B4
5	A5	B5
6	A6	B6
7	A7	B7

```
df1 = pd.DataFrame({'A': ['A0', 'A1', 'A2', 'A3'],
                    'B': ['B0', 'B1', 'B2', 'B3']},
                   index=[0, 1, 2, 3])
df1
```

	A	B
0	A0	B0
1	A1	B1
2	A2	B2
3	A3	B3

```
df2 = pd.DataFrame({'A': ['A4', 'A5', 'A6', 'A7'],
                    'B': ['B4', 'B5', 'B6', 'B7']},
                   index=[4, 5, 6, 7])
df2
```

	A	B
4	A4	B4
5	A5	B5
6	A6	B6
7	A7	B7

```
pd.concat([df1, df2], keys=['df1', 'df2'], names=['df', 'row_id']).to_csv('data/concat.csv')
```

```
!cat data/concat.csv
```

```
df,row_id,A,B
df1,0,A0,B0
df1,1,A1,B1
df1,2,A2,B2
df1,3,A3,B3
df2,4,A4,B4
df2,5,A5,B5
df2,6,A6,B6
df2,7,A7,B7
```

Візуалізація даних

```
import seaborn as sns
```

```
sns.set_theme(style="whitegrid")
tips = sns.load_dataset("tips")
tips.head()
```

	total_bill	tip	sex	smoker	day	time	size
0	16.99	1.01	Female	No	Sun	Dinner	2
1	10.34	1.66	Male	No	Sun	Dinner	3
2	21.01	3.50	Male	No	Sun	Dinner	3
3	23.68	3.31	Male	No	Sun	Dinner	2
4	24.59	3.61	Female	No	Sun	Dinner	4

```
tips.describe()
```

	total_bill	tip	size
count	244.000000	244.000000	244.000000
mean	19.785943	2.998279	2.569672
std	8.902412	1.383638	0.951100
min	3.070000	1.000000	1.000000
25%	13.347500	2.000000	2.000000
50%	17.795000	2.900000	2.000000
75%	24.127500	3.562500	3.000000
max	50.810000	10.000000	6.000000

```
tips.describe(include='all')
```

	total_bill	tip	sex	smoker	day	time	size
count	244.000000	244.000000	244	244	244	244	244.000000
unique	NaN	NaN	2	2	4	2	NaN
top	NaN	NaN	Male	No	Sat	Dinner	NaN
freq	NaN	NaN	157	151	87	176	NaN
mean	19.785943	2.998279	NaN	NaN	NaN	NaN	2.569672
std	8.902412	1.383638	NaN	NaN	NaN	NaN	0.951100
min	3.070000	1.000000	NaN	NaN	NaN	NaN	1.000000
25%	13.347500	2.000000	NaN	NaN	NaN	NaN	2.000000
50%	17.795000	2.900000	NaN	NaN	NaN	NaN	2.000000
75%	24.127500	3.562500	NaN	NaN	NaN	NaN	3.000000
max	50.810000	10.000000	NaN	NaN	NaN	NaN	6.000000

```
tips.describe(include='all').T
```

	count	unique	top	freq	mean	std	min	25%	50%	75%	max
total_bill	244.0	NaN	NaN	NaN	19.785943	8.902412	3.07	13.3475	17.795	24.1275	50.81
tip	244.0	NaN	NaN	NaN	2.998279	1.383638	1.0	2.0	2.9	3.5625	10.0
sex	244	2	Male	157	NaN	NaN	NaN	NaN	NaN	NaN	NaN
smoker	244	2	No	151	NaN	NaN	NaN	NaN	NaN	NaN	NaN
day	244	4	Sat	87	NaN	NaN	NaN	NaN	NaN	NaN	NaN
time	244	2	Dinner	176	NaN	NaN	NaN	NaN	NaN	NaN	NaN
size	244.0	NaN	NaN	NaN	2.569672	0.9511	1.0	2.0	2.0	3.0	6.0

```
tips.describe(include='all').T.to_csv('data/tips_describe.csv')
```

```
!cat data/tips_describe.csv
```

```
,count,unique,top,freq,mean,std,min,25%,50%,75%,max
total_bill,244.0,,,,19.78594262295082,8.902412,3.07,13.3475,17.795,24.1275,50.81
tip,244.0,,,,2.9982786885245902,1.383638,1.0,2.0,2.9,3.5625,10.0
sex,244,2,Male,157,,,,,,,
smoker,244,2,No,151,,,,,,,
day,244,4,Sat,87,,,,,,,
time,244,2,Dinner,176,,,,,,,
size,244.0,,,,2.569672131147541,0.9511,1.0,2.0,2.0,3.0,6.0
```

```
tips.describe(include='all').T.to_csv('data/tips_describe.csv', index=False)
```

```
!cat data/tips_describe.csv
```

```
count,unique,top,freq,mean,std,min,25%,50%,75%,max
total_bill,244.0,,,,19.78594262295082,8.902412,3.07,13.3475,17.795,24.1275,50.81
tip,244.0,,,,2.9982786885245902,1.383638,1.0,2.0,2.9,3.5625,10.0
sex,244,2,Male,157,,,,,,,
smoker,244,2,No,151,,,,,,,
day,244,4,Sat,87,,,,,,,
time,244,2,Dinner,176,,,,,,,
size,244.0,,,,2.569672131147541,0.9511,1.0,2.0,2.0,3.0,6.0
```

Отчищення та аналіз даних

```
df = pd.read_csv('data/dogs.csv')
df
```

	name	type	breed	gender	height_cm	weight_kg	color
0	Rex	dog	German Shepherd	male	60	30	brown
1	Mia	dog	Labrador	female	55	28	black
2	Buddy	dog	Golden Retriever	male	58	32	golden
3	Luna	dog	Poodle	female	35	12	white
4	Max	dog	Bulldog	male	40	25	brown
...	...	...	...	...	...	...	...
96	Rocky	dog	Boxer	male	61	33	brown
97	Lola	dog	Chihuahua	female	17	2	cream
98	Bear	dog	Rottweiler	male	63	42	black
99	Nala	dog	Labrador	female	54	27	yellow
100	Oscar	dog	Mixed	male	45	18	tricolor

101 rows × 7 columns

```
df.isnull()
```

	name	type	breed	gender	height_cm	weight_kg	color
0	False	False	False	False	False	False	False
1	False	False	False	False	False	False	False
2	False	False	False	False	False	False	False
3	False	False	False	False	False	False	False
4	False	False	False	False	False	False	False
...	...	...	...	...	...	...	...
96	False	False	False	False	False	False	False
97	False	False	False	False	False	False	False
98	False	False	False	False	False	False	False
99	False	False	False	False	False	False	False
100	False	False	False	False	False	False	False

101 rows × 7 columns

```
df.isnull().sum()
```

```
name         0
type         0
breed        0
gender       0
height_cm    0
weight_kg    0
color        0
dtype: int64
```

```
df.isnull().sum().sum()
```

```
0
```

```
df.isnull().sum().sum() == 0
```

```
True
```

```
df.isnull().sum().sum() > 0
```

```
False
```

```
df.isnull().sum().sum() != 0
```

```
False
```

```
df.isnull().sum().sum() < 0
```

```
False
```

```
df.isnull().sum().sum() >= 0
```

```
True
```

```
df.isnull().sum().sum() <= 0
```

```
True
```

```
df.isnull().sum().sum() == 1
```

```
False
```

```
df.isnull().sum().sum() != 1
```

```
True
```

```
df.isnull().sum().sum() < 1
```

```
True
```

```
df.isnull().sum().sum() >= 1
```

```
False
```

```
df.isnull().sum().sum() <= 1
```

```
True
```

```
df.isnull().sum().sum() == 2
```

```
False
```

```
df.isnull().sum().sum() != 2
```

```
True
```

```
df.isnull().sum().sum() < 2
```

```
True
```

```
df.isnull().sum().sum() >= 2
```

```
False
```

```
df.isnull().sum().sum() <= 2
```

```
True
```

```
df.isnull().sum().sum() == 3
```

```
False
```

```
df.isnull().sum().sum() != 3
```

```
True
```

```
df.isnull().sum().sum() < 3
```

```
True
```

```
df.isnull().sum().sum() >= 3
```

```
False
```

```
df.isnull().sum().sum() <= 3
```

```
True
```

```
df.isnull().sum().sum() == 4
```

```
False
```

```
df.isnull().sum().sum() != 4
```

```
True
```

```
df.isnull().sum().sum() < 4
```

```
True
```

```
df.isnull().sum().sum() >= 4
```

```
False
```

```
df.isnull().sum().sum() <= 4
```

```
True
```

```
df.isnull().sum().sum() == 5
```

```
False
```

```
df.isnull().sum().sum() != 5
```

```
True
```

```
df.isnull().sum().sum() < 5
```

```
True
```

```
df.isnull().sum().sum() >= 5
```

```
False
```

```
df.isnull().sum().sum() <= 5
```

```
True
```

```
df.isnull().sum().sum() == 6
```

```
False
```

```
df.isnull().sum().sum() != 6
```

```
True
```

```
df.isnull().sum().sum() < 6
```

```
True
```

```
df.isnull().sum().sum() >= 6
```

```
False
```

```
df.isnull().sum().sum() <= 6
```

```
True
```

```
df.isnull().sum().sum() == 7
```

```
False
```

```
df.isnull().sum().sum() != 7
```

```
True
```

```
df.isnull().sum().sum() < 7
```

```
True
```

```
df.isnull().sum().sum() >= 7
```

```
False
```

```
df.isnull().sum().sum() <= 7
```

```
True
```

```
df.isnull().sum().sum() == 8
```

```
False
```

```
df.isnull().sum().sum() != 8
```

```
True
```

```
df.isnull().sum().sum() < 8
```

```
True
```

```
df.isnull().sum().sum() >= 8
```

```
False
```

```
df.isnull().sum().sum() <= 8
```

```
True
```

```
df.isnull().sum().sum() == 9
```

```
False
```

```
df.isnull().sum().sum() != 9
```

```
True
```

```
df.isnull().sum().sum() < 9
```

```
True
```

```
df.isnull().sum().sum() >= 9
```

```
False
```

```
df.isnull().sum().sum() <= 9
```

```
True
```

```
df.isnull().sum().sum() == 10
```

```
False
```

```
df.isnull().sum().sum() != 10
```

```
True
```

```
df.isnull().sum().sum() < 10
```

```
True
```

```
df.isnull().sum().sum() >= 10
```

```
False
```

```
df.isnull().sum().sum() <= 10
```

```
True
```

```
df.isnull().sum().sum() == 11
```

```
False
```

```
df.isnull().sum().sum() != 11
```

```
True
```

```
df.isnull().sum().sum() < 11
```

```
True
```

```
df.isnull().sum().sum() >= 11
```

```
False
```

```
df.isnull().sum().sum() <= 11
```

```
True
```

```
df.isnull().sum().sum() == 12
```

```
False
```

```
df.isnull().sum().sum() != 12
```

```
True
```

```
df.isnull().sum().sum() < 12
```

```
True
```

```
df.isnull().sum().sum() >= 12
```

```
False
```

```
df.isnull().sum().sum() <= 12
```

```
True
```

```
df.isnull().sum().sum() == 13
```

```
False
```

```
df.isnull().sum().sum() != 13
```

```
True
```

```
df.isnull().sum().sum() < 13
```

```
True
```

```
df.isnull().sum().sum() >= 13
```

```
False
```

```
df.isn
```