Retrieve a OpenShift-POD logs to local

Install OCP-CLI(Command Line interface) into a local machine


Download the OCP-CLI file from below link

https://openshift-portal.ocpwynapps.bell.corp.bce.ca/downloads.php

If link above doesn't work: oc-3.11.146-windows.zip

Extract this file and copy and paste it to "\ProgramFiles" directory(ex: C:\Program Files (x86))

Set a class path for this directory in system environment variables as shown below



To check whether class path setting done correctly or not by running the below command in windows cmd


oc version

```
PS C:\Users\kumar.gorig> oc version
oc v3.11.146
kubernetes v1.11.0+d4cacc0
features: Basic-Auth SSPI Kerberos SPNEGO
PS C:\Users\kumar.gorig>
```

After successful verification of the OCP-CLI version, we need to login to the Bell OCP portal based on the environment. We can find the login command with token in the OCP portal

Reference for OpenShift cli logs:

https://docs.openshift.com/container-platform/3.11/cli_reference/basic_cli_operations.html#logs



Copy the login command from the OCP UI, then go to the command line past it and enter like below, here token value we get when we copied.

oc login https://osdevconsole.belldev.dev.bce.ca:8443 --token=<hidden>

```
PS C:\Users\kumar.gorig> oc login https://osdevconsole.belldev.dev.bce.ca:8443 --token=ME9ceAmSlz_CBFyZrCs-nIojbexc0U-fqB11VS581Zg
Logged into "https://osdevconsole.belldev.dev.bce.ca:8443" as "kumar.gorig" using the token provided.

You have access to the following projects and can switch between them with 'oc project projectname>':
    oil-jsonserviceordercreation
* oil-milestonetranslation
    oil-numlestonetranslation
    oil-queuerouter
    oil-queuerouter
    oil-reconciliation

Using project "oil-milestonetranslation".
PS C:\Users\kumar.gorig>
```

After successful login to the OCP we can see list of projects that we can access. In the list "*" defines that in which project we are using. So currently we are using "oil-milestonetranslation" project

To switch the projects use the following command

```
oc project <project name>
```

```
PS C:\Users\kumar.gorig> oc project oil-nsoevent
Now using project "oil-nsoevent" on server "https://osdevconsole.belldev.dev.bce.ca:8443".
PS C:\Users\kumar.gorig>
```

After that we need to know from which pod retrieve the logs, To see the list of pods in project use the following command

```
oc get pods
```

```
PS C:\Users\kumar.gorig> oc get pods
NAME
                              READY
                                         STATUS
                                                   RESTARTS
                                                               AGE
oil-nsoevent-dev02-4-z9xwx
                              1/1
                                         Running
                                                   336
                                                               70d
oil-nsoevent-dev05-2-7bq2g
                              1/1
                                         Running
                                                   155
                                                               25d
PS C:\Users\kumar.gorig>
```

Here we have two pods successfully running, we are going to retrieve logs from pod "oil-nsoevent-dev02-4-z9xwx".

To retrieve the logs we need to open a remote shell session(rsh) to a pod then cd to logs directory

```
oc rsh <pod-name>
```

Here we can see that rsh to a oil-nsoevent-dev02-4-z9xwx pod, cd to /logs directory and we can see list available logs

```
PS C:\Usens\kumar.gorig> oc rsh oil-nsoevent-dev02-4-z9xxx
sh-4.2$ cd logs/
sh-4.2$ logsin-2019-10-65.0.log logFile.2019-10-13.0.log logFile.2019-10-21.0.log logFile.2019-10-95.0.log logFile.2019-10-14.0.log logFile.2019-10-20.log logFile.2019-10-96.0.log logFile.2019-10-14.0.log logFile.2019-10-20.log logFile.2019-10-30.0.log logFile.2019-10-15.0.log logFile.2019-10-30.0.log logFile.2019-10-30.0.log logFile.2019-10-30.0.log logFile.2019-10-30.0.log logFile.2019-10-30.0.log logFile.2019-10-30.0.log logFile.2019-10-30.0.log logFile.2019-10-30.0.log logFile.2019-10-30.0.log logFile.2019-11-46.0.log logFile.2019-11-46.0.log logFile.2019-10-30.0.log logFile.2019-11-40.0.log logFile.2019-11-30.0.log logFile.2019-11-3
```

After that tar the logs directory

```
tar -cvf logs.tar /logs
```

```
log
log
07.0.log: file changed as we read it
                                                                                                                                                                                                   3.log: file changed as we read it
                                                1989-8-33-0.30g: flir en-

19-14-0.30g

19-15-0.30g

19-15-0.30g

19-15-0.30g

19-16-17-0.30g

19-16-17-0.30g

19-16-17-0.30g

19-16-17-0.30g

19-16-17-0.30g

19-16-17-0.30g

19-16-17-0.30g

19-16-17-0.30g

19-16-17-0.30g
                                                                                                                                                                                                   3.log: file changed as we read it
                                                                                                                        10-17.0.10g: Thie changes as we read it .0.10g 10-18.0.10g: file changed as we read it .0.10g 10-19.0.10g: file changed as we read it .0.10g 10-20.0.10g: file changed as we read it .0.10g
                                                                                                                                                                log
log
23.0.log: file changed as we read it
                                                2019-0-5.6.log: file changed as we read it 1-0-5.6.log. file changed as we read it 1-0-7.6.log. file changed as we read it 1-0-7.6.log. file changed as we read it 1-0-7.6.log. file changed as we read it 1-0-5.6.log. file changed as we read it 1-1.6.log. file changed as we read it 1-1.6.log.
                                                                                                                                                       .log
-01.0.log: file changed as we read it
                                                                                                                                                           log
02.0.log: file changed as we read it
                                                         2019-11-03-6
11-05-0-10g
-11-05-0-10g
-11-07-0-10g
-109-0-10g
-109
2.300-11.09.6.10g file changed as we read it 1.300-11.09.6.10g file changed as we read it 1.000-11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.11.09.
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               14.8.log logfile.2019-11-19.8.log
15.0.log logfile.2019-11-20.0.log
15.0.log logs.tar
17.0.log
```

Above screenshot we can see all .log files added to the logs.jar


Then exit from pod using exit command run the rsync command on windows cmd to copy logs.tar file from OCP pod to local machine directory

```
oc rsync <podname>:/logs/logs.tar C:\Users\kumar.gorig\Desktop\oil-nsoevent-dev02-4-z9xwx-logs
#Example:
oc rsync oil-nsoevent-dev02-4-z9xwx:/logs/logs.tar C:\Users\kumar.gorig\Desktop\oil-nsoevent-dev02-4-z9xwx-logs
```

Ex: Here we can see logs are sync to the local directory

```
SC. (Libers)kuman monips or rsync oil.nscovent-dev02-4-29xxx:/logs/logs.tam C:\Users\kuman.gorig\Desktop\oil-nscovent-dev02-4-29xxx-logs
Forwarding from [::i]:31747 -> 40721
Forwarding from [::i]:
```

Below we can see logs.tar file and log files in it.



Run below command on pod to delete the logs.tar after transferring logs from pod.

rm logs.tar