

TO SUPPLY LEFTOVER FOOD TO POOR

To Supply Leftover Food to Poor

College Name: Gayatri degree college- Tirupati

Team ID: LTVIP2025TMID29611

Name of the student	Role	Email
Muthana Jeevitha	Team Leader	muthanajeevitha@gmail.com
A Usha	Team Member	ramanausha04@gmail.com
Eekati Gayathri	Team Member	gayathrie304@gmail.com
K.Thanuja	Team Member	thanujachinna2005@gmail.com

TO SUPPLY LEFTOVER FOOD TO POOR

Introduction

This project aims to tackle food waste and hunger by collecting leftover food from various sources and distributing it to those in need. It involves partnering with organizations, developing a platform for connecting donors and recipients, and ensuring food safety to minimize waste and address food insecurity.

Problem Statement:

Food waste is a global issue, with significant amounts of edible food being discarded each year while millions suffer from hunger. In India, it's estimated that a substantial portion of food is wasted at various stages, from production to consumption.

Project Goal:

To reduce food waste and alleviate hunger by creating a system for collecting leftover food from restaurants, events, and households and distributing it to those in need through established NGOs and community organizations.

Target Beneficiaries:

The project will benefit individuals and families experiencing food insecurity, as well as the environment by minimizing food waste and resource depletion.

Expected Impact:

- Reduced food waste and a significant reduction in food-related environmental impact.
- Improved food security for vulnerable populations.
- Increased awareness of food waste issues and solutions among the public.
- Enhanced community engagement and collaboration.


TO SUPPLY LEFTOVER FOOD TO POOR

Milestone – 1

Salesforce Account

Activity 1: Creating Developer Account

1. Creating a developer org in Salesforce.
2. Go to <https://developer.salesforce.com/signup>
3. On the signup form, enter the following details :



Build enterprise-quality apps fast and get hands-on with Agentforce and Data Cloud.

Sign up for your Developer Edition.

- ✓ Build apps fast with drag-and-drop tools
- ✓ Go further with Apex code
- ✓ Build AI agents with Agentforce
- ✓ Harmonize your data with Data Cloud
- ✓ Ground Agentforce with structured and unstructured data
- ✓ Integrate with anything using APIs

Sign up for your Developer Edition
A free Salesforce Platform environment with Agentforce and Data Cloud

First name: JEEVITHA ✓ Last name: JEEVITHA ✓

Job title: DEVELOPER ✓ Work email: muthanahemanth@gmail.com ✓

Company: GAYATRI DEGREE COLLEGE ✓ Country/Region: India ✓

☒ I agree to the Main Services Agreement – Developer Services and Salesforce Program Agreement. I acknowledge, as described in the Developer Documentation: (1) the Developer Edition includes autonomous and other generative AI features; and (2) Salesforce may limit use of those features and the org, and may terminate any org that has been inactive for 45 days.

We value your privacy. To learn more, visit our [Privacy Statement](#).

☒ I'm not a robot 

Sign Me Up


- **First Name:** JEEVITHA
- **Last Name:** JEEVITHA
- **Job title:** Developer
- **Work :** muthanahemanth@gmail.com
- **Company:** GAYATRI DEGREE COLLEGE TIRUPATI
- **Country/Region:** INDIA

4. Click on sign me up after filling these.

Activity 2: Account Activation

1. Go to the inbox of the email that you used while signing up.
2. Click on the verify account to activate your account.
3. The email may take 5-10mins.

TO SUPPLY LEFTOVER FOOD TO POOR



2. Give a password and answer a security question and click on Change Password.

A screenshot of the 'Change Your Password' form. The form is titled 'Change Your Password' and is for the email 'lead@sb.com'. It includes a list of password requirements: '8 characters', '1 letter', and '1 number'. There are two password input fields: 'New Password' and 'Confirm New Password'. Below these is a 'Security Question' dropdown menu with the option 'In what city were you born?'. There is an 'Answer' input field with the text 'asdfghjkl'. A red rectangular box highlights the 'New Password', 'Confirm New Password', 'Security Question', 'Answer', and 'Change Password' button fields.

3. Then you will be redirected to your Salesforce setup page.

TO SUPPLY LEFTOVER FOOD TO POOR

←

↻

https://orgs4m-h1bee9e7ac-dev-ed.develop.lightning.force.com/lightning/setup/SetupOneHome/home

View site information

🔍 Search Setup

★🔍⚙️🔔👤

Setup

Home

Object Manager

🔍 Quick Find

Setup Home

Service Setup Assistant

Commerce Setup Assistant

Field Service Setup Home (Beta)

Hyperforce Assistant

Release Updates

Salesforce Mobile App

Lightning Usage

Optimizer

Sales Cloud Everywhere

ADMINISTRATION

> Users

> Data

> Email

PLATFORM TOOLS

> Subscription Management

> Apps

SETUP

Home

Create

Data Cloud

Connect, prepare, harmonize, unify, and analyze data to get a 360-degree view of your customers.

Watch Video

Let's Go

Get Started with Einstein Bots

Launch an AI-powered bot to automate your digital connections.

Get Started

Mobile Publisher

Use the Mobile Publisher to create your own branded mobile app.

Learn More

Most Recently Used

10 items

NAME	TYPE	OBJECT
Execution Detail	Custom Object Definition	
Execution ID	Custom Field Definition	Execution Detail
Volunteer	Custom Object Definition	
Drop-Off Point	Custom Object Definition	

TO SUPPLY LEFTOVER FOOD TO POOR

Milestone – 2

Objects


Activity 1: Creating Venue object

From the setup page

1. Click on Object Manager



2. Click on Create >> Click on Custom Object.
3. Enter the label name as **Venue**.
4. Enter Plural label name as **Venues**.



5. Enter Record Name as Venue name.
6. Select Datatype as Text.
7. Click on Allow Reports, Track field history, and Allow Activities.

TO SUPPLY LEFTOVER FOOD TO POOR

Context-Sensitive Help Setting: ☒ Open the standard Salesforce.com Help & Training window
☐ Open a window using a Visualforce page

Content Name:

Enter Record Name Label and Format

The Record Name appears in page layouts, key lists, related lists, lookups, and search results. For example, the Record Name for Account is "Account Name" and for Case it is "Case Number". Note that the Record Name is required for all objects.

Record Name: Example: Account Name

Data Type: Warning: If you plan to insert a high volume of records in this object, via the API for example, use the Text data type.

Optional Features

- ☒ Allow Reports
- ☒ Allow Activities
- ☒ Track Field History
- ☐ Allow in Chatter Groups
- ☐ Enable Licensing [i](#)

Object Classification

8. Click on Allow Search.

☒ Allow Streaming API Access

Deployment Status [What is this?](#)

☐ In Development
☒ Deployed

Search Status

When this setting is enabled, your users can find records of this object type when they search. [Learn more.](#)

☒ Allow Search

Object Creation Options (Available only when custom object is first created)

- ☐ Add Notes and Attachments related list to default page layout
- ☐ Launch New Custom Tab Wizard after saving this custom object

9. Click on Save and New.

Activity 2: Create Drop-off Point Object

From the Setup page

1. Click on Object Manager
2. Click on Create >> Click on Custom Object.

Setup Home **Object Manager** [Object Manager](#)

51+ Items, Sorted by Label

Quick Find:

[Schemas](#) [Create](#)

[Custom Object](#)

LABEL	API NAME	TYPE	DESCRIPTION	LAST MODIFIED
-------	----------	------	-------------	---------------

3. Enter the label name as **Drop-Off Point**.

4. Enter Plural label name as **Drop-Off Points**.

TO SUPPLY LEFTOVER FOOD TO POOR

Setup Home Object Manager

SETUP New Custom Object

Permissions for this object are disabled for all profiles by default. You can enable object permissions in permission sets or by editing custom profiles. [Tell me more!](#) [Don't show this message again](#)

Custom Object Definition Edit

Save Save & New Cancel

Custom Object Information

The singular and plural labels are used in tabs, page layouts, and reports.

Label Example: Account

Plural Label Example: Accounts

Starts with vowel sound ☐

The Object Name is used when referencing the object via the API.

Object Name Example: Account

Description

Required Information

5. Enter Record Name as Drop-Off Point Name.

6. Select Datatype as Text.

Context Sensitive Help Setting ☒ Open the standard Salesforce.com Help & Training window ☐ Open a window using a Visualforce page

Content Name

Enter Record Name Label and Format

The Record Name appears in page layouts, key lists, related lists, lookups, and search results. For example, the Record Name for Account is "Account Name" and for Case it is "Case Number". Note that the Record Name field is always called "Name" when referenced via the API.

Record Name Example: Account Name

Data Type Warning: If you plan to insert a high volume of records in this object, via the API for example, use the Text data type.

Optional Features

☒ Allow Reports

☒ Track Field History

☐ Allow in Chatter Groups

☐ Enable Licensing [Learn more](#)

7. Click on Allow Reports, Track field history, and Allow Activities.

SETUP New Custom Object

Optional Features

☒ Allow Reports

☒ Allow Activities

☒ Track Field History

☐ Allow in Chatter Groups

☐ Enable Licensing [Learn more](#)

Object Classification

When these settings are enabled, this object is classified as an Enterprise Application object. When these settings are disabled, this object is classified as a Lofit Application object. [Learn more](#)

8. Click on Allow Search.

Search Status

When this setting is enabled, your users can find records of this object type when they search. [Learn more](#)

☒ Allow Search

Object Creation Options (Available only when custom object is first created)

☐ Add Notes and Attachments related list to default page layout

☐ Launch New Custom Tab Wizard after saving this custom object

Save Save & New Cancel

9. Click on Save and New.

TO SUPPLY LEFTOVER FOOD TO POOR

Activity 3: Create Task Object

From the Setup page

1. Click on Object Manager.
2. Click on Create >> Custom Object.



3. Enter the label name as **Task**.
4. Enter the Plural label as **Tasks**.

5. Enter Record Name as Task Name.
6. Select Datatype as Text.

7. Click on Allow Reports, Track field history, and Allow Activities.
8. Click on Allow Search.

TO SUPPLY LEFTOVER FOOD TO POOR

Optional Features

- ☒ Allow Reports
- ☒ Allow Activities
- ☒ Track Field History
- ☐ Allow in Chatter Groups
- ☐ Enable Licensing

Object Classification

When these settings are enabled, this object is classified as an Enterprise Application object. When these settings are disabled, this object is classified as a Light Application object. [Learn more](#)

- ☒ Allow Sharing
- ☒ Allow Bulk API Access
- ☒ Allow Streaming API Access

Deployment Status

☐ In Development

☒ Deployed

Search Status

When this setting is enabled, your users can find records of this object type when they search. [Learn more](#)

- ☒ Allow Search

Object Creation Options (Available only when custom object is first created)

- ☐ Add Notes and Attachments related list to default page layout
- ☐ Launch New Custom Tab Wizard after saving this custom object

Save Save & New Cancel

9. Click on Save and New.

Activity 4: Create Volunteer Object

From the Setup page

1. Click on Object Manager.
2. Click on Create >> Custom Object.



3. Enter the label name as **Volunteer**.

4. Enter the Plural label as **Volunteers**.

SETUP

New Custom Object

Help for this Page

Permissions for this object are disabled for all profiles by default. You can enable object permissions in permission sets or by editing custom profiles. [Tell me more!](#) [Don't show this message again.](#)

Custom Object Definition Edit

Save Save & New Cancel

Custom Object Information

The singular and plural labels are used in tabs, page layouts, and reports.

Label Example: Account

Plural Label Example: Accounts

Starts with vowel sound ☐

The Object Name is used when referencing the object via the API.

Object Name Example: Account

Description


Context Sensitive Help Setting ☒ Open the standard Salesforce.com Help & Training window ☐ Open a window using a Visualforce page

Context Name

5. Enter Record Name as Volunteer Name.

TO SUPPLY LEFTOVER FOOD TO POOR

6. Select Datatype as Text.



7. Click on Allow Reports, Track field history, and Allow Activities.

8. Click on Allow Search.




9. Click on Save and New.

Activity 5: Create Execution Details Object

From the Setup page

1. Click on Object Manager.
2. Click on Create >> Custom Object.



3. Enter the label name as **Execution Detail**.

4. Enter Plural label name as **Execution Details**.

TO SUPPLY LEFTOVER FOOD TO POOR

New Custom Object

Permissions for this object are disabled for all profiles by default. You can enable object permissions in permission sets or by editing custom profiles. [Tell me more!](#) [Don't show this message again](#)

Custom Object Definition Edit Save Save & New Cancel

Custom Object Information ⓘ Required Information

The singular and plural labels are used in tabs, page layouts, and reports.

Label Example: Account

Plural Label Example: Accounts

Starts with vowel sound ☐

The Object Name is used when referencing the object via the API.

Object Name Example: Account

Description

Context Sensitive Help Setting ☒ Open the standard Salesforce.com Help & Training window
☐ Open a window using a Visualforce page

Context Name

5. Enter Record Name as Execution Details Name.

6. Select Datatype as Text.

Enter Record Name Label and Format

The Record Name appears in page layouts, key lists, related lists, lookups, and search results. For example, the Record Name for Account is "Account Name" and for Case it is "Case Number". Note that the Record Name field is always called "Name" when referenced via the API.

Record Name Example: Account Name

Data Type Warning: If you plan to insert a high volume of records in this object, via the API for example, use the Text data type.

7. Click on Allow Reports, Track field history, Allow Activities.

8. Click on Allow Search.

Optional Features

☒ Allow Reports
☒ Allow Activities
☒ Track Field History
☐ Allow in Chatter Groups
☐ Enable Licensing ⓘ

Object Classification

When these settings are enabled, this object is classified as an Enterprise Application object. When these settings are disabled, this object is classified as a Light Application object. [Learn more](#)

☒ Allow Sharing
☒ Allow Bulk API Access
☒ Allow Streaming API Access

Deployment Status [What is this?](#)

☐ In Development
☒ Deployed

Search Status

When this setting is enabled, your users can find records of this object type when they search. [Learn more](#)

☒ Allow Search

Object Creation Options (Available only when custom object is first created)

☐ Add Notes and Attachments related list to default page layout
☐ Launch New Custom Tab Wizard after saving this custom object

Save Save & New Cancel

9. Click on Save and New.


TO SUPPLY LEFTOVER FOOD TO POOR

Milestone – 3

Tabs

Activity 1: Create a tab for Venue Object

1. Go to Setup page >> type tabs in Quick Find box.
2. Click on tabs >> Click on New (under custom object tab).



3. Select Object (Venue) >> Select the tab style.

Edit Custom Object Tab
Venues

Fill in the fields below to define the custom tab.

Custom Tab Definition Edit

Custom Object Tab Information

Tab Label	Venues
Object	Venue
Tab Style	Apple

(Optional) Choose a Home Page Custom Link to show as a splash page the first time your users click on this tab.

Splash Page Custom Link: --None--

Enter a short description.


Description:

4. Next (Add to profiles page), keep it as default >> Next (Add to Custom App), uncheck the include tab.
5. Make sure that the Append tab user's existing personal customizations is checked.
6. Click on Save.

TO SUPPLY LEFTOVER FOOD TO POOR

Activity 2: Create a tab for Drop-Off Point

1. Go to Setup page >> type tabs in Quick Find box.
2. Click on tabs >> Click on New (under custom object tab).



3. Select Object (Drop-Off Point) >> Select the tab style.

Edit Custom Object Tab
Drop-Off Points [Help for this Page](#)

Fill in the fields below to define the custom tab.


Custom Tab Definition Edit	
Custom Object Tab Information	
Tab Label	Drop-Off Points
Object	Drop-Off Point
Tab Style	 Bottle 
(Optional) Choose a Home Page Custom Link to show as a splash page the first time your users click on this tab.	
Splash Page Custom Link	--None--
Enter a short description.	Description
Save Cancel	

4. Next (Add to profiles page), keep it as default >> Next (Add to Custom App), uncheck the include tab.
5. Make sure that the Append tab user's existing personal customizations is checked.
6. Click on Save.

Activity 3: Create a tab for Task Object

1. Go to Setup page >> type tabs in Quick Find box.
2. Click on tabs >> Click on New (under custom object tab).

TO SUPPLY LEFTOVER FOOD TO POOR



3. Select Object(Task) >> Select tab style.

Edit Custom Object Tab
Task

Fill in the fields below to define the custom tab.

Custom Tab Definition Edit

Custom Object Tab Information

Tab Label: Task
Object: Task
Tab Style: Leaf

(Optional) Choose a Home Page Custom Link to show as a splash page the first time your users click on this tab.
Splash Page Custom Link: --None--

Enter a short description.
Description:

Save Cancel

4. Next (Add to profiles page), keep it as default >> Next (Add to Custom App), uncheck the include tab.

5. Make sure that the Append tab user's existing personal customizations is checked.


6. Click on Save.

Activity 4: Create tab for Volunteer Object

1. Go to the Setup page >> type tabs in Quick Find box.

2. Click on tabs >> Click on New (under custom object tab).

TO SUPPLY LEFTOVER FOOD TO POOR



3. Select Object(Volunteer) >> Select tab style.

Edit Custom Object Tab
Volunteers

Fill in the fields below to define the custom tab.

Custom Tab Definition Edit

Custom Object Tab Information ⓘ Required Information

Tab Label	Volunteers
Object	Volunteer
Tab Style	 Fan 

(Optional) Choose a Home Page Custom Link to show as a splash page the first time your users click on this tab.

Splash Page Custom Link: --None--

Enter a short description.

Description:

4. Next (Add to profiles page), keep it as default >> Next (Add to Custom App), uncheck the include tab.

5. Make sure that Append tab user's existing personal customizations is checked.


6. Click on Save.

Activity 5: Create a tab for Execution Detail

1. Go to Setup page >> type tabs in Quick Find box.

2. Click on tabs >> Click on New (under custom object tab).

TO SUPPLY LEFTOVER FOOD TO POOR



3. Select Object(Execution Detail) >> Select tab style.

Edit Custom Object Tab
Execution Details [Help for this Page](#)

Fill in the fields below to define the custom tab.

Custom Tab Definition Edit

Custom Object Tab Information * Required Information

Tab Label	Execution Details
Object	Execution Detail
Tab Style	 Airplane 

(Optional) Choose a Home Page Custom Link to show as a splash page the first time your users click on this tab.
Splash Page Custom Link --None--

Enter a short description.
Description

4. Next (Add to profiles page), keep it as default >> Next (Add to Custom App), uncheck the include tab.

5. Make sure that Append tab user's existing personal customizations is checked.

6. Click on Save.

TO SUPPLY LEFTOVER FOOD TO POOR

Output:

Custom Tabs

Help for this Page

You can create new custom tabs to extend Salesforce functionality or to build new application functionality.

Custom Object tabs look and behave like the standard tabs provided with Salesforce. Web tabs allow you to embed external web applications and content within the Salesforce window. Visualforce tabs allow you to embed Visualforce pages. Lightning Component tabs allow you to add Lightning components to the navigation menu in Lightning Experience and the mobile app. Lightning Page tabs allow you to add Lightning Pages to Lightning Experience and the mobile app.

Custom Object Tabs

New

What Is This?

Action	Label	Tab Style	Description
Edit Del	Drop-Off Points	 Bottle	
Edit Del	Execution Details	 Airplane	
Edit Del	Task	 Leaf	
Edit Del	Venues	 Apple	
Edit Del	Volunteers	 Fan	

Web Tabs

New

What Is This?

No Web Tabs have been defined

Visualforce Tabs

New

What Is This?

No Visualforce Tabs have been defined


TO SUPPLY LEFTOVER FOOD TO POOR

Milestone – 4

The Lightning App


Activity 1: Create a Lightning app

1. Go to Setup page >> Search “App Manager” in Quick Find box.
2. Select “App Manager” >> Click on New lightning App.



2. Fill the app name in app details and branding as follow.
3. App Name: **Food Connect.**
4. Developer Name: **FoodConnect.**
5. Image: Click on Upload image and add the image related to Supply leftover food to Poor.


TO SUPPLY LEFTOVER FOOD TO POOR



4. Click on Next >> {App option page)Set Navigation Style as Standard Navigation >> Click on Next.

5. In (Utility Items), keep it as default >> Next.

6. Add Navigation items: Search for items in search bar(Home, Venues, Tasks, Drop-Off Points, Execution Details, Reports, Volunteer, Dashboards), and move it to the Selected Items.



7.To Add User Profiles:

TO SUPPLY LEFTOVER FOOD TO POOR

New Lightning App

User Profiles

Choose the user profiles that can access this app.

Available Profiles

Selected Profiles

System administrator

System Administrator

Save & Finish

Search Profile (System Administrator) in the search bar >> Click on arrow button >> Save & Finish.

TO SUPPLY LEFTOVER FOOD TO POOR

Milestone – 5

Fields


Activity 1: Creation of Relationship Fields in Objects.

Creation of Lookup Relationship on Volunteer Object


1. Go to Setup >> Click on Object Manager
2. Type object name (Volunteer) in the search bar >> Click on the object.



3. Now, Click on Fields & Relationships >> Click on New.
4. Select Lookup Relationship.



5. Select the related object “Drop-Off Point” and click on next.



6. Field Name: **Drop-Off Point.**
7. Field label: **Drop-Off Point.**

TO SUPPLY LEFTOVER FOOD TO POOR

Field Information

Field Label: Drop-Off Point

Field Name: Drop_Off_Point

Description:

Help Text:

Data Type: Lookup

Required Information: Yes

8. Click on Next >> Next >> Save.

Creation of Master Detail Relationship Field on Execution Details Object:

1. Go to Setup >> Click on Object Manager
2. Type object name (Execution Details) in the search bar >> Click on the object.

Setup Home Object Manager

Object Manager

1 item, Sorted by Label

LABEL	API NAME	TYPE	DESCRIPTION	LAST MODIFIED	DEPLOYED
Execution Detail	Execution_Detail__c	Custom Object		6/3/2025	✓

3. Now, Click on Fields & Relationships >> Click on New.
4. Select Master Detail Relationship.

Details

Fields & Relationships

Page Layouts

Lightning Record Pages

Buttons, Links, and Actions

Compact Layouts

Field Sets

Object Limits

Record Types

None Selected

Auto Number

Formula

Roll-Up Summary

Lookup Relationship

Master-Detail Relationship

Select one of the data types below:

A system-generated sequence number that uses a display format you define. The number is automatically incremented for each new record.

A read-only field that derives its value from a formula expression you define. The formula field is updated when any of the source fields change.

A read-only field that displays the sum, minimum, or maximum value of a field in a related list or the record count of all records listed in a related list.

Creates a relationship that links this object to another object. The relationship field allows users to click on a lookup icon to select a value from a popup list. The other object is the source of the values in the list.

Creates a special type of parent-child relationship between this object (the child, or "detail") and another object (the parent, or "master") where:

- The relationship field is required on all detail records.
- The ownership and sharing of a detail record are determined by the master record.
- When a user deletes the master record, all detail records are deleted.
- You can create rollup summary fields on the master record to summarize the detail records.

The relationship field allows users to click on a lookup icon to select a value from a popup list. The master object is the source of the values in the list.

5. Select the related object "Volunteer" and click on next.

Field Information

Field Label: Volunteer

Field Name: Volunteer

Description:

Help Text:

Data Type: Master-Detail

Required Information: Yes

6. Field Name: **Volunteer.**


7. Field label: **Volunteer.**

TO SUPPLY LEFTOVER FOOD TO POOR

7. Click on Next >> Next >> Save.


Creation of Master Detail Relationship on Execution Details object.

1. Go to Setup >> Click on Object Manager
2. Type object name (Execution Details) in the search bar >> Click on the object.



3. Now, Click on Fields & Relationships >> Click on New.

4. Select Master Detail Relationship.



5. Select the related object "Task" and click on next.

The screenshot shows the 'Field Information' page in Salesforce. It has a form with the following fields: Field Label (Task), Field Name (Task), Description, and Help Text. The 'Data Type' is set to 'Master-Detail'. There's a red icon in the top right corner indicating 'Required Information'.

6. Field Name: **Task**.

Field label: **Task**.

7. Click on Next >> Next >> Save.

Creation of Lookup Relationship Field on Drop-Off Point Object:


1. Go to Setup >> Click on Object Manager
2. Type object name (Drop-Off Point) in the search bar >> Click on the object.

TO SUPPLY LEFTOVER FOOD TO POOR



3. Now, Click on Fields & Relationships >> Click on New.

4. Select Lookup Relationship.



5. Select the related object "Venue" and click on next.

The screenshot shows the 'Field Information' form for a Lookup relationship. The form has fields for 'Field Label', 'Field Name', 'Description', and 'Help Text'. The 'Field Label' and 'Field Name' are both set to 'Venue'. The 'Data Type' is 'Lookup'. There's a 'Required Information' icon in the top right corner. The 'Data Owner' field is at the bottom.

6. Field Name: **Venue**.


Field label: **Venue**.

7. Click on Next >> Next >> Save.

Creation of Lookup Relationship Field on Task Object:

1. Go to Setup >> Click on Object Manager


2. Type object name (Task) in the search bar >> Click on the object.



3. Now, Click on Fields & Relationships >> Click on New.

4. Select Lookup Relationship.

TO SUPPLY LEFTOVER FOOD TO POOR



5. Select the related object “Venue” and click on next.

6. Field Name: **Sponsored By.**


Field label: **Venue.**

7. Click on Next >> Next >> Save.

Creation of Lookup Relationship Field on Task Object:


1. Go to Setup >> Click on Object Manager

2. Type object name (Task) in the search bar >> Click on the object.



3. Now, Click on Fields & Relationships >> Click on New.

4. Select Lookup Relationship.



5. Select the related object “Drop-Off Point” and click on next.

TO SUPPLY LEFTOVER FOOD TO POOR

The image shows a 'Field Information' form for a field named 'Drop-Off Point'. The form has several input fields: 'Field Label' (containing 'Drop-Off Point'), 'Field Name' (containing 'Drop_Off_Point'), 'Description' (empty), 'Help Text' (empty), and 'Data Owner' (set to 'User'). There are also fields for 'Data Type' and 'Lookup'. A red icon in the top right corner indicates 'Required Information'.

6. Field Name: **Drop-Off Point.**

Field label: **Drop-off Point.**

7. Click on Next >> Next >> Save.

Activity 2: Creation of Fields for the Venue Object:

Create a “Contact Email” Field in Venue object.

1. Go to Setup page >> Click on Object Manager.

2. Type Object name (Venue) in search bar >> Click on the object.

The image shows the 'Object Manager' interface in the Setup page. A search bar at the top right contains the text 'venue'. Below the search bar, there is a table with columns: LABEL, API NAME, TYPE, DESCRIPTION, LAST MODIFIED, and DEPLOYED. The table contains one row for the 'Venue' object, which is a 'Custom Object' created on '6/3/2025' and is 'DEPLOYED'.

3. Now, Click on “Fields & Relationships” >> Click on New.

4. Select Datatype as “Email” and click on Next.

The image shows the 'Venue' object configuration page in the 'Fields & Relationships' section. On the left, there is a sidebar with options: Details, Fields & Relationships (selected), Page Layouts, and Lightning Record Pages. In the center, there is a list of data types: Date, Date/Time, Email (selected), Geolocation, Number, and Percent. On the right, there is a description of the 'Email' field: 'Allows users to enter an email address, which is validated to ensure proper format. If this field is specified for a contact or lead, users can choose the address when clicking Send an Email. Note that custom email addresses cannot be used for mass emails.'

5.Fill in the Above as follows:

- Field Label: **Contact Email.**
- Field Name: **Contact Email.**
- Click on the Required checkbox.
- Click on Next >> Next >> Save and New.

TO SUPPLY LEFTOVER FOOD TO POOR

The screenshot shows the 'Field Information' form for a field named 'Contact Email'. The 'Field Label' is 'Contact Email' and the 'Data Type' is 'Email'. The 'Field Name' is 'Contact_Email'. The 'Description' and 'Help Text' fields are empty. The 'Data Owner' is 'User'. The 'Field Usage' is '--None--'. The 'Data Sensitivity Level' is '--None--'. The 'Compliance Categorization' section shows a list of categories: HIPAA, GDPR, PCI, COPPA, and CCPA. The 'General Options' section includes checkboxes for 'Required' (checked), 'Unique', 'External ID', and 'Default Value'. The 'Required' checkbox is checked with the text 'Always require a value in this field in order to save a record'.

Create a “Contact Phone” Field in Venue Object.

1. Go to Setup page >> Click on Object Manager.
2. Type Object name (Venue) in search bar >> Click on the object.

The screenshot shows the 'Object Manager' page. The search bar contains 'venue'. The table below shows one object: 'Venue' with API Name 'Venue_c', Type 'Custom Object', Last Modified '6/3/2025', and Deployed status '✓'.

3. Now, Click on “Fields & Relationships” >> Click on New.
4. Select Datatype as “Phone” and click on Next.

The screenshot shows the 'Fields & Relationships' page. The 'Phone' datatype is selected. The page lists various datatypes and their descriptions: Date, Date/Time, Email, Geolocation, Number, Percent, Phone (selected), Picklist, Picklist (Multi-Select), and Text.

5. Fill in the Above as follows:


- Field Label: **Contact Phone.**
- Field Name: **Contact Phone.**
- Click on the Required checkbox.
- Click on Next >> Next >> Save and New.

The screenshot shows the 'Field Information' form for a field named 'Contact Phone'. The 'Field Label' is 'Contact Phone' and the 'Data Type' is 'Phone'. The 'Field Name' is 'Contact_Phone'. The 'Description' and 'Help Text' fields are empty. The 'Data Owner' is 'User'. The 'Field Usage' is '--None--'. The 'Data Sensitivity Level' is '--None--'.


TO SUPPLY LEFTOVER FOOD TO POOR

Create a “Location” Field in Venue Object.

1. Go to Setup page >> Click on Object Manager.
2. Type Object name (Venue) in search bar >> Click on the object.




3. Now, click on “Fields & Relationships” >> Click on New.
4. Select Datatype as “Geolocation” and click on Next.




5.Fill in the Above as follows:

- Field Label: Location.
- Decimal Places: 4
- Field Name: Location.
- Description: Enter the Geolocation of your Venue.
- Click on Next >> Next >> Save and New.




Create a “Venue Location” Field on Venue Object.

1. Go to Setup page >> Click on Object Manager.
2. Type Object name (Venue) in search bar >> Click on the object.



3. Now, click on “Fields & Relationships” >> Click on New.
4. Select Datatype as “Long Text Area” and click on Next.


TO SUPPLY LEFTOVER FOOD TO POOR



A screenshot of a field type selection menu. On the left, a list of field types is shown with radio buttons: Percent, Phone, Picklist, Picklist (Multi-Select), Text, Text Area, Text Area (Long) (which is selected), and Text Area (Rich). To the right of this list, a series of descriptive text blocks explain the capabilities of each field type, such as 'Allows users to enter a percentage number...' for Percent and 'Allows users to enter any combination of letters and numbers...' for Text.

5.Fill in the Above as follows:

- Field Label: Venue Location.
- Field Name: Venue Location.
- Click on Next >> Next >> Save and New.




A screenshot of the 'Field Information' form in a system. The form contains several input fields: 'Field Label' and 'Field Name' both contain 'Venue Location'; 'Description' and 'Help Text' are empty text areas; 'Data Owner' is set to 'User'; 'Field Usage' and 'Data Sensitivity Level' are both set to '--None--'; and 'Compliance Categorization' shows a list of categories (PII, HIPAA, GDPR, PCI) with 'PII' selected. The 'Data Type' is set to 'Long Text Area'. A red icon with an exclamation mark and the text 'Required Information' is in the top right corner.

Activity 3: Creation of Fields for the Drop-Off Point Object.


Create a “Location 2” field on Drop-Off Object

1. Go to Setup page >> Click on Object Manager.
2. Type Object name (Drop-Off Point) in search bar >> Click on the object.



A screenshot of the 'Object Manager' page in a system. The page has a search bar with 'drop' entered, and buttons for 'Schema Builder' and 'Create'. Below the search bar, a table lists objects. The table has columns: LABEL, API NAME, TYPE, DESCRIPTION, LAST MODIFIED, and DEPLOYED. One object is listed: 'Drop-Off Point' with API NAME 'Drop_Off_Point_c', TYPE 'Custom Object', LAST MODIFIED '5/30/2025', and DEPLOYED '✓'.

3. Now, click on “Fields & Relationships” >> Click on New.
4. Select Datatype as “Geolocation” and click on Next.



A screenshot of the 'Fields & Relationships' page for the 'Drop-Off Point' object. The page has a sidebar with navigation links: Details, Fields & Relationships (selected), Page Layouts, Lightning Record Pages, Buttons, Links, and Actions, Compact Layouts, and Field Sets. The main area shows a list of field types with radio buttons: Date, DateTime, Email, Geolocation (selected), Number, Percent, Phone, Picklist, and Picklist (Multi-Select). To the right of this list, a series of descriptive text blocks explain the capabilities of each field type, such as 'Allows users to enter a date or pick a date from a popup calendar...' for Date and 'Allows users to enter any number. Leading zeros are removed...' for Number.

5.Fill in the Above as follows:

- Field Label: Location 2.
- Field Name: Location_2.

TO SUPPLY LEFTOVER FOOD TO POOR

- Description: Enter the Geolocation of the Drop-Off Point.
- Geolocation Options: Select Decimal
- Decimal Places: 4

The screenshot shows the 'New Custom Field' form for the 'Drop-Off Point' object. The form is titled 'Step 2. Enter the details' and is part of a 4-step process. The left sidebar contains navigation links: Details, Fields & Relationships (selected), Page Layouts, Lightning Record Pages, Buttons, Links, and Actions, Compact Layouts, Field Sets, Object Limits, Record Types, and Related Lookup Filters. The main form area has the following fields: 'Field Label' with the value 'Location 2', a description 'Enter the name of the location, such as Main Office. Be descriptive and specific, and remember that one record may have multiple locations, such as West Coast Sales Office and East Coast Sales Office.', 'Latitude and Longitude Display Notation' with 'Decimal' selected, 'Decimal Places' with the value '4', 'Field Name' with the value 'Location_2', and a 'Description' field. Navigation buttons 'Previous', 'Next', and 'Cancel' are at the top right.

6. Click on Next >> Next >> Save and New.

Create a “distance calculation” field on Drop-Off Object

1. Go to Setup page >> Click on Object Manager.
2. Type Object name (Drop-Off Point) in search bar >> Click on the object.

The screenshot shows the 'Object Manager' page in the Setup area. The search bar contains 'drop' and the results show one item: 'Drop-Off Point'. The table has columns: LABEL, API NAME, TYPE, DESCRIPTION, LAST MODIFIED, and DEPLOYED.

LABEL	API NAME	TYPE	DESCRIPTION	LAST MODIFIED	DEPLOYED
Drop-Off Point	Drop_Off_Point_c	Custom Object		5/30/2025	✓

3. Now, click on “Fields & Relationships” >> Click on New.
4. Select Datatype as “Formula” and click on Next.

The screenshot shows the 'Drop-Off Point' object page in the Setup area. The left sidebar contains navigation links: Details, Fields & Relationships (selected), Page Layouts, Lightning Record Pages, Buttons, Links, and Actions, Compact Layouts, Field Sets, Object Limits, Record Types, and Related Lookup Filters. The main form area has the 'Data Type' section with the following options: 'None Selected', 'Auto Number', 'Formula' (selected), 'Roll-Up Summary', 'Lookup Relationship', and 'Master-Detail Relationship'. Each option has a description.

5.Fill in the Above as follows:

- Field Label: distance calculation.
- Field Name: distance_calculation.
- Formula Return Type: Number.

TO SUPPLY LEFTOVER FOOD TO POOR

Details

Fields & Relationships

Page Layouts

Lightning Record Pages

Buttons, Links, and Actions

Compact Layouts

Field Sets

Object Limits

Record Types

Related Lookup Filters

Search Layouts

List View Button Layout

Restriction Rules

Field Label: distance calculation

Field Name: distance_calculation

Auto add to custom report type: ☒ Add this field to existing custom report types that contain this entity

Formula Return Type

☐ None Selected

☐ Checkbox

☐ Currency

☐ Date

☐ Date/Time

☒ Number

☐ Percent

☐ Text

Select one of the data types below:

Calculate a boolean value.
Example: `TODAY() > CloseDate`

Calculate a dollar or other currency amount and automatically format the field as a currency amount.
Example: `GrossMargin = Amount - Cost_c`

Calculate a date, for example, by adding or subtracting days to other dates.
Example: `Reminder Date = CloseDate - 7`

Calculate a date/time, for example, by adding a number of hours or days to another date/time.
Example: `Next = NOW() + 1`

Calculate a numeric value.
Example: `Fahrenheit = 1.8 * Celsius_c + 32`

Calculate a percent and automatically add the percent sign to the number.
Example: `Discount = (Amount - Discounted_Amount_c) / Amount`

Create a text string, for example, by concatenating other text fields.
Example: `Full Name = LastName & " " & FirstName`

6. Click on Next >> Click on Advanced Formula.

- Formula: `DISTANCE( Location_2__c , Venue__r.Location__c , 'km')`

Formula Options

Formula Return Type: Number

Decimal Places: 4

Enter your formula and click Check Syntax to check for errors. Click the Advanced Formula subtab to use additional fields, operators, and functions.
Example: `Fahrenheit = 1.8 * Celsius_c + 32` [More Examples...](#)

Simple Formula Advanced Formula

Insert Field

Insert Operator

distance calculation (Number) =
`DISTANCE( Location_2__c , Venue__r.Location__c , 'km' )`

7. Click on Next >> Next >> Save and New.

Create a “State” Field in Drop-Off Point Object.

1. Go to Setup page >> Click on Object Manager.
2. Type Object name (Drop-Off Point) in search bar >> Click on the object.

Setup Home Object Manager

Object Manager

1 Items, Sorted by Label

Search: drop

Schema Builder Create

Label	API Name	Type	Description	Last Modified	Deployed
Drop-Off Point	Drop_Off_Point__c	Custom Object		5/30/2025	✓

3. Now, click on “Fields & Relationships” >> Click on New.

4. Select Datatype as “Picklist” and click on Next.

Details

Fields & Relationships

Page Layouts

Lightning Record Pages

Buttons, Links, and Actions

Compact Layouts

Field Sets

Object Limits

Record Types

☐ Date

☐ Date/Time

☐ Email

☐ Geolocation

☐ Number

☐ Percent

☐ Phone

☒ Picklist

☐ Picklist (Multi-Select)

☐ Text

☐ Text Area

Allows users to enter a date or pick a date from a popup calendar.

Allows users to enter a date and time, or pick a date from a popup calendar. When users click a date in the pop-up, that date and the current time are entered into the Date/Time field.

Allows users to enter an email address, which is validated to ensure proper format. If this field is specified for a contact or lead, users can choose the address when clicking Send an Email. Note that custom email addresses cannot be used for mass emails.

Allows users to define locations. Includes latitude and longitude components, and can be used to calculate distance.

Allows users to enter any number. Leading zeros are removed.

Allows users to enter a percentage number, for example, '10' and automatically adds the percent sign to the number.

Allows users to enter any phone number. Automatically formats it as a phone number.

Allows users to select a value from a list you define.

Allows users to select multiple values from a list you define.

Allows users to enter any combination of letters and numbers.

Allows users to enter up to 255 characters on separate lines.

Allows users to enter up to 311,072 characters on separate lines.

5. Fill in the Above as follows:

- Field Label: State.
- Field Name: State.

TO SUPPLY LEFTOVER FOOD TO POOR

- Enter values, with each value separated by a new line:

Drop-Off Point

New Custom Field

Help for this Page

Step 2 of 4

Step 2. Enter the details

Field Label: State

Values:

- ☐ Use global picklist value set
- ☒ Enter values, with each value separated by a new line

Andhra Pradesh
Arunachal Pradesh
Assam
Bihar
Chhattisgarh
Goa
Gujarat
Haryana
Himachal Pradesh
Jharkhand
Karnataka
Kerala
Maharashtra
Madhya Pradesh
Manipur
Meghalaya
Mizoram
Nagaland
Odisha
Punjab
Rajasthan
Sikkim
Tamil Nadu
Tripura
Telangana
Uttar Pradesh
Uttarakhand
West Bengal
Andaman & Nicobar (UT)
Chandigarh (UT)
Dadra & Nagar Haveli and Daman & Diu (UT)
Delhi [National Capital Territory (NCT)]

☐ Display values alphabetically, not in the order entered

☐ Use first value as default value

☒ Restrict picklist to the values defined in the value set

Field Name: State

Description:

Andhra Pradesh

Arunachal Pradesh

Assam

Bihar

Chhattisgarh

Goa

Gujarat

Haryana

Himachal Pradesh

Jharkhand

Karnataka

Kerala

Maharashtra

Madhya Pradesh

Manipur

Meghalaya

Mizoram

Nagaland

Odisha

Punjab

Rajasthan

Sikkim

Tamil Nadu

Tripura

Telangana

Uttar Pradesh

Uttarakhand

West Bengal

Andaman & Nicobar (UT)

Chandigarh (UT)

Dadra & Nagar Haveli and Daman & Diu (UT)

Delhi [National Capital Territory (NCT)]

TO SUPPLY LEFTOVER FOOD TO POOR

Jammu & Kashmir (UT)

Ladakh (UT)

Lakshadweep (UT)

Puducherry (UT)


6. Click on Required check box.

7. Click on Next >> Next >> Save and New.

Create a “Distance” Field on Drop-Off Point Object.


1. Go to Setup page >> Click on Object Manager.

2. Type Object name (Drop-Off Point) in the search bar >> Click on the object.



3. Now, click on “Fields & Relationships” >> Click on New.

4. Select Datatype as “Number” and click on Next.



5. Fill in the Above as follows:

- Field Label: **Distance.**
- Field Name: **Distance.**
- Length: 14
- Decimal Places: 4
- Click on required check box.
- Click on Next >> Next >> Save.

TO SUPPLY LEFTOVER FOOD TO POOR

This screenshot shows the 'Step 2: Enter the details' screen for creating a new field. The 'Field Label' is 'Distance'. The 'Length' is set to 14, and 'Decimal Places' is set to 4. The 'Field Name' is also 'Distance'. There are checkboxes for 'Required' (checked), 'Unique', 'External ID', 'AI Prediction', and 'Auto add to custom report type' (checked). A help text box is also present.

Step 2. Enter the details Step 2 of 4

Field Label

Please enter the length of the number and the number of decimal places. For example, a number with a length of 8 and 2 decimal places can accept values up to "12345678.90".

Length Decimal Places

Number of digits to the left of the decimal point

Number of digits to the right of the decimal point

Field Name

Description

Help Text

Required ☒ Always require a value in this field in order to save a record

Unique ☐ Do not allow duplicate values

External ID ☐ Set this field as the unique record identifier from an external system


AI Prediction ☐ Use this field to store AI prediction scores

Auto add to custom report type ☒ Add this field to existing custom report types that contain this entity

Activity 4: Creation of Fields for the Task object.

Create a "Task ID" field in task object:

1. Go to Setup page >> Click on Object Manager.
2. Type Object name (Task) in the search bar >> Click on the object.



3. Now, click on "Fields & Relationships" >> Click on New.
4. Select Datatype as "Auto Number" and click on Next.

This screenshot shows the 'Fields & Relationships' page for the 'Task' object. The 'Data Type' is set to 'Auto Number'. The 'Next' button is visible.

SETUP > OBJECT MANAGER

Task

Details

Fields & Relationships

Page Layouts

Lightning Record Pages

Buttons, Links, and Actions

Compact Layouts

Specify the type of information that the custom field will contain.

Data Type

Select one of the data types below:

☒ Auto Number

☐ None Selected

☐ Formula

☐ Roll-Up Summary

A system-generated sequence number that uses a display format you define. The number is automatically incremented for each new record.

A read-only field that derives its value from a formula expression you define. The formula field is updated when any of the source fields change.

A read-only field that displays the sum, minimum, or maximum value of a field in a related list or the record count of all records listed in a related list.

Next Cancel

5. Fill in the Above as follows:

- Field Label: **Task ID.**
- Field Name: **Task_ID.**
- Display Format: TASK{0}
- Starting Number: 1
- Click on required check box.

6. Click on Next >> Next >> Save and New.

Create a "Date" field in task object:


1. Go to Setup page >> Click on Object Manager.
2. Type Object name (Task) in the search bar >> Click on the object.

TO SUPPLY LEFTOVER FOOD TO POOR



3. Now, click on “Fields & Relationships” >> Click on New.

4. Select Datatype as “Date” and click on Next.



5. Fill in the Above as follows:

- Field Label: **Date.**
- Field Name: **Date.**
- Click on the required check box.




6. Click on Next >> Next >> Save and New.

Create a “Food Category” field in task object:

1. Go to Setup page >> Click on Object Manager.

2. Type Object name (Task) in the search bar >> Click on the object.



3. Now, click on “Fields & Relationships” >> Click on New.

4. Select Datatype as “Picklist(Multiselect)” and click on Next.

TO SUPPLY LEFTOVER FOOD TO POOR

Details

Fields & Relationships

Page Layouts

Lightning Record Pages

Buttons, Links, and Actions

Compact Layouts

Field Sets

Object Limits

Field Types

Record Types

Related Lookup Filters

Search Layouts

List View Button Layout

☐ Date

☐ Date/Time

☐ Email

☐ Geolocation

☐ Number

☐ Percent

☐ Phone

☐ Picklist

☒ Picklist (Multi-Select)

☐ Text

Allows users to enter a date or pick a date from a popup calendar.

Allows users to enter a date and time, or pick a date from a popup calendar. When users click a date in the pop-up, that date and the current time are entered into the Date/Time field.

Allows users to enter an email address, which is validated to ensure proper format. If this field is specified for a contact or lead, users can choose the address when clicking Send an Email. Note that custom email addresses cannot be used for mass emails.

Allows users to define locations. Includes latitude and longitude components, and can be used to calculate distance.

Allows users to enter any number. Leading zeros are removed.

Allows users to enter a percentage number, for example, '10' and automatically adds the percent sign to the number.

Allows users to enter any phone number. Automatically formats it as a phone number.

Allows users to select a value from a list you define.

Allows users to select multiple values from a list you define.

Allows users to enter any combination of letters and numbers.

5. Fill in the Above as follows:

- Field Label: Food Category.
- Field Name: Food_Category.
- Enter values, with each value separated by a new line:

Veg

Non-Veg

Salad

Snack

- Click on the required check box.

Details

Fields & Relationships

Page Layouts

Lightning Record Pages

Buttons, Links, and Actions

Compact Layouts

Field Sets

Object Limits

Record Types

Related Lookup Filters

Search Layouts

List View Button Layout

Field Label: Food Category

Values

☐ Use global picklist value set

☒ Enter values, with each value separated by a new line

Veg

Non-Veg

Salad

Snack

☐ Display values alphabetically, not in the order entered

☐ Use first value as default value

☒ Restrict picklist to the values defined in the value set

Multi-select picklists are displayed in a scrolling box on edit pages.

Visible Lines: 4

Field Name: Food_Category

Previous Next Cancel

6. Click on Next >> Next >> Save and New.

Create a “Number of People Served” field in task object:

1. Go to Setup page >> Click on Object Manager.
2. Type Object name (Task) in the search bar >> Click on the object.

LABEL	API NAME	TYPE	DESCRIPTION	LAST MODIFIED	DEPLOYED
Task	Task__c	Custom Object		6/3/2025	✓

3. Now, click on “Fields & Relationships” >> Click on New.

4. Select Datatype as “Number” and click on Next.

Details

Fields & Relationships

Page Layouts

Lightning Record Pages

Buttons, Links, and Actions

Compact Layouts

Field Sets

Object Limits

Field Types

Record Types

Related Lookup Filters

Search Layouts

List View Button Layout

☐ Date

☐ Date/Time

☐ Email

☐ Geolocation

☒ Number

☐ Percent

☐ Phone

☐ Picklist

☐ Picklist (Multi-Select)

☐ Text

Allows users to enter a date or pick a date from a popup calendar.

Allows users to enter a date and time, or pick a date from a popup calendar. When users click a date in the pop-up, that date and the current time are entered into the Date/Time field.

Allows users to enter an email address, which is validated to ensure proper format. If this field is specified for a contact or lead, users can choose the address when clicking Send an Email. Note that custom email addresses cannot be used for mass emails.

Allows users to define locations. Includes latitude and longitude components, and can be used to calculate distance.

Allows users to enter any number. Leading zeros are removed.

Allows users to enter a percentage number, for example, '10' and automatically adds the percent sign to the number.

Allows users to enter any phone number. Automatically formats it as a phone number.

Allows users to select a value from a list you define.

Allows users to select multiple values from a list you define.

Allows users to enter any combination of letters and numbers.

TO SUPPLY LEFTOVER FOOD TO POOR

5.Fill in the Above as follows:

- Field Label: Number of People Served.
- Field Name: Number_of_People_Served.
- Click on the required check box.

Details

Fields & Relationships

Page Layouts

Lightning Record Pages

Buttons, Links, and Actions

Compact Layouts

Field Sets

Object Limits

Record Types

Related Lookup Filters

Search Layouts

List View Button Layout

Restriction Rules

Step 2: Enter the details

Step 2 of 4

Previous Next Cancel

Field Label: Number of People Served

Please enter the length of the number and the number of decimal places. For example, a number with a length of 8 and 2 decimal places can accept values up to "12345678.90"

Length: 18

Decimal Places: 0

Field Name: Number_of_People_Served

Description:

Help Text:

Required: ☒ Always require a value in this field in order to save a record

Unique: ☐ Do not allow duplicate values

External ID: ☐ Set this field as the unique record identifier from an external system

AI Prediction: ☐ Use this field to store AI prediction scores

Auto add to custom report type: ☒ Add this field to existing custom report types that contain this entity

6. Click on Next >> Next >> Save and New.

Create a “Name of the Person” field in task object:

1. Go to Setup page >> Click on Object Manager.
2. Type Object name (Task) in the search bar >> Click on the object.

Setup Home Object Manager

Object Manager

2 Items. Sorted by Label

Search: task Schema Builder Create

LABEL	API NAME	TYPE	DESCRIPTION	LAST MODIFIED	DEPLOYED
Task	Task_c	Custom Object		6/3/2025	✓

3. Now, click on “Fields & Relationships” >> Click on New.

4. Select Datatype as “Text” and click on Next.

Details

Fields & Relationships

Page Layouts

Lightning Record Pages

Buttons, Links, and Actions

Compact Layouts

Field Sets

Object Limits

Record Types

Related Lookup Filters

Date

Date/Time

Email

Geolocation

Number

Percent

Phone

Picklist

Picklist (Multi-Select)

Text

Text Area

Text Area (Long)

Text Area (Rich)

Allows users to enter a date or pick a date from a popup calendar.

Allows users to enter a date and time, or pick a date from a popup calendar. When users click a date in the pop-up, that date and the current time are entered into the Date/Time field.

Allows users to enter an email address, which is validated to ensure proper format. If this field is specified for a contact or lead, users can choose the address when clicking Send an Email. Note that custom email addresses cannot be used for mass emails.

Allows users to define locations. Includes latitude and longitude components, and can be used to calculate distance.

Allows users to enter any number. Leading zeros are removed.

Allows users to enter a percentage number, for example, "10" and automatically adds the percent sign to the number.

Allows users to enter any phone number. Automatically formats it as a phone number.

Allows users to select a value from a list you define.

Allows users to select multiple values from a list you define.

Allows users to enter any combination of letters and numbers.

Allows users to enter up to 255 characters on separate lines.

Allows users to enter up to 131,072 characters on separate lines.

Allows users to enter formatted text, add images and links. Up to 131,072 characters on separate lines.

Allows users to enter any combination of letters and numbers and store them in encrypted form.

5.Fill in the Above as follows:

- Field Label: **Number of the Person.**
- Field Name: **Number_of_the_Person.**

TO SUPPLY LEFTOVER FOOD TO POOR

Task
New Custom Field

Step 2 of 4: Enter the details

Field Label: Name of the Person

Length: 20

Field Name: Name_of_the_Person

Required: ☒ Always require a value in this field in order to save a record

Unique: ☐ Do not allow duplicate values

6. Click on Next >> Next >> Save and New.

Create a “Phone” field in task object:

1. Go to Setup page >> Click on Object Manager.
2. Type Object name (Task) in the search bar >> Click on the object.

Setup Home Object Manager

Object Manager

2 items. Sorted by Label

LABEL	API NAME	TYPE	DESCRIPTION	LAST MODIFIED	DEPLOYED
Task	Task__c	Custom Object		6/3/2025	✓

3. Now, click on “Fields & Relationships” >> Click on New.
4. Select Datatype as “Phone” and click on Next.

Details

Fields & Relationships

Page Layouts

Lightning Record Pages

Buttons, Links, and Actions

Compact Layouts

Field Sets

Object Limits

Record Types

Related Lookup Filters

Auto add to custom report type

Required: ☒ Always require a value in this field in order to save a record

Unique: ☒ Add this field to existing custom report types that contain this entity

5. Fill in the Above as follows:

- Field Label: **Phone.**
- Field Name: **Phone.**

Task
New Custom Field

Step 2 of 4: Enter the details

Field Label: Phone

Field Name: Phone

Required: ☒ Always require a value in this field in order to save a record


Unique: ☒ Add this field to existing custom report types that contain this entity

6. Click on Next >> Next >> Save and New.


TO SUPPLY LEFTOVER FOOD TO POOR

Create a “Rating” field in task object:

1. Go to Setup page >> Click on Object Manager.
2. Type Object name (Task) in the search bar >> Click on the object.




3. Now, click on “Fields & Relationships” >> Click on New.
4. Select Datatype as “Picklist” and click on Next.



5. Fill in the Above as follows:

- Field Label: **Rating.**
- Field Name: **Rating.**
- Enter values, with each value separated by a new line:

1
2
3
4
5



6. Click on Next >> Next >> Save and New.

Create a “Feedback” field in task object:

1. Go to Setup page >> Click on Object Manager.
2. Type Object name (Task) in the search bar >> Click on the object.

TO SUPPLY LEFTOVER FOOD TO POOR



3. Now, click on “Fields & Relationships” >> Click on New.

4. Select Datatype as “Long Text Area” and click on Next.

This screenshot shows the 'Text Area (Long)' selection screen. It lists various data types with their descriptions. 'Text Area (Long)' is selected, indicated by a blue dot. The descriptions for each type are: 'Picklist' (allows users to select a value from a list), 'Picklist (Multi-Select)' (allows users to select multiple values), 'Text' (allows users to enter any combination of letters and numbers), 'Text Area' (allows users to enter up to 255 characters on separate lines), 'Text Area (Long)' (allows users to enter up to 131,072 characters on separate lines), 'Text Area (Rich)' (allows users to enter formatted text, add images and links), 'Text (Encrypted)' (allows users to enter any combination of letters and numbers and store them in encrypted form), and 'Time' (allows users to enter a local time).

5.Fill in the Above as follows:

- Field Label: **Feedback.**
- Field Name: **Feedback.**

This screenshot shows the 'Step 2. Enter the details' form for creating a new field. The form includes fields for 'Field Label' (Feedback), 'Length' (32,768), '# Visible Lines' (3), 'Field Name' (Feedback), 'Description', and 'Help Text'. There is a checkbox for 'Add this field to existing custom report types that contain this entity' which is checked. The form also displays a character count: 'You are currently using 32,768 out of 1,638,400 characters on this object. You have 1,605,632 additional characters to allocate to this field.' (Max 131,072).

6. Click on Next >> Next >> Save and New.

Activity 5: Creation of fields for the Volunteer Object.

Create “Volunteer ID” field in Volunteer object:

1. Go to Setup page >> Click on Object Manager.

2. Type Object name (Volunteer) in the search bar >> Click on the object.



3. Now, click on “Fields & Relationships” >> Click on New.

4. Select Datatype as “Auto Number” and click on Next.

TO SUPPLY LEFTOVER FOOD TO POOR

SETUP > OBJECT MANAGER
Task

Details

Fields & Relationships

Page Layouts

Lightning Record Pages

Buttons, Links, and Actions

Compact Layouts

Specify the type of information that the custom field will contain.

Data Type

☐ None Selected

☒ Auto Number

☐ Formula

☐ Roll-Up Summary

Select one of the data types below:

A system-generated sequence number that uses a display format you define. The number is automatically incremented for each new record.

A read-only field that derives its value from a formula expression you define. The formula field is updated when any of the source fields change.

A read-only field that displays the sum, minimum, or maximum value of a field in a related list or the record count of all records listed in a related list.

5. Fill in the Above as follows:

- Field Label: **Volunteer ID.**
- Field Name: **Volunteer_ID.**

SETUP > OBJECT MANAGER
Volunteer

Details

Fields & Relationships

Page Layouts

Lightning Record Pages

Buttons, Links, and Actions

Compact Layouts

Field Sets

Object Limits

Record Types

Related Lookup Filters

Search Layouts

List View Button Layout

Volunteer

New Custom Field

Step 2. Enter the details

Field Label: Volunteer ID

Display Format: Example: A-(0000) What Is This?

Starting Number: 1

☐ Generate Auto Number for existing records

Field Name: Volunteer_ID

Description:

Help Text:

External ID: ☐ Set this field as the unique record identifier from an external system

Auto add to custom report type: ☒ Add this field to existing custom report types that contain this entity

6. Click on Next >> Next >> Save and New.

Create "Gender" field in Volunteer object:

1. Go to Setup page >> Click on Object Manager.
2. Type Object name (Volunteer) in the search bar >> Click on the object.

Setup Home Object Manager

Object Manager

1 Items, Sorted by Label

LABEL	API NAME	TYPE	DESCRIPTION	LAST MODIFIED	DEPLOYED
Volunteer	Volunteer__c	Custom Object		6/3/2025	✓

3. Now, click on "Fields & Relationships" >> Click on New.

4. Select Datatype as "Picklist" and click on Next.

Details

Fields & Relationships

Page Layouts

Lightning Record Pages

Buttons, Links, and Actions

Compact Layouts

Field Sets

Object Limits

Record Types

☐ Date

☐ Date/Time

☐ Email

☐ Geolocation

☐ Number

☐ Percent

☐ Phone

☒ Picklist

☐ Picklist (Multi-Select)

☐ Text

☐ Text Area

Allows users to enter a date or pick a date from a popup calendar.

Allows users to enter a date and time, or pick a date from a popup calendar. When users click a date in the pop-up, that date and the current time are entered into the Date/Time field.

Allows users to enter an email address, which is validated to ensure proper format. If this field is specified for a contact or lead, users can choose the address when clicking Send an Email. Note that custom email addresses cannot be used for mass emails.

Allows users to define locations. Includes latitude and longitude components, and can be used to calculate distance.

Allows users to enter any number. Leading zeros are removed.

Allows users to enter a percentage number, for example, "10" and automatically adds the percent sign to the number.

Allows users to enter any phone number. Automatically formats it as a phone number.

Allows users to select a value from a list you define.

Allows users to select multiple values from a list you define.

Allows users to enter any combination of letters and numbers.

Allows users to enter up to 255 characters on separate lines.

Allows users to enter up to 131,072 characters on separate lines.

TO SUPPLY LEFTOVER FOOD TO POOR

5.Fill in the Above as follows:

- Field Label: **Gender.**
- Field Name: **Gender.**
- Enter values, with each value separated by a new line:

Female

Male

Step 2. Enter the details

Field Label: Gender

Values:

- ☐ Use global picklist value set
- ☒ Enter values, with each value separated by a new line

Female
Male

☐ Display values alphabetically, not in the order entered

☐ Use first value as default value

☒ Restrict picklist to the values defined in the value set

Field Name: Gender

6. Click on Next >> Next >> Save and New.

Create “Available On” field in Volunteer object:

1. Go to Setup page >> Click on Object Manager.
2. Type Object name (Volunteer) in the search bar >> Click on the object.

Setup > Object Manager

1 Items, Sorted by Label

LABEL	API NAME	TYPE	DESCRIPTION	LAST MODIFIED	DEPLOYED
Volunteer	Volunteer__c	Custom Object		6/3/2025	✓

3. Now, click on “Fields & Relationships” >> Click on New.

4. Select Datatype as “Date” and click on Next.

SETUP > OBJECT MANAGER

Task

Details

Fields & Relationships

Page Layouts

Lightning Record Pages

☐ Checkbox

☐ Currency

☒ Date

☐ Date/Time

☐ Email

☐ Geolocation

Allows users to select a True (checked) or False (unchecked) value.

Allows users to enter a dollar or other currency amount and automatically formats the field as a currency amount. This can be useful if you export data to Excel or another spreadsheet.

Allows users to enter a date or pick a date from a popup calendar.

Allows users to enter a date and time, or pick a date from a popup calendar. When users click a date in the pop-up, that date and the current time are entered into the Date/Time field.

Allows users to enter an email address, which is validated to ensure proper format. If this field is specified for a contact or lead, users can choose the address when clicking Send an Email. Note that custom email addresses cannot be used for mass emails.

Allows users to define locations. Includes latitude and longitude components, and can be used to calculate distance.

5.Fill in the Above as follows:

- Field Label: **Available On.**
- Field Name: **Available On.**
- Click on required check box.

TO SUPPLY LEFTOVER FOOD TO POOR

Step 2. Enter the details

Field Label: Available On

Field Name: Available_On

Description:

Help Text:

Required: ☒ Always require a value in this field in order to save a record

Auto add to custom report type: ☒ Add this field to existing custom report types that contain this entity

Default Value: Show Formula Editor

Use formula syntax: Enclose text and picklist value API names in double quotes: ("The text"), include numbers without quotes: (25), show percentages as decimals: (0.10), and express date calculations in the standard format: (Today() + 7). To reference a field from a Custom Metadata type record use: SCustomMetadata.Type__mdt.RecordAPIName.Field__c

Previous Next Cancel

6. Click on Next >> Next >> Save and New.

Create "Age" field in Volunteer object:

1. Go to Setup page >> Click on Object Manager.
2. Type Object name (Volunteer) in the search bar >> Click on the object.

Setup Home Object Manager

Object Manager

1 Items, Sorted by Label

LABEL	API NAME	TYPE	DESCRIPTION	LAST MODIFIED	DEPLOYED
Volunteer	Volunteer__c	Custom Object		6/3/2025	✓

3. Now, click on "Fields & Relationships" >> Click on New.
4. Select Datatype as "Number" and click on Next.

Details

Fields & Relationships

Page Layouts

Lightning Record Pages

Buttons, Links, and Actions

Compact Layouts

Field Sets

Number

Allows users to enter any number. Leading zeros are removed.

Allows users to enter a percentage number, for example, '10' and automatically adds the percent sign to the number.

Allows users to enter any phone number. Automatically formats it as a phone number.

Allows users to select a value from a list you define.

Allows users to select multiple values from a list you define.

Allows users to enter any combination of letters and numbers.

5. Fill in the Above as follows:

- Field Label: **Age**.
- Field Name: **Age**.
- Click on required check box.

Step 2. Enter the details

Field Label: Age

Please enter the length of the number and the number of decimal places. For example, a number with a length of 8 and 2 decimal places can accept values up to "12345678.90".

Length: 18

Decimal Places: 0

Field Name: Age

Description:

Help Text:

Required: ☒ Always require a value in this field in order to save a record

Unique: ☐ Do not allow duplicate values

Previous Next Cancel

TO SUPPLY LEFTOVER FOOD TO POOR


6. Click on Next >> Next >> Save and New.

Create “Email” field in Volunteer object:

1. Go to Setup page >> Click on Object Manager.
2. Type Object name (Volunteer) in the search bar >> Click on the object.



3. Now, click on “Fields & Relationships” >> Click on New.
4. Select Datatype as “Email” and click on Next.



5. Fill in the Above as follows:

- Field Label: **Email.**
- Field Name: **Email.**
- Click on required check box.

A screenshot of the 'Step 2. Enter the details' form in Salesforce. The form has a header bar that says 'Step 2. Enter the details'. Below the header, there are input fields for 'Field Label' and 'Field Name', both containing the text 'Email'. There is a 'Description' field and a 'Help Text' field, both of which are empty. At the bottom of the form, there are two checkboxes: 'Required' (checked) and 'Unique' (unchecked). The 'Required' checkbox is checked, and the text 'Always require a value in this field in order to save a record' is displayed next to it. The 'Unique' checkbox is unchecked, and the text 'Do not allow duplicate values' is displayed next to it.

6. Click on Next >> Next >> Save and New.

Create “Contact Number” field in Volunteer object:

1. Go to Setup page >> Click on Object Manager.
2. Type Object name (Volunteer) in the search bar >> Click on the object.

TO SUPPLY LEFTOVER FOOD TO POOR

The screenshot shows the Salesforce Object Manager interface. At the top, there's a navigation bar with 'Setup', 'Home', and 'Object Manager'. Below this, the 'Object Manager' section is active, showing a search bar with 'volunteer' and buttons for 'Schema Builder' and 'Create'. A table lists the objects, with 'Volunteer' selected. The table has columns: LABEL, API NAME, TYPE, DESCRIPTION, LAST MODIFIED, and DEPLOYED. The 'Volunteer' object is listed with API NAME 'Volunteer__c', TYPE 'Custom Object', LAST MODIFIED '6/3/2025', and DEPLOYED status '✓'.

LABEL	API NAME	TYPE	DESCRIPTION	LAST MODIFIED	DEPLOYED
Volunteer	Volunteer__c	Custom Object		6/3/2025	✓

- Now, click on “Fields & Relationships” >> Click on New.
- Select Datatype as “Auto Number” and click on Next.

The screenshot shows the 'Task' page in the Object Manager. The left sidebar has a menu with 'Details', 'Fields & Relationships' (selected), 'Page Layouts', 'Lightning Record Pages', 'Buttons, Links, and Actions', and 'Compact Layouts'. The main area is titled 'Specify the type of information that the custom field will contain.' It shows the 'Data Type' section with options: 'None Selected', 'Auto Number' (selected), 'Formula', and 'Roll-Up Summary'. Each option has a brief description of its functionality.

- Fill in the Above as follows:
 - Field Label: **Contact Number.**
 - Field Name: **Contact_Number.**

The screenshot shows the 'Step 2. Enter the details' page for creating a new field. It has several input fields: 'Field Label' (Contact Number), 'Display Format' (empty), 'Starting Number' (1), 'Field Name' (Contact_Number), 'Description' (empty), and 'Help Text' (empty). There are also checkboxes for 'Generate Auto Number for existing records' and 'Set this field as the unique record identifier from an external system'.

- Click on Next >> Next >> Save and New.

Create “Address” field in Volunteer object

- Go to Setup page >> Click on Object Manager.
- Type Object name (Volunteer) in the search bar >> Click on the object.


This screenshot is identical to the first one, showing the Salesforce Object Manager interface with the 'Volunteer' object selected in the table.

LABEL	API NAME	TYPE	DESCRIPTION	LAST MODIFIED	DEPLOYED
Volunteer	Volunteer__c	Custom Object		6/3/2025	✓

TO SUPPLY LEFTOVER FOOD TO POOR

3. Now, click on “Fields & Relationships” >> Click on New.


4. Select Datatype as “Text Area (Long)” and click on Next.



A screenshot of a field type selection menu. On the left, a list of field types is shown with radio buttons: Percent, Phone, Picklist, Picklist (Multi-Select), Text, Text Area, Text Area (Long) (which is selected), and Text Area (Rich). On the right, corresponding descriptions are provided for each type. For example, 'Text Area (Long)' is described as 'Allows users to enter up to 131,072 characters on separate lines.'

4. Fill in the Above as follows:

- Field Label: **Address**.
- Field Name: **Address**.
- Click on required check box.




A screenshot of the 'Step 2. Enter the details' form for creating a field. The form contains several input fields: 'Field Label' (containing 'Address'), 'Length' (containing '32,768' with a note about character limits), '# Visible Lines' (containing '3'), 'Field Name' (containing 'Address'), 'Description' (empty), and 'Help Text' (empty). There are also information icons next to the 'Field Label' and 'Field Name' fields.

5. Click on Next >> Next >> Save and New.

Create “Date of Birth” field in Volunteer object:

1. Go to Setup page >> Click on Object Manager.
2. Type Object name (Volunteer) in the search bar >> Click on the object.



A screenshot of the Salesforce Object Manager page. The page shows a table with one object listed: 'Volunteer'. The table has columns for LABEL, API NAME, TYPE, DESCRIPTION, LAST MODIFIED, and DEPLOYED. The 'Volunteer' object is listed with API NAME 'Volunteer__c' and TYPE 'Custom Object'.

LABEL	API NAME	TYPE	DESCRIPTION	LAST MODIFIED	DEPLOYED
Volunteer	Volunteer__c	Custom Object		6/3/2025	✓

3. Now, click on “Fields & Relationships” >> Click on New.

4. Select Datatype as “Date” and click on Next.

TO SUPPLY LEFTOVER FOOD TO POOR

SETUP > OBJECT MANAGER

Task

Details
Fields & Relationships
Page Layouts
Lightning Record Pages

☐ Checkbox
☐ Currency
☒ Date
☐ Date/Time
☐ Email
☐ Geolocation

Allows users to select a True (checked) or False (unchecked) value.

Allows users to enter a dollar or other currency amount and automatically formats the field as a currency amount. This can be useful if you export data to Excel or another spreadsheet.

Allows users to enter a date or pick a date from a popup calendar.

Allows users to enter a date and time, or pick a date from a popup calendar. When users click a date in the pop-up, that date and the current time are entered into the Date/Time field.

Allows users to enter an email address, which is validated to ensure proper format. If this field is specified for a contact or lead, users can choose the address when clicking Send an Email. Note that custom email addresses cannot be used for mass emails.

Allows users to define locations. Includes latitude and longitude components, and can be used to calculate distance.

6. Fill in the Above as follows:

- Field Label: **Date of Birth.**
- Field Name: **Date_of_Birth.**

Step 2. Enter the details

Field Label: ⓘ

Field Name: ⓘ

Description: ⓘ

Help Text: ⓘ

Required: ☐ Always require a value in this field in order to save a record

Auto add to custom report type: ☒ Add this field to existing custom report types that contain this entity ⓘ

7. Click on Next >> Next >> Save.

Activity 5: Creation of fields for the Execution Details object.

Create “Execution ID” field in Execution Details object:

1. Go to Setup page >> Click on Object Manager.
2. Type Object name (Execution Details) in the search bar >> Click on the object.

Setup Home Object Manager

Object Manager

1 Items, Sorted by Label

Label	API Name	Type	Description	Last Modified	Deployed
Execution Detail	Execution_Detail__c	Custom Object		6/3/2025	✓

3. Now, click on “Fields & Relationships” >> Click on New.

4. Select Datatype as “Auto Number” and click on Next.

Details
Fields & Relationships
Page Layouts
Lightning Record Pages
Buttons, Links, and Actions

Data Type

☐ None Selected

☒ Auto Number

☐ Formula

☐ Roll-Up Summary ⓘ

☐ Lookup Relationship

Select one of the data types below.

A system-generated sequence number that uses a display format you define. The number is automatically incremented for each new record.

A read-only field that derives its value from a formula expression you define. The formula field is updated when any of the source fields change.

A read-only field that displays the sum, minimum, or maximum value of a field in a related list or the record count of all records listed in a related list.

Creates a relationship that links this object to another object. The relationship field allows users to click on a lookup icon to select a value from a popup list.

5. Fill in the Above as follows:

- Field Label: **Execution ID.**
- Field Name: **Execution_ID.**
- Click on required check box.

TO SUPPLY LEFTOVER FOOD TO POOR

Field Label	Execution ID	i
Display Format		Example: A-{0000} What Is This?
Starting Number	1	
	☐	Generate Auto Number for existing records
Field Name	Execution_ID	i


6. Click on Next >> Next >> Save.

TO SUPPLY LEFTOVER FOOD TO POOR


Milestone – 5 Flows

Create Flow To Create A Record In Venue Object:

1. Go to setup >> type Flows in quick find box.
2. Click on Flow and select the New Flow.




3. Click on Start from Scratch >> Click on Screen flow >> Click on Create.



4. Click on the '+' icon in between start and end, and click on screen element.
5. Under the Screen Properties:
Label: Venue Details
API Name: Venue_Details
6. Now let's add components in this flow.
7. Click on Text Component and name it as:
Label: Venue Name
API Name: Venue_Name
8. Click on Email Component and name it as:
Label: Email
API Name: Contact_Email
9. Click on Phone Component and name it as:
Label: Phone
API Name: Contact_Phone

TO SUPPLY LEFTOVER FOOD TO POOR

10. Click on Text Component and name it as:
Label: Venue Location
API Name: Venue_Location
11. Click on Number Component and name it as:
Label: Latitude
API Name: Latitude
12. Click on Number Component and name it as:
Label: longitude
API Name: longitude
13. Next click on Done.



14. Click on the '+' icon in between Venue details and end, and click on create record element.
15. Now label it as
Label: Create Venue Record
API Name: Create_Venue_Record.
16. How to Set the Record Field values: Select Manually(select an object and configure the record values manually)
Object: Venue
17. Set Field Values for the Venue: Click on 'Add Field' 5 times
Field: Value = Contact_Email__c : {!Contact_Email.value}
Field: Value = Contact_Phone__c : {!Contact_Phone.value}
Field: Value = Name : {!Venue_Name}
Field: Value = Venue_Location__c : {!location}
Field: Value = Location__Latitude__s : {!latitude}
Field: Value = Location__Longitude__s : {!longitude}

TO SUPPLY LEFTOVER FOOD TO POOR

Create Records

Create a Record of This Object

*Object

Venue

Set Field Values for the Venue

Field	Value
Aa Contact Email X	Aa Venue Details > Contact_Email > Value X
Field	Value
Aa Contact Phone X	Aa Venue Details > Contact_Phone > Value X
Field	Value
# Location (Latitude) X	# Venue Details > Latitude X
Field	Value
# Location (Longitude) X	# Venue Details > longitude X
Field	Value
Aa Venue Name X	Aa Venue Details > Venue Name X
Field	Value
Aa Venue Location X	Aa Venue Details > Venue Location X

+ Add Field

18. Click on Save as:

Flow label: **Venue Form Flow**

API Name: **Venue_Form.**


TO SUPPLY LEFTOVER FOOD TO POOR

Milestone -6


Trigger

Activity 1: Create a Trigger

1. Log into Salesforce account >> navigate to the gear icon in the top right corner.
2. Click on Developer Console and you will be navigated to a new console window.




3. Click on file menu >> Click on New >> Select Apex Trigger.
4. Enter the trigger name and the object to be triggered.



5. Enter Name: DropOffTrigger
sObject: Drop-Off Point

TO SUPPLY LEFTOVER FOOD TO POOR



New Apex Trigger

Name: DropOffTrigger

sObject: Drop_Off_Point__c

Submit

6. Click on Submit.

Trigger Code:

Trigger to assign the Distance field to the Distance Calculation field.

Code:

```
trigger DropOffTrigger on Drop_Off_point__c (before insert) {  
    for(Drop_Off_point__c Drop : Trigger.new){  
        Drop.Distance__c = Drop.distance_calculation__c;  
    }  
}
```


TO SUPPLY LEFTOVER FOOD TO POOR

Milestone – 7

Profiles

Create NGOs Profile:

1. GO to Steup page >> type profiles in quick Find bar.
2. Click on Profiles >> Click on 'S'.



3. Click Clone beside Standard Platform User.
4. Under Clone Profile:

Profile Name: NGOs Profile

Clone Profile

Enter the name of the new profile.

You must select an existing profile to clone from.

Existing Profile	Standard Platform User
User License	Salesforce Platform
Profile Name	NGOs Profile

5. Click on Save.


TO SUPPLY LEFTOVER FOOD TO POOR

Milestone – 8

Creation of Users

Activity 1: Creation of User “Iksha Foundation”.

1. Go to Setup page >> type users in Quick find bar
2. Click on Users >> Click on New user.



All Users [Help for this Page](#)

On this page you can create, view, and manage users.

To get more licenses, use the Your Account app. [Let's Go](#)

View: **All Users** | [Edit](#) | [Create New View](#)

[New User](#) [Reset Password\(s\)](#) [Add Multiple Users](#)

Action	Full Name	Alias	Username	Role	Active	Profile
Edit	Chatter Expert	Chatter	chatty.00dgk000004ir0cuae.fuyrsvuo3iof@chatter.salesforce.com		✓	Chatter Free User
Edit	EPIC_OrgFarm	OEPIE	epic.40a2act14491@orgfarm.com		✓	System Administrator
Edit	Iksha_Foundation_Iksha Foundation	iks	ikshafoundation@007sb.com		✓	NGOs Profile
Edit	JEEVITHA_JEEVITHA	mut	mutahanahemanth121@agentforce.com		✓	System Administrator

3. In General Information give details as:

First Name: Iksha Foundation

Last Name: Iksha Foundation

Alias: iiksh Email: ikshafoundation@sb.com


Username: ikshafoundation1319@sb.com

Nickname: Auto Populated

User License: Salesforce Platform

Profile: NGOs Profile

Active: Check



Users [Help for this Page](#)

User Edit [Save](#) [Save & New](#) [Cancel](#)

General Information


First Name	Iksha Foundation	Role	None Specified
Last Name	Iksha_Foundation	User License	Salesforce Platform
Alias	iiksh	Profile	NGOs Profile
Email	ikshafoundation@007sb.com	Active	☒
Username	ikshafoundation@007sb.com	Marketing User	☐
Nickname	User174953760736274093	Offline User	☐
Title		Knowledge User	☐
Company		Flow User	☐
Department		Service Cloud User	☐
Division		Site.com Contributor User	☐
		Site.com Publisher User	☐
		WDC User	☐
		Data.com User Type	None
		Data.com Monthly Addition Limit	300
		Accessibility Mode (Classic Only)	☐
		High-Contrast Palette on Charts	☐

4. Click on Save.

TO SUPPLY LEFTOVER FOOD TO POOR

Activity 2: Creation of User “NSS”.

1. Go to Setup page >> type users in Quick find bar
2. Click on Users >> Click on New user.



3. In General Information give details as:

First Name: NSS

Last Name: NSS

Alias: nss

Email: muthanajeevitha@gmail.com


Username: nss@07sb.com

Nickname: Auto Populated

User License: Salesforce Platform

Profile: NGOs Profile

Active: Check




4. Click on Save.

TO SUPPLY LEFTOVER FOOD TO POOR

Creation of User "Street Cause":

1. Go to Setup page >> type users in Quick find bar
2. Click on Users >> Click on New user.



3. In General Information give details as:

First Name: Street Cause

Last Name: Street_Cause Alias: sstre


Email: muthanajeevitha@gmail.com

Username: streetcause@07sb.com

Nickname: Auto Populated

User License: Salesforce Platform

Profile: NGOs Profile



4. Click on Save.


☐	Edit Login	Iksha_Foundation, Iksha Foundation	iksh	ikshafoundation@sb.com	✓	NGOs Profile
☐	Edit Login	NSS, NSS	nnss	nss@sb.com	✓	NGOs Profile
☐	Edit Login	Street_Cause, Street Cause	sstre	streetcause@sb.com	✓	NGOs Profile

TO SUPPLY LEFTOVER FOOD TO POOR


Milestone – 9 Public Groups

Activity 1: Create a Public Group “Iksha”.

1. Go to the setup page >> type Public Groups in Quick Find bar
2. Click on Public Groups >> Click on New.



4. Under Group Information:
Label: Iksha
Group Name: Iksha
Grant Access Using Hierarchies: Check




4. In Search, Select Users.
5. In Selected Members, Add Iksha Foundation and System Administrator

Activity 2: Create a Public Group “NSS”.

1. Go to the setup page >> type Public Groups in Quick Find bar
2. Click on Public Groups >> Click on New.

TO SUPPLY LEFTOVER FOOD TO POOR




3. Under Group Information:

Label: NSS

Group Name: NSS

Grant Access Using Hierarchies: Check




4. In Search, Select Users.

5. In Selected Members, Add Iksha Foundation and System Administrator

Create a Public Group "Street Cause":

1. Go to the setup page >> type Public Groups in Quick Find bar

2. Click on Public Groups >> Click on New.



3. Under Group Information:

Label: Street Cause

Group Name: Street_Cause

Grant Access Using Hierarchies: Check

[illegible]

4. In Search, Select Users.

5. In Selected Members, Add Iksha Foundation and System Administrator

Public Groups

A public group is a set of users. It can contain individual users, other groups, the users in a particular role or territory, or the users in a role or territory plus all of the users below that role or territory in the hierarchy.

View: All Edit | Create New View

															A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	Other	All
New																																										
Action	Label ↑	Group Name										Created By										Created Date																				
Edit Del	lksha	lksha										JEEVITHA_JEEVITHA										6/9/2025, 11:56 PM																				
Edit Del	NSS	NSS										JEEVITHA_JEEVITHA										6/9/2025, 11:57 PM																				
Edit Del	StreetCase	StreetCase										JEEVITHA_JEEVITHA										6/9/2025, 11:57 PM																				


TO SUPPLY LEFTOVER FOOD TO POOR

Milestone -10

Report Types

Creation Of Report Types:

1. Go to Setup page >> type Report Types in quick find bar.
2. Click on Report Types >> Click on Continue >> Click on Custom Report Type.



3. In Define the Custom Report Type:

Primary Object: Select Venues

Report Type Label: **Venue with DropOff with Volunteer**

Report Type Name: **Venue_with_DropOff_with_Volunteer**

Description: Venue with Drop-Off with Volunteer

Store in Category: Select other Reports

Deployment status: Deployed

Details

* Display Label
Venue with DropOff with Volunteer

* API Name
Venue_with_DropOff_with_Volunteer

* Description
Venue with DropOff with Volunteer

Note: Description will be visible to users who create reports.

* Store in Category
Other Reports

Set Availability

An in-development report type is visible only to users with the Manage Custom Report Types permission. A deployed report type is available to all users.

Status

☐ In Development

☒ Deployed

4. Click on Next
5. Near click to relate another object. Select Drop-Off Points.
6. Select "A" records may or may not have related "B" records.
7. Again, Near Click to relate another select volunteer.

TO SUPPLY LEFTOVER FOOD TO POOR

Select related objects to define which records are included in reports using this report type.

A Venues
Primary Object

B Drop-Off Points

A to B Relationship:
☐ Each "A" record must have at least one related "B" record.
☒ "A" records may or may not have related "B" records.

C Volunteers

B to C Relationship:
☐ Each "B" record must have at least one related "C" record.
☒ "B" records may or may not have related "C" records.

[\(Click to relate another object\)](#)

A	B	C

8. Click on Save.

TO SUPPLY LEFTOVER FOOD TO POOR


Milestone – 11 Reports Activity

1: Creation of Report On Venue With DropOff With Volunteer:


1. Go to the app (FoodConnect) >> Click on the reports tab.
2. Click on New Folder.

Folder Label: Custom Reports Folder

Unique Name: CustomReports



3. Open Custom Reports and click on New Report
 4. Select Report Type: Venue with DropOff with Volunteer
- Then Click on Start Report.
5. In GROUP ROWS: Add Volunteer Name
 6. In COLUMNS: Add Venue Name, Drop-Off Point Name, Distance.
 7. Click on Save and Run



8. Give Label as:

Report Name: venue and Drop Off point Report


Unique Name: Auto Populated

9. Click on Select Folder and Select Custom Report >> Click on Save.

TO SUPPLY LEFTOVER FOOD TO POOR

Activity 2: Creation of Report on Volunteer with Execution Details and Tasks:

1. Go to the app (FoodConnect) >> Click on the reports tab.
2. Open Custom Reports and click on New Report.



3. Select Report Type: Volunteers with Execution Details and Tasks. Then Click on Start Report.
4. In GROUP ROWS: Add Volunteer ID
5. In COLUMNS: Add Volunteer: Volunteer Name, Task: Task Name, Execution Detail: Execution Detail Name, Volunteer: Owner Name, Task: Date, Task: Rating.
6. Click on Save and Run.
7. Give Label as:
Report Name: Volunteer Task
Report Unique Name: Auto Populated
8. Click on Select Folder and Select Custom Report >> Click on Save.


TO SUPPLY LEFTOVER FOOD TO POOR

Vjmo"}?Milestone – 12


Dashboards

Activity 1: Adding Venue and Drop Off Point Report to the Dashboard:

1. Go to the app (FoodConnect) >> Click on the reports tab.
2. Click on New Folder. Folder Label: Custom Dashboards Folder Unique Name: Dashboards
3. Open Custom Dashboards and click on New Dashboards. Name: Organization Details




4. Click on Widget and select Chart or Table
5. In Select Report: Select venue and Drop Off Point Report >. Click on select
6. In Add Component: Display as: Select Lightning Table Component Theme: Select Dark
7. Now Click on Add.



TO SUPPLY LEFTOVER FOOD TO POOR

Activity 2: Adding Venue And Drop Off Point Report to the Dashboard.

1. Go to the app (FoodConnect) >> Click on the reports tab.
2. Open Custom Dashboards and click on Organization Details.
3. Click on Widget and select Chart or Table
4. In Select Report: Select Volunteer Task Report >. Click on select
5. In Add Component: Display as: Select Line Chart Component Theme: Select Dark



6. Now Click on Add.

Activity 3: Adding a Picture to the Dashboard

1. Click on Widget >> Select Image >> Click on Browse Files.
2. Select the Picture you want to upload.
3. Then Click on Save As: Name: Task Execution Details
4. Click on Select folder and Custom Dashboards.

TO SUPPLY LEFTOVER FOOD TO POOR

Milestone – 13

Sharing Rules

1. Go to Setup >> type Sharing Settings in quick find box.
2. Click on the Sharing Settings.
3. Click on New near Drop-Off point Sharing Rules and Name it as:

Label: Rule 1

Rule Name: Rule_1

4. Select your rule type: Select Based on Criteria.

5. Select which reports to be shared:

Field: Operator: Value = Distance: less than: 15

The screenshot displays the 'Sharing Rules' configuration window, divided into four steps:

- Step 1: Rule Name**
 - Label: Rule 1
 - Rule Name: Rule_1
 - Description: (empty text area)
- Step 2: Select your rule type**
 - Rule Type: ☐ Based on record owner, ☒ Based on criteria
- Step 3: Select which records to be shared**
 - Criteria table:

Criteria	Field	Operator	Value	
	Distance	less than	15	AND
	--None--	--None--		AND
	--None--	--None--		AND
	--None--	--None--		AND
	--None--	--None--		AND
 - Additional Options: ☒ Include records owned by users who can't have an assigned role
- Step 4: Select the users to share with**
 - Share with: Public Groups, Iksha

6. Select Users to share with: Near Share with: Public Groups: Iksha

7. Click on Save.

8. Click on new near Drop-Off Point sharing rules and name it as:

Label: Rule 2

Rule Name: Rule_2

9. Select your rule type: Select Based on Criteria.

10. Select which records to be shared:

Field: Operator: Value = Distance: greater than: 15 Field: Operator: Value = Distance: Less or equal: 30

TO SUPPLY LEFTOVER FOOD TO POOR

Step 1: Rule Name

Label

Rule 2

Rule Name

Rule_2

Description

Step 2: Select your rule type

Rule Type

☐ Based on record owner
 ☒ Based on criteria

Step 3: Select which records to be shared

Criteria

Field	Operator	Value	
Distance	greater than	15	AND
Distance	less or equal	30	AND
--None--	--None--		AND
--None--	--None--		AND
--None--	--None--		

Add Filter Logic...

☒ Include records owned by users who can't have an assigned role

Step 4: Select the users to share with

Share with

Public Groups

NSS

11. Select the users to share with: Near Share with

Public Groups: NSS

12. Click on Save.

13. Click on new near Drop-Off Point sharing rules and name it as:

Label: Rule 3

Rule Name: Rule_3

Step 1: Rule Name

Label

Rule 3

Rule Name

Rule_3

Description

Step 2: Select your rule type

Rule Type

☐ Based on record owner
 ☒ Based on criteria

Step 3: Select which records to be shared

Criteria

Field	Operator	Value	
Distance	greater than	30	AND
Distance	less or equal	50	AND
--None--	--None--		AND
--None--	--None--		AND
--None--	--None--		

Add Filter Logic...

Additional Options

☒ Include records owned by users who can't have an assigned role

Step 4: Select the users to share with

Share with

Public Groups

Street Cause

Step 5: Select the level of access for the users

14. Select your rule type: Select Based on Criteria.

15. Select which records to be shared:

Field: Operator: Value = Distance: greater than: 30

Field: Operator: Value = Distance: less or equal: 50

16. Select the users to share with: Near Share with Public Groups: Street Cause

17. Click on Save.

TO SUPPLY LEFTOVER FOOD TO POOR

Drop-Off point Sharing Rules			New	Recalculate	Drop-Off point Sharing Rules Help ?	
Action	Criteria	Shared With	Access Level			
Edit Del	Drop-Off point: Distance LESS OR EQUAL 15	Group: Iksha	Read/Write			
Edit Del	(Drop-Off point: Distance GREATER THAN 15) AND (Drop-Off point: Distance LESS OR EQUAL 30)	Group: NSS	Read/Write			
Edit Del	(Drop-Off point: Distance GREATER THAN 30) AND (Drop-Off point: Distance LESS OR EQUAL 50)	Group: Street Cause	Read/Write			


TO SUPPLY LEFTOVER FOOD TO POOR

Milestone – 14

Home Page


Activity 1: Creation of Home Page.

1. Go to Setup >> type Lightning App Builder in the quick find box.
2. Click on Lightning App Builder >> Click on New.
3. Select Standard Home Page.
4. Near Components search for Flow and Drag and Drop in the Right Side Section
5. On the right hand side: Flow: Venue Flow



6. Near Components search for Dashboard, the Drag and Drop it in First Section.
7. Click on Save and Activation. Then click on the App Default. Then add Assignments.
8. Add FoodConnect App and then Save.
9. FoodConnect Home Page would look like this.

HOME PAGE



TO SUPPLY LEFTOVER FOOD TO POOR

VENUE PAGE

FoodConnect Home Venues Drop-Off Points Tasks Volunteers Execution Details Reports Dashboards

Drop-Off Points Recently Viewed

3 items • Updated a few seconds ago

Search this list...

	Drop-Off Point Name	
1	Thiruvananthapuram	
2	Tirumala	
3	BALAJI COLONY	

Drop-Off Point

FoodConnect Home Venues Drop-Off Points Tasks Volunteers Execution Details Reports Dashboards

Tasks Recently Viewed

3 items • Updated a few seconds ago

Search this list...

	Task Name	
1	Food Distribution 3	
2	Food Distribution 2	
3	FOOD DISTRIBUTION	

Tasks page

FoodConnect Home Venues Drop-Off Points Tasks Volunteers Execution Details Reports Dashboards

Volunteers Recently Viewed


3 items • Updated a few seconds ago

Search this list...

	Volunteer Name	
1	Monika	
2	Yamuna	
3	KRISHNA	

TO SUPPLY LEFTOVER FOOD TO POOR


Volunteers page



The screenshot shows the 'Volunteers' page in the FoodConnect application. The top navigation bar includes 'Home', 'Venues', 'Drop-Off Points', 'Tasks', 'Volunteers', 'Execution Details', 'Reports', and 'Dashboards'. The 'Volunteers' tab is active. Below the navigation bar, there is a search bar and a 'Recently Viewed' section. The 'Recently Viewed' section displays a list of 3 items, each with a checkbox and a link to the execution details. The items are: 1. Food Distribution 3, 2. Food Distribution 2, and 3. FOOD DISTRIBUTION.

Execution Detail Name
1 Food Distribution 3
2 Food Distribution 2
3 FOOD DISTRIBUTION


Execution Details page



The screenshot shows the 'Execution Details' page in the FoodConnect application. The top navigation bar includes 'Home', 'Venues', 'Drop-Off Points', 'Tasks', 'Volunteers', 'Execution Details', 'Reports', and 'Dashboards'. The 'Execution Details' tab is active. Below the navigation bar, there is a search bar and a 'Reports' section. The 'Reports' section displays a list of 2 items, each with a checkbox and a link to the report details. The items are: 1. venue and Drop Off point, 2. Volunteer Task.

REPORTS	Name	Description	Folder	Created By	Created On	Subscribed
Recent	venue and Drop Off point		Custom Reports	Ushasree Singiri	6/4/2025, 8:38 AM	
Created by Me	Volunteer Task		Custom Reports	Ushasree Singiri	6/4/2025, 8:42 AM	

Reports page



The screenshot shows the 'Reports' page in the FoodConnect application. The top navigation bar includes 'Home', 'Venues', 'Drop-Off Points', 'Tasks', 'Volunteers', 'Execution Details', 'Reports', and 'Dashboards'. The 'Reports' tab is active. Below the navigation bar, there is a search bar and a 'Dashboards' section. The 'Dashboards' section displays a list of 4 items, each with a checkbox and a link to the dashboard details. The items are: 1. Enablement Dashboard, 2. Enablement Dashboard, 3. Organization Details, and 4. Task Execution Details.

DASHBOARDS	Dashboard Name	Description	Folder	Created By	Created On	Subscribed
Recent	Enablement Dashboard	View data on how Enablement helps drive your business outcomes. This is your main dashboard for all Enablement analytics. Don't delete it. If you want to make changes to this dashboard, duplicate it.	Enablement Dashboard Spring '24	Automated Process	5/26/2025, 7:34 AM	
Created by Me	Enablement Dashboard	View data on how Enablement helps drive your business outcomes. This is your main dashboard for all Enablement analytics. Don't delete it. If you want to make changes to this dashboard, duplicate it.	Enablement Dashboard Summer '24	Automated Process	5/26/2025, 7:34 AM	
Private Dashboards	Organization Details		Custom Dashboards	Ushasree Singiri	6/4/2025, 8:55 AM	
All Dashboards	Task Execution Details		Custom Dashboards	Ushasree Singiri	6/9/2025, 6:45 PM	

TO SUPPLY LEFTOVER FOOD TO POOR

Milestone – 15

Conclusion

By leveraging the Salesforce platform, the project successfully established a streamlined and transparent system for managing surplus food donations. Through efficient coordination with volunteers and timely delivery to beneficiaries, the project effectively addressed food insecurity while maximizing the utilization of available resources.

Github link: <https://github.com/muthanajeevitha/to-supply-leftover-food-to-poor---LTVIP2025TMID29611>

Demo video link: <https://github.com/muthanajeevitha/to-supply-leftover-food-to-poor---LTVIP2025TMID29611>