

MediCare HMS - Render Deployment Guide

Quick Deploy to Render

Option 1: Deploy via GitHub (Recommended)

1. Create a new GitHub repository
2. Upload these files to the repo:
 - index.html (your main app file)
 - server.js
 - package.json
 - .gitignore
3. Go to [Render Dashboard](#)
4. Click “New +” → “Web Service”
5. Connect your GitHub repository
6. Settings:
 - **Name:** medicare-hms (or your preferred name)
 - **Runtime:** Node
 - **Build Command:** npm install
 - **Start Command:** npm start
 - **Plan:** Free
7. Click “Create Web Service”

Render will give you a URL like `https://medicare-hms.onrender.com`

Option 2: Deploy via Render CLI

```
# Install Render CLI
npm install -g @render/cli

# Login
render login

# Deploy
render deploy
```

Option 3: Static Site (No Server)

If you prefer Render’s **Static Site** (free, auto-CDN):

1. Go to [Render Dashboard](#)
2. Click “New +” → “Static Site”
3. Connect your GitHub repo
4. Settings:
 - **Build Command:** *leave empty*
 - **Publish Directory:** `.` (root)
5. Add a `render.yaml` to your repo:

```
services:
  - type: web
    name: medicare-hms
    runtime: static
    buildCommand: ""
    staticPublishPath: ./
    routes:
      - type: rewrite
        source: /*
        destination: /index.html
```

Post-Deployment: Update Firebase Authorized Domains

After deploying, you **must** add your Render domain to Firebase Auth:

- 1. Go to [Firebase Console](#)
- 2. Click “**Authorized domains**”
- 3. Click “**Add domain**”
- 4. Enter your Render URL (e.g., medicare-hms.onrender.com)
- 5. Click “**Add**”

Also update your **Firestore Security Rules** if you haven’t:

```
rules_version = '2';
service cloud.firestore {
  match /databases/{database}/documents {
    match /{document=**} {
      allow read, write: if request.auth != null;
    }
  }
}
```

Files Included

File	Purpose
index.html	Main MediCare HMS application
server.js	Express server to serve the SPA
package.json	Node dependencies and start script
.gitignore	Ignores node_modules

Environment Variables (Optional)

If you want to hide your Firebase config, create a .env file:

```
FIREBASE_API_KEY=AIzaSyASmy2P_GNQ4Issd_MC7bqCVnzvh0Zawik
FIREBASE_PROJECT_ID=medicare-93413
```

Then modify `server.js` to inject it into the HTML response.

Troubleshooting

Issue	Fix
“Unauthorized domain”	Add Render URL to Firebase Auth authorized domains
“Permission denied”	Update Firestore rules to <code>allow read, write: if request.auth != null;</code>
404 on refresh	Make sure <code>server.js</code> has the <code>app.get('*', ...)</code> catch-all route
Slow first load	Normal for Render free tier —spins down after 15 min inactivity

Live URL: `https://your-service-name.onrender.com`