

OneBeat – Ob-admin Password Reset

Windows Server 2022

PowerShell

Admin access required

Note: make sure use the correct user the below cmds here it Ob-admin username is hardcore. Replace with username which you want to change

1. Read-only checks (before password reset)

These commands only retrieve information. They do not change the user or server configuration.

```
# =====  
# ONEBEAT WINDOWS SERVER  
# OB-ADMIN PASSWORD RESET - PRE-CHECKS  
# READ-ONLY COMMANDS  
# =====
```

```
# 1. Check the current logged-in user  
whoami
```

```
# Expected output:  
# onebeat\administrator  
# (Actual output depends on the account you used)
```

```
# -----
```

```
# 2. Check Windows server hostname  
hostname
```

```
# Expected output:  
# Your Windows server hostname
```

```
# -----
```

```
# 3. Check Windows operating system  
Get-CimInstance Win32_OperatingSystem |  
Select-Object Caption, Version, OSArchitecture
```

```
# Expected output (example):
# Caption          Version      OSArchitecture
# -----
# Microsoft Windows Server 2022  10.0.xxxxx  64-bit
```

```
# -----
```

4. Check whether Ob-admin exists

Get-LocalUser -Name "Ob-admin"

```
# Expected output (example):
# Name      Enabled Description
# ----      -
# Ob-admin   True
```

```
# -----
```

5. Check Ob-admin account status

**Get-LocalUser -Name "Ob-admin" |
Select-Object Name, Enabled, Description,
PasswordRequired, PasswordExpires, LastLogon**

```
# Expected output (example):
# Name      : Ob-admin
# Enabled    : True
# Description :
# PasswordRequired : True
# PasswordExpires :
# LastLogon   : ...
```

```
# -----
```

6. Check whether the account is local

**Get-LocalUser | Where-Object {
 \$_.Name -eq "Ob-admin"
}**

```
# Expected output:
# Ob-admin user details
# -----
```

7. Check current PowerShell user privileges

whoami /groups

```
# Expected output:
# Group membership information
# (Check for local administrator privileges)
```

2. Password reset (changes the password)

Run this section only after confirming that **Ob-admin** is the correct local account and you are authorized to reset it.

```
# =====  
# OB-ADMIN PASSWORD RESET  
# CHANGE COMMANDS  
# =====
```

1. Enter a new password securely

\$Password = Read-Host "Enter new password" -AsSecureString

Expected output:

Enter new password:

(Password characters will not be displayed)

2. Apply the new password to Ob-admin

Set-LocalUser -Name "Ob-admin" -Password \$Password

Expected output:

No output if successful.

You will return to the PowerShell prompt.

3. Clear the password variable from the current session

\$Password = \$null

3. Read-only verification (after password reset)

These commands check the account configuration without making changes.

```
# =====  
# POST-RESET VERIFICATION  
# READ-ONLY COMMANDS
```

```
# =====
```

```
# 1. Check the account is enabled
```

```
Get-LocalUser -Name "Ob-admin" |  
Select-Object Name, Enabled
```

```
# Expected output:
```

```
# Name      Enabled
```

```
# ----      -
```

```
# Ob-admin  True
```

```
# -----
```

```
# 2. Check password-related properties
```

```
Get-LocalUser -Name "Ob-admin" |  
Select-Object Name, PasswordRequired, PasswordExpires
```

```
# Expected output (example):
```

```
# Name      : Ob-admin
```

```
# PasswordRequired : True
```

```
# PasswordExpires  : ...
```

```
# -----
```

```
# 3. Check the local user account details
```

```
Get-LocalUser -Name "Ob-admin" |  
Format-List *
```

```
# Expected output:
```

```
# Detailed account information
```

```
# (Password itself will not be shown)
```

```
# -----
```

```
# 4. Check whether the account is a member of local Administrators
```

```
Get-LocalGroupMember -Group "Administrators" |  
Where-Object {  
    $_.Name -match "Ob-admin"  
}
```

```
# Expected output if Ob-admin is a local administrator:
```

```
# Name      ObjectClass PrincipalSource
```

```
# ----      -
```

```
# COMPUTER\Ob-admin User      Local
```

```
# If there is no output, the user may not be a member  
# of the local Administrators group.
```