```php
<!DOCTYPE html>
<html lang="en">
<head>
</head>
<body>
    <?php include_once("connection.php"); ?>
    <div class="container">
        <br>
        <form action="" method="get" id="chooseform" class="col-md-12">
            <div style="">
                <h4 id="attendance_time"></h4>
            </div>
    <script>
    function settime()
    {
        const time=document.getElementById("attendance_time");
        const date=new Date();
    //     date.toLocaleString();
    //     let seconds =
date.getSeconds()<10?"0"+date.getSeconds():date.getSeconds();
    //     time.innerHTML=date.getHours()+":"+date.getMinutes()+":"+seconds;
        time.innerHTML="";
        time.innerHTML=date.toDateString();
        time.innerHTML+="<br>"+date.toLocaleTimeString();
    }
    settime();
    setInterval(settime,1000);
    </script>
            <div class="form-group">
                <label for="input-date">Date</label>
                <input type="date" name="Date" id="input-date" value="<?php
echo date('Y-m-d') ?>" class="form-control" >
            </div>
            <div class="form-group">
            <label for="">Select Department</label>
            <select name="department" class="form-control">
                <?php
                $qry="SELECT DID,DName,college.CollegeName from department
inner join college on college.CID=department.CID";
                if($res=mysqli_query($conn,$qry))
                {
                    while($result=mysqli_fetch_assoc($res))
                    {
                        $did=$result['DID'];
                        $dname=$result['DName'];
                        $cname=$result['CollegeName'];
                      echo "<option value='$did'>$dname
($cname)</option>";
                    }
                }
                ?>
            </select>
```

```html
        </div>
        <div class="form-group">
            <label for="">Year</label>
            <select name="year" class="form-control">
                <option value="1">I Year</option>
                <option value="2">II Year</option>
                <option value="3">III Year</option>
            </select>
        </div>
        <div class="form-group">
            <label for="">Hour</label>
            <select name="hour" class="form-control">
                <option value="1">I Hour</option>
                <option value="2">II Hour</option>
                <option value="3">III Hour</option>
                <option value="4">IV Hour</option>
                <option value="5">V Hour</option>
            </select>
        </div>
        <br>
        <button type="submit" class="btn btn-primary"  style="width:100%"
name="choose" value="choose">Choose</button>
        </form>
    <?php
    if(isset($_GET['choose']))
    {
        ?>
        <style>
            #chooseform{
                display: none;
            }
            #attendanceform{
                display: flex;
            }
        </style>

    <form action="" method="post" id="attendanceform" class="col-md-12"
style="display: flex;flex-direction: column;">
        <h3><button type="button" onclick="formchange()" class="btn
btn-secondary">Rechoose</button> Student Attendance </h3>
        <script>
            function formchange()
            {
            document.getElementById("chooseform").style.display="flex";
            document.getElementById("attendanceform").style.display="none";
            window.location.href='Attendance.php';
            }
        </script>
            <table class="table table-bordered">
                <thead>
                    <th>SID</th>
                    <th>Student Name</th>
```

```html
            <th colspan="2" style="text-align:center">Actions</th>
        </thead>
        <style>
            input[type='radio']
            {
                display: none;
            }
            input[type='radio'] + label
            {
                background-color: rgb(199, 192, 192);
                border-radius: 15px;
                cursor: pointer;

                padding:0.2rem 1rem;
            }
            input[value='Present']:checked + label
            {
                background-color:green;
            }
            input[value='Absent']:checked + label
            {
                background-color: red;
            }
        </style>
        <tbody>
            <?php
                $date=$_GET['Date'];
                $department=$_GET['department'];
                $year=$_GET['year'];
                $hour=$_GET['hour'];
                echo "<input type=hidden name='hour'
value='$hour'>";
                echo "<input type=hidden name='year'
value='$year'>";
                echo "<input type=hidden name='department'
value='$department'>";
                echo "<input type=hidden name='Date'
value='$date'>";
                $qry0="SELECT * from attendance where
DID=$department and Year=$year and Hour=$hour and Date='$date'";
                if($res0=mysqli_query($conn,$qry0))
                {
                    while($result0=mysqli_fetch_assoc($res0))
                    {
                        $id=$result0['SID'];
                        $stat=$result0['AttStatus'];
                        $Attend[$id]=$stat;
                    }

                }
                $qry="SELECT student.SID,student.Name,DID,Year FROM
```

```php
student inner join academicdetails on student.SID=academicdetails.SID where
DID=$department and Year=$year;";
                                if($res=mysqli_query($conn,$qry) )
                                {
                                    $i=1;
                                    while($result=mysqli_fetch_assoc($res))
                                    {
                                        $sid=$result['SID'];
                                        $name=$result['Name'];
                                        //$class=$result['Year'];
                                        echo $i;
                                        echo "<input type='hidden' name='count'
value='$i'>";

                                        echo "<tr>";
                                        echo "<td><input type='text'
class='form-control'readonly style='border:none;background: none;'
name='SID_$i' value='$sid'></td>";
                                        echo "<td><input type='text'
class='form-control' readonly style='border:none;background: none;'
name='Name_$i' value='$name'></td>";
                                        //echo "<td>$class</td>";
                                        echo  "<td style='text-align:center'>
<input type='radio' checked ";
                                        if(!isset($Attend))
                                        {
                                        if(isset($_POST['AttStatus_'.$i.'']) &&
$_POST['AttStatus_'.$i.'']=="Present" )
                                                echo "checked";
                                        }
                                        else
                                        {
                                            if(isset($Attend) &&
$Attend[$sid]=="Present" )

                                                echo "checked";
                                        }
                                        echo" name='AttStatus_$i' value='Present'
id='att_p_$i'>";

                                        echo "<label for='att_p_$i'>P</label>
                                        </td>";
                                        echo   "<td style='text-align:center'>
<input type='radio'";
                                        if(!isset($Attend))
                                        {
                                        if(isset($_POST['AttStatus_'.$i.'']) &&
$_POST['AttStatus_'.$i.'']=="Absent" )
                                                echo "checked";
                                        }
                                        else
                                        {
                                            if(isset($Attend) &&
$Attend[$sid]=="Absent" )
```

```php
                                    echo "checked";
                                }
                                echo "
                                    name='AttStatus_$i' value='Absent'
id='att_a_$i'>
                                    <label for='att_a_$i'>A</label></td>";
                                echo  "</tr>";
                                $i++;
                            }
                        }
                    ?>
                </tbody>
            </table>
            <button type="submit" class="btn btn-primary" <?php
if(isset($Attend)) echo "name='update_attendance' > Update"; else  echo
"name='submit_attendance' > Submit"; ?>  </button>
            <?php
                if(isset($_POST['submit_attendance']))
                {
                    $count=$_POST['count'];
                    echo $hour=$_POST['hour'];
                    echo $year=$_POST['year'];
                    echo $department=$_POST['department'];
                    echo $date=$_POST['Date'];
                    for($i=1;$i<=$count;$i++)
                    {
                     $flag=0;
                     $sid=$_POST["SID_$i"];
                     $status=$_POST["AttStatus_$i"];
                     try
                     {
                         $qry="INSERT INTO
attendance(SID,Date,Year,DID,Hour,AttStatus)
VALUES('$sid','$date',$year,$department,$hour,'$status')";
                         if(mysqli_query($conn,$qry))
                             echo "S";
                    }
                    catch(Exception $e)
                    {
                        echo $e->getMessage();
                        $flag=1;
                        break;
                    }
                    }
                    if($flag!=0)
                    echo "Attendance Submission Failed";
                     else
                     {
                     echo "<br>Sucessed";
                     echo "<br>Will be Redirected in 5 Seconds";
                     echo
"<script>setTimeout(()=>{window.location.href='Attendance.php'
```

```php
},5000);</script>";
                }
            }
        if(isset($_POST['update_attendance']))
        {
            $count=$_POST['count'];
            $hour=$_POST['hour'];
            $year=$_POST['year'];
            $department=$_POST['department'];
            $date=$_POST['Date'];
            for($i=1;$i<=$count;$i++)
            {
             $flag=0;
             $sid=$_POST["SID_$i"];
             $status=$_POST["AttStatus_$i"];

             try
             {
                 $qry="UPDATE attendance set AttStatus='$status'
where SID='$sid' and Hour=$hour and Year=$year and date='$date'";
                 if(mysqli_query($conn,$qry))
                     echo "U";
             }
             catch(Exception $e)
             {
                 echo $e->getMessage();
                 $flag=1;
                 break;
             }
             }
             if($flag!=0)
             {
             echo "Attendance Update Failed";

             }
             else
             {
             echo "<br>Sucessed";
              echo "<br>Will be Redirected in 5 Seconds";
             echo
"<script>setTimeout(()=>{window.location.href='Attendance.php'
},5000);</script>";
             }
        }
    ?>
  </form>
  <?php
  }
  ?>
 </div>
</body>
</html>
```