

S09:

API Request:

```
{
  "model": "qwen/qwen3.8-27b",
  "messages": [
    {
      "role": "user",
      "content": [
        {
          "type": "text",
          "text": "This is a image. Extract and return only the text exactly as shown, preserving case."
        },
        {
          "type": "image_url",
          "image_url": {
            "url": "data:image/png;base64,{{base64_img}}"
          }
        }
      ]
    }
  ]
}
```

Response:

```
{
  "id": "chatcmpl-3c58761f-073a-41bc-b6d0-4ecde361c5a7",
  "object": "chat.completion",
  "created": 1789665387,
  "model": "qwen/qwen3.8-27b",
  "choices": [
    {
      "index": 0,
      "message": {
        "role": "assistant",
        "content": "BASE\n64"
      },
      "logprobs": null,
      "finish_reason": "stop"
    }
  ],
  "usage": {
    "queue_time": 0.143024111,
    "prompt_tokens": 1312,
    "prompt_time": 0.105767277,
    "completion_tokens": 5,

```

```

    "completion_time": 0.010136655,
    "total_tokens": 1317,
    "total_time": 0.115903932
  },
  "usage_breakdown": null,
  "system_fingerprint": "fp_4560dae850",
  "x_groq": {
    "id": "req_01m2r5x8cjeet98c1tg24cctb2",
    "seed": 823747797
  },
  "service_tier": "on_demand"
}

```

S10:

The screenshot shows the Postman API client interface. The left sidebar displays a list of collections, including 'GenAI-Sep' and 'S10-TextToSpeech-TTS-Home Assignment'. The main panel shows a POST request to the endpoint `https://api.groq.com/openai/v1/audio/speech`. The request body is a JSON object with the following fields:

```

{
  "model": "canopylabs/orpheus-v1-english",
  "input": "I love building and shipping new features for our users!",
  "voice": "autumn",
  "response_format": "wav"
}

```

The response is a 200 OK status with a response time of 825 ms and a body size of 214.58 KB. The response content is a large black rectangle, likely representing the audio file. The bottom of the interface shows a status bar with the text 'Standing by for launch!' and a 'New Chat' button.

S11:

API Request:

```
{
  "model": "openai/gpt-oss-20b",
  "messages": [
    {
      "role": "system",
      "content": "Act as a Language Translator translating the user instructions in specified language"
    },
    {
      "role": "user",
      "content": "Hello Good Morning .Transalte in french"
    }
  ]
}
```

Response:

```
{
  "id": "chatcmpl-4bc223c0-69cc-4b27-93ea-ff643795d34f",
  "object": "chat.completion",
  "created": 1789666507,
  "model": "openai/gpt-oss-20b",
  "choices": [
    {
      "index": 0,
      "message": {
        "role": "assistant",
        "content": "***French translation:** \n- « Bonjour » (pour « Hello » ou « Good Morning ») \n- Ou plus littéralement : « Bonjour, bonne matinée » (Hello, Good Morning).",
        "reasoning": "We need to respond. The user: \"Hello Good Morning .Transalte in french\". They want translation of the phrase \"Hello Good Morning\" into French. Also likely they want the greeting. So translation: \"Bonjour\" is \"Good morning\" but \"Hello\" is \"Salut\" or \"Bonjour\". So \"Bonjour\" is \"Good morning\". So \"Hello Good Morning\" can be \"Bonjour\". But maybe \"Bonjour, bonne matinée\". The phrase \"Hello Good Morning\" is unnatural. We can respond: \"Bonjour\" or \"Bonjour, bonne matinée\". So provide translation."
      },
      "logprobs": null,
      "finish_reason": "stop"
    }
  ],
  "usage": {
    "queue_time": 0.351702669,
    "prompt_tokens": 94,
    "prompt_time": 0.00672595,
    "completion_tokens": 177,

```

```
"completion_time": 0.204038037,  
"total_tokens": 271,  
"total_time": 0.210763987,  
"completion_tokens_details": {  
  "reasoning_tokens": 121  
}  
,  
"usage_breakdown": null,  
"system_fingerprint": "fp_feb9b278f1",  
"x_groq": {  
  "id": "req_01m2r6zdzneber1f8zhhfqbnqj",  
  "seed": 436464023  
},  
"service_tier": "on_demand"  
}
```