



1. Add "openai/gpt-oss-120b" to the existing list (Note: update popup.js)



```
src > scripts > JS popup.js
5 document.addEventListener('DOMContentLoaded', async () => {
6   try {
98   }
99
100   const providerSelect = document.getElementById('providerSelect');
101   const modelSelect = document.getElementById('modelSelect');
102   const groqApiKeyInput = document.getElementById('groqApiKey');
103   const openaiApiKeyInput = document.getElementById('openaiApiKey');
104   const testleafApiKeyInput = document.getElementById('testleafApiKey');
105   const inceptionlabsApiKeyInput = document.getElementById('inceptionlabsApiKey');
106
107   // Model options by provider
108   const modelsByProvider = {
109     groq: [
110       { value: 'openai/gpt-oss-120b', label: 'openai/gpt-oss-120b' },
111       { value: 'openai/gpt-oss-20b', label: 'openai/gpt-oss-20b' },
112       { value: 'qwen/qwen3.8-27b', label: 'qwen/qwen3.8-27b' },
113     ],
114     openai: [
115       { value: 'gpt-4o', label: 'GPT-4o' },
116       { value: 'gpt-4o-mini', label: 'GPT-4o Mini' },
117     ],
118     inceptionlabs: [
119       { value: 'mercury-2.5', label: 'Mercury 2.5' },
120       { value: 'mercury-2', label: 'Mercury 2' },
121       { value: 'mercury-edit', label: 'Mercury Edit' },
122     ],
123   };
124
125   // ...
126 }
```



2. Implement Playwright with TypeScript

The image displays two screenshots of a web browser interface, showing the Salesforce login page and an AI Browser Extension for Code Generation.

Top Screenshot:

- The browser address bar shows `login.salesforce.com/?locale=en`.
- The Salesforce login page is visible, featuring the Salesforce logo and a login form with fields for Username and Password, a Log In button, and links for Forgot Your Password? and Use Custom Domain.
- The AI Browser Extension for Code Generation is open, showing the Settings tab. The extension is configured with the following settings:
 - Supported Language: TypeScript
 - Browser Engine: Playwright
 - Select LLM Provider: InceptionLabs
 - Select Model: Mercury 2.5
 - InceptionLabs API Key: [Redacted]

Bottom Screenshot:

- The browser address bar shows `login.salesforce.com/?locale=en`.
- The Salesforce login page is visible, featuring the Salesforce logo and a login form with fields for Username and Password, a Log In button, and links for Forgot Your Password? and Use Custom Domain.
- The AI Browser Extension for Code Generation is open, showing the Code Generator tab. The extension is configured with the following settings:
 - Feature File: [Checked]
 - Page Class: [Checked]
 - IN: 2780, OUT: 2377, TOTAL: \$157, COST: \$0.000468
 - Reset Chat button
- The Code Generator tab displays a Gherkin scenario outline for Salesforce Authentication:

```
***gherkin
Feature: Salesforce Authentication

Scenario Outline: Submit login credentials
  Given I navigate to the login URL
  When I enter "" in the username field
  And I click the submit button
  Then the login interface should acknowledge input

Examples:
  | username          |
  | test.user@salesforce.com |
  | admin.user@company.com  |
  ...
***typescript
```

Extensions

Login | Salesforce

+

login.salesforce.com/?locale=in

Java Selenium Hexaware Divine Adobe Acrobat Playwright DOSBox SVN, CPU s... Yie Ar Kung-Fu (NE... Six Demons | Villain... oauth2.0 Cucumber Download file | iLow...



Salesforce login

Username

Log In

☐ Remember me

Forgot Your Password?

Use Custom Domain

or

 Log In with Email

Not a customer?

Try for Free

© 2026 Salesforce, Inc. All rights reserved. | Privacy

AI Browser Extension for Code Generation

Code Generator

Settings

☒ Feature File

☒ Page Class

IN: 2780

OUT: 2377

TOTAL: 5157

COST: \$0.000468

Reset Chat

```
---typescript
import { After, Before, Given, When, Then } from '@cucumb
import { chromium, expect, Page, Browser } from '@playwri

let browser: Browser;
let page: Page;

Before(async function () {
  browser = await chromium.launch({ headless: true });
  page = await browser.newPage();
});

After(async function () {
  await browser.close();
});

Given('I navigate to the login URL', async () => {
```

Extensions

Login | Salesforce

+

login.salesforce.com/?locale=in

Java Selenium Hexaware Divine Adobe Acrobat Playwright DOSBox SVN, CPU s... Yie Ar Kung-Fu (NE... Six Demons | Villain... oauth2.0 Cucumber Download file | iLow...



Salesforce login

Username

Log In

☐ Remember me

Forgot Your Password?

Use Custom Domain

or

 Log In with Email

Not a customer?

Try for Free

© 2026 Salesforce, Inc. All rights reserved. | Privacy

AI Browser Extension for Code Generation

Code Generator

Settings

☒ Feature File

☒ Page Class

IN: 2780

OUT: 2377

TOTAL: 5157

COST: \$0.000468

Reset Chat

```
await expect(page.locator('#username')).toBeVisible();

When('I enter {string} in the username field', async (use
const usernameLocator = page.locator('#username');
await expect(usernameLocator).toBeVisible();
await usernameLocator.fill(username);
));

When('I click the submit button', async () => {
const submitButton = page.locator('#login');
await expect(submitButton).toBeVisible();
await submitButton.click();
});

Then('the login interface should acknowledge input', asyn
await expect(page.locator('#username')).not.toBeEmpty()
));
```