

Assignment_1:

- * Add a radio button for **Accept Link** and another radio button for **File Upload**.
- * If **Accept Link** is selected, display and populate the input box for entering the link.
- * If **File Upload** is selected, display the file upload option.

Add a radio button for **Accept Link** and another radio button for **File Upload**:

The screenshot shows the 'Testleaf API Testcase Generator' interface at Step 1. The title is 'Upload Swagger specification'. Below the title, it says 'Choose an OpenAPI YAML, YML, or JSON file, or import a specification from a public URL.' There are two radio buttons: 'Upload File' (selected) and 'Upload Link'. Below the radio buttons is a large green dashed box with a green circle containing an upward arrow. Inside the box, it says 'Drop your Swagger file here' and 'or click to browse'. At the bottom of the box, it says 'Maximum 5 MB - .yaml - .yml - .json'. There is a 'Clear' button in the top right corner.

Upload file:

File: restful-booker-openapi.yaml

The screenshot shows the 'Testleaf API Testcase Generator' interface at Step 2. The title is 'Validated'. Below the title, it says 'restful-booker-openapi.yaml'. There is a 'Valid Specification' badge in the top right corner. Below the title, there are three boxes: 'OpenAPI 3.0.3' (green), 'Errors 0' (blue), and 'Warnings 0' (yellow). There is an 'Ask In Chat' button above the 'Errors' box. At the bottom right, there is a 'Proceed to generate testcases' button. At the bottom left, there is a copyright notice: '© 2026 Testleaf Software Solutions Pvt. Ltd. All rights reserved.'

Generate Test cases:

— SWAGGER — QUALITY TEST COVERAGE

Generate reliable API testcases from Swagger

Upload, validate, generate, review, and export — through one controlled Testleaf-themed workflow.

⚡ AI-powered

✓ Spec-grounded

📄 Postman & Excel export

● 10 API testcases generated.

01 Upload

02 Validate

03 Generate

04 Export

— STEP 3

● Inception Labs - Mercury-2.5

Clear

Generated API testcases

● 10 API testcases generated.

— STEP 3

● Inception Labs - Mercury-2.5

Clear

Generated API testcases

Grounded in the validated OpenAPI operations and schemas.

Total Testcases

10

Positive

2

Negative

2

Boundary

2

Authentication

2

Authorization

2

Search ID, endpoint, method, or title

All categories

All test types

ID	METHOD	ENDPOINT	CATEGORY	TEST TYPE	TITLE	PRIORITY	STATUS
----	--------	----------	----------	-----------	-------	----------	--------


API Testcase Generator
Clear

All categories
All test types

ID	METHOD	ENDPOINT	CATEGORY	TEST TYPE	TITLE	PRIORITY	STATUS
TC-API-001	POST	/auth	positive	Sanity	Generate valid auth token	High	View
TC-API-002	POST	/booking	positive	Smoke	Create new booking entry	High	View
TC-API-003	POST	/auth	negative	Regression	Invalid username provided	Medium	View
TC-API-004	GET	/booking/{bookingId}	negative	Regression	Retrieve non-existent booking	Medium	View
TC-API-005	POST	/booking	boundary	Regression	Minimum total price value	Low	View
TC-API-006	GET	/booking	boundary	Regression	Filter by valid name range	Low	View
TC-API-007	PUT	/booking/{bookingId}	authentication	Sanity	Update booking with cookie token	High	View
TC-API-008	PUT	/booking/{bookingId}	authentication	Sanity	Update with Basic Authentication	Medium	View
TC-API-009	PUT	/booking/{bookingId}	authorization	Sanity	Update without authentication	Medium	View


API Testcase Generator
Clear

TC-API-004	GET	/booking/{bookingId}	negative	Regression	Retrieve non-existent booking	Medium	View
TC-API-005	POST	/booking	boundary	Regression	Minimum total price value	Low	View
TC-API-006	GET	/booking	boundary	Regression	Filter by valid name range	Low	View
TC-API-007	PUT	/booking/{bookingId}	authentication	Sanity	Update booking with cookie token	High	View
TC-API-008	PUT	/booking/{bookingId}	authentication	Sanity	Update with Basic Authentication	Medium	View
TC-API-009	PUT	/booking/{bookingId}	authorization	Sanity	Update without authentication	Medium	View
TC-API-010	DELETE	/booking/{bookingId}	authorization	Sanity	Delete without token	Medium	View

Download results
Export the generated testcases and validated specification.

JSON
Excel
Swagger
Generate Postman

swagger-petstore-pet-api 1.yaml:

12 API testcases generated.


STEP 3

Inception Labs - Mercury-2.5

Clear

Generated API testcases

Grounded in the validated OpenAPI operations and schemas.



Search ID, endpoint, method, or title

All categories

All test types

ID	METHOD	ENDPOINT	CATEGORY	TEST TYPE	TITLE	PRIORITY	STATUS
----	--------	----------	----------	-----------	-------	----------	--------

Search ID, endpoint, method, or title

All categories

All test types

ID	METHOD	ENDPOINT	CATEGORY	TEST TYPE	TITLE	PRIORITY	STATUS
TC-API-001	POST	/pet	positive	Smoke	Add valid pet to store	High	View
TC-API-002	POST	/pet	negative	Regression	Add pet missing required field	High	View
TC-API-003	GET	/pet/findByStatus	validation	Functional	Filter pets with invalid status enum	High	View
TC-API-004	GET	/pet/{petId}	authentication	Sanity	Get pet without api_key header	High	View
TC-API-005	POST	/pet	authorization	Sanity	Add pet without oauth scope	High	View
TC-API-006	GET	/pet/{petId}	error-handling	Regression	Get non-existent pet by ID	High	View
TC-API-007	GET	/pet/findByStatus	positive	Smoke	List pets by valid status	High	View
TC-API-008	GET	/pet/{petId}	boundary	Regression	Get pet with max integer ID	Medium	View
TC-API-009	PUT	/pet	validation	Functional	Update pet with invalid status value	High	View

API Testcase Generator

Clear

TC-API-006	GET	/pet/{petId}	error-handling	Regression	Get non-existent pet by ID	High	View
TC-API-007	GET	/pet/findByStatus	positive	Smoke	List pets by valid status	High	View
TC-API-008	GET	/pet/{petId}	boundary	Regression	Get pet with max integer ID	Medium	View
TC-API-009	PUT	/pet	validation	Functional	Update pet with invalid status value	High	View
TC-API-010	DELETE	/pet/{petId}	positive	Smoke	Delete existing pet	High	View
TC-API-011	DELETE	/pet/{petId}	error-handling	Regression	Delete with invalid ID supplied	Medium	View
TC-API-012	POST	/pet/{petId}/uploadImage	authentication	Sanity	Upload image without oauth auth	High	View

Download results

Export the generated testcases and validated specification.

JSONExcelSwaggerGenerate Postman

Upload Link:

API Testcase Generator

Clear

STEP 1

Upload Swagger specification

Choose an OpenAPI YAML, YML, or JSON file, or import a specification from a public URL.

Upload File

Upload Link

Swagger or OpenAPI URL

https://petstore.swagger.io/v2/swagger.json

Import Link

Only publicly reachable HTTP or HTTPS URLs are supported - Maximum 5 MB

• Swagger link imported and validated successfully.

— STEP 2

• Valid Specification

Validated

remote-specification.json

OpenAPI

2.0

Errors

0

Warnings

0

Proceed to generate testcases

• 15 API testcases generated.

— STEP 3

• Inception Labs - Mercury-2.5

Clear

Generated API testcases

Grounded in the validated OpenAPI operations and schemas.

Total Testcases

15

Positive

4

Negative

2

Boundary

2

Authentication

2

Authorization

1

Validation

2

Search ID, endpoint, method, or title

All categories

All test types

ID	METHOD	ENDPOINT	CATEGORY	TEST TYPE	TITLE	PRIORITY	STATUS
----	--------	----------	----------	-----------	-------	----------	--------



Clear

Search ID, endpoint, method, or title

All categories

All test types

ID	METHOD	ENDPOINT	CATEGORY	TEST TYPE	TITLE	PRIORITY	STATUS
TC-API-001	POST	/store/order	positive	Smoke	Place valid order success	High	View
TC-API-002	GET	/pet/{petId}	positive	Smoke	Get pet by valid ID success	High	View
TC-API-003	GET	/store/order/{orderId}	boundary	Regression	Get order by ID boundary lower	Medium	View
TC-API-004	GET	/store/order/{orderId}	boundary	Regression	Get order by ID boundary upper	Medium	View
TC-API-005	GET	/user/login	authentication	Sanity	Login with valid credentials	High	View
TC-API-006	GET	/user/login	authentication	Sanity	Login with invalid credentials	High	View
TC-API-007	POST	/pet	validation	Functional	Add pet with required name	Medium	View
TC-API-008	PUT	/pet	validation	Functional	Update pet with invalid name type	Medium	View



Clear

TC-API-008	PUT	/pet	validation	Functional	Update pet with invalid name type	Medium	View
TC-API-009	GET	/pet/{petId}	authorization	Sanity	Get pet without API key header	Medium	View
TC-API-010	GET	/pet/{petId}	error-handling	Regression	Get pet not found	Medium	View
TC-API-011	GET	/pet/findByStatus	negative	Regression	Find pets by invalid status	Medium	View
TC-API-012	DELETE	/pet/{petId}	positive	Smoke	Delete existing pet success	Medium	View
TC-API-013	GET	/user/{username}	positive	Smoke	Get user by username success	Medium	View
TC-API-014	GET	/store/order/{orderId}	negative	Regression	Get order not found	Medium	View
TC-API-015	PUT	/user/{username}	error-handling	Regression	Update user with missing body	Low	View

Download results

Export the generated testcases and validated specification.

JSON

Excel

Swagger

Generate Postman

Enhance the existing application by implementing a feature that automatically categorizes the generated test cases into standard testing types such as Smoke, Sanity, Regression, Functional. Once the test cases are generated, the application should classify each test case into the most appropriate category and display the categorized results in a structured and user-friendly format. The new functionality should seamlessly integrate with the existing test case generation workflow without impacting current features.

Testleaf

Always Ahead

API Testcase Generator

Clear

15 API testcases generated.

STEP 3

Inception Labs - Mercury-2.5

Clear

Generated API testcases

Grounded in the validated OpenAPI operations and schemas.

Total Testcases
15

Positive
4

Negative
2

Boundary
2

Authentication
2

Authorization
1

Validation
2

Search ID, endpoint, method, or title

All categories

All test types

ID	METHOD	ENDPOINT	CATEGORY	TEST TYPE	TITLE	PRIORITY	STATUS
TC-API-001	POST	/store/order	positive	Smoke	Place valid order success	High	View
TC-API-002	GET	/pet/{petId}	positive	Smoke	Get pet by valid ID success	High	View
TC-API-003	GET	/store/order/{orderId}	boundary	Regression	Get order by ID boundary lower	Medium	View
TC-API-004	GET	/store/order/{orderId}	boundary	Regression	Get order by ID boundary upper	Medium	View
TC-API-005	GET	/user/login	authentication	Sanity	Login with valid credentials	High	View
TC-API-006	GET	/user/login	authentication	Sanity	Login with invalid credentials	High	View
TC-API-007	POST	/pet	validation	Functional	Add pet with required name	Medium	View
TC-API-008	PUT	/pet	validation	Functional	Update pet with invalid name type	Medium	View



TC-API-008	PUT	/pet	validation	Functional	Update pet with invalid name type	Medium	View
TC-API-009	GET	/pet/{petId}	authorization	Sanity	Get pet without API key header	Medium	View
TC-API-010	GET	/pet/{petId}	error-handling	Regression	Get pet not found	Medium	View
TC-API-011	GET	/pet/findByStatus	negative	Regression	Find pets by invalid status	Medium	View
TC-API-012	DELETE	/pet/{petId}	positive	Smoke	Delete existing pet success	Medium	View
TC-API-013	GET	/user/{username}	positive	Smoke	Get user by username success	Medium	View
TC-API-014	GET	/store/order/{orderId}	negative	Regression	Get order not found	Medium	View
TC-API-015	PUT	/user/{username}	error-handling	Regression	Update user with missing body	Low	View

Download results

Export the generated testcases and validated specification.

JSON

Excel

Swagger

Generate Postman