



NATIONAL AGRO FOUNDATION

Laboratory Services Division

Anna University Tharamani Campus,
CSIR Road, Tharamani, Chennai-600113
India.

Phone: +91-44-22542598/+91-90807-11501
Email: labservices@nationalagro.org
Website: www.nationalagro.org



Accredited as per ISO/IEC 17025:2017 Standard
by National Accreditation Board for Testing and
Calibration Laboratories (NABL), a constituent
Board of Quality Council Of India (QCI)

TEST REPORT



Page 1 of 1

Issued To : Yogith, No.67-KV Nagar		Sample Description : test desc	
		Sample Drawn By :	Farmer
		Customer's Reference :	kokila
Report Number :	Water/00071	Sample Received On :	28/06/2022
Report Date :	30/07/2022	Analysis Started On :	29/06/2022
Unidue Lab Report No :	TC83492100000041F	Analysis Completed On :	30/07/2022
Lab I.D. :	10/0005/0730	Sample ID :	ramya chk irr 1
Discipline :	Chemical	Group :	Water

Parameter	Unit	Results	Test Method
pH @ 25° C	-	5.70	IS 3025 (Part-11) : 1983 / APHA 23rd Edition; 4500 - H+B:2017
Electrica Conductivity @ 25° C	mS/cm	2345	IS 3025 (Part-14) : 1984 / APHA 23rd Edition; 2510 B:2017
Sulphate	mg/L	4.5	IS 3025 (Part-24/Sec-4) : 1988 / APHA 23rd Edition; 4500 - SO4:2017
Chloride	mg/L	211.32	IS 3025 (Part-32/Sec2) : 1988 - APHA 23rd Edition; 4500-Cl-B:2017
Nitrate	mg/L	0.3	APHA 23rd Edition; 4500-NO3 B : 2017
Iron	mg/L	<DL(0.3)	APHA 23rd Edition; 3111 B : 2017
Potassium	mg/L	5	APHA 23rd Edition; 4500-NO3 B : 2017
Calcium	mg/L	45	IS 3025 (Part-40/Sec-6) : 1991/ APHA 23rd Edition; 3111 B:2017
Magnesium	mg/L	6	IS 3025 (Part-46/Sec-6) : 1994/ APHA 23rd Edition; 3111 B:2017
Sodium	mg/L	345	APHA 23rd Edition; 3111 B : 2017
Carbonate as CaCO ₃	mg/L	54	IS 3025 (Part-51) : 2001-IS 3025 (Part-23):1986
Bicarbonate as CaCO ₃	mg/L	200	IS 3025 (Part-51) : 2001-IS 3025 (Part-23):1986
Residual Sodium Carbonate	m.eq/L	NIL	IS 11624 :1986 (Reaffirmed 2001)
Sodium Adsorption Ratio	-	13.40	IS 11624 :1986 (Reaffirmed 2001)

DL Detecable Limit -

Authorised Signatory

S. Vasanth

Quality Manager :Visuvanathan

Note:*The above report is applicable only to the sample received and tested.*The tested samples will not be retained after 30 days from the date of issue of the test report.*Perishable samples will be destroyed after testing.*Any request for retesting will not be considered after 30 days from the date of issue of the report.*Our report shall not be reproduced wholly or in part and cannot be used as evidence in the court of law.*Our report in full or part shall not be used for any advertising media without our prior written approval.