



NATIONAL AGRO FOUNDATION

LABORATORY SERVICES DIVISION

Tharamani, Chennai, Tamil Nadu 600113

Phone: 044 2254 2803

Test Report:

Report Number	SoilTran/00073	Sample Description	
Report Date	08/09/2010	Sample Drawn By	Farmer
Unidue Lab Report No	NAF - 373	Customer's Reference	DURAI/000000049
Lab I.D.	lab1	Sample Received On	06/09/2010
Analysis Started On	06/09/2010	Analysis Completed On	08/09/2010
Sample ID	B1 617/55-		

S.No.	Parameter	Unit	Results	Test Method
1	Na Saturation	%	1.20	NA
2	Mg Saturation	%	31.16	NA
3	Ca Saturation	%	67.09	NA
4	k Saturation	%	0.56	NA
5	calcium Exchangeable Ca	Meq/100g Soil	14.18	NA
6	Organic Matter	%	1.38	NA
7	Electrical Conductivity	mS/cm	0.155	NA
8	pH	PPM	8.55	NA
9	Boron Avaliable B	PPM	0.4	NA
10	Copper Avaliable Cu	PPM	1.58	NA
11	Iron Avaliable Fe	PPM	8.10	NA

12	Manganese Available Mn	PPM	6.55	NA
13	Zinc Available Zn	PPM	0.31	NA
14	Sodium Exchangeable Na	PPM	39	NA
15	Sulfur Available S	PPM	8.5	NA
16	Magnesium Exchangeable Mg	PPM	530	NA
17	calcium Exchangeable Ca	PPM	1902	NA
18	Potassium Exchangeable k	PPM	31	NA
19	Phosphorus Available Bray 1	PPM	65.9	NA
20	Phosphorus Available Bray 2	PPM	11.3	NA
21	Nitrate Nitrogen	PPM	4.7	NA

DL Detectable Limit -

Authorised Signatory :
Quality Manager :

Notes :

- . The above report is applicable only to the sample received and tested.
- . The tested samples will not be retained after 30 days from the date of issue of the test report. Perishable samples will be destroyed after testing.
- . Any request for retesting will not be considered after 30 days from the date of issue of the report.
- . Our report shall not be reproduced wholly or in part and cannot be used as evidence in the court of law .
- . Our report in full or part shall not be used for any advertising media without our prior written approval.