

APPENDIX – ACTUAL PYTHON EXECUTION SCREENSHOTS

Screenshots supplied from the student's VS Code terminal.

Q1 – Subsidy decision output



Q1 – Boundary and chained decision output



Q2 – OTP loop output

```
PS C:\Users\MUTHUPANDI\OneDrive\Fees receipt\Documents\Desktop\CSA08-192565037-Assignment2\CSA08-192565037-Assignment2\Task01> & 'C:\Users\MUTHUPANDI\AppData\Local\Programs\Python\Python315\python.exe' 'c:\Users\MUTHUPANDI\.vscode\extensions\ms-python.debugpy-2026.6.0-win32-x64\bundled\libs\debugpy\launcher' '50978' '--' 'c:\Users\MUTHUPANDI\OneDrive\Fees receipt\Documents\Desktop\CSA08-192565037-Assignment2\CSA08-192565037-Assignment2\Task01\task01_subsidy.py'
ID  Units  Ration  >80  Separate-if result               Chained result
H1  99     False   False Full subsidy                    Full subsidy
H2  100    True    False Full subsidy                    Full subsidy
H3  101    True    False Partial subsidy                 Partial subsidy
H4  101    False   False No subsidy                      No subsidy
H5  150    True    False Partial subsidy                 Partial subsidy
H6  200    False   True No subsidy                       No subsidy
H7  201    False   False No subsidy                      No subsidy
H8  250    False   True Special elderly exemption        Special elderly exemption

Boundary checks (100, 101, 200, 201):
100 => Full subsidy
101 => Partial subsidy
200 => Partial subsidy
201 => Special elderly exemption

Design decision: use if-elif-else for mutually exclusive unit bands.
Nested checks keep the eligibility conditions close to each band.
PS C:\Users\MUTHUPANDI\OneDrive\Fees receipt\Documents\Desktop\CSA08-192565037-Assignment2\CSA08-192565037-Assignment2\Task01>
```


Q2 – OTP loop and lockout output

```
PS C:\Users\MUTHUPANDI\OneDrive\Fees receipt\Documents\Desktop\CSA08-192565037-Assignment2\CSA08-192565037-Assignment2\Task03>  & 'C:\Users\MUTHUPANDI\AppData\Local\Programs\Python\Python315\python.exe' 'c:\Users\MUTHUPANDI\.vscode\extensions\ms-python.debugpy-2026.6.0-win32-x64\bundled\libs\debugpy\launcher' '50602' '--' 'c:\Users\MUTHUPANDI\OneDrive\Fees receipt\Documents\Desktop\CSA08-192565037-Assignment2\CSA08-192565037-Assignment2\Task03\task03_vehicle_validator.py'
Input              Normalised   Result   Receipt
tn 09 ab 1234      TN09AB1234   valid    TN 09 AB 1234
KA-01-M-0007       KA01M0007    valid    KA 01 M 0007
TN9A01234          TN9A01234    INVALID  -
TN 22 1234 AB      TN221234AB   INVALID  -
mh 12 xyz 6789     MH12XYZ6789  INVALID  -
DL-8C-1234         DL8C1234     INVALID  -


Slice inquiry:
TN09AB1234 length = 10 last four = 1234 middle = AB
TN09A1234 length = 9 last four = 1234 middle = A

Strings are immutable: upper() returns a new string; it does not alter the original.
PS C:\Users\MUTHUPANDI\OneDrive\Fees receipt\Documents\Desktop\CSA08-192565037-Assignment2\CSA08-192565037-Assignment2\Task03>
```

Q3 – Vehicle registration validation output



Q5 – Functions, parameters and scope output



Q7 – Redesign benchmark output



Additional terminal execution evidence

