RAJALAKSHMI ENGINEERING COLLEGE

Muthu Selvi S 251801197-2025-AIDS

M2

Started on	Monday, 31 August 2026, 12:46 PM
State	Finished
Completed on	Monday, 31 August 2026, 12:46 PM
Time taken	22 secs
Marks	1.00/1.00
Grade	**10.00** out of 10.00 (**100**%)

Question 1 | Correct Mark 1.00 out of 1.00

Problem Statement:

Given a sorted array of integers say arr[] and a number x. Write a recursive program using divide and conquer strategy to check if there exist two elements in the array whose sum = x. If there exist such two elements then return the numbers, otherwise print as "No".

Note: Write a Divide and Conquer Solution

Input Format

First Line Contains Integer n – Size of array

Next n lines Contains n numbers – Elements of an array

Last Line Contains Integer x – Sum Value

Output Format

First Line Contains Integer – Element1

Second Line Contains Integer – Element2 (Element 1 and Elements 2 together sums to value "x")

Answer: (penalty regime: 0 %)

```c
#include <stdio.h>
#include <stdlib.h>

int binarySearch(int arr[], int low, int high, int target) {
    if (low > high)
        return -1;
    int mid = low + (high - low) / 2;
    if (arr[mid] == target)
        return mid;
    if (arr[mid] > target)
        return binarySearch(arr, low, mid - 1, target);
    return binarySearch(arr, mid + 1, high, target);
}

int main() {
    int n;
    if (scanf("%d", &n) != 1) return 0;
    int *arr = (int *)malloc(n * sizeof(int));
    for (int i = 0; i < n; i++) {
        scanf("%d", &arr[i]);
    }
    int x;
    scanf("%d", &x);
    for (int i = 0; i < n; i++) {
        int complement = x - arr[i];
        int found = binarySearch(arr, i + 1, n - 1, complement);
        if (found != -1) {
            printf("%d\n%d\n", arr[i], arr[found]);
            free(arr);
            return 0;
        }
    }
    printf("No\n");
    free(arr);
    return 0;
}
```

	Input	Expected	Got	
✔	4 2 4 8 10 14	4 10	4 10	✔
✔	5 2 4 6 8 10 100	No	No	✔

Passed all tests! ✔

Correct

Marks for this submission: 1.00/1.00.

Back to Course