

Brainstorming & Implementation Guide

Date	02 October 2026
Team ID	SWTID-2026-1180
Project Name	Implement Client Script and UI Policy(incidents)
Maximum Marks	4 Marks

1. Project Overview & Objectives

This document outlines the architecture, requirements, brainstorming prioritization, and implementation code for optimizing ServiceNow Incident form usability, eliminating clutter, and ensuring data integrity through Client Scripts, UI Policies, and asynchronous GlideAjax calls.

2. Brainstorming & Idea Prioritization Matrix

Priority Quadrant	Feature / Idea	Implementation Method	Business & UX Value
Quick Wins (High Impact, Low Effort)	Form Clutter Reduction (Show/Hide fields)	No-code UI Policies	Immediate reduction in cognitive load and faster form completion times.
Quick Wins (High Impact, Low Effort)	Caller Profile Auto-Fill	onLoad Client Script (g_user)	Eliminates redundant manual entry and ensures accurate caller data.
Strategic Projects (High Impact, High Effort)	Duplicate Ticket Warning	GlideAjax & Script Include	Prevents duplicate ticket creation and reduces IT clutter asynchronously.
Strategic Projects (High Impact, High Effort)	Live Validation Gatekeeper	onSubmit Client Script	Protects data integrity and prevents browser crash/page-reload friction.
Fill-Ins (Low Impact, Low Effort)	Inline Format Helpers	onChange Script & showFieldMsg	Fixes syntax errors early before submission.
Time Sinks (Low	Complex Multi-	Advanced Custom	High maintenance

Impact, High Effort)	Step Wizards	DOM Manipulation	overhead; best avoided in favor of standard forms.
-----------------------------	---------------------	-------------------------	---

3. Solution Architecture & Flow

The architecture operates across four distinct layers to ensure optimal client-side performance:

1. Browser Runtime Layer: Handles onLoad profile setup, dynamic UI policies, and live onChange regex validation.
2. Asynchronous Offload: Utilizes GlideAjax and server-side Script Includes for background record queries without freezing the user interface.
3. Submission Gatekeeper: Validates records instantly via onSubmit scripts, aborting invalid posts safely without page reloads.
4. Database Persistence: Commits pristine, clean records directly into the ServiceNow database for rapid routing.

4. Implementation Code Snippets

A. onLoad Client Script (User Context)

```
function onLoad() {
    if (g_form.isNewRecord()) {
        var currentUser = g_user.userName;
        var currentFullName = g_user.getFullName();
        console.log("Form loaded for: " + currentFullName);
    }
}
```

B. onChange Client Script (Regex Phone Validation)

```
function onChange(control, oldValue, newValue, isLoading, isTemplate) {
    if (isLoading || newValue === '') { return; }
    var phoneRegex = /^\\+?[0-9]{10,13}$/;
    if (!phoneRegex.test(newValue)) {
        g_form.showFieldMsg('u_callback_phone', 'Invalid format. Enter 10 to 13 digits.',
        'error');
    } else {
        g_form.hideFieldMsg('u_callback_phone');
    }
}
```

C. onSubmit Client Script (Pre-Submission Gatekeeper)

```
function onSubmit() {  
    var shortDesc = g_form.getValue('short_description');  
    if (shortDesc.trim() === '') {  
        g_form.addErrorMessage('Submission Aborted: Short Description cannot be empty.');        return false;  
    }  
    return true;  
}
```