



Sustainable Life Management

State Dependent Resource Allocation Under Uncertainty

Sujun Fang, Don Ma

February 2026

Agenda

- 1 Background
- 2 Problem Formulation
- 3 Visual Intuition
- 4 Methodological Context
- 5 Takeaways
- 6 References

Background

Motivation

- Cognitive overload and limited attention make time allocation fragile [Robinson, 2024, Grant, 2019].
- Sustainable planning needs explicit tradeoffs under finite time [Hart, 2024].
- Team settings add coordination and capacity coupling across agents.

Problem Formulation

Problem Setting

Within a finite planning horizon, a team assigns tasks across multiple agents.

- Each agent has limited time, cognitive capacity, and attention (C_j).
- Task i assigned to agent j consumes stochastic size S_{ij} (realized effort).
- The realized return R_{ij} (utility) is also stochastic; it may depend on S_{ij} through

$$R_{ij} = g_{ij}(S_{ij}) + \varepsilon_{ij}, \quad \mathbb{E}[\varepsilon_{ij}] = 0.$$

- Deeper engagement can increase value, whereas overload may reduce returns.

Sets, Variables, and Parameters

Sets and indices

- Tasks $i \in \mathcal{I} := \{1, \dots, N\}$
- Agents $j \in \mathcal{J} := \{1, \dots, M\}$

Decision variables

$$x_{ij} = \begin{cases} 1, & \text{task } i \rightarrow \text{agent } j \\ 0, & \text{otherwise} \end{cases}$$

Stochastic characteristics

- S_{ij} : stochastic size (effort/attention)
- R_{ij} : stochastic return (utility/value)

Capacity and risk

- $C_j > 0$: agent capacity
- $\alpha \in (0, 1)$: risk tolerance

Stochastic Multiple Knapsack Formulation

$$\max_{\mathbf{x}} \quad \sum_{j \in \mathcal{J}} \sum_{i \in \mathcal{I}} \mathbb{E}[R_{ij}] x_{ij} \quad (\text{Obj})$$

$$\text{s.t.} \quad \sum_{j \in \mathcal{J}} x_{ij} \leq 1, \quad \forall i \in \mathcal{I} \quad (\text{Assign})$$


$$\mathbb{P}\left(\sum_{i \in \mathcal{I}} S_{ij} x_{ij} \leq C_j\right) \geq 1 - \alpha, \quad \forall j \in \mathcal{J} \quad (\text{Chance})$$

$$x_{ij} \in \{0, 1\}, \quad \forall i, j. \quad (\text{Binary})$$

(Chance) operationalizes cognitive/attention limits via chance constraints. Dependence between S_{ij} and R_{ij} captures workload-dependent productivity.


Visual Intuition

Multiple Knapsack Structure



Bipartite assignment: tasks (left) are assigned to agents (right) with capacities C_j . Edge width encodes task size $\mathbb{E}[S_{ij}]$ and color indicates expected return $\mathbb{E}[R_{ij}]$. Each task is assigned to at most one agent (constraint Assign).

Stochastic Sizes and Returns



Stochastic extensions: each assignment edge shows multiple scenario realizations of size S_{ij} (line width) and return R_{ij} (annotation). The chance constraint (Chance) limits the probability that total realized load exceeds agent capacity.

Methodological Context

Stochastic Knapsack: Cutting Planes and Dominance

- Büyüktaktın [2023] derive scenario dominance cuts for multi-stage stochastic MIPs applied to the dynamic multi-dimensional knapsack. Strong dominance cuts reduce solution time with 0.06% average deviation from optimality.
- Büyüktaktın [2022] generalize this via Stage-t Scenario Dominance for risk-averse (mean-CVaR) knapsack problems, achieving one-to-two orders of magnitude speedup.
- Joung et al. [2023] compare LP relaxation bounds for the robust knapsack problem and show that extended formulations yield identical bounds.

Distributionally Robust and Risk-averse Knapsack

- Bos et al. [2024] approximate the stochastic knapsack with periodic scheduled arrivals using Wasserstein DRO, producing robust healthcare surgical schedules.
- Ding et al. [2022] propose a target-based DRO knapsack with uncertain profit and capacity, reformulated as a second-order conic program.
- Merzifonluoglu and Geunes [2021] study the risk-averse static stochastic knapsack with CVaR and mean-standard deviation objectives, deriving efficient heuristics for normally distributed resource consumption.
- Boonstra et al. [2025] solve a robust multi-item newsvendor with budget constraint using a greedy knapsack algorithm under moment ambiguity.

Solution Algorithms for Stochastic Programs

- Chen and Luedtke [2022] analyze sample average approximation for two-stage programs without complete recourse, proving exponential convergence of recourse likelihood.
- Larsen et al. [2024] accelerate L-shaped methods via supervised ML, solving stochastic multi-knapsack instances in 20% of the time with less than 0.1% optimality gap.
- Lefebvre et al. [2024] reformulate adjustable robust optimization with discrete uncertainty and apply branch-and-cut to the multiple knapsack problem with uncertain weights.
- Lyu et al. [2022] unify responsive, adaptive, and anticipative allocation policies for the stochastic knapsack through persistency values.

Assignment, Scheduling, and Workforce Planning

- Rezaeian et al. [2024] model the stochastic assignment of projects to managers via multi-stage stochastic integer programming with heuristic algorithms for large instances.
- Nasirian et al. [2025] solve multiskilled workforce staffing and scheduling via logic-based Benders decomposition, achieving 29x speedup over direct MILP solving.
- Cavagnini et al. [2020] use two-stage stochastic programming for production planning under uncertain learning rates, with insights on cross-training and worker assignment.
- Novak et al. [2022] connect stochastic parallel machine scheduling to an inflatable stochastic knapsack pricing subproblem within branch-and-price.

Cognitive Overload, Burnout, and Motivation

- Cognitive overload from excessive demands leads to billions of lost working days annually [Robinson, 2024].
- Productivity depends on attention management rather than rigid time scheduling [Grant, 2019].
- Traditional time management fails because it ignores the finite nature of human lifespan and cognitive capacity [Hart, 2024].
- Chronic illness, burnout risk, and work-family conflict underscore the need for systematic resource allocation that accounts for well-being [Cook and Zill, 2024, Yoo and Lee, 2022].

Takeaways

Key Takeaways

- The formulation models cognitive resource allocation as a multiple knapsack problem with stochastic sizes and returns, capturing workload-dependent productivity via $R_{ij} = g_{ij}(S_{ij}) + \varepsilon_{ij}$.
- Chance constraints operationalize cognitive/attention limits, controlling overload risk while retaining assignment flexibility.
- Scenario dominance cuts [Büyüktaktın, 2023], DRO reformulations [Bos et al., 2024, Ding et al., 2022], and ML-accelerated decomposition [Larsen et al., 2024] are natural tools for scaling the model to organizational settings.
- Data-driven SAA [Chen and Luedtke, 2022] and risk-averse objectives [Merzifonluoglu and Geunes, 2021] provide robust solution strategies under limited distributional information.

References

References I

- Guus Boonstra, Wouter J.E.C. van Eekelen, and Johan S.H. van Leeuwaarden. Robust Knapsack Ordering for A Partially-informed Newsvendor with Budget Constraint. *Operations Research Letters*, 58, 2025. doi: 10.1016/j.orl.2024.107202.
- Hayo Bos, Richard J. Boucherie, Erwin W. Hans, and Gréanne Leefink. Distributionally Robust Scheduling of Stochastic Knapsack Arrivals. *Computers and Operations Research*, 167, 2024. doi: 10.1016/j.cor.2024.106641.
- Esra Büyüктаhtakın. Scenario-dominance to Multi-stage Stochastic Lot-sizing and Knapsack Problems. *Computers and Operations Research*, 153, 2023. doi: 10.1016/j.cor.2023.106149.
- I. Esra Büyüктаhtakın. Stage-t Scenario Dominance for Risk-averse Multi-stage Stochastic Mixed-integer Programs. *Annals of Operations Research*, 309, 2022. doi: 10.1007/s10479-021-04388-3.

References II

- Rossana Cavagnini, Mike Hewitt, and Francesca Maggioni. Workforce Production Planning Under Uncertain Learning Rates. *International Journal of Production Economics*, 225, 2020. doi: 10.1016/j.ijpe.2019.107590.
- Rui Chen and James Luedtke. On Sample Average Approximation for Two-stage Stochastic Programs Without Relatively Complete Recourse. *Mathematical Programming*, 196:719–754, 2022. doi: 10.1007/s10107-021-01753-9.
- Alexandra Cook and Alexander Zill. Individual Health Status As A Resource: Analyzing Associations Between Perceived Illness Symptom Severity, Burnout, and Work Engagement Among Employees with Autoimmune Diseases. *Applied Psychology*, 73: 990–1025, 2024. doi: 10.1111/apps.12464.
- Jianpeng Ding, Liuxin Chen, Ginger Y. Ke, Yuanbo Li, and Lianmin Zhang. Balancing The Profit and Capacity Under Uncertainties: A Target-based Distributionally Robust Knapsack Problem. *International Transactions in Operational Research*, 29:760–782, 2022. doi: 10.1111/itor.13031.

References III

- Adam Grant. Productivity isn't about time management. it's about attention management., March 2019. URL <https://www.nytimes.com/2019/03/28/smarter-living/productivity-isnt-about-time-management-its-about-attention-management.html>. Accessed: January 25, 2026.
- Hanna Hart. Productivity and the hard truth about time management, January 2024. URL <https://www.forbes.com/sites/hannahart/2024/01/25/productivity-and-the-hard-truth-about-time-management/>. Accessed: January 25, 2026.
- Seulgi Joung, Seyoung Oh, and Kyungsik Lee. Comparative Analysis of Linear Programming Relaxations for The Robust Knapsack Problem. *Annals of Operations Research*, 323:65–78, 2023. doi: 10.1007/s10479-022-05161-w.

References IV

- Eric Larsen, Emma Frejinger, Bernard Gendron, and Andrea Lodi. Fast Continuous and Integer L-shaped Heuristics Through Supervised Learning. *Inform Journal on Computing*, 36:203–223, 2024. doi: 10.1287/ijoc.2022.0175.
- Henri Lefebvre, Enrico Malaguti, and Michele Monaci. Adjustable Robust Optimization with Discrete Uncertainty. *Inform Journal on Computing*, 36:78–96, 2024. doi: 10.1287/ijoc.2022.0086.
- Guodong Lyu, Mabel C. Chou, Chung Piau Teo, Zhichao Zheng, and Yuanguang Zhong. Stochastic Knapsack Revisited: The Service Level Perspective. *Operations Research*, 70:729–747, 2022. doi: 10.1287/opre.2021.2173.
- Yasemin Merzifonluoglu and Joseph Geunes. The Risk-averse Static Stochastic Knapsack Problem. *Inform Journal on Computing*, 33:931–948, 2021. doi: 10.1287/ijoc.2020.0972.
- Araz Nasirian, Lele Zhang, Alysson M. Costa, and Babak Abbasi. Multiskilled Workforce Staffing and Scheduling: A Logic-based Benders' Decomposition Approach. *European Journal of Operational Research*, 323:20–33, 2025. doi: 10.1016/j.ejor.2024.11.033.

References V

- Antonin Novak, Premysl Sucha, Matej Novotny, Richard Stec, and Zdenek Hanzalek. Scheduling Jobs with Normally Distributed Processing Times On Parallel Machines. *European Journal of Operational Research*, 297:422–441, 2022. doi: 10.1016/j.ejor.2021.05.011.
- Aidin Rezaeian, Hamidreza Koosha, Mohammad Ranjbar, and Saeed Poormoaid. The Assignment of Project Managers to Projects in An Uncertain Dynamic Environment. *Annals of Operations Research*, 341:1107–1134, 2024. doi: 10.1007/s10479-024-05958-x.
- Bryan Robinson. 4 steps to mitigate cognitive overload and career stress before 2025, November 2024. URL <https://www.forbes.com/sites/bryanrobinson/2024/11/02/4-steps-to-mitigate-cognitive-overload-and-career-stress-before-2025/>. Accessed: January 25, 2026.
- Hye Jin Yoo and Hyeongsuk Lee. Critical Role of Information and Communication Technology in Nursing During The COVID-19 Pandemic: A Qualitative Study. *Journal of Nursing Management*, 30:3677–3685, 2022. doi: 10.1111/jonm.13880.