

```

<!DOCTYPE html>
<html lang="zh-TW">
<head>
<meta charset="UTF-8">
<meta name="viewport" content="width=device-width, initial-scale=1.0, maximum-
scale=1.0, user-scalable=no">
<title>Keelung Adventure - Alice in Snowland</title>
<script src="https://cdn.tailwindcss.com"></script>
<script src="https://unpkg.com/vue@3/dist/vue.global.js"></script>
<link href="https://fonts.googleapis.com/css2?
family=Noto+Sans+TC:wght@400;700&family=Pacifico&display=swap"
rel="stylesheet">
<link rel="stylesheet"
href="https://cdnjs.cloudflare.com/ajax/libs/animate.css/4.1.1/animate.min.css"/>
<style>
body { font-family: 'Noto Sans TC', sans-serif; background: #e0f2fe; }
.alice-font { font-family: 'Pacifico', cursive; }
/* 冰雪毛玻璃效果 */
.snow-glass {
background: rgba(255, 255, 255, 0.7);
backdrop-filter: blur(10px);
border: 1px solid rgba(255, 255, 255, 0.4);
}
.timeline-line {
background: linear-gradient(to bottom, #7dd3fc, #3b82f6, #7dd3fc);
}
/* 隱藏滾動條 */
::-webkit-scrollbar { display: none; }
</style>
</head>
<body class="bg-[#f0f9ff]">

<div id="app" class="max-w-md mx-auto min-h-screen relative shadow-2xl overflow-
hidden bg-alice-pattern">

<header class="relative h-72 rounded-b-[3rem] overflow-hidden shadow-lg
animate__animated animate__fadeIn">

<div class="absolute inset-0 bg-gradient-to-t from-[#0c4a6e]/80 to-transparent">
</div>
<div class="absolute bottom-10 left-8 text-white">
<h2 class="alice-font text-2xl text-sky-200 mb-1 tracking-widest">Alice's
Journey</h2>
<h1 class="text-3xl font-bold tracking-tight">基隆 · 冰雪冒險</h1>
<div class="flex items-center mt-3 bg-white/20 backdrop-blur-md rounded-full px-4 py-
1 text-sm border border-white/30">
<span class="mr-2">❄️</span> 18°C · 基隆市

```

```
</div>
</div>
</header>
```

```
<main class="px-6 py-10 relative">
<div class="absolute left-[2.4rem] top-12 bottom-20 w-1 timeline-line rounded-full
opacity-30"></div>
```

```
<div class="space-y-10">
<div v-for="(item, index) in itinerary" :key="index"
class="flex gap-4 relative animate__animated animate__fadeInUp" :style="{
animationDelay: index * 0.1 + 's' }">
```

```
<div class="z-10 w-12 h-12 rounded-full snow-glass flex items-center justify-center
shadow-md border-2 border-sky-300 transform hover:scale-110 transition-transform">
<span class="text-2xl">{{ item.icon }}</span>
</div>
```

```
<div class="flex-1 snow-glass rounded-[2rem] p-5 shadow-sm border border-white
active:scale-95 transition-all">
<div class="flex justify-between items-start mb-2">
<span class="bg-sky-500 text-white text-xs px-3 py-1 rounded-full font-bold shadow-
sm">{{ item.time }}</span>
<button @click="showInfo(item)" class="text-sky-400 hover:rotate-12 transition-
transform">
```



```
</button>
</div>
```

```
<h3 class="font-bold text-lg text-sky-900 mb-1">{{ item.activity }}</h3>
<p class="text-xs text-sky-700/70 mb-4 leading-relaxed italic">{{ item.desc }}</p>
```

```
<a :href="\"https://www.google.com/maps/dir/?api=1&destination=' +
encodeURIComponent(item.location)\"
target=\"_blank\"
class="flex items-center justify-center gap-2 w-full py-2.5 bg-gradient-to-r from-sky-
400 to-blue-500 text-white rounded-2xl font-bold text-sm shadow-md hover:shadow-
sky-200 transition-shadow">
<span class="text-xs"><img alt="Map icon" data-bbox="305 670 325 685"/> 開啟導航</span>
</a>
</div>
</div>
</div>
</main>
```

```
<nav class="fixed bottom-6 left-1/2 -translate-x-1/2 w-[90%] max-w-md snow-glass
rounded-[2.5rem] py-4 px-10 flex justify-between items-center shadow-2xl border
border-white/50 z-50">
<button class="flex flex-col items-center gap-1 text-sky-600 scale-110">
<span class="text-xl"><img alt="Mushroom icon" data-bbox="300 855 320 870"/></span>
```

```

<span class="text-[10px] font-bold">行程</span>
</button>
<div class="h-14 w-14 bg-gradient-to-tr from-sky-400 to-blue-600 rounded-full flex
items-center justify-center text-white shadow-xl -mt-12 border-4 border-[#f0f9ff]
animate-bounce">
<span class="text-2xl">🐰</span>
</div>
<button class="flex flex-col items-center gap-1 text-slate-400">
<span class="text-xl">👤</span>
<span class="text-[10px] font-bold">地圖</span>
</button>
</nav>

<div v-if="selectedItem" class="fixed inset-0 z-[100] flex items-center justify-center p-
6 bg-sky-900/40 backdrop-blur-sm" @click.self="selectedItem = null">
<div class="bg-white rounded-[3rem] p-8 max-w-sm w-full shadow-2xl
animate__animated animate__zoomIn relative overflow-hidden">
<div class="absolute top-0 right-0 p-4 text-2xl alice-font text-sky-100 opacity-20
underline">Alice</div>
<h2 class="text-2xl font-bold text-sky-800 mb-4 flex items-center gap-2">
{{ selectedItem.icon }} 詳細資訊
</h2>
<div class="space-y-4 text-slate-600">
<div class="bg-sky-50 p-4 rounded-2xl border border-sky-100">
<p class="text-xs text-sky-400 font-bold mb-1">地點小指南</p>
<p class="text-sm">{{ selectedItem.note || '帶著冒險的心出發吧！' }}</p>
</div>
<div class="flex justify-between items-center">
<span class="text-xs text-slate-400 italic">行程時間: {{ selectedItem.time }}</span>
<button @click="selectedItem = null" class="bg-slate-800 text-white px-6 py-2
rounded-full text-sm font-bold">關閉</button>
</div>
</div>
</div>
</div>
</div>
</div>
</div>
</div>

<script>
const { createApp, ref } = Vue;
createApp({
  setup() {
    const selectedItem = ref(null);
    const itinerary = ref([
      { time: "10:00", activity: "和平島地質公園", icon: "🌅", desc: "穿過樹洞，看見世界級的海蝕地景。", location: "和平島地質公園", note: "門票可折抵消費，記得拍等嶼亭。" },
      { time: "12:30", activity: "正濱漁港彩色屋", icon: "🌈", desc: "瘋帽子最愛的彩色房屋，在這享用午餐。", location: "正濱漁港彩色屋", note: "推薦吉古拉與海藻拿鐵。" },
      { time: "14:15", activity: "海洋廣場休息", icon: "☕", desc: "在藍調港口邊，來杯紅心皇后的咖啡。", location: "海洋廣場", note: "可以看大郵輪進港喔！" },
    ])
  }
})

```

```
{ time: "15:30", activity: "外木山海岸步道", icon: "🌊", desc: "沿著雪白浪花散步，享受冬日海風。", location: "外木山濱海風景區", note: "步道平緩好走，約停留 40 分鐘。" },
{ time: "16:30", activity: "鯊到基隆互動區", icon: "✨", desc: "光影魔法降臨，巨大的鯊魚在港邊現身。", location: "基隆港東岸", note: "互動展覽 16:30-18:30 最美。" },
{ time: "18:30", activity: "基隆廟口夜市", icon: "🍢", desc: "愛麗絲的盛宴！結束這奇幻的一天。", location: "基隆廟口夜市", note: "營養三明治與螃蟹羹必吃。" }
]);
```

```
const showInfo = (item) => {
  selectedItem.ref = item; // 修正 Vue ref 指派方式
  selectedItem.value = item;
};
```

```
return { itinerary, selectedItem, showInfo };
}
}).mount('#app');
</script>
</body>
</html>
```