

Versioning Forms

OPTION 1: The form is versioned due to an edition date change.

Scenario/Sample:

Current Form: BP0003 0110

New Form: BP0003 0713

Step 1: Document the update in the Sharepoint – “DocProd Master Forms Spreadsheet V00.xlsx”

	A	B	C	D	E	F	G	H	I	J	K
1							LOB				State
2	Form Name	FAP Name	Edition Date	Date Withdrawn	TBPP029 GOLD Complete	Form Title	BOP	CPP	FRM	UMC	99 CW
3	BP 00 02	BPS170	12 99	10.13.13		Businessowners Special Property Coverage Form	Y				Y
4	BP 00 03	BP0003A	01 10			Businessowners Coverage Form	Y				Y
5	BP 00 03	BP0003B	07 13			Businessowners Coverage Form	Y				Y

Step 2: Identify and define the new FAP File name. In this example the form was versioned from “A” to “B”. Using the DocProd Image Editor and other conversion tools, create the new FAP file in the FORMS folder. In this example, the new file name is BP0003B.FAP. This process also creates the corresponding BP0003B.DDT file in the DDTLIB folder.

BP0003A

BP0003B

Step 3: In the DEFLIB\FORMS.DAT file, create a new entry for the new version of the form.

;MOE;BOP;BP0003 0110;;R;;BP0003A|FD3<INS(O)>;

;MOE;BOP;BP0003 0713;;R;;BP0003B|FD3<INS(O)>;

NOTE:

For some forms (CA/FA or GL/FGL), the same form could be applicable to CPP and FRM. Be sure to version both and test both.

Step 4: In the DEFLIB\SETRCPTB.DAT file, create a new entry(s) for the new version of the form.

```
;MOE;BOP;BP0003 0110;;NB,RB,EN;INS  
;;0;0;0;1;TBLOFF,ASBECPL1,BEB8NB,BP0003,BEAMDT,11001,BEDUST,  
(2,4,6,8,0,A,C,E,G)|TBLOFF,PMSP0200,ISSUE0CODE,~Q;
```

```
;MOE;BOP;BP0003 0713;;NB,RB,EN;INS  
;;0;0;0;1;TBLOFF,ASBECPL1,BEB8NB,BP0003,BEAMDT,11307,BEDUST,  
(2,4,6,8,0,A,C,E,G)|TBLOFF,PMSP0200,ISSUE0CODE,~Q;
```

SETRCPTB.DAT Definitions

```
;MOE;BOP;BP0003 0713;;NB,RB,EN;INS
```

Key 1 – Master Company

Key 2 – Line of Business

External Form Name (Matches what is in FORM.DAT)

Internal Image Name

Transaction Codes applicable

Recipients

```
;;0;0;0;1;TBLOFF,ASBECPL1,BEB8NB,BP0003,BEAMDT,11307,BEDUST,  
(2,4,6,8,0,A,C,E,G)|TBLOFF,PMSP0200,ISSUE0CODE,~Q;
```

Count Search Parameter

Trigger Code (0, 1 or 2)

Number of objects on the image

Number of objects on a different first image

Trigger Code (default is 1, some custom rules have different codes)

T/F Search Parameter

Optional (not shown) – Custom Recipient Rule

Optional (not shown) – Custom Recipient Rule Data Parm

In this example, one BP0003 0713 form is triggered if....

1. All parts of the T/F search parm evaluated to TRUE....ie...
 1. There is an ASBECPL1 record in the EXTRFILE.DAT where
 1. Form Name (BEB8NB) = "BP0003"
 2. Form Edition Date = "11307"
 3. Form Action Code (BEDUST) is Active (2,4,6,8,0,A,C,E,G)
 2. Note that the "|" character separated the 2 distinct part of the T/F parameters
 3. The transaction is NOT a QUOTE
 1. PMSP0200 where ISSUE0CODE not = to "Q"

Not shown

2. If the Count parameter is used, then the search parm must return a count greater than 0

Not shown

3. If custom rules are used, the Count parm (if used) and the T/F parm (if used) must evaluate to TRUE before the custom rule is executed.

NOTES:

ALR makes the decision as to which form to attach to the policy. DocProd simply triggers and prints what ALR provides.

Never delete anything out of

DEFLIB\FORM.DAT

DEFLIB\SETRCPTB.DAT

Always keep the DDTLIB*.DDT file

Always keep the FORMS*.FAP file

Update the Master Forms spreadsheet on the server

"\\homer\it\point\point\DocProd Forms\DocProd Master Forms Spreadsheet V00.xlsx"

OPTION 2: The form is versioned due to a content change.

Scenario/Sample:

Current Form: BOP PSUM P1.1 BOP PSUM P2.2

New Form: BOP PSUM P1.2 BOP PSUM P2.2

FORM.DAT

;MOE;BOP;BOP PSUM P1.1;;RD;;PSBP-HDR1|D3S<ELC(0)>/PSBP-QINS1|D3S<ELC(0)>/....

;MOE;BOP;BOP PSUM P1.2;;RD;;PSBP-HDR1|D3S<ELC(0)>/PSBP-QINS1|D3S<ELC(0)>\

/PSBP-TOT|D3S<ELC(0)>\

/PSBP-QINS2|D3S<ELC(0)>\

/PSBP-QINS3|D3S<ELC(0)>\

/PSBP-TERM|D3S<ELC(0)>\

/PSBP-TERO|D3S<ELC(0)>\

/PSBP-SE99|D3S<ELC(0)>\

/PSBP-QINSGE|D3S<ELC(0)>\

/PSBP-FTR|D3SOY<ELC(0)>;

;MOE;BOP;BOP PSUM P2.1;;RD;;PSBP-HDR2|D3SOX<ELC(0)>/PSBP-BPH|D3S<ELC(0)>/....

;MOE;BOP;BOP PSUM P2.2;;RD;;PSBP-HDR2|D3SOX<ELC(0)>\

/PSBP-BPH|D3S<ELC(0)>\

/PSBP-QINS4|D3S<ELC(0)>\

/PSBP-QLOC1-A|D3S<ELC(0)>\

/PSBP-FTR|D3SOY<ELC(0)>;

On the current FORM, add the ending date.

On the new form, use the beginning date.

SETRCPTB.DAT

;MOE;BOP;BOP PSUM P1.1;;NB,RB,EN;ELC

;;0;0;0;1;TBLOFF,PMSP0200,EFF0YR,>1131012,EFF0YR,<1181130,ISSUE0CODE,~Q;

```
;MOE;BOP;BOP PSUM P1.1;PSBP-QINS3;NB,RB,EN;ELC
;TBLOFF,ASBYCPL1,BYBRNB,00000,BYAOTX,~(INSADD,TERR);1;1;0;1;TBLOFF,PMSP0200,EFFOYR,>1131012,EFFOYR,
<1181130,ISSUE0CODE,~Q;

;MOE;BOP;BOP PSUM P1.1;PSBP-TERM;NB,RB,EN;ELC
;;0;0;0;1;TBLOFF,ASBYCPL1,BYBRNB,00000,BYAOTX,TERRPM|TBLOFF,PMSP0200,EFFOYR,>1131012,EFFOYR,
<1181130,ISSUE0CODE,~Q;

;MOE;BOP;BOP PSUM P1.1;PSBP-TERO;NB,RB,EN;ELC
;;0;0;0;1;TBLOFF,ASBYCPL1,BYBRNB,00000,BYAOTX,(TERRPO,TERRL)|TBLOFF,PMSP0200,EFFOYR,>1131012,EFFOYR,
<1181130,ISSUE0CODE,~Q;

;MOE;BOP;BOP PSUM P1.1;PSBP-SE99;NB,RB,EN;ELC
;;0;0;0;1;TBLOFF,ASBYCPL1,BYAOTX,INCLMT|TBLOFF,PMSP0200,EFFOYR,>1170420,EFFOYR,
<1181130,ISSUE0CODE,~Q;

;MOE;BOP;BOP PSUM P1.1;PSBP-BPH;NB,RB,EN;ELC
;;0;0;0;1;TBLOFF,PMSP0200,EFFOYR,>1131012,EFFOYR,
<1181130,ISSUE0CODE,~Q;DALTrigger;TRIG_BOP_BLANKET_SECTION;

;MOE;BOP;BOP PSUM P1.2;;NB,RB,EN;ELC
;;0;0;0;1;TBLOFF,PMSP0200,EFFOYR,>1181129,ISSUE0CODE,~Q;

;MOE;BOP;BOP PSUM P1.2;PSBP-QINS3;NB,RB,EN;ELC
;TBLOFF,ASBYCPL1,BYBRNB,00000,BYAOTX,~
(INSADD,TERR);1;1;0;1;TBLOFF,PMSP0200,EFFOYR,>1181129,ISSUE0CODE,~Q;

;MOE;BOP;BOP PSUM P1.2;PSBP-TERM;NB,RB,EN;ELC
;;0;0;0;1;TBLOFF,ASBYCPL1,BYBRNB,00000,BYAOTX,TERRPM|TBLOFF,PMSP0200,EFFOYR,>1181129,ISSUE0CODE,~Q;

;MOE;BOP;BOP PSUM P1.2;PSBP-TERO;NB,RB,EN;ELC
;;0;0;0;1;TBLOFF,ASBYCPL1,BYBRNB,00000,BYAOTX,
(TERRPO,TERRL)|TBLOFF,PMSP0200,EFFOYR,>1181129,ISSUE0CODE,~Q;

;MOE;BOP;BOP PSUM P1.2;PSBP-SE99;NB,RB,EN;ELC
```

::0;0;0;1;TBLOFF,ASBYCPL1,BYAOTX,INCLMT|TBLOFF,PMSP0200,EFFOYR,>1181129,ISSUE0CODE,~Q;