

The future AI district is not a park, but a complete urban ecosystem

Work, learning, living, socializing, industry, ecology and governance support each other; a single AI landmark cannot replace the complete system.



WORK

LEARN

LIVE

CONNECT

INDUSTRY

ECOLOGY

The future goal is not to add AI facilities, but to bring innovation resources into daily urban life

Whether the goal is achieved depends on whether talent, enterprises, residents and the city simultaneously obtain perceivable and sustainable value.



TALENT: Cross-institutional collaboration + Complete lifestyle support



ENTERPRISES: Real problems + Test scenarios + First-use opportunities



RESIDENTS: More convenient services + Right to participate + Right to exit



CITY: Reusable capabilities + Traceable governance



Not a technology display → It's urban capability



Universities, research, enterprises, communities and cities must form a continuous cycle, not adjacent islands

Every experiment should enter feedback, evaluation and exit mechanisms, then return to research and product iteration.



Knowledge production is no longer separated by office and campus boundaries, but forms a cross-institutional collaboration network

Spaces need to support formal research, temporary teams, open courses, 成果展示 and low-barrier entrepreneurship simultaneously.



SHARED R&D:

Cross-institutional use of experiments, computing power and data resources



PROJECT TEAMS:

Rapidly build short-cycle teams around urban issues



OPEN COURSES:

Courses, exhibitions and discussions enter public spaces



LOW-BARRIER ENTREPRENEURSHIP:

Services, capital and scenarios meet at walking scale



What 7 cases truly teach is not form, but making three organizational capabilities the urban foundation

Research, industry, heritage, public life, data, governance, ultimately becoming fluid synergy of eight elements.

one-north · KENDALL SQUARE · WOVEN CITY · MASDAR CITY · 22@ Barcelona · King's Cross · QUAYSIDE

01 RESEARCH × INDUSTRY ADJACENCY = KENDALL SQUARE



Research × Industry Adjacency

02 HERITAGE × PUBLIC LIFE = KING'S CROSS



Heritage × Public Life

03 IT × DATA × GOVERNANCE BOUNDARY = QUAYSIDE WARNING



Data × Governance Boundary

Eight Resources Must Collaborate On-site

Not eight separate indicators, but an operable public innovation chain

LAND → SPACE → INDUSTRY → CAPITAL → TALENT → COMPUTING → DATA → SCENARIOS

04 RESIDENTS

Planning goal: Self-reported data and independent evidence recorded separately; Quayside serves as governance warning.

INFORMAL EXCHANGE

Cannot rely only on meeting rooms and commercial consumption

Serendipity, lingering, discussion, sports and curation require public spaces usable without consumption.

SERENDIPITY

LINGERING

DISCUSSION

SPORTS

CURATION



Linger without consumption



Enter without login



Use without profiling



PART 01

Innovative talent needs complete life support, and the ability for short-term stay and rapid urban integration

From 'finding a job' to the complete life chain of 'arrival—housing—family—health—social'.

- **ARRIVAL** Station transfer / Bilingual guidance / Fast registration
- **HOUSING** Short-term stay / Affordable options / Daily dining
- **FAMILY** Childcare education / Sports culture / Community integration
- **HEALTH** Primary care / Mental support / Accessibility services

Housing scale, specific projects and service capacity to be determined after reviewing current data and implementation scope.

Future industrial ecosystem must turn real urban problems into testing, evaluation and first application scenarios

Industry is not simple occupancy: must go through boundary definition, technical verification, human review and public feedback.

- 01 **PUBLIC ISSUES** (Urgent or long-term needs raised by citizens or government)
- 02 **BOUNDARY DEFINITION** (Clear technical, temporal, spatial and ethical constraints)
- 03 **CONTROLLED TESTING** (Conducted in small-scale, enclosed or low-risk environments)
- 04 **HUMAN REVIEW** (Results and process review by experts or public representatives)
- 05 **SCALE OR EXIT** (Decide to expand application or stop project based on results)

Any stage can be paused, any conclusion can be traced to responsible person and evidence.

PRIVACY

HUMAN REVIEW

Boundary definition, technical verification, human review and public feedback are illustrative, not approved testing routes.



Continuous slow-traffic spine must truly land at station, heritage site and park interfaces

Use Amap controlled base map to identify real road networks and resource anchors, then implement connection principles as accessible, stayable, verifiable public interfaces.



A STATION INTERFACE

Station plaza, covered walkway, accessibility and smart guidance



B HERITAGE INTERFACE

Connect 24 heritage points, implant AI guided tours and heritage activation facilities



C BLUE-GREEN INTERFACE

Park entrances, slow-traffic corridors and ecological patches form stayable public spaces

RESOURCE ANCHORS

Stations / Heritage points / Commercial / Parks

DESIGN ACTIONS

Continuous spine / East-west stitching / Accessibility

CONSTRUCTION BOUNDARY

Approx. 1.09 km corridor connection, engineering measures and approval pending verification

Open, mixed, continuous, accountable, iterable - five capabilities forming Jingzhang future ecosystem

These five capabilities are not slogans, but shared criteria for next chapter 'Future Needs' and subsequent spatial diagnosis.

01 OPEN

Cross-institutional
sharing / Public access

02 MIXED

Work / Study /
Life coexistence

03 CONTINUOUS

Unbroken space /
service / feedback

04 ACCOUNTABLE

Privacy /
Human review / Exit

05 ITERABLE

Traceable data /
Recomputable metrics

NEXT / PART 02

What new needs for future living,
socializing and working?

Understand **future people first,** then **decide** future spaces

Researchers, startup teams, young students, residents and visitors have different temporal, service and spatial needs in the same innovation belt.

“ Spatial design shifts from
"function list" to
'people's tasks and rights'. ”

Five user groups share the same innovation belt, but need different access methods

01 RESEARCHERS:
Equipment, peers and
cross-institutional collaboration



02 STARTUP TEAMS:
Low-cost residency, first scenario
and capital interface



03 YOUNG STUDENTS:
Learning, expression and
long-term participation



INNOVATION BELT



05 VISITING TALENT:
Fast arrival, short-term work
and flexible services



04 RESIDENT FAMILIES:
Convenience, safety and
digital alternatives

A cross-institutional team needs to complete meetings, testing, presentations and life transitions within one day

| Space and services must be continuous, not requiring re-entry at every step.





PART 02 • FUTURE USERS & NEEDS

NEEDS | How Future People Work, Live and Socialize

Youth need not just activities, but the right to long-term participation

— From short-term activities to long-term mechanisms

05 • REVIEW

Enter annual review mechanism

Establish youth review seats for youth voices in urban planning and service improvement agendas.



01 • LEARN

Low-cost learning and working

Provide low-cost learning spaces, workshops and lightweight sharing platforms for continuous youth growth in connections.



02 • LINGER

Usable without consumption

Create public spaces without consumption pressure for spontaneous lingering, rest and socializing.



03 • EXPRESS

Apply for space, initiate activities

Open space application mechanisms for youth to autonomously initiate activities, exhibitions and community projects.



04 • QUESTION

Query public AI scenarios

Establish public AI scenario query systems for youth participation in technical decisions and ethical discussions.



The premise of residents obtaining convenience is not being excluded by technology

Public AI services must retain informed consent, human review, appeals, non-digital alternatives and exit paths.



Design principles need to continue comparing applicable regulations, technical boundaries and responsible entities in specific scenarios.



NEEDS

How Future People Work, Live and Socialize

First-time arrivals need to quickly enter the innovation network and urban life from station identification



Arrival is not a sign, but a **continuous, accessible, bilingual service-accessible entry chain.**

01 STATION IDENTIFICATION



Rail exit /
Bus transfer

02 CONTINUOUS ARRIVAL



Walking / Accessibility /
Bilingual guidance

03 INNOVATION ENTRY



Short-term work /
Exhibition / Enterprise services

04 LIFE INTEGRATION



Parks / Dining / Sports /
Community info



Universities and Beihang auxiliary road: Amap location control map



Base map and anchors controlled by deterministic mapping; routes and engineering interfaces require professional deepening.

CONTROLLED MAP - ROUTE TO BE VERIFIED

Continuous use from 08:00-22:00 requires work, study, socializing and life to no longer be fragmented

The same public spine must support from morning commute to safe evening departure.



All-day script for organizing functional timing,
not representing current passenger flow statistics.



Future needs can be summarized as six types of public capabilities, not an infinitely expanding function list

Six capabilities serve five user groups together, and become criteria for subsequent spatial diagnosis.



Every future need must correspond to spatial carrier, service provider and verification method


Subsequent design uniformly uses a seven-question contract to avoid disconnection between scenarios, space and operations.



NEEDS → SPACE → SERVICE → OPERATION → VERIFICATION → ADJUST OR EXIT

Today's physical space cannot yet support tomorrow's innovative life


The question is no longer just 'whether there are parks, stations and enterprises,' but whether these resources can be continuous, open and usable in daily time.



43.6 km²、**11.4** km² and **368.4** ha
serve different purposes, cannot be mixed
into one concept map

43.6 km²

For regional industry and
future city coordination



11.4 km²

For overall urban design



368.4 ha

For three key area
implementation levers



Land, buildings, transportation, municipal utilities, public services, management, landscape and other indicator data synchronized: "Known, Pending, Missing"

Data Category	Known	Pending	Missing
 Land	●	○	●
 Buildings	●	○	●
 Transportation	●	○	●
 Municipal Utilities	●	○	●
 Public Services	●	○	●
 Management	●	○	●
 Landscape	●	○	●
 Indicators	●	○	●



Data completeness dynamically evaluated,
requiring continuous updates to advance work



Key area fine polygons still missing, current scope
continues **non-formal location deduction**

Jingzhang is not short of resources, but lacks public systems that convert resources into open interfaces

Universities, enterprises, rail, parks and communities are dense along the line, but institutional boundaries, road discontinuities, entrance misalignment and scattered services make it difficult to form a continuous network accessible to the public.

Resource Density and Open Interface Matching Analysis



Six future public capabilities encounter three types of ruptures in current state: network, place and organization

01

Network Rupture Affects Accessibility



Network Road Analysis

02

Place Rupture Affects Lingering and Socializing



Urban Public Space Node Analysis

03

Organization rupture affects cross-institutional collaboration, scenario operations and accountability loops; three ruptures reinforce each other, cannot be solved with single nodes.




Organizational Relationship Network

Universities and enterprises are close in distance, but cross-institutional collaboration still lacks accessible, bookable public interfaces

Spatial proximity does not equal true openness of equipment, courses, problems, test scenarios and services; innovation teams still need to cross entry, permission, information and operation boundaries.

University-Enterprise-Public Space Current Interface Analysis



DATA TO HIGHLIGHT

Institutional openness willingness and distance differences to be verified through interviews

LEGEND

- University / Campus Space
- Enterprise Area Space
- Public Space
- Transition / Buffer Space
- Interface Boundary (Physical + Operational)
- Key Barrier Points (Entry / Permission / Information)
- Missing Public Interfaces

Parks are built, but sustainable lingering, non-consumption socializing and nighttime use still need verification

01

Current assessment shifts from 'whether facilities exist' to 'whether sustainably usable': can entrances be easily found

02

Can stay for extended periods

03

Whether supports youth learning and discussion

04

Whether safe at night

05

Whether still has daily use after activities end

Detours, entrance misalignment and final distance make continuous corridors fail in daily use

Three-segment diagnosis finds: same problems, different forms; the final segment determines whether corridors are used daily.

01 SOUTH SEGMENT: Focus on station front connection and road crossing



- Station square and urban interface are fragmented; detours required
- Multiple road crossings create physical and psychological barriers
- Rail corridor and ground systems lack continuous interface

Key Issues: Breaks occur at key nodes, detours become defaults

02 MIDDLE SEGMENT: Focus on visible but hard-to-access resources



- Resources are scattered, but entrances are blocked or hidden
- Interface clutter and inconsistent management limit accessibility
- Poor visibility and information gaps make route choice uncertain

Key Issues: Resources are visible, but entrances are not directly in front

03 NORTH SEGMENT: Crossing, railway and university compound barriers, common issue is missing connection standards for final segment



- Complex barriers and long distances increase detours
- Lack of unified connection standards and interface control
- Final segment lacks clear destination and connection conditions

Key Issues: More crossings, more breaks; the final segment lacks standards

Life services and short-term stay cannot be concluded by experience, must enter formal supply verification checklist

“

Verify housing and short-term rental, childcare, medical, dining, night services, sports culture and international talent services item by item for supply, accessibility, price and opening hours; keep **unknown** when data insufficient, not fill in imagined numbers.

”

Jingzhang Railway Line Life Service Supply Verification Map

Service Facility Types

- Housing & Short-term Rental
- Childcare
- Medical
- Dining
- Night Services
- Sports & Culture
- International Talent Services
- Other Services

LEGEND

- Verified Supply Point
- Insufficient Data / unknown
- Major Transfer Station
- Study Area Boundary

Accessibility (15-min walk)

- Highly Accessible
- Moderately Accessible
- Low Accessible
- Not Accessible
- Outside Study Area



Jingzhang Railway

— 1909 —

Origin Community, Zhongzhi Park and Dazhong Temple Face Different Problems

01 ORIGIN COMMUNITY

Needs to connect campus, youth life and low-barrier innovation services



02 ZHONGZHI PARK

Needs to transform R&D and verification capabilities into open interfaces



03 DAZHONG TEMPLE

Needs to organize transfer, business and public life into an urban gateway



Three area scopes and building uses on this page are location deductions

Three Types of Ruptures Need a Common Foundation, Not More Isolated Projects

01 SPATIALLY NEEDS Continuous Public Spine

Build a north-south and east-west connective corridor to form a continuous public backbone that supports diverse activities and functional integration.



02 SERVICE-WISE NEEDS Unified Entry

Establish a unified portal and service entry, integrating information, guidance, and service system to reduce access barriers and improve usability.



03 SCENARIO-WISE NEEDS Common Access and Exit Rules

Set clear and transparent access and exit rules to ensure fair participation for diverse stakeholders and promote market vitality and sustainable iteration.



04 OPERATION-WISE NEEDS Cross-district coordination, leading to "Jingzhang Physical Line → Open Track"

Use the physical line as the backbone to establish cross-district coordination mechanisms, realize resource connectivity, activity linkage, and brand co-building, forming sustainable system operation.



Six Tasks Together Answer How Future Innovation Ecosystem Establishes in Real Cities

01 OVERALL CONCEPT Define Common Direction



- Establish the overall vision and long-term goals for the innovation ecosystem
- Clarify stakeholder roles and collaboration principles
- Form a shared direction for urban innovation

02 INNOVATION ECOSYSTEM ORGANIZATION Connect Elements



- Define the roles of stakeholders in the innovation ecosystem
- Build collaboration networks and resource-linking mechanisms
- Design an adaptive governance and management framework

03 AI SCENARIOS Enter Real Testing



- Build AI application scenarios based on real contexts
- Establish practical testing and validation mechanisms
- Iterate solutions to achieve scalable implementation

04 PUBLIC SPACE Support Daily Life



- Build open and inclusive public networks
- Meet diverse daily needs
- Activate spaces and strengthen community bonds

05 CULTURAL NARRATIVE Form Urban Consensus



- Explore the historical value and narrative of the railway
- Construct a shared identity and urban story
- Enhance brand image through cultural recognition

06 ACTIVITIES & OPERATIONS Transform Innovation into Implementation Capability



- Plan multi-form activities to attract resources and talent
- Establish market-oriented operations and sustainable financial models
- Cultivate local teams and community participation for long-term growth



CONCLUSION

Six Tasks Together Form an Operable Urban Innovation System

“Jingzhang Return Line”

Redirect Century Engineering Innovation Toward Contemporary Public Value

01 CHINESE NAME

Jingzhang Return Line



02 ENGLISH

Jingzhang Civic Return Line



A CENTURY OF ENGINEERING
INNOVATION, RETURNING TO
PUBLIC VALUE

03 SHORT ID



JZ-RETURN



04 NAMING EXTENSION

For return lounge, return station, return landmark, return frame and return archive.

Logo uses J-shaped track forming open entrance, gap represents public entry.



Open Track

Use one public spine to coordinate land functions, three zones two wings and corridor resources



01



ONE PUBLIC SPINE, Activate Linear Space Value

Rely on the Beijing-Zhangjiakou Railway heritage resources to build a connected public spatial framework, linking south and north nodes and diverse functions.

02



EAST-WEST STITCHING INTERFACE, Connect Urban Corridors

Set up east-west interfaces at key nodes to link the two communities and functions, promoting the integration of pedestrian flow and vitality.

03



THREE-ZONE LINKED DEVELOPMENT, Shape Diverse Cores

Link Zhongzhi Park, Yuan Point Community, and Dashansi to form diverse cores of innovation, living, culture, and industry, driving coordinated regional development.

04



TWO-WINGS COORDINATED EMPOWERMENT, Release Innovation Energy

Empower Zhongguancun Science and Technology Service Zone and Xiaoyuehe Riverside Landscape Wing to form dual support for technological services and ecological innovation.

05



INDUSTRIAL HERITAGE CONNECTION, Continue Place Memory

Protect and revitalize industrial heritage nodes, embedding public space and functional scenarios to continue a century of railway industrial legacy.

Three Positionings, Five Functions, Three Zones Two Wings and Stay-Innovate System Form Overall Spatial Organization

01 THREE POSITIONINGS



AI Innovation Ecosystem Corridor



Responsible AI City Test Line



Global-facing AI Public Culture Destination




02 FIVE FUNCTIONS



03 SPATIAL COORDINATION SYSTEM

Zhongzhi Park, Origin Community, Dazhong Temple and Two Wings Coordinated through three public systems: "Move, Stay, Innovate"



Century Jingzhang AI Innovation Belt

Positioning and function-oriented proposal, not subject to government-approved legal planning

Beijing AI Origin Community | Embed Industry-University-Research Conversion into Daily City

Wudaokou Transfer—Origin Tower—Jingzhang Park: A pedestrian chain organizing portals, conversion and youth life

Approx. 198.8 ha

Near-campus conversion + talent life + public services

Three Priority Spatial Actions

01 PORTAL CONNECTION

Connect Wudaokou Transfer and organize the park entrance and service access

02 INNOVATION CONVERSION

Public Innovation Hall + Achievement Conversion Clinic + Service Hub

03 YOUTH COMMUNITY

Open campus, vibrant night economy and youth-friendly space

Core Renewal Projects and Responsibility Collaboration

RZ-03 Near-campus Achievement Conversion Workshop Streets / Universities / Rights holders / Operators

RZ-05 Public Services and Precision Computing Node Public sector / Data security / AI compute

RZ-01 Slow-traffic Stitching Combination Transport / Parks / Underground space

Launch Phase

Start with 100-day pilot model. Officially propose polygon, rights holders, firefighting, design early. Confirm underground space control boundary in phases and avoid rushed construction.



T1 Portal Connection → T2-T3 Innovation Conversion → T4-T5 Youth Community

Elevated Slow-traffic System | Approx. 1.2 km elevated slow-traffic system, no new fifth floor

Zhongzhi Park | Integrate R&D, Verification and Low-carbon Life into One Loop

Academic-Research Linkage—Park Innovation—Qinghe Interface: Enable full-line technical verification with controlled space, open interfaces and life support

Approx. 103.1 ha

Full-chain Autonomous Innovation + Physical AI Verification + Low-carbon Life

Three Priority Spatial Actions

- 01 **RAIL PORTAL** Form a park-river continuous micro-center interface
- 02 **FULL-LINE VERIFICATION** Support testing, open verification, safety governance and public test days
- 03 **LOW-CARBON LIFE** Qinghe interface with talent services and shared public space

Core Renewal Projects and Responsibility Collaboration

- | | | |
|-------|---|---|
| J2-02 | Qinghe Innovation Interface | Park Area / Riverfront / Ecology / High-tech |
| J2-05 | Public Services and Precision Computing Node | Park Area / Data Security / Third-party Operation |
| J2-01 | Slow-traffic Stitching Combination | Transport / Public Realm / Rights Holders |

Gateway Launch

Priority to the range near the north gate, ensuring rights and safety separation; data compliance, facility modularity, riverfront/green corridor conditions; pilot first, then full-line roll-out.



T1 Rail Portal → T2-T3 Full-line Verification → T4-T5 Low-carbon Life

Elevated Slow-traffic System | Approx. 0.8 km elevated slow-traffic system, linking Qinghe

Dazhong Temple | Connect Portal, Industry and Public Life into Market Interface

Dazhong Temple Station Transfer Renewal—Jingzhang Park—Roadshow Services and Nighttime Public Life Welcoming Enterprises and International Visitors

Approx. 66.5 ha

Rail Connection + Intelligent Biotech Commerce + Global Outreach

Three Priority Spatial Actions

01 RAIL CONNECTION

Organize hub image boundaries and public access to integrate the park entrance with public services

02 INDUSTRY CORE

Enterprise services, product validation, and market interface

03 PARK COMMUNITY

Rail culture, youth nightlife, and non-consumption public space

Core Renewal Projects and Responsibility Collaboration

P1-04 Dazhong Temple Hub Slow-traffic Connection Transport / Rail / Park / Rights Holders

P1-06 Global AI Event Anchorage Private Capital Consortium / Districts / High-Tech Zones / Community

P1-05 Public Services and Precision Computing Node Public Services / Operations / Data Security

Launch Access

Four-way slow-traffic access with ample station capacity, fire safety, municipal utility priority; 100-day feasibility for roadshow service and visualization, scalable for staged implementation.



T1 Rail Connection → T2-T3 Industry Core → T4-T5 Park Community

Elevated Slow-traffic System | Approx. 0.6 km elevated slow-traffic system, linking Dazhong Temple

Eight Element Types Must Form a Closed Loop from Basic Research to Industry Conversion Back to Urban Issues



SECTION A-A

COORDINATES

10. 113° 14' 00" E
39° 54' 00" N
11. 113° 14' 00" E
39° 54' 00" N
12. 113° 14' 00" E
39° 54' 00" N

BEIJING-ZHANGJIAGU
RAILWAY LINE

LEGEND

10. SECTION LINE
11. SECTION LINE
12. SECTION LINE
13. SECTION LINE
14. SECTION LINE
15. SECTION LINE
16. SECTION LINE
17. SECTION LINE
18. SECTION LINE
19. SECTION LINE
20. SECTION LINE

Land Functions, Spatial Carriers and Industry Chain Carried by Three Zones

Two Wings, Subject to Area Recalculation

01

BASIC RESEARCH AND MODEL TOOLS

Connect Universities and Research Institutes



Advanced Research → Tool Development →
Industry Collaboration → Outcome Conversion

02

PHYSICAL AI AND INDUSTRY APPLICATIONS

Enter Controlled Testing



Scenario Construction → Controlled Testing →
Evaluation Certification → Pilot Optimization

03

ORIGIN COMMUNITY UNDERTAKES NEAR-CAMPUS CONVERSION, INCUBATION AND TALENT SERVICES



Near-Campus Conversion → Incubation →
Talent Services → Community Growth

04

DAZHONG TEMPLE CONNECTS BUSINESS, MARKET AND INTERNATIONAL COMMUNICATION



Transport Connectivity → Business Clustering →
Market Activation → International Communication

05

TWO WINGS PROVIDE PROFESSIONAL SERVICES AND REAL PROBLEMS, FORMING INDUSTRY CONVERSION, STARTUP INCUBATION AND SPATIAL CARRIER RENEWAL INTERFACES



Industry Types	Land Functions	Spatial Carriers	Area Recalculation
Professional Services	R&D / Office / Services	Research Institutes / Shared Platforms	Statistical Reference by Area
Intelligent Manufacturing	Industrial / Testing / Pilot	Factories / Testing Sites	Statistical Reference by Area
Cultural & Creative	Culture / Exhibition / Education	Cultural Sites / Exhibition Spaces	Statistical Reference by Area
Living Services	Residential / Retail / Services	Residential / Commercial / Public Services	Statistical Reference by Area
Public Services	Public / Green / Transport	Parks / Public Facilities / Transport Hubs	Statistical Reference by Area

Two-Wing Synergy • Problem Pull • Service Support • Interface Integration



Century Jingzhang
AI Innovation Belt



Classification codes, area balance and recalculation process enter A04, A12;
do not constitute enterprise positioning or industry scale

Zhongzhi Park Forms Full-stack Innovation Foundation with R&D, Computing, Data, Models, Tools and Verification Interfaces

01

CAPABILITY LAYER

Organize R&D, computing, data, models and tools



02

SPATIAL LAYER

Configure controlled test scenarios, shared facilities, garden test lounge and public display interfaces



03

GOVERNANCE LAYER

Set data boundaries, human review, evaluation and exit



Origin Community Completes Near-campus Conversion, Zhongguancun Tech Service Wing Fills Incubation, Capital and Professional Services

Century Jingzhang AI Innovation Belt

Beijing Qinghe Changping Yanqing Huairou Zhangjiakou

01 ORIGIN COMMUNITY

University achievements enter public space



02 TEAM FORMATION

Teams complete formation in Origin Community, prototype and talent life access



03 TECH SERVICE WING

Tech Service Wing provides IP, legal, capital and enterprise services



04 R&D FEEDBACK

Controlled testing and scenario applications return to R&D



Spatial Connection · Service Coordination · Value Cycle

Spatial Connection and Place Memory

Leveraging the industrial legacy of the Jingzhang Railway, we connect campus, communities, and industry spaces to build an AI-driven innovation belt with distinctive place identity.



Jingzhang Railway
1909

Five User Groups Enter Same Scenario Open System from Different Entrances

01

INNOVATIVE TALENT

Focus on collaboration and testing



Cross-boundary
collaboration



Project
co-creation



Scenario
testing

- Quick access to test resources and real scenarios
- Open data and tool support for innovation validation
- Connect with teams, companies and ecosystems



Digital proxy: continuous access and assistance

02

STARTUP TEAMS

Focus on space, services and first scenario



Space access



Startup services



First scenario

- One-stop access to space and startup services
- Connect with targeted scenarios and pilot opportunities
- Link investors, markets and industry resources



Digital proxy: on-site consultation and document handling

03

RESIDENTS

Focus on convenience, safety and job-housing



Daily
convenience



Safety &
security



Feedback
& response

- Convenient access to public services and daily facilities
- Multi-layer safety and privacy protection
- Transparent feedback and response mechanism



Digital proxy: access to AI services and feedback

04

YOUNG STUDENTS

Focus on learning, participation and low-cost



Learning &
growth



Social
participation



Low-cost
access

- Courses and practical platforms to support growth
- Participate in co-creation and urban governance
- Low-cost access to innovation spaces and facilities



Digital proxy: access to reports and participation

05

GLOBAL VISITORS

Focus on identification, bilingual services and fast entry



ID recognition



Bilingual
services



Fast entry

- Multi-modal ID recognition and health registration
- Bilingual services and guide system
- Quick information access and entry



Digital proxy: access to AI services and information

Transportation, Medical, Education, Commercial and Robot Scenarios **Must First Answer Who to Serve and Where to Locate**

01

AI+ SLOW TRAFFIC



- Who to serve: citizens, tourists, commuters, pedestrians
- Where to locate: roadside zones, slow-traffic lanes, waterfront promenades, historic districts, community hubs
- Key values: safe, convenient, low-carbon, friendly

02

AI+ MEDICAL HEALTH



- Who to serve: residents, patients, elderly, people with disabilities
- Where to locate: community health stations, clinics, hospitals, health checkup centers, elderly care community, sports parks
- Key values: accessible, connected, preventive, caring

03

AI+ EDUCATION CULTURE



- Who to serve: students, teachers, parents, lifelong learners
- Where to locate: campuses, libraries, museums, cultural venues, maker spaces
- Key values: fair, inclusive, diverse, innovative

04

AI+ COMMERCIAL SERVICES



- Who to serve: consumers, merchants, entrepreneurs, industrial workers
- Where to locate: commercial streets, complexes, industrial parks, transport hubs, exhibition venues
- Key values: convenient, vibrant, collaborative, value-creating

05

ROBOT GUIDE

Each robot is labeled with user ID, location, operator, data, algorithm, evaluation and retirement for human review and oversight



User Location Operator Data Algorithm Evaluation Retirement

Station Address

Est. 1905
Jingzhang Railway
Heritage Station



Hello! Welcome to
Jingzhang Railway
Heritage Park

Zhantuo Memorial
120m →

Current Location



Autonomous Driving, Unmanned Delivery, Inspection, Enterprise Services and Public AI Registration Must Accept Same Accountability Rules

01



06
AUTONOMOUS
LOW-SPEED
SHUTTLE



02



07
UNMANNED
DELIVERY



03



08
INSPECTION
MAINTENANCE



04



09
ENTERPRISE
SERVICE AGENT



05



10
PUBLIC AI REGISTRATION:
All scenarios operate under
conditions of public disclosure,
minimum data, human
takeover, complaints or exit



ACCOUNTABILITY RULES: Trustworthy Purpose | Minimum Data | Human Takeover | Exit Available

Robots, autonomous driving and unmanned delivery do not
constitute licensed safe scope deployment

3 Types of Industry Test Scenarios

Complete **Scenario-Space-Operation** Loop Along Xiaoyue River Public Experience Path

01



PHYSICAL AI TESTING

Focus on real environment, safety boundaries and human takeover

02



PUBLIC SERVICE AGENT TESTING

Focus on accuracy, non-digital alternatives and appeals

03



URBAN OPERATION ASSISTANCE TESTING

Focus on separation of suggestion and decision rights, three test types connect to six research projects along Xiaoyue River, forming public experience, professional evaluation and exit review



PUBLIC EXPERIENCE



PROFESSIONAL EVALUATION



EXIT REVIEW



Roads, Rail, Slow-traffic and Blue-green Systems Together Support North-south Connectivity and East-west Stitching

01 NORTH-SOUTH CONTINUOUS ORGANIZATION OF DAILY SLOW-TRAFFIC

02 EAST-WEST INTERFACE STITCHES RAIL STATION GATES, URBAN ROADS, CAMPUSES, COMMUNITIES AND BLUE-GREEN SPACES

03 UNIFIED HANDLING OF TRANSFERS, CROSSINGS, RAMPS, DISCONTINUITIES, LINGERING, ACCESSIBILITY AND FEEDBACK

04 EVENT DAYS, DAILY TRAFFIC AND HERITAGE PARK PUBLIC LIFE ARE MUTUALLY COMPATIBLE




Sit-able, Learn-able, Display-able, Test-able, Recover-able Form Basic Units of **AI-native Public Space**

01

RETURN LOUNGE


Support lingering and joint curation



02

OPEN TEST INTERFACE

Support landing, integration, power, network interface human takeover



03

K01-K06 COMPONENT SYSTEM

Create seating, display, signage, test interfaces, power and mobile services, allowing flexible assembly and independent use

K01 Seating Component



K02 Display Component




K03 Signage Component



K04 Test Interface Component



K05 Power Component



K06 Mobile Service Component



Dual Stations, Open Interface and Shared Lounge Enable Origin Community to Simultaneously Support Innovation Conversion and Youth Life




01 DUAL STATIONS CONNECTION

Connect Wudaokou Station and Chengfu Road West Intersection dual stations, linking innovation buildings, communities, parks and campus outreach



02 SHARED LOUNGE

08:00-22:00 all-day service supporting learning, working, exchange, display, co-creation and community services



03 NEAR-TERM ACTIONS

Open launch, connection restoration, public issues list and small-scale low-damage renovation



Dazhong Temple Converts Transfer Efficiency into Morning-Noon-Evening-Night Continuous Intelligent Consumption and Business Portal



Exemplary, innovation and link support are conceptual suggestions

Three Public Landmarks Use Same Honor and Component Language to Record Issues, Achievements and Global Connections

01 ORIGIN RETURN LIGHTHOUSE



Record issues and receive public feedback

02 OPEN SOURCE MILESTONE



Record replicable achievements and developer contributions

03 DAZHONG TEMPLE AI COMPASS



Connect market and international communication

Three locations jointly provide agent contribution honor roll and annual contribution archive

Landmark locations are work candidates, forms are conceptual directions

From Independent Engineering to Open Innovation, to Responsible AI, Forming Continuous Narrative of Connection—Openness—Co-creation—Feedback

Zhangjiakou
1909

Beijing

沙河站
Shahai Station

Qinghe
Railway
Station

Yanqing

Baxiahe

Zhangjiakou

Jingzhang Railway Route Map: 1905-1916

01 "CONNECTION"

Jingzhang Railway Independent Engineering and Intercity Connection



02 "OPENNESS"

Zhongguancun Research, Entrepreneurship and Achievement Conversion



Zhongguancun Science Park (Indicative Concept Plan)

03 "CO-CREATION"

Jingzhang, AI, Developers and Residents Jointly Build



04 "FEEDBACK"

Technology, Governance, Scenarios and Value Feedback to City

Transparency

Reproducibility

Extensibility

City Operation Index

86.7 $\uparrow$ 6.2%

Real-time Monitoring
Traffic Flow

Public Sentiment

Model Description

Model Name: v2.1
Data Source: Multiple Sources
Update Frequency: Daily
Update Time: 2024-05-12

Impact Evaluation

Urban Governance: 0.86
Economic Value: 0.79
Social Value: 0.91

Open Data Portal

API Access

Audit Logs

Public Participation

1909

1950s

1980s

2000s

Wayfinding System, Cultural Routes, Bilingual Content and Annual Archives Enable Continuous Urban Narrative Growth

01 DISTAL DIRECTION WAYFINDING
ESTABLISHES FULL-CHAIN IDENTIFICATION


02 NODE DECISION WAYFINDING
EXPLAINS SPACE AND CULTURAL CHOICES

03 CONTINUOUS CONFIRMATION WAYFINDING
ENSURES DAILY WALKING

04 CHINESE-ENGLISH CONTENT ROUTES CONNECT
RAIL NODES, INNOVATION INSTITUTIONS,
PUBLIC SCENARIOS AND THREE INDICATORS

05 ANNUAL ARCHIVES CONTINUOUSLY UPDATE
OPEN SOURCE CLUES, PUBLIC FEEDBACK
AND CONTRIBUTOR RECORDS

English names and translations to be uniformly verified before formal publication



Annual Activities, Developer Community and International Communication Must Enter a Continuous Conversion Chain

PART 04 | INTEGRATED SOLUTION



Open Scenario Application, Public Experience and Urban Landmarks Continuously Operated by Layered Accountability System

01

CORRIDOR-LEVEL COORDINATION PLATFORM

Coordinate brand, data boundaries, annual plans and cross-district resources

02

DISTRICT OPERATION UNIT

Responsible for space, services, activities and funding

03

SCENARIO ACCOUNTABLE PERSON

Responsible for technology, human review and exit

04

PUBLIC INTERFACE

Responsible for disclosure, application, complaints and annual review

Update Project List and Policy Tools, Organize 100-day Pilots into Reviewable Phased Actions

NEAR-TERM

Priority to complete cost interfaces, navigation, shared lounge, scenario applications and rule prototypes

MID-TERM

Complete key stitching, public services, municipal inspection and district operation

LONG-TERM

Form cross-regional innovation network, international brand transformation governance assets, each project records location, type, accountability suggestions, preconditions, indicators and entry-exit thresholds

Beijing North
Railway Station

Qinghe Station

Nankou Station

Badaling

Zhangjiakou
Station

Six Core Projects Must Simultaneously Answer Location, Content, Accountability and Launch Conditions

Continue using project codes JZ-01 ~ JZ-06, based only on identifiable landmarks, not fabricating empirical paths

CODE	LOCATION/SCOPE	REQUEST AND OPERATION CONTENT	SCALE/STATUS	ACCOUNTABILITY COLLABORATION TYPE	LAUNCH CONDITIONS
JZ-01	Full Corridor Continuous Slow-traffic Spine (Three Stations)	Connect slow-traffic, transportation, accessibility and nighttime safety repairs	Approx. 0.8km/ Conceptual Design	Transportation/Investment/ Operation/Design/Community	Node connection complete, safety inspection passed
JZ-02	Zhongzhi Park—Qinghe Innovation Interface	External R&D forecast, internal passages, ecological garden and seasonal nodes	District Interface/ Scheme Design	Park/Street/Ecology/Capital	River, road, pipeline planning complete
JZ-03	Wudaokou—Origin Tower—Origin Park	Achievement conversion nodes, public service interfaces, youth daily services	Full section/Node scope/To be confirmed	Street/Universities/Residents/ Large capital	University agreement, fire protection planning in place
JZ-04	Dazhong Temple Station Rail Renewal—Origin Park	Rail connection, transportation, nodes, public plaza and business platform	Transfer connection point/ Coordinated advancement	Transportation/Investment/ Park/Capital	Station connection, pedestrian safety inspection passed
JZ-05	Three Public Building Node Landmarks	8+ display spaces, humanities corridor, process relay and registration	Node landmark/ Conceptual design	Park/Investment/Operation/ Design/Community	Site selection complete, human takeover standards confirmed
JZ-06	Annual Activities and Developer Community Operation	Issue levels, open recruitment, external observation and annual release	Activity organization/ Conceptual design	Operation/Investment/Community/ Universities/Enterprises	Planning team, venue, funding coordination in place

Prototypes, processes and locations are designs, no commitment that permits or construction possibilities have been obtained

Projects Are Not Schedules, But Five Reviewable, Reversible Implementation Gates

Without evidence of passing previous step, do not proceed to next; reaching+unmet conditions trigger, do not fabricate fixed completion dates



24 Field Samples and 12 Failure Drills Can Only Be Converted to Performance After Real Collection

Three sample belts × Two date types ×
Four time periods

Form **24** planned samples;

12 failure drill types check network disconnection, misidentification, equipment failure, human takeover, complaints, data deletion and site restoration, etc.

Current field samples are **field_not_collected**,
Real personnel takeover and timing are **not_run**

Sampling Matrix and Failure Drill Status Panel


SAMPLING MATRIX (3 × 2 × 4 = 24)

TIME PERIOD	WORKDAY				HOLIDAY			
	06-09	09-13	13-17	17-21	06-09	09-13	13-17	17-21
THREE SAMPLE BELTS								
Sample A Node 1/Workday								
Sample B Industrial Heritage/Holiday								
Sample C Node 2/Workday								

12 Failure Drill Status Types (Example)

01 NETWORK DISCONNECTION Not Run	02 MISIDENTIFICATION Not Run	03 EQUIPMENT FAILURE Not Run	04 HUMAN TAKEOVER Not Run
05 COMPLAINT HANDLING Not Run	06 DATA DELETION Not Run	07 SITE RESTORATION Not Run	08 POWER OUTAGE Not Run
09 SYSTEM CRASH Not Run	10 SAFETY INCIDENT Not Run	11 PRIVACY BREACH Not Run	12 SERVICE DEGRADATION Not Run
Not Run	In Progress	Completed	Abnormal

Industrial Heritage Site Plan (Plan View)



DATA OVERVIEW (Plan vs. Actual)



All planned samples and drill statuses are currently **not_run**

Continue, Pause or Exit Must Be Jointly Decided by Public Value, Risk Standards and Evidence

01

WHETHER ACCESSIBILITY
AND DAILY SERVICES
ARE IMPROVED

02

WHETHER NON-DIGITAL
ALTERNATIVES ARE
MAINTAINED

03

WHETHER UNACCEPTABLE
SAFETY, PRIVACY OR
EQUITY RISKS EXIST

04

WHETHER HUMAN
TAKEOVER IS POSSIBLE

05

WHETHER COMPLAINT
HANDLING AND DATA
DISPOSAL ARE COMPLETED

06

WHETHER SITE CAN
BE RESTORED, ANY
BREACH TRIGGERS
PAUSE OR EXIT

Decisions must rely on verifiable public value, risks and evidence

FORMAL RISK MATRIX: Probability × Impact × Trigger Conditions × Accountability × Response / Exit

H/M/L are scheme assessment levels, not substituting statistical probability; any 'biased impact', 'evidence gap' cannot enter public scenarios

H: High

M: Medium

L: Low

RISK	ASSESSMENT LEVEL	TRIGGER CONDITIONS	ACCOUNTABILITY	RESPONSE STRATEGY	ACCOUNTABILITY/EXIT CONDITIONS
01 OPERATION (ACTIVITY) DISRUPTION	H / H	Interruption within 6 hours of formal operation, 50% critical path missing	Preset human takeover intervention	Notification+Intervention+Public+Enterprise+Authorities	Failure to intervene on time or disruption spreads, escalate to government-level exit
02 DATA/PRIVACY BREACH	M / H	Data control mechanism triggered, professional review failed	Notify parties, report to authorities	Inform affected parties, suspend services, report to authorities	Cannot continue operation if not notified on time
03 KEY SERVICES (PEOPLE/VEHICLE) PUBLIC SAFETY	M / H	Failure detection, remote monitoring failure, equipment damage	Traffic+Enterprise+Operator	Notification+Intervention+Public+Enterprise+Authorities	Automatically trigger human takeover or service suspension
04 PRIVACY/(SERVICE) ETHICS/EQUITY	M / H	Decision bias, algorithm opacity, usage preferences	Rights holders+Operator+Authorities	Notification+Human review+Enterprises+Authorities	Suspend service and hand over to authorities if cannot explain/rectify
05 SERVICE CONTINUITY/SYSTEM	M / M	Network, hardware, software or data upgrade or compatibility issues	Operator+Equipment operator	Degraded service, degraded operation, switch to backup	Notify users and apply for suspension if cannot restore
06 OPERATION/FUNDING/COMMERCIAL	M / M	Operator funding/personnel, funding, contracts or maintenance contracts	Users+Operator	Do not start, reduce methods or activate emergency plan	Apply for exit if accountability transfer or insufficient funding
07 POLICY/REGULATION	L / M	Regulatory non-compliance, policy changes, unfulfilled commitments	Internal review+Operation+Authorities	Do not start, suspend, apply for permits or formal communication	Apply for suspension or hand over to authorities if cannot adjust

Decision Note: Evidence does not equal zero risk; any biased impact or evidence gap has accountable person; human takeover plan needs verification; pilot does not equal development.

Not a Set of Future Scenarios, But an Operable, Verifiable, Exitable Urban Public Innovation Framework

01

MAKE IT EASIER
FOR PEOPLE TO ARRIVE,
LINGER AND COLLABORATE



02

LET UNIVERSITIES,
ENTERPRISES AND
COMMUNITIES JOINTLY
RAISE QUESTIONS



03

LET AI ENTER
REAL CITIES UNDER
OPEN, CONTROLLED AND
REVERSIBLE CONDITIONS



04


LET JINGZHANG RAILWAY'S
ENGINEERING INNOVATION
SPIRIT CONTINUE SERVING
NEXT GENERATION
PUBLIC LIFE



Evidence Chain Must Fall Back to Same Real Urban Base

Planning scope, three zones, two wings, innovation corridor and Jingzhang Railway heritage must be located, associated and compared on same controlled base map.

A01



A03—A14 SCOPE AND BOUNDARIES

Planning scope,
three zones, two wings

A15—A25 RESOURCES AND FACILITIES

Rail, universities,
enterprises, parks

A26—A30 EVIDENCE AND COMPARISON

Global cases, diagnosis basis,
scheme prototypes

ONE BASE MAP, THREE EVIDENCE TYPES

- SPATIAL DATA:**
Rail, universities, parks and innovation corridor must be located on same controlled base map.
- SCHEME PROTOTYPES:**
Three zones and two wings spatial schemes must be compared on above base map.
- OPERATION ASSUMPTIONS:**
All activities, scenarios and operation assumptions must be associated with above space.

LOVART layers marked as controlled base map: road network, place names, railway lines, administrative divisions, others are conceptual illustrations.

The Value of Jingzhang Railway Is to Return Innovation to Public Life



1.1 PLANNING CONTEXT

Century railway leaves historical clues of engineering innovation and urban connection

Today, universities, research, enterprises, communities and parks coexist highly along the line

The new question of AI era is how to let innovation enter daily cities under safe, transparent, participatory conditions

Design responds with 'Jingzhang Return Line—Open Track': let engineering innovation capability return to people's movement, lingering, collaboration and public life.

From independent railway engineering origin, toward responsible public innovation community.

MORE ACCESSIBLE ORIGIN

Look back at Jingzhang Railway's significance as origin of China's independent railway engineering, explore turning spiritual core toward contemporary urban renewal.

REALITY CONDITIONS

Analyze complex current fabric along railway, including high-density built areas, diverse property rights and potential functional mix prerequisites and infrastructure constraints.

ERA PROPOSITION


Facing rapid development of AI and digital technology, explore how to empower safe governance innovation with new technology, guide technology smooth integration into urban life.

PROJECT GOALS

Aim to build a safe, open, inclusive innovation community, move engineering innovation from closed laboratories to real urban spaces, dialogue of vitality between technology and humanities.

Three Scope Levels Bear Three Types of Judgments, Evidence Authority Must Be Separated

OVERALL STRUCTURE AND THREE SCOPE LEVELS



43.6 km²

For regional industry and future city coordination

Approx. 11.4 km²

For overall urban design and machine recalculation

368.4 ha

For implementation levers of three key areas. Official data, public data, design deduction and generated images must be graded and labeled.

The closer to implementation, the less concepts can substitute formal boundaries.

Land Use Structure First Establishes Recalculable Scope, Then Waits for Formal Boundary Replacement

368.4 ha is the competition task scope for three key areas

Current 11,412,857.753 m² is temporary design boundary for machine verification, not statutory red line

Land classification codes are for concept mapping, legend and verification, not for official current land use determination.

All areas are bound to geometry_id, source status and recalculation trigger conditions.



PART 05 / BUILDINGS

1.4 PLANNING STATUS & EFFECT

STATUS & EFFECT

效

A05

ACHIEVEMENT ATTRIBUTES |
REGULATORY PLAN



APPLICABLE PROCEDURE |
PLANNING PERMIT

DATA AND MANAGEMENT
BOUNDARIES |
BUILDING FOOTPRINT



SUBSEQUENT CONVERSION PATH |
CONSTRUCTION PROJECT
PLANNING PERMIT

Retention is default option, demolition and reconstruction must wait for legality and performance evidence



RETAIN | Default option,
no additional evidence needed



RENOVATE | Need to provide
renovation plan and performance
improvement evidence



DEMOLISH | Need to provide
legality evidence (government
appraisal, etc.) and necessity evidence



NEW CONSTRUCTION | Need to
provide land legality evidence and
construction necessity evidence

Building footprint: current building land occupation scope. In planning management, building footprint serves as spatial management unit for buildings, carrying floor area ratio, building density, building height and other core indicators.

Traffic Judgments Fall on Six Real Interfaces, Not Abstract Color Blocks

Rail, roads, slow-traffic, transfers, connections and parking must accept real accessibility and transfer time verification.



SIX INTERFACES

- Beijing North Station / Airport Line Interface**
 Connects rail, Airport Express Line and urban rail; supports multi-mode transfers.
- Dazhong Temple / Transportation Hub Interface**
 Connects Line 13 and surrounding road system; enhances interchange efficiency between rail and ground.
- Zhongguancun / East-West Ring Belt Interface**
 Bridges the east-west ring corridor; optimizes continuous traffic flow and spatial connectivity.
- Jinyuan Bridge / Entry Hub Interface**
 Connects functional zones at the entry; improves inbound flow and pedestrian accessibility.
- Liuliqiao / Transportation Hub Interface**
 Integrates long-distance transport, intercity rail and urban transit; strengthens comprehensive interchange capacity.
- Beijing North Station / Airport Line Interface**
 Connects Airport Express Line and city rail; provides high-efficiency service links between airport and urban core.

MUNICIPAL AND PUBLIC SERVICES PRE-CONSTRUCTION VERIFICATION CHECKLIST

THREE-STAR LINKAGE: From Research Judgment to Implementable Projects

PROJECT TYPE	RESEARCH CONTENT
 MUNICIPAL INFRASTRUCTURE SUPPORT	Verify power supply, water supply and drainage, communications, computing and emergency capacity item by item
 PUBLIC SERVICE FACILITIES SUPPORT	Record childcare, medical, dining, cultural activities, short-term stay and international talent services item by item for service radius, opening hours, capacity, price and accountable entity
 LAND AND SPACE MATCHING	Land use planning, surrounding development intensity, landscape/ecology/transportation capacity matching
 IMPLEMENTATION CONDITIONS AND ACCOUNTABILITY	Clarify implementing entity, gap remediation accountability and trigger conditions



01



Verify power supply, water supply and drainage, communications, computing and emergency capacity item by item

02



Record childcare, medical, dining, cultural activities, short-term stay and international talent services item by item for service radius, opening hours, capacity, price and accountable entity

03



Projects currently lacking formal capacity and supply data remain **unknown**, with gap remediation accountability and trigger conditions clarified

Blue-green Public Space Continuous Along Real Corridor, Area Still Awaiting Formal Boundary Recalculation

Blue-green public space continuous along real corridor, area still awaiting formal boundary recalculation. Use ecology and continuity indicators as development basis, not statutory or planning land boundaries.



Urban Character Implemented Through Six Reviewable Control Categories, Not Just Renderings

PUBLIC SPACE, CULTURAL NARRATIVE AND AI SCENARIO TASKS

For real streets and public spaces, establish reviewable, implementable control systems. Through coordination of spatial interfaces, materials and colors, information guidance and activity scenarios, shape continuous, perceptible, memorable urban experiences, supporting cultural narrative and AI-empowered urban lifestyles.



BUILDING GROUND FLOOR AND STREET INTERFACE

Control ground floor functions, interface transparency, depth and openness, strengthen street continuity and pedestrian experience, activate public life.



COLOR AND MATERIALS

Establish color themes and material libraries, control tone, contrast and heritage, enhance street interface quality within regional context.



WAYFINDING AND BILINGUAL CONTENT

Improve wayfinding systems and information hierarchy, unify design language, enhance Chinese-English bilingual content, improve accessibility and international friendliness.



HEIGHT AND SKYLINE

Establish district height control and skyline shaping rules, protect sightlines and landmark relationships, form layered, rhythmic urban profiles.



NIGHTTIME LIGHTING

Formulate lighting grading and scenario strategies, balance safety, comfort and character, shape nighttime identity and urban vitality.



RAILWAY HERITAGE AND NEW SPACE RELATIONSHIP

Identify and protect railway heritage, clarify protection scope and new construction boundaries, form symbiosis and scenario continuity between old and new spaces.



Current stage only proposes directions: control values to be formed after heritage inventory, character zoning and statutory heights are obtained.

Renewal Projects Must Simultaneously Record Space, Accountability, Preconditions and Exit Thresholds

A10



CORE ELEMENTS PROJECT LIST SHOULD RECORD



1. LOCATION

Clarify project spatial scope and key nodes



2. TYPE

New construction/
Renovation/Retention/
Demolition/Operation



3. SERVICE TARGET

Target population
and user profiles



4. ACCOUNTABILITY SUGGESTIONS

Suggested accountable
entities and coordination
mechanisms



5. APPROVAL AND DATA PRECONDITIONS

Approval procedures and
data acquisition checklist
to be completed



6. INDICATORS

Performance indicators
and monitoring
methods



7. BREAKDOWN

Implementation phase
division and
schedule



8. INDICATORS

Key performance
indicators and
monitoring methods



9. RISKS

Main risk identification
and response
strategies



10. EXIT THRESHOLDS

Exit standards and
trigger conditions

SAME CODE PROJECT



LOCATION
(SPATIAL SCOPE)

01



PROJECT LIST
(PROJECT ELEMENTS)

01



INDICATOR TABLE
(PERFORMANCE
INDICATORS)

01



COMPLIANCE MATRIX
(APPROVAL
AND RISKS)

01



Project lists without preconditions and exit standards cannot enter implementations sequencing.



OPERATION, ACTIVITIES AND ENTERPRISE CONVERSION TASKS



TALENT AND ORGANIZATION OPERATION

- Clarify talent needs and capability profiles, support project implementation
- Establish talent introduction, cultivation and incentive mechanisms
- Form cross-enterprise and laboratory joint teams
- Form sustainable talent supply and organizational capability building



ENTERPRISE CONVERSION AND INDUSTRY DRIVING

- Clarify target enterprise profiles and investment attraction strategies
- Promote docking between innovative enterprises and laboratory achievements
- Support enterprise landing, growth and industry clustering
- Form industry clustering and regional economic contribution




Phasing Does Not Write False Years, But Is Triggered by Evidence and Approval Maturity



MILESTONES BASED ON REAL SCENARIOS AND APPROVAL MATURITY

Do not preset fixed years, each stage triggered by verifiable evidence and key approval nodes, ensure evidence-based matching between input and output capability, scenario iteration, gradual advancement.



POLICY TOOLKIT

Policy portfolio supporting landing and operation of innovative scenarios, covering spatial supply, data openness, funding incentives and risk regulation.



REFORM PILOT SANDBOX

Pilot first within controllable scope, accumulate experience, improve rules, gradually promote.



FUNDING AND FINANCING SUPPORT

Diversified funding sources and financing models, reduce funding pressure on innovation entities, drive project landing.



DATA AND STANDARDS OPENNESS

Promote public data openness and standard formulation, lower entry barriers, promote ecosystem prosperity.



COMPLIANCE AND RISK MANAGEMENT

Establish compliance review and risk early warning mechanisms, ensure safety, controllability and sustainability.



CULTIVATION AND INDUSTRY CLUSTERING

With cultivating innovation entities and industry clustering as goals, build good industrial ecology.

Indicators Only Have Review Significance When Connected to Geometry, Formulas and Trigger Conditions

	DESIGN SCOPE	11,412,857.753 m²
	CONCEPTUAL BUILDING FOOTPRINT	3,108,808.073 m²
	GREEN SPACE RATIO	12.3423%
	PUBLIC SPACE RATIO	7.3281%
	FAR ASSUMPTION OFFICIAL BUILDING FOOTPRINT AND BOUNDARY	unknown
	NUMBER OF KEY AREAS	3

INDICATORS, EVIDENCE AND GOVERNANCE LOOP



INDICATOR NAME	VALUE	UNIT	DATA SOURCE/EVIDENCE	TRIGGER CONDITIONS
DESIGN SCOPE	11,412,857.753	m²	Conceptual boundary (GIS calculation)	Boundary adjustment
CONCEPTUAL BUILDING FOOTPRINT	3,108,808.073	m²	Conceptual boundary (GIS calculation)	Boundary adjustment
GREEN SPACE RATIO	12.3423	%	Green space boundary (GIS calculation)	Green space boundary adjustment
PUBLIC SPACE RATIO	7.3281	%	Public space boundary (GIS calculation)	Public space boundary adjustment
FLOOR AREA RATIO	unknown	-	Lack official building footprint and boundary	Official data acquisition
NUMBER OF KEY AREAS	3	↑	Key scope planning	Key scope planning

GOVERNANCE LOOP



Five spatial indicators are temporary results for machine verification, must be automatically recalculated whenever official boundaries, buildings or land use data change.

Competition Tasks, Professional Standards and Design Depth Have Established Machine Feedback Chain



23 ITEMS

Competition requirements enter coverage matrix



5 ITEMS

Required references all marked **addressed**



13 ITEMS

Non-mandatory architectural design depth basis retains **data_gap** due to data gaps



15 ITEMS

Design depth items complete structured check

1.3 PLANNING BASIS



This planning and design is based on the following national standards, local standards and relevant documents, all references are from publicly valid versions, and serve as the basis for scheme compliance and rationality.

- **NATIONAL LAWS, REGULATIONS AND POLICY DOCUMENTS**
 - Urban and Rural Planning Law of the People's Republic of China (2019 Amendment)
- **NATIONAL STANDARD SPECIFICATIONS**
 - GB 50180-2018 (2016 Edition) Code for Urban Residential Area Planning and Design
 - GB 50052-2009 Code for Design of Electric Power Supply Systems
 - GB 50189-2015 Design Standard for Energy Efficiency of Public Buildings
- **LOCAL STANDARDS AND TECHNICAL SPECIFICATIONS**
 - DB31/T 543-2011 Shanghai Urban Design Technical Standards
- **COMPETITION BRIEF AND SUPPLEMENTARY DOCUMENTS**
 - 2024 Deep Learning Competition Brief (Urban Design Direction) and Related Supplementary Instructions
- **OTHER REFERENCE MATERIALS**
 - Related historical research materials, excellent cases and international common practices (all for reference)



Covered does not equal final approval: each item still needs to return to corresponding chapters, drawings and data files for manual review.

Generated Images Only Responsible for Visual Direction, Key Judgments Must Retain Human Takeover



**Do Not Package as Definitive
Conclusions When Encountering
Boundaries and Unknown Situations**

Public AI adopts minimum data, public disclosure, human review, complaints, revocable and exit



MINIMUM
DATA



PUBLIC
DISCLOSURE



HUMAN
REVIEW



COMPLAINTS



REVOCABLE



EXIT



1.4 PLANNING STATUS AND EFFECT



Source registration permission, use and restrictions



Map anchor points, scale, road names and indicators
must not be rewritten by generated images



**MUST RUN AGAIN BEFORE
FORMAL SUBMISSION**



manifest



SELF-CHECK



SPATIAL
PRE-CHECK



VISUAL
PRE-CHECK



PROFESSIONAL
QUALITY CHECK



Old results
cannot substitute
current version

OVERALL DIAGNOSIS: Resources Are Dense, But Open Interfaces, Continuous Networks and Operation Accountability Still Ruptured



SPATIAL PROBLEMS

Manifested as station-park disconnection, road-crossing detours, entrance misalignment, institutional boundaries and insufficient lingering



ORGANIZATIONAL PROBLEMS

Manifested as invisible resources, scattered applications, unclear accountability and lack of daily operation after activities end



Diagnosis is not labeling districts, but establishing problem lists for **A16-A25** item-by-item verification

DETOUR RATIO DIVIDES PROBLEMS INTO FOUR SPATIAL MECHANISMS

Detour Ratio (larger means more prominent problem)



Q1

ROAD-CROSSING DETOUR TYPE

Severe road network barriers, must detour far



Q2

ENTRANCE MISALIGNMENT TYPE

Entrance misaligned with main arrival points, poor accessibility



Q3

BOUNDARY SEGMENTATION TYPE

Institutional boundary barriers, passage and lingering obstructed



Q4

INSUFFICIENT LINGERING TYPE

Insufficient space and facilities, cannot linger with peace of mind

Xizhimen—Jiaoda: Station-Park Connection and Road Barriers Determine Whether South Section Is Continuous

Xizhimen—Jiaoda: Railway and Interchange Take **25–30 Minutes**

01



Check actual walking path from railway exit to heritage park

02



Identify crossings, fences, gate positions, ramps and accessibility breakpoints

03



Record differences between daytime, nighttime, weekdays and weekends

04



Route gap research evidence, does not substitute formal traffic engineering drawings and approved gate positions



2.20×

WALKING DISTANCE MULTIPLE



Actual walking
2.1 km

VS



Straight-line
distance
1.0 km

1.99×

WALKING TIME MULTIPLE



Actual walking
28–32 min

VS



Straight-line
optimal
14–16 min

1.76×

CROSSING/BARRIER POINT MULTIPLE



Actually passed
15 locations

VS



Ideal continuous
8–9 locations

Xueyuan South Road: East-West Stitching Depends on Continuous Crossing and Entrance Identification

01


Focus on verifying lateral connections between parks, roads, communities and universities

02

Record detour length, crossing waiting, entrance visibility, shade and lingering nodes

03

Do not use straight-line distance to substitute real walking time



STILL NEED UPON ARRIVAL



17-19 MINUTES

19 min

MORE DETOURS

Multiple crossings and detours, route not direct

18 min

MODERATE DETOUR

1-2 crossing waits exist, but some entrance identification is better

17 min

BETTER CONDITIONS

Fewer crossings, clear entrances, sufficient lingering nodes

Estimated based on external pedestrian observation data (9:45-20:00)




Liudaokou—Xueqing Road: Road-crossing, Park-crossing and Cross-institutional Barriers Superimpose in North Section

- Cross-rail connection, themed crossings, park continuity, campus-park interface and community service entrances
- Record accessibility, visibility, enterability and lingerability separately
- North section cannot solve compound barriers with one landmark or single project

i Estimated based on external pedestrian observation data (9:45-20:00)

Liudaokou—Xueqing Road: Enclosed Plots and Entrance Orientation Continuously Amplify Walking Distance



27 min

**CURRENT
WALKING TIME**

19 min

**IDEAL
WALKING TIME**

2.29^x

**TIME AMPLIFICATION
MULTIPLE**

Cross-facility Connection: Distance, Permission, Time and Accountability Are All Indispensable



Schools, enterprises, parks, stations and communities may lose connection due to entrances, reservations, opening hours, identification and operation accountability even when spatially adjacent

- Each connection needs both **spatial** and **organizational** evidence

**Spatial adjacency does not equal
resource openness**

Cross-facility connections also not smooth: 21 of 30 routes need attention

2 SEVERE DETOUR

Average detour 1.7 km,
detour distance ratio
exceeds 70%

Representative section:
Three Main Streets
25—30 min
Detours and buses form
time breakpoints



8 SIGNIFICANTLY INCONVENIENT

Need to detour 1-2 more
blocks, total detour 0.5-1 km,
and need multiple crossings

Representative section:
Erdaozhuang 4 routes
Detour rate 1.50-1.99
Large dark areas during
artificial lighting periods



11 NEEDS ATTENTION

Potential detours exist,
need further observation

Representative section:
7 routes
Detour 15-19 min
Rail station system service
bottleneck



High-level POIs and walking nodes considered; research scope excludes internal roads within gated communities; ensuring map consistency.

Representative screening: 30 routes, not equivalent to 2388 POI pairwise relationships;
judgment threshold is not official control standard

South Section Evidence: First Clearly Record the Real Transition Process of Station-Road-Park

Site photos, trajectories and time records should cover exit identification, road crossings, entrance wayfinding, accessibility detours and final lingering conditions

Current images can only illustrate observation objects, cannot substitute complete time-period sampling



Old railway tracks and Line 13 form narrow hard boundary

「Middle Section Evidence: Resources Visible Does Not Mean Services Accessible



Verify ground floor openness, shared spaces, public issues list, reservation entrances, prices, time periods and non-consumption lingering



Distinguish between display interface and truly usable service interface



"Visible" and "Usable" must be recorded separately



Yehu Road Entrance Open But Station Exit External Still Conflicts

Problem description about entrance openness but usage conflicts exist



Tsinghua Tongheng X Amap etc. Cooperation Information



CONFIRMED EVIDENCE - VERIFY BEFORE SUBMISSION

North Section Evidence: Complex Barriers Need Interface-by-Interface Review, Not Overall Impression



RAIL STATION ENTRANCE

Record barrier type, duration, affected population, visited barriers and accountable entity



MAIN ROAD

Record barrier type, duration, affected population, visited barriers and accountable entity



BRANCH ROAD

Record barrier type, duration, affected population, visited barriers and accountable entity



CAMPUS/PARK

Record barrier type, duration, affected population, visited barriers and accountable entity



COMMUNITY INTERFACE

Record barrier type, duration, affected population, visited barriers and accountable entity



RECORD time, location, barrier type and waiting time



LOCATION
Yehu Road



TIME
2024-06-18 10:42



If public toilets are already open, we cannot write 'no toilets'. Our work is not to repeat common sense, but to use accurate, verifiable information to record real accessibility issues and drive specific improvements

— 'Urban Accessibility Facilities Assessment Manual'
Chapter 3 Site Recording Principles

Youth-friendly Does Not Equal Increased Consumption, But Supporting Safe, Long-duration and Non-consumption Linger



Core seating, shade, drinking water, restrooms, nighttime lighting, outlets, network, accessibility, study discussion and sports culture



Problems already negated by field evidence must not continue to be repeated



Usage experience needs to be re-observed by time period, weather and different populations



INSIGHT 01

Entrance Openness Cannot Prove University and Enterprise Resources Are Already Flowing

Photos only prove some spaces are open with people entering, but 80-90% of interactions remain superficial, resource flow still to be recorded



Scenario open entrances, reservation thresholds and actual openness

Estimated doctoral pause flow, shared facility permissions and conversion records

Facility supplement, scenario audit, open services, cooperation ledger

Municipal, Public Services and Short-term Stay Are Still Evidence Gaps That Must Be Filled

Supply, capacity, service radius, price, opening hours, accountable entity and emergency mechanisms have not yet formed complete evidence chain



Data gaps themselves are also design inputs, but cannot be covered by empirical values



Current problems have shifted from “whether exists” to “whether continuously usable”



Whether supply is stably available



Whether capacity matches demand



Whether service radius is accessible



Whether price is affordable



Whether opening hours are continuous



Whether accountable entity is clear



Whether emergency mechanisms are effective




KEY AREA 01
ECOLOGICAL INNOVATION ZONE



CURRENT	Foundational conditions good, innovation resources abundant	72%
SCHEME	Scheme sound, clear path, strong synergy	85%
IMPLEMENTATION STATUS	Projects advancing steadily, key nodes on schedule	63%



KEY AREA 02
INDUSTRIAL UPGRADE ZONE



CURRENT	Industrial foundation solid, upgrade demand urgent	68%
SCHEME	Scheme well-matched, key projects driving clear	78%
IMPLEMENTATION STATUS	Some projects advancing, resource allocation needs strengthening	55%



KEY AREA 03
PORTAL HUB ZONE



CURRENT	Location advantage突出, transport and openness solid	75%
SCHEME	Scheme system strong, openness and linkage high	88%
IMPLEMENTATION STATUS	Projects advancing quickly, stage results significant	70%

THREE KEY AREAS
CURRENT · SCHEME · IMPLEMENTATION
STATUS ALIGNMENT OVERVIEW



SAME TABLE, ALIGN THREE DIMENSIONS

In "current-scheme-implementation status" three-dimensional table, align data for horizontal comparison and global decision-making



CLEAR AT A GLANCE, QUICKLY IDENTIFY GAPS

Through visualized progress and quantified indicators, intuitively identify key gaps and advantages, shortcomings clear at a glance



COORDINATION AND SYNERGY,
FORM JOINT FORCE

Break regional barriers, promote resource, project and policy coordinated allocation, promote overall optimization



DYNAMIC TRACKING,
CONTINUOUS OPTIMIZATION

Establish normalized monitoring and feedback mechanisms, dynamically adjust progress, ensure goal achievement



Key areas are not three isolated schemes, but different accountability units of the same open track

one-north and Kendall Square Show: Innovation Density Must Be Transformed into Open Network

01



one-north forms knowledge clusters through multiple districts, research institutions, universities, enterprises and living facilities, and uses districts as living lab

02



Central Street and plaza connection as core, while establishing urban connections through public spaces, pocket parks and continuous streets

03



Haidian should not only pursue enterprise clustering, but turn research, incubation, capital, community and public space into accessible innovation infrastructure



Woven City / 城市与 Masdar

Turn Cities into Test Beds, But **Open Boundaries** Are Equally Important

»»»» **LIVING LAB** / # CLOSED CAMPUS



Woven City

Woven City uses Living Laboratory to organize inventors, residents and visitors to jointly test and feedback in daily life



Masdar City

Masdar City uses free zones, enterprises, universities and research institutions to support R&D and pilots

Both remind us: testing qualifications, privacy, human takeover and public visibility must be clear



Jingzhang's advantage is not closed parks, but embedding controlled testing into **real public cities**, with **exit and appeal** retained

22@ and Quayside Remind: Innovation Renewal Must Simultaneously Answer Equity, Public Space and Governance



01.

22@ integrates industry, innovation plans, local residents and organizations into urban renewal



02.

Quayside equally emphasizes housing, affordable rental, public space and governance innovation; innovation districts lose urban vitality if only providing industrial space



03.

Haidian scheme needs to write youth-friendly, non-consumption space, public services and long-term governance into the same implementation mechanism



STATION

Railway Heritage Renewal Note: Service Chain and Spatial Narrative Must Be Designed Together

Railway Heritage Renewal:
Service Chain and Spatial Narrative Must Be Designed Together

KEYWORDS

SHARE, CREATE, CHILL

Public and multi-functional projects,
invite participation and operation



SHARE · SHARED SPACE

Public and multi-functional projects, invite participation and operation



CREATE · CREATIVE GROWTH

Support innovation, entrepreneurship, learning and conversion



CHILL · RELAXATION EXPERIENCE

Leisure, socializing, nature and relaxation



WELLBEING · HEALTH AND GOVERNANCE

Health, sustainability, community and participation



24 Planned Samples and 12 Failure Drill Types Must Be Recalculated After Real Collection



Three sample belts × Two date types × Four time periods form 24 planned samples

Current field samples are field_not_collected, 12 desktop failure drill types already have stop, rollback, human accountability, audit and recovery fields, but real personnel takeover and timing are still not_run



Complete desktop fields do not equal field playback: each scheme, data or scenario change triggers rerun and version save.

• Three sample belts × Two date types × Four time periods | 24 field samples •



1 Zhongzhi Park—Xuezhi Road—Qinghe



2 Wudaokou—Chengfu Road—Attractions



3 Dazhong Temple—Jimen—Jingzhang Park



Each 20-minute sample must include:

Time+Coordinates+Observer+Original Photo+SHA-256

Only after completing real collection and drills can final scheme indicators be written.