





POWER ve GND'ler Pinheader ile ayrılacak
Shift Register out ile ledlerle 7 segment yapılacak



Sheet: /
File: STM32_Motor_Kit_v0.1.kicad_sch

Title:


Size: A4 Date: Rev: Id: 1/14


KiCad E.D.A. 8.0.4





Id: 3/14





Sheet: /CanBus_Communication/
File: CanBus_Communication.kicad_sch

Title:


Size: A4

Date:


KiCad E.D.A. 8.0.4

Rev:



Id: 6/14



NTMFS4119NT1G



RC:
R=330R
C=10nF için:
F=48KHz



$$A = V_{out(max)} / V_{in(max)}$$



$$A = 1.65V / 0.03V$$

$$A = 55$$

$$A = 1 + (R53/R37)$$

$$55 = 1 + (R53/R37)$$

$$R53 = 54K$$



$$A = V_{out(max)} / V_{in(max)}$$



$$A = 1.65V / 0.03V$$

$$A = 55$$

$$A = 1 + (R53/R37)$$

$$55 = 1 + (R53/R37)$$

$$R53 = 54K$$



$$A = V_{out(max)} / V_{in(max)}$$

$$A = 1.65V / 0.03V$$

$$A = 55$$

$$A = 1 + (R53/R37)$$

$$55 = 1 + (R53/R37)$$

$$R53 = 54K$$

NOTLAR
-RC Filtre Hesapları yapılacak

Sheet: /Motor_Control/
File: Motor_Control.kicad_sch

©2022 Muzaffer Nizam

Title:


Size: A3

Date:

Rev:

KiCad E.D.A. 8.0.4

Id: 7/14



Sheet: /Encoder/
File: Encoder.kicad_sch

Title:


Size: A4


Date:

KiCad E.D.A. 8.0.4

Rev:

Id: 8/14





©2022 Muzaffer Nizam

Sheet: /RS485_Communication/
File: RS485_Communication.kicad_sch

Title:


Size: A4

Date:

KiCad E.D.A. 8.0.4

Rev:

Id: 12/14



Sheet: /USB_Communication/
File: USB_Communication.kicad_sch

Title:


Size: A4


Date:

Rev:

KiCad E.D.A. 8.0.4

Id: 13/14





Sheet: /LED_OUT/
File: LED_OUT.kicad_sch

Title:


Size: A4

Date:

KiCad E.D.A. 8.0.4

Rev:

Id: 14/14



Sheet: /User_Command/
File: User_Command.kicad_sch

Title:

Size: A4

Date:

KiCad E.D.A. 8.0.4

Rev:

Id: 14/14

